

[Home](#) / [Reference](#) / [Functions](#) / `add_users_page()`

Search resources



```
add_users_page( string $page_title, string $menu_title, string $capability,
string $menu_slug, callable $callback = "", int $position = null ): string|false
```

Adds a submenu page to the Users/Profile main menu.

### Description

This function takes a capability which will be used to determine whether or not a page is included in the menu.

The function which is hooked in to handle the output of the page must check that the user has the required capability as well.

### Parameters

`$page_title`**string**required

The text to be displayed in the title tags of the page when the menu is selected.

`$menu_title`**string**required

The text to be used for the menu.

`$capability`**string**required

The capability required for this menu to be displayed to the user.

`$menu_slug`**string**required

The slug name to refer to this menu by (should be unique for this menu).

`$callback`**callable**optional

The function to be called to output the content for this page.

Default: ''

`$position`**int**optional

The position in the menu order this item should appear.

Default: null

### Return

**string|false** The resulting page's hook\_suffix, or false if the user does not have the capability required.

### More Information

- NOTE: If you're running into the »You do not have sufficient permissions to access this page.« message in a `wp_die()` screen, then you've hooked too early. The hook you should use is `'admin_menu'`.
- This function is a simple wrapper for a call to [add\\_submenu\\_page\(\)](#), passing the received arguments and specifying '

- `users.php` ' or ' `profile.php` ' (depending upon the users' capability) as the `$parent_slug` argument. This means the new page will be added as a sub-menu to the Users or Profile menu.
- The Users menu is only available to users with the ability to edit other users. Users with capability below this level will see a Profile menu instead.

Source

wp-admin/includes/plugin.php

Copy

```
function add_users_page( $page_title, $menu_title, $capability, $menu_slug, $callback = '', $position) {
    if ( current_user_can( 'edit_users' ) ) {
        $parent = 'users.php';
    } else {
        $parent = 'profile.php';
    }
    return add_submenu_page( $parent, $page_title, $menu_title, $capability, $menu_slug, $callback, $position );
}
```

[View all references](#) · [View on Trac](#) · [View on GitHub](#)

Related

Uses

- [add\\_submenu\\_page\(\)](#)  
wp-admin/includes/plugin.php
- [current\\_user\\_can\(\)](#)  
wp-includes/capabilities.php

Changelog

Version	Description
<a href="#">5.3.0</a>	Added the <code>\$position</code> parameter.
<a href="#">2.1.3</a>	Introduced.

User Contributed Notes

Codex8 years ago

0

Basic Example

Typical usage occurs in a function registered with the 'admin\_menu' hook (see [Adding Administration Menus](#)):

Copy

```
/**
 * Register a new page under "Users".
 */
function wpdocs_my_users_menu() {
```

```
add_users_page(
    __( 'My Plugin Users', 'textdomain' ),
    __( 'My Plugin', 'textdomain' ),
    'read',
    'my-unique-identifier',
    'my_plugin_function'
);
}
add_action('admin_menu', 'wpdocs_my_users_menu');
```

[Log in to add feedback](#)

You must [log in](#) before being able to contribute a note or feedback.

[About](#)  
[News](#)  
[Hosting](#)  
[Privacy](#)  
[Showcase](#)  
[Themes](#)  
[Plugins](#)  
[Patterns](#)  
[Learn](#)  
[Documentation](#)  
[Developers](#)  
[WordPress.tv ↗](#)  
[Get Involved](#)  
[Events](#)  
[Donate ↗](#)  
[Swag Store ↗](#)  
[WordPress.com ↗](#)  
[Matt ↗](#)  
[bbPress ↗](#)  
[BuddyPress ↗](#)



CODE IS POETRY

