



Codex

i Interested in functions, hooks, classes, or methods? Check out the new [WordPress Code Reference!](#)

bn:WP DEBUG

Languages: [English](#) • [Italiano](#) • [বাংলা](#) • [\(Add your language\)](#)

WP_DEBUG হচ্ছে একটি PHP কনস্ট্যান্ট (একটি স্থায়ী গ্লোবাল ভেরিয়েবল) যেটা সম্পূর্ণ ওয়ার্ডপ্রেসে "ডিবাগ" মোড টিগার করতে ব্যবহার করা যায়। বাই ডিফল্ট হিসেবে এটা false থাকে, এবং মাঝে মাঝে [wp-config.php](#) ফাইলে true করা হয়।

ওয়ার্ডপ্রেস এর মধ্যে বিল্ট ইন আরও ডিবাগিং টুল সম্পর্কে জানতে [Debugging in WordPress](#) দেখুন।

ব্যবহারবিধি

```
define( 'WP_DEBUG', true );
define( 'WP_DEBUG', false );
```

লক্ষ্য করুন: উদাহরণে true এবং false ভ্যালু দুইটি উদ্ধৃতি চিহ্নের (') মধ্যে রাখা হয়নি। কারন তারা বুলিয়ান ভ্যালু। যদি আপনি WP_DEBUG এর পাশে 'false' লিখেন, তাহলে এটি true হিসেবেই ধরা হবে, কারন এটি তখন বুলিয়ান ভ্যালুর বদলে একটি স্ট্রিং হিসেবে গণ্য হবে।

Contents

- 1 ব্যবহারবিধি
- 2 WP_DEBUG_LOG and WP_DEBUG_DISPLAY
 - 2.1 WP_DEBUG_LOG
 - 2.2 WP_DEBUG_DISPLAY
- 3 History

WP_DEBUG_LOG and WP_DEBUG_DISPLAY

WP_DEBUG_LOG and WP_DEBUG_DISPLAY are additional PHP constants that extend WP_DEBUG, and may also be used to debug WordPress.

WP_DEBUG_LOG

WP_DEBUG_LOG is a companion to WP_DEBUG that causes all errors to also be saved to a debug.log log file inside the /wp-content/ directory. This is useful if you want to review all notices later or need to view notices generated off-screen (e.g. during an [AJAX](#) request or [wp-cron](#) run).

```
define( 'WP_DEBUG_LOG', true );
```

WP_DEBUG_DISPLAY

WP_DEBUG_DISPLAY is another companion to WP_DEBUG that controls whether debug messages are shown inside the HTML of pages or not. The default is 'true' which shows errors and warnings as they are generated. Setting this to false will hide all errors. This should be used in conjunction with WP_DEBUG_LOG so that errors can be reviewed later.

```
define( 'WP_DEBUG_DISPLAY', false );
```

History

The WP_DEBUG option was added in WordPress [Version 2.3.1](#).

[Starting with WordPress version 2.3.2, database errors are printed only if WP_DEBUG is set to true.](#) In earlier versions, database errors were always printed. (Database errors are handled by the [wpdb class](#) and are not affected by [PHP's error settings](#).)

Starting with WordPress version 2.5, setting WP_DEBUG to true also raises the [error reporting level](#) to E_ALL and activates warnings when deprecated functions or files are used; otherwise, WordPress sets the error reporting level to E_ALL ^ E_NOTICE ^ E_USER_NOTICE.

Codex tools: [Log in](#)

[Home Page](#)

[WordPress Lessons](#)

[Getting Started](#)

[Working with WordPress](#)

[Design and Layout](#)

[Advanced Topics](#)

[Troubleshooting](#)

[Developer Docs](#)

[About WordPress](#)

Codex

Resources

[Community portal](#)

[Current events](#)

[Recent changes](#)

[Random page](#)

[Help](#)

[About](#)
[News](#)
[Hosting](#)
[Donate](#)
[Support](#)
[Developers](#)
[Get Involved](#)
[Learn](#)
[Showcase](#)
[Plugins](#)
[Themes](#)
[Patterns](#)
[WordCamp](#)
[WordPress.TV](#)
[BuddyPress](#)
[bbPress](#)
[WordPress.com](#)
[Matt](#)
[Privacy](#)
[Public Code](#)



CODE IS POETRY

