

DR. BABASAHEB AMBEDKAR TECHNOLOGICAL UNIVERSITY, LONERE

Supplementary Winter Examination – 2024

Course: B.Tech

Branch : Chemical Engineering

Semester : VI

Subject Code & Name: BTCHC603 & Process Instrumentation and control.

Max Marks: 60

Date:23/12/2024

Duration: 3 Hr.

Instructions to the Students:

1. Each question carries 12 marks.
2. Question No. 1 will be compulsory and include objective-type questions.
3. Candidates are required to attempt any four questions from Question No. 2 to Question No. 6.
4. The level of question/expected answer as per OBE or the Course Outcome (CO) on which the question is based is mentioned in () in front of the question.
5. Use of non-programmable scientific calculators is allowed.
6. Assume suitable data wherever necessary and mention it clearly.

		(Level/CO)	Marks				
Q. 1	Objective type questions. (Compulsory Question)		12				
1	The transfer function of a system is defined as:		1				
	<table border="1"> <tr> <td>a. Input/output ratio in time domain</td> <td>b. Input/output ratio in frequency domain</td> <td>c. Output/input ratio in frequency domain</td> <td>d. Output/input ratio in Laplace domain</td> </tr> </table>	a. Input/output ratio in time domain	b. Input/output ratio in frequency domain	c. Output/input ratio in frequency domain	d. Output/input ratio in Laplace domain		
a. Input/output ratio in time domain	b. Input/output ratio in frequency domain	c. Output/input ratio in frequency domain	d. Output/input ratio in Laplace domain				
2	Stability of a control system can be analyzed using:		1				
	<table border="1"> <tr> <td>a. Bode plot</td> <td>b. Nyquist plot</td> <td>c. Root locus</td> <td>d. All of the above</td> </tr> </table>	a. Bode plot	b. Nyquist plot	c. Root locus	d. All of the above		
a. Bode plot	b. Nyquist plot	c. Root locus	d. All of the above				
3	Which of the following is the primary objective of process control?		1				
	<table border="1"> <tr> <td>a. Increase production cost</td> <td>b. Maintain process variables at desired values</td> <td>c. Decrease product quality</td> <td>d. None of the above</td> </tr> </table>	a. Increase production cost	b. Maintain process variables at desired values	c. Decrease product quality	d. None of the above		
a. Increase production cost	b. Maintain process variables at desired values	c. Decrease product quality	d. None of the above				
4	A PID controller includes which three control actions?		1				
	<table border="1"> <tr> <td>a. Predictive, Integral, Derivative</td> <td>b. Proportional, Integral, Diagnostic</td> <td>c. Proportional, Integral, Derivative</td> <td>d. Predictive, Interactive, Diagnostic</td> </tr> </table>	a. Predictive, Integral, Derivative	b. Proportional, Integral, Diagnostic	c. Proportional, Integral, Derivative	d. Predictive, Interactive, Diagnostic		
a. Predictive, Integral, Derivative	b. Proportional, Integral, Diagnostic	c. Proportional, Integral, Derivative	d. Predictive, Interactive, Diagnostic				
5	What is the time constant (τ) in a first-order system?		1				
	<table border="1"> <tr> <td>a. Time to reach 63.2% of final</td> <td>b. Time to reach 100% of final</td> <td>c. Time to reach 50% of</td> <td>d. None of the above</td> </tr> </table>	a. Time to reach 63.2% of final	b. Time to reach 100% of final	c. Time to reach 50% of	d. None of the above		
a. Time to reach 63.2% of final	b. Time to reach 100% of final	c. Time to reach 50% of	d. None of the above				

	value.	value	final value			
6	A Routh-Hurwitz criterion is used to:					1
	a. Analyze system dynamics	b. Tune PID controllers	c. Determine system stability	d. None of the above		
7	Which plot provides a graphical method to determine the phase margin?					1
	a. Root locus	b. Nyquist plot	c. Bode plot	d. None of the above		
8	The Ziegler-Nichols method is used for					1
	a. Measuring time constant	b. Controlling noise	c. Tuning PID controllers	d. Modeling nonlinear systems		
9	The Nyquist stability criterion is used to:					1
	a. Design control systems	b. Analyze frequency response	c. Determine system stability	d. None of the above		
10	The root locus method is used to:					1
	a. Analyze system stability	b. Measure steady-state error	c. Tune PID controllers	d. Both a and c		
11	What does a thermocouple measure?					1
	a. Pressure	b. Temperature	c. Flow rate	d. Level		
12	What type of controller is best for eliminating offset in steady-state errors? https://www.batuonline.com					1
	a. Proportional controller	b. Integral controller	c. On/off controller	d. Derivative controller		
Q. 2	Solve the following.					12
A)	What are thermocouples? Explain in details thermocouple wires and thermo wells.					6
B)	Explain Pressure measuring devices with neat and clear diagram.					6

Q.3	Solve the following.		12
A)	Derive the transfer function of second order system interacting liquid level tanks connected in series.		6
B)	What is Servo and Regulatory problem. Explain with Examples.		6
Q. 4	Solve Any Two of the following.		12
A)	Explain Routh-Hurwitz Criterion for stability.		6
B)	Explain Zeigler Nicholas method		6
C)	Determine the stability by Routh criterion for the system with Following characteristic equation $S^3+3S^2+5S+2=0$		6
Q.5	Solve Any Two of the following.		12
A)	Explain Bode Stability Criterion.		6
B)	Derive the transfer function of two interacting liquid level tanks connected in series.		6
C)	Consider a second order system with the following transfer function? $G(s)= Y(S)/X(S) = 1/ (S^2+S+1)$ Introduce a step change of magnitude one into the system and find (i)% Overshoot (ii) decay ratio (iii) Rise Time (iv) Ultimate Value of Y(t)		6
Q. 6	Solve Any Two of the following.		12
A)	Explain Bode Diagrams for first order systems.		6
B)	Explain Nyquist plots for first order, second order, pure dead-time and pure capacities system.		6
C)	Explain in details cascade control.		6
	*** End ***		