

DR. BABASAHEB AMBEDKAR TECHNOLOGICAL UNIVERSITY, LONERE

B.Tech (Electronics and Communication Engineering) SEMESTER - 4 Summer 2025 (Regular)

Course : Bachelor of Technology (Electronics and Communication Engineering) Branch : Engineering and Technology

Semester : SEMESTER - 4

Subject Code & Name: BTBS404 - PROBABILITY THEORY AND RANDOM PROCESSES

Time : 3 Hours]

[Total Marks : 60

Instructions to the Students:

1. Each question carries 12 marks.
2. Question No. 1 will be compulsory and include objective-type questions.
3. Candidates are required to attempt any four questions from Question No. 2 to Question No. 6
4. Use of non-programmable scientific calculators is allowed.
5. Assume suitable data wherever necessary and mention it clearly.

Q1. Objective type questions. (Compulsory Question)

12

1. A sample space is:
 - A. A set of all favorable outcomes
 - B. A set of all possible outcomes of an experiment
 - C. A subset of events
 - D. The number of ways an event can occur
2. An event that contains no outcomes is called:
 - A. Sample space
 - B. Sure event
 - C. Independent event
 - D. Null event
3. Two events A and B are mutually exclusive if:
 - A. $P(A \cap B) = 0$
 - B. $P(A | B) = P(A)$
 - C. $P(A \cup B) = P(A) + P(B) - P(A \cap B)$
 - D. $P(B | A) = 1$
4. A random variable is defined as:
 - A. A function mapping sample space to outcomes
 - B. An outcome of a random process
 - C. A function that assigns a real number to each outcome in the sample space
 - D. A deterministic value
5. Which of the following is a discrete random variable?
 - A. Height of students
 - B. Number of heads in 3 coin tosses
 - C. Temperature
 - D. Speed of a moving car
6. The area under the PDF curve between two points a and b gives:
 - A. Expectation
 - B. Mean value
 - C. $P(a \leq X \leq b)$
 - D. Variance

- 7 If $Z=aX+b$, then the mean of Z is:
 A. $aE[X]+b$ B. $aE[X]$
 C. $a+b$ D. $E[X]+ab$
- 8 A random vector is defined as:
 A. A scalar-valued function of a random variable
 B. A deterministic vector
 C. A vector whose elements are random variables
 D. A probability function
- 9 The covariance matrix of a random vector is always:
 A. Symmetric and positive definite (if non-degenerate)
 B. Skew-symmetric
 C. Diagonal only
 D. Singular
- 10 A binomial distribution models:
 A. The number of failures before success
 B. The number of successes in a fixed number of independent Bernoulli trials
 C. Continuous outcomes between 0 and 1
 D. The time until the next event
- 11 A random process is defined as:
 A. A single deterministic signal over time
 B. A collection of random variables indexed by time or space
 C. A function of probability
 D. A distribution of values
- 12 A wide-sense stationary (WSS) process requires:
 A. Mean to be constant and autocorrelation depends only on time difference
 B. Zero mean and zero variance
 C. Only variance is time-invariant
 D. First and third moments are constant
- Q2. Solve the following.
- A) Define probability with its all approaches (numerical & classical) approaches. 6
 Explain disadvantages of classical approach of probability
- B) Explain the probability density function (PDF) and the cumulative distribution function (CDF) along with their properties for continuous and discrete random variables. 6
- Q3. Solve the following.
- A) If X is uniformly distributed in $(1,2)$ and $Y=X^3$, then find the mean and variance of Y . 6
- B) State and prove the statement of the Schwarz Inequality. 6
- Q4. Solve Any Two of the following.
- A) State and explain the Poisson distribution. Also, write the mean and variance formula for the Poisson distribution. 6

- B) If 3% of electronic units manufactured by a company are defective. Find the probability that in a sample of 200 units, less than 2 bulbs are defective. 6
- C) State and explain the terms Covariance and Correlation and write the properties. 6

Q5. Solve Any Two of the following.

- A) Write a note on the law of large numbers and explain the types. 6
- B) State and prove the central limit theorem. 6
- C) Explain in detail axioms of probability. Find the value of k 6

x	1	2	3	4
p(x)	0.1	0.4	0.1	k

Find 1) $p(x < 3)$ 2) $p(2 < x = 4)$

Q6. Solve Any Two of the following.

- A) If $\{X(t)\}$ is WSS process with autocorrelation $R(\tau) = Ae^{-a|\tau|}$. Determine the second-order moment of RV $X(9) - X(4)$. 6
- B) Define the power spectral density function. Write all its properties and prove any three. 6
- C) Define random process. Provide the classification of random process based on nature of space and time parameter along with example for each type. 6

*** End ***