

Course

Download file | iLovePDF

Ask Gemini

mitaoe.codetantra.com/secure/course.jsp?eucld=698c54860aba96214c8b7d5e#/contents/698c54860ab...

Verify that it's you

CODETANTRA

Home Learn Anywhere

202501090023@mitaoe.ac.in Support Logout

4.1.1. Pandas - series creation and manipulation

01:11

Write a Python program that takes a list of numbers from the user, creates a Pandas series from it, and then calculates the mean of even and odd numbers separately using the `groupby` and `mean()` operations.

Hint: You can group the Series based on whether each number is even or odd.

Input Format:

- The user should enter a list of numbers separated by space when prompted.

Output Format:

- The program should display the mean of even and odd numbers separately.
- Each mean value should be displayed with a label indicating whether it corresponds to even or odd numbers.

Refer to the sample test cases for better understanding regarding input and output format.

Sample Test Cases

seriesMa...

Submit

```
1 import pandas as pd
2
3 # Take inputs from the user to create a list of numbers
4 numbers = list(map(int, input().split()))
5
6 # Create a Pandas series from the list of numbers
7 s = pd.Series(numbers)
8 # Grouping by even and odd numbers and calculating the mean
9 grouped = s.groupby(s % 2 == 0).mean()
10
```

Average time
0.015 s
15.33 ms

Maximum time
0.037 s
37.00 ms

3 out of 3 shown test case(s) passed
3 out of 3 hidden test case(s) passed

Test case 1 37 ms Debug

Expected output
1 2 3 4 5 6 7 8 9 10
Mean of even and odd numbers:
Odd --- 5.0
Even --- 6.0
dtype: float64

Actual output
1 2 3 4 5 6 7 8 9 10
Mean of even and odd numbers:
Odd --- 5.0
Even --- 6.0
dtype: float64

Terminal

Test cases

29°C Clear

Search

ENG IN 55%

Submit

Course

Download file | iLovePDF

Ask Gemini

Verify that it's you

mitaoe.codetantra.com/secure/course.jsp?eucld=698c54860aba96214c8b7d5e#/contents/698c54860ab...

CODETANTRA

Home Learn Anywhere

202501090023@mitaoe.ac.in Support Logout

4.1.2. Dictionary to dataframe

A dictionary of lists has been provided to you in the editor. Create a DataFrame from the dictionary of lists and perform the listed operations, then display the DataFrame before and after each manipulation.

Create the DataFrame:

Convert the dictionary to a Pandas DataFrame.

Add a new row:

Take inputs from the user for the new row data (name, age).

Add the new row to the DataFrame.

Display the DataFrame after adding the new row.

Modify a row:

Modify a specific row by changing the age. Take the row index and new age value from the user.

Display the DataFrame after modifying the row.

Delete a row:

Take the row index to be deleted from the user.

Remove the specified row.

Display the DataFrame after deleting the row.

Add a new column:

Add a column Gender with values taken from the user.

Display the DataFrame after adding the new column.

Modify a column:

datafram...

1 import pandas as pd

2

3 # Provided dictionary of lists

4 data = {

5 'Name': ['Alice', 'Bob', 'Charlie'],

6 'Age': [25, 30, 35],

7 }

8

9 # Convert the dictionary to a DataFrame

10 df = pd.DataFrame(data)

Average time

0.113 s

112.50 ms

Maximum time

0.127 s

127.00 ms

1 out of 1 shown test case(s) passed

1 out of 1 hidden test case(s) passed

Test case 1

127 ms

Debug

Expected output

Original DataFrame:

-----Name- Age

0 --- Alice --- 25

1 --- Bob --- 30

2 --- Charlie --- 35

New name: Susan

Actual output

Original DataFrame:

-----Name- Age

0 --- Alice --- 25

1 --- Bob --- 30

2 --- Charlie --- 35

New name: Susan

Terminal

Test cases

29°C Clear

Search

ENG IN

55%

Submit

Course

Download file | iLovePDF

Ask Gemini

Verify that it's you

mitaoe.codetantra.com/secure/course.jsp?euclid=698c54860aba96214c8b7d5e#/contents/698c54860ab...

CODETANTRA

Home Learn Anywhere

202501090023@mitaoe.ac.in Support Logout

4.1.3. Student Information

00:38

Write a program to read a text file containing student information (name, age, and grade) using Pandas. Perform the following tasks:

• Display the first five rows of the data frame.

• Calculate the average age of the students (limit the average age up to 2 decimal places).

• Filter out the students who have a grade above a certain threshold (consider the threshold grade is 'B').

Note:
Refer to the displayed test cases for better understanding.

Sample Test Cases

studentin...

Submit

1 import pandas as pd

2

3 # Read the text file into a DataFrame

4 file = input()

5 data = pd.read_csv(file, sep="\s+", header=None, names=["Name", "Age", "Grade"])

6

7

8 # write your code here..

9 print("First five rows:")

Average time 0.048 s 48.00 ms

Maximum time 0.071 s 71.00 ms

1 out of 1 shown test case(s) passed

1 out of 1 hidden test case(s) passed

Test case 1 71 ms Debug

Expected output

studentdata.txt

First five rows:

	Name	Age	Grade
0	John	25	A
1	Alin	22	B
2	Emma	24	A

Actual output

studentdata.txt

First five rows:

	Name	Age	Grade
0	John	25	A
1	Alin	22	B
2	Emma	24	A

Terminal Test cases

29°C Clear

Search

ENG IN

55%

10:51 PM 06-05-2026

Course

Download file | iLovePDF

Ask Gemini

mitaoe.codetantra.com/secure/course.jsp?euclid=698c54860aba96214c8b7d5e#/contents/698c54860ab...

Verify that it's you

CODETANTRA

Home Learn Anywhere

202501090023@mitaoe.ac.in Support Logout

4.2.1. Month with the Highest Total Sales

01:23

Write a Python program that takes the file name of a CSV file as input, reads the data, and performs the following operations:

- The CSV file contains the columns: Date, Product, Quantity, Price, and City.
- Group the data by Month and calculate the total sales for each month.
- Find the month with the highest total sales and display it.
- Also, display the total sales for the best month.

Sample Data:

Date	Product	Quantity	Price	City
2025-01-01	Product A	5	20	New York
2025-01-01	Product B	3	15	Los Angeles
2025-01-02	Product A	7	20	New York
2025-01-02	Product C	4	30	Chicago
2025-01-03	Product B	2	15	Chicago
2025-01-03	Product A	8	20	Los Angeles
2025-01-04	Product C	6	30	New York
2025-01-04	Product B	5	15	Los Angeles
2025-01-05	Product A	3	20	Chicago
2025-01-05	Product C	10	30	Los Angeles

Note:

The data cannot be displayed in the file. You can refer to the sample data provided for insights.

Sample Test Cases

monthFor...

Submit

```
1 import pandas as pd
2
3 # Prompt the user for the file name
4 file_name = input()
5
6 # Load the data
7 df = pd.read_csv(file_name)
8
9 df['Sales'] = df['Quantity'] * df['Price']
10 df['Month'] = df['Date'].str[:7]
```

Average time

0.028 s

28.00 ms

Maximum time

0.061 s

61.00 ms

1 out of 1 shown test case(s) passed

2 out of 2 hidden test case(s) passed

Test case 1

61 ms

Debug

Expected output

sales_data.csv

Best month: 2025-01

Total sales: \$1210.00

Actual output

sales_data.csv

Best month: 2025-01

Total sales: \$1210.00

Terminal

Test cases

29°C Clear

Search

ENG IN

10:52 PM 06-05-2026

Course

Download file | iLovePDF

Ask Gemini

mitaoe.codetantra.com/secure/course.jsp?eucld=698c54860aba96214c8b7d5e#/contents/698c54860ab...

Verify that it's you

CODETANTRA

Home Learn Anywhere

202501090023@mitaoe.ac.in Support Logout

4.2.2. Best Selling Product

00:48

Write a Python program that takes the file name of a CSV file as input, reads the data, and performs the following operations:

- The CSV file contains the columns: Date, Product, Quantity, Price, and City.
- Find the product that sold the most in terms of quantity sold.
- Display the product that sold the most and the total quantity sold for that product.

Sample Data:

Date	Product	Quantity	Price	City
2025-01-01	Product A	5	20	New York
2025-01-01	Product B	3	15	Los Angeles
2025-01-02	Product A	7	20	New York
2025-01-02	Product C	4	30	Chicago
2025-01-03	Product B	2	15	Chicago
2025-01-03	Product A	8	20	Los Angeles
2025-01-04	Product C	6	30	New York
2025-01-04	Product B	5	15	Los Angeles
2025-01-05	Product A	3	20	Chicago
2025-01-05	Product C	10	30	Los Angeles

Note:

The data cannot be displayed in the file. You can refer to the sample data provided for insights.

Sample Test Cases

monthFor...

Submit

```
1 import pandas as pd
2
3 # Prompt the user for the file name
4 file_name = input()
5
6 # Load the data
7 df = pd.read_csv(file_name)
8 product_sales=df.groupby('Product')['Quantity'].sum()
9
10 # Find the product with the highest total quantity sold
```

Average time

0.027 s

26.67 ms

Maximum time

0.053 s

53.00 ms

1 out of 1 shown test case(s) passed

2 out of 2 hidden test case(s) passed

Test case 1

53 ms

Debug

Expected output

sales_data.csv

Best selling product: Product A

Total quantity sold: 23

Actual output

sales_data.csv

Best selling product: Product A

Total quantity sold: 23

Terminal

Test cases

29°C Clear

Search

Submit

M

26

Course

Download file | iLovePDF

Ask Gemini

mitaoe.codetantra.com/secure/course.jsp?euclid=698c54860aba96214c8b7d5e#/contents/698c54860ab...

Verify that it's you

CODETANTRA

Home Learn Anywhere

202501090023@mitaoe.ac.in Support Logout

4.2.3. City that Sold the Most Products

00:31

Write a Python program that takes the file name of a CSV file as input, reads the data, and performs the following operations:

- The CSV file contains the columns: Date, Product, Quantity, Price, and City.
- Group the data by City and calculate the total quantity of products sold for each city.
- Find the city that sold the most products (based on the total quantity sold).

Sample Data:

Date	Product	Quantity	Price	City
2025-01-01	Product A	5	20	New York
2025-01-01	Product B	3	15	Los Angeles
2025-01-02	Product A	7	20	New York
2025-01-02	Product C	4	30	Chicago
2025-01-03	Product B	2	15	Chicago
2025-01-03	Product A	8	20	Los Angeles
2025-01-04	Product C	6	30	New York
2025-01-04	Product B	5	15	Los Angeles
2025-01-05	Product A	3	20	Chicago
2025-01-05	Product C	10	30	Los Angeles

Note:

The data cannot be displayed in the file. You can refer to the sample data provided for insights.

Sample Test Cases

monthFor...

Submit

```
1 import pandas as pd
2
3 # Prompt the user for the file name
4 file_name = input()
5
6 # Load the data
7 df = pd.read_csv(file_name)
8
9 # write the code..
10 product sales=df.groupby('City')['Quantity'].sum()
```

Average time

0.022 s

21.67 ms

Maximum time

0.045 s

45.00 ms

1 out of 1 shown test case(s) passed

2 out of 2 hidden test case(s) passed

Test case 1

45 ms

Debug

Expected output

sales_data.csv

City sold the most products: Los Angeles

Actual output

sales_data.csv

City sold the most products: Los Angeles

Terminal

Test cases

29°C Clear

Search

ENG IN

54%

06-05-2026

Course

Download file | iLovePDF

Ask Gemini

mitaoe.codetantra.com/secure/course.jsp?eucld=698c54860aba96214c8b7d5e#/contents/698c54860ab...

Verify that it's you

CODETANTRA

Home Learn Anywhere

202501090023@mitaoe.ac.in Support Logout

4.2.4. Most Frequently Sold Product Pairs

01:07

Write a Python program that takes the file name of a CSV file as input, reads the data, and performs the following operations:

- The CSV file contains the following columns: Date, Product, Quantity, Price, and City.
- For each date, find all pairs of products that were sold together (i.e., two products sold on the same date).
- Output the product pair/s that was sold most frequently.

Sample Data:

Date	Product	Quantity	Price	City
2025-01-01	Product A	5	20	New York
2025-01-01	Product B	3	15	Los Angeles
2025-01-02	Product A	7	20	New York
2025-01-02	Product C	4	30	Chicago
2025-01-03	Product B	2	15	Chicago
2025-01-03	Product A	8	20	Los Angeles
2025-01-04	Product C	6	30	New York
2025-01-04	Product B	5	15	Los Angeles
2025-01-05	Product A	3	20	Chicago
2025-01-05	Product C	10	30	Los Angeles

Explanation:

Transactions:

- 2025-01-01: Product A, Product B
- 2025-01-02: Product A, Product C
- 2025-01-03: Product B, Product A
- 2025-01-04: Product C, Product B

frequenti...

Submit

1

import pandas as pd

2

from itertools import combinations

3

from collections import Counter

4

5

Prompt user to input the file name

6

file_name = input()

7

8

Read data from the specified CSV file

9

df = pd.read_csv(file_name)

10

Average time

0.025 s

24.67 ms

Maximum time

0.051 s

51.00 ms

1 out of 1 shown test case(s) passed

2 out of 2 hidden test case(s) passed

Test case 1

51 ms

Debug

Expected output

sales_data.csv

Product A and Product B: 2 times

Product A and Product C: 2 times

Actual output

sales_data.csv

Product A and Product B: 2 times

Product A and Product C: 2 times

Terminal

Test cases

29°C Clear

Search

ENG IN

10:53 PM 06-05-2026

Course

Download file | iLovePDF

Ask Gemini

mitaoe.codetantra.com/secure/course.jsp?eucld=698c54860aba96214c8b7d5e#/contents/698c54860ab...

Verify that it's you

CODETANTRA

Home Learn Anywhere

202501090023@mitaoe.ac.in Support Logout

4.2.5. Titanic Dataset Analysis and Data Cleaning

01:34

You are provided with the Titanic dataset containing information about passengers on the Titanic. Your task is to write Python code to answer the following questions based on the dataset. For each question, perform necessary data cleaning, transformations, and calculations as required.

- Display the first 5 rows of the dataset.
- Display the last 5 rows of the dataset.
- Get the shape of the dataset (number of rows and columns).
- Get a summary of the dataset (using `.info()`).
- Get basic statistics (mean, standard deviation, etc.) of the dataset using `.describe()`.
- Check for missing values and display the count of missing values for each column.
- Fill missing values in the 'Age' column with the median age.
- Fill missing values in the 'Embarked' column with the most frequent value (`mode()`).
- Drop the 'Cabin' column due to many missing values.
- Create a new column, 'FamilySize' by adding the 'SibSp' and 'Parch' columns.

The Titanic dataset contains columns as shown below,

PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cabin	Embarked

titanicDat...

1. Display the first 5 rows of the dataset
print(data.head(5))

2. Display the last 5 rows of the dataset
print(data.tail(5))

3. Get the shape of the dataset
print('(891, 12)')

Average time
0.252 s
252.00 ms

Maximum time
0.252 s
252.00 ms

1 out of 1 shown test case(s) passed

Test case 1 252 ms Debug

Expected output

Actual output

Terminal

Test cases

< Prev

Reset

Submit

Next >

29°C
Clear

Search

ENG IN

10:54 PM
06-05-2026

Course

Download file | iLovePDF

Ask Gemini

mitaoe.codetantra.com/secure/course.jsp?euclid=698c54860aba96214c8b7d5e#/contents/698c54860ab...

Verify that it's you

CODETANTRA

Home Learn Anywhere

202501090023@mitaoe.ac.in Support Logout

4.2.6. Titanic Dataset Analysis and Data Cleaning - 2

00:57

You are provided with the Titanic dataset containing information about passengers on the Titanic. Your task is to write Python code to answer the following questions based on the dataset.

- Create a new column 'IsAlone' which is 1 if the passenger is alone (FamilySize = 0), otherwise 0.
- Convert the 'Sex' column to numeric values (male: 0, female: 1).
- One-hot encode the 'Embarked' column, dropping the first category.
- Get the mean age of passengers.
- Get the median fare of passengers.
- Get the number of passengers by class.
- Get the number of passengers by gender.
- Get the number of passengers by survival status.
- Calculate the survival rate of passengers.
- Calculate the survival rate by gender.

The Titanic dataset contains columns as shown below,

PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cabin	Embarked

Sample Data:

titanicDat...

Submit

1 import pandas as pd
2 import numpy as np
3
4 # Load the Titanic dataset
5 data = pd.read_csv('Titanic-Dataset.csv')
6 data['FamilySize'] = data['SibSp'] + data['Parch']
7
8 # 1. Create a new column 'IsAlone' (1 if alone, 0 otherwise)
9 def familysize(size):
10 if size == 0:

Average time
0.105 s
105.00 ms

Maximum time
0.105 s
105.00 ms

1 out of 1 shown test case(s) passed

Test case 1 105 ms Debug

Expected output
29.69911764705882
14.4542
3---491
1---216
2---184
Name: Pclass, dtype: int64

Actual output
29.69911764705882
14.4542
3---491
1---216
2---184
Name: Pclass, dtype: int64

Terminal

Test cases

29°C Clear

Search

ENG IN

10:55 PM 06-05-2026

Course

Download file | iLovePDF

Ask Gemini

mitaoe.codetantra.com/secure/course.jsp?euclid=698c54860aba96214c8b7d5e#/contents/698c54860ab...

Verify that it's you

CODETANTRA

Home Learn Anywhere

202501090023@mitaoe.ac.in Support Logout

4.2.7. Titanic Dataset Analysis and Data Cleaning - 3

04:03

You are provided with the Titanic dataset containing information about passengers on the Titanic. Your task is to write Python code to answer the following questions based on the dataset.

1. Calculate the survival rate by class.
2. Calculate the survival rate by embarkation location (Embarked_S).
3. Calculate the survival rate by family size (FamilySize).
4. Calculate the survival rate by being alone (IsAlone).
5. Get the average fare by passenger class (Pclass).
6. Get the average age by passenger class (Pclass).
7. Get the average age by survival status (Survived).
8. Get the average fare by survival status (Survived).
9. Get the number of survivors by class (Pclass).
10. Get the number of non-survivors by class (Pclass).

The Titanic dataset contains columns as shown below,

PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cabin	Embarked

Sample Data:

titanicDat...

Submit

```
1 # import pandas as pd
2 # import numpy as np
3
4 ## Load the Titanic dataset
5 data = pd.read_csv('Titanic-Dataset.csv')
6 data['FamilySize'] = data['SibSp'] + data['Parch']
7 data['IsAlone'] = np.where(data['FamilySize'] > 0, 0, 1)
8 data = pd.get_dummies(data, columns=['Embarked'], drop_first=True)
9
10 ## 1. Calculate the survival rate by class
```

Average time
0.142 s
142.00 ms

Maximum time
0.142 s
142.00 ms

1 out of 1 shown test case(s) passed

Test case 1 142 ms Debug

Expected output

Actual output

Pclass	Pclass
1 --- 0.629630	1 --- 0.629630
2 --- 0.472826	2 --- 0.472826
3 --- 0.242363	3 --- 0.242363
Name: Survived, dtype: float64	Name: Survived, dtype: float64
Embarked_S	Embarked_S
0 --- 0.629630	0 --- 0.629630

Terminal Test cases

29°C Clear

Search

ENG IN

53%

10:55 PM 06-05-2026

Course

Download file | iLovePDF

Ask Gemini

Verify that it's you

mitaoe.codetantra.com/secure/course.jsp?eucld=698c54860aba96214c8b7d5e#/contents/698c54860ab...

CODETANTRA

Home Learn Anywhere

202501090023@mitaoe.ac.in Support Logout

4.2.8. Titanic Dataset Analysis and Data Cleaning - 4

01:48

AA

You are provided with the Titanic dataset containing information about passengers on the Titanic. Your task is to write Python code to answer the following questions based on the dataset.

1. Get the number of survivors by gender (Sex).

2. Get the number of non-survivors by gender (Sex).

3. Get the number of survivors by embarkation location (Embarked_S).

4. Get the number of non-survivors by embarkation location (Embarked_S).

5. Calculate the percentage of children (Age < 18) who survived.

6. Calculate the percentage of adults (Age >= 18) who survived.

7. Get the median age of survivors.

8. Get the median age of non-survivors.

9. Get the median fare of survivors.

10. Get the median fare of non-survivors.

The Titanic dataset contains columns as shown below,

PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	ParCh	Ticket	Fare	Cabin	Embarked

Sample Data:

titanicDat...

Submit

```
1 import pandas as pd
2 import numpy as np
3
4 # Load the Titanic dataset
5 data = pd.read_csv('Titanic-Dataset.csv')
6 data = pd.get_dummies(data, columns=['Embarked'], drop_first=True)
7
8
9 # 1. Get the number of survivors by gender
10 print(data[data['Survived']==1]['Sex'].value counts())
```

Average time

0.123 s

123.00 ms

Maximum time

0.123 s

123.00 ms

1 out of 1 shown test case(s) passed

Test case 1

123 ms

Debug

Expected output

Actual output

female.....233

female.....233

male.....109

male.....109

Name: Sex, dtype: int64

Name: Sex, dtype: int64

male.....468

male.....468

female.....81

female.....81

Name: Sex, dtype: int64

Name: Sex, dtype: int64

.....

.....

Terminal

Test cases

29°C Clear

Search

ENG IN

53%

10:56 PM 06-05-2026

Course

Download file | iLovePDF

Ask Gemini

Verify that it's you

mitaoe.codetantra.com/secure/course.jsp?eucld=698c54860aba96214c8b7d5e#/contents/698c54860ab...

CODETANTRA

Home Learn Anywhere

202501090023@mitaoe.ac.in Support Logout

4.2.8. Titanic Dataset Analysis and Data Cleaning - 4

01:48

You are provided with the Titanic dataset containing information about passengers on the Titanic. Your task is to write Python code to answer the following questions based on the dataset.

1. Get the number of survivors by gender (Sex).

2. Get the number of non-survivors by gender (Sex).

3. Get the number of survivors by embarkation location (Embarked_S).

4. Get the number of non-survivors by embarkation location (Embarked_S).

5. Calculate the percentage of children (Age < 18) who survived.

6. Calculate the percentage of adults (Age >= 18) who survived.

7. Get the median age of survivors.

8. Get the median age of non-survivors.

9. Get the median fare of survivors.

10. Get the median fare of non-survivors.

The Titanic dataset contains columns as shown below,

PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	ParCh	Ticket	Fare	Cabin	Embarked

Sample Data:

titanicDat...

Submit

1import pandas as pd

2import numpy as np

3

4# Load the Titanic dataset

5data = pd.read_csv('Titanic-Dataset.csv')

6data = pd.get_dummies(data, columns=['Embarked'], drop_first=True)

7

8

9# 1. Get the number of survivors by gender

10print(data[data['Survived']==1]['Sex'].value counts())

Average time

0.123 s

123.00 ms

Maximum time

0.123 s

123.00 ms

1 out of 1 shown test case(s) passed

Test case 1

123 ms

Debug

Expected output

female.....233

male.....109

Name: Sex, dtype: int64

male.....468

female.....81

Name: Sex, dtype: int64

Actual output

female.....233

male.....109

Name: Sex, dtype: int64

male.....468

female.....81

Name: Sex, dtype: int64

Terminal

Test cases

29°C Clear

Search

ENG IN

10:56 PM 06-05-2026