

SQL PROJECT ON PIZZA SALES

Presented By: YASH TANWAR

SQL • Data Analysis • Business Insights



SQL Questions & Business Analysis

BASIC LEVEL :

1. Retrieve the total number of orders placed
2. Calculate the total revenue generated from pizza sales



Intermediate Level Analysis :

1. Determine the distribution of orders by hour of the day
2. Calculate the average number of pizzas ordered per day

Advanced Level Analysis :

1. Calculate the percentage contribution of each pizza type to total revenue
2. Analyze the cumulative revenue generated over time

Retrieve the total number of orders placed.

```
SELECT  
    COUNT(order_id) AS total_orders  
FROM  
    orders;
```

Result Grid	
	total_orders
▶	21350

Calculate the total revenue generated from pizza sales.

```
SELECT
    ROUND(SUM(order_details.quantity * pizzas.price),
          2) AS total_revenue
FROM
    order_details
    JOIN
    pizzas ON order_details.pizza_id = pizzas.pizza_id
```

Result Grid	
	total_revenue
▶	817860.05

List the top 5 most ordered pizza types along with their quantities.

```
SELECT
    pizza_types.name, SUM(order_details.quantity) AS order_sum
FROM
    pizza_types
    JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
    JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
group by pizza_types.name order by order_sum DESC limit 5;
```

Result Grid  Filter Rows:		
	name	order_sum
▶	The Classic Deluxe Pizza	2453
	The Barbecue Chicken Pizza	2432
	The Hawaiian Pizza	2422
	The Pepperoni Pizza	2418
	The Thai Chicken Pizza	2371

Join the necessary tables to find the total quantity of each pizza category ordered.

```
SELECT
    pizza_types.category,
    SUM(order_details.quantity) AS quantity
FROM
    pizza_types
    JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
    JOIN
    order_details ON pizzas.pizza_id = order_details.pizza_id
GROUP BY pizza_types.category
ORDER BY quantity DESC;
```

Result Grid			Filter
	category	quantity	
▶	Classic	14888	
	Supreme	11987	
	Veggie	11649	
	Chicken	11050	

Group the orders by date and calculate the average number of pizzas ordered per day.

```
SELECT
    ROUND(AVG(quantity), 0) as average_pizza_ordered_per_day
FROM
    (SELECT
        orders.order_date AS dat,
        SUM(order_details.quantity) AS quantity
    FROM
        orders
    JOIN order_details ON orders.order_id = order_details.order_id
    GROUP BY dat) AS order_quantity;
```

Result Grid			 Filter Rows:
	average_pizza_ordered_per_day		
▶	138		

Calculate the percentage contribution of each pizza type to total revenue

```
select pizza_types.category , round(sum(order_details.quantity * pizzas.price)/(SELECT
    ROUND(SUM(order_details.quantity * pizzas.price),
        2) AS total_revenue
FROM
    order_details
    JOIN
        pizzas ON order_details.pizza_id = pizzas.pizza_id) * 100,2) as revenue
from pizza_types join pizzas
on pizza_types.pizza_type_id = pizzas.pizza_type_id
join order_details
on order_details.pizza_id = pizzas.pizza_id
group by pizza_types.category order by revenue desc ;
```

Result Grid					Filter
	category	revenue			
▶	Classic	26.91			
	Supreme	25.46			
	Chicken	23.96			
	Veggie	23.68			

Analyze the cumulative revenue generated over time.

```
select order_date,  
sum(revenue) over(order by order_date) cum_revenue  
from  
(select orders.order_date ,  
sum(order_details.quantity * pizzas.price) as revenue  
from order_details join pizzas  
on order_details.pizza_id = pizzas.pizza_id  
join orders  
on orders.order_id = order_details.order_id  
group by orders.order_date) as sales ;
```

Result Grid			Filter Rows:
	order_date	cum_revenue	
▶	2015-01-01	2713.8500000000004	
	2015-01-02	5445.75	
	2015-01-03	8108.15	
	2015-01-04	9863.6	
	2015-01-05	11929.55	
	2015-01-06	14358.5	
	2015-01-07	16560.7	
	2015-01-08	19399.05	
	2015-01-09	21526.4	
	2015-01-10	23990.350000000002	

Connect With Me :



LINKEDIN :

- www.linkedin.com/in/yash-tanwar-1b760833b

GITHUB :

- [Web : www.reallygreatsite.com](http://www.reallygreatsite.com)



THANK YOU