

**Bid Document/ बिड दस्तावेज़**

Bid Details/बिड विवरण	
<b>Bid End Date/Time/बिड बंद होने की तारीख/समय</b>	17-04-2025 12:00:00
<b>Bid Opening Date/Time/बिड खुलने की तारीख/समय</b>	17-04-2025 12:30:00
<b>Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)</b>	180 (Days)
<b>Ministry/State Name/मंत्रालय/राज्य का नाम</b>	Ministry Of Home Affairs
<b>Department Name/विभाग का नाम</b>	Central Armed Police Forces
<b>Organisation Name/संगठन का नाम</b>	National Disaster Response Force (ndrf)
<b>Office Name/कार्यालय का नाम</b>	Hq Ndrf New Delhi
<b>क्रेता ईमेल/Buyer Email</b>	dcproccell-ndrf@gov.in
<b>Total Quantity/कुल मात्रा</b>	17
<b>Item Category/मद केटेगरी</b>	Fire Breathing Apparatus with Trolley (SCBA) as per IS 10245 (Part 3) (Q3)
<b>Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)</b>	5 Lakh (s)
<b>OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)</b>	51 Lakh (s)
<b>MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है</b>	Yes
<b>Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/</b>	Yes
<b>Document required from seller/विक्रेता से मांगे गए दस्तावेज़</b>	Bidder Turnover, Certificate (Requested in ATC), OEM Authorization Certificate, OEM Annual Turnover, Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
<b>Do you want to show documents uploaded by bidders to all bidders participated in bid?/</b>	No

Bid Details/बिड विवरण	
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	Yes
RA Qualification Rule	H1-Highest Priced Bid Elimination
Type of Bid/बिड का प्रकार	Two Packet Bid
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	5 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	Yes
Inspection to be carried out by Buyers own empanelled agency	Yes
Type Of Inspection	Pre Dispatch
Name of the Empanelled Inspection Agency/ Authority	Board of Officers
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Arbitration Clause	No
Mediation Clause	No

#### EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	153000

#### ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	5.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	17

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

#### Beneficiary/लाभार्थी :

PAO

NDMA Bhawan, Safdurjung Enclave, New Delhi through HQ DG NDRF, New Delhi (Pao)

### MII Purchase Preference/एमआईआई खरीद वरीयता

MI Purchase Preference/एमआईआई खरीद वरीयता	Yes
---	-----

### MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
5. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.  
[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
6. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are

excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

#### **7. Inspection of Stores by Nominated Inspection Authority / Agency of buyer or their authorized representatives**

An independent third party Professional Inspection Body can help buyer in mitigating buyer's risk with pre-dispatch/post-dispatch inspection in order to ensure that equipment, components, solutions and documentation conform to contractual requirements. The buyer has a right to inspect goods in reasonable manner and within reasonable time at any reasonable place as indicated in contract. Inspection Fee/ Charges (as pre-greed between buyer and Inspection Agency) would be borne by the buyer as per their internal arrangement but may be recovered from the seller if the consignment failed to conform to contractual specification and got rejected by the Inspection Officer. If so requested and accepted by the seller, initially seller may pay for inspection charges as applicable and get the same reimbursed from buyer if consignment accepted by the Inspecting Officer. For reimbursement seller has to submit proof of payment to Inspection Agency.

Seller/OEM shall send a notice in writing / e-mail to the Inspecting officer / inspection agency specifying the place of inspection as per contract and the Inspecting officer shall on receipt of such notice notify to the seller the date and time when the stores would be inspected. The seller shall, at his own expenses, afford to the Inspecting officer, all reasonable facilities as may be necessary for satisfying himself that the stores are being and or have been manufactured in accordance with the technical particulars governing the supply. The decision of the purchaser representative /inspection authority regarding acceptance / rejection of consignment shall be final and binding on the seller.

The Seller shall provide, without any extra charge, all materials, tools, labour and assistance of every kind which the Inspecting officer may demand of him for any test, and examination, other than special or independent test, which he shall require to be made on the seller's premises and the seller shall bear and pay all costs attendant thereon.

The seller shall also provide and deliver store / sample from consignment under inspection free of charge at any such place other than his premises as the Inspecting officer may specify for acceptance tests for which seller/OEM does not have the facilities or for special/ independent tests.

In the event of rejection of stores or any part thereof by the Inspecting officer basis testing outside owing to lack of test facility at sellers premises, the seller shall, on demand, pay to the buyer the costs incurred in the inspection and/or test. Cost of test shall be assessed at the rate charged by the Laboratory to private persons for similar work.

Inspector shall have the right to put all the stores or materials forming part of the same or any part thereof to such tests as he may like fit and proper as per QAP/governing specification. The seller shall not be entitled to object on any ground whatsoever to the method of testing adopted by the Inspecting officer.

Unless otherwise provided for in the contract, the quantity of the stores or materials expended in test will be borne by seller.

Inspecting officer is the Final Authority to Certify Performance / accept the consignment. The Inspecting officer's decision as regards the rejection shall be final and binding on the seller.

The seller shall if so required at his own expense shall mark or permit the Inspecting officer to mark all the approved stores with a recognised Government or purchaser's mark.

8. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.

- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

### Fire Breathing Apparatus With Trolley (SCBA) As Per IS 10245 (Part 3) ( 17 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
CONSTRUCTION	<b>Air Cylinder material (Non Corrosive)</b>	Carbon composites with Aluminum alloy liner
	PESO approval Type for cylinder	Type 2
PERFORMANCE	<b>Water Capacity of each Breathing Apparatus cylinder</b>	6.8 (liter)
CERTIFICATION	<b>Warranty / Guaranty</b>	1.0 (year)

### Additional Specification Parameters - Fire Breathing Apparatus With Trolley (SCBA) As Per IS 10245 (Part 3) ( 17 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
All parameter of Fire Breathing Apparatus with trolley (SCBA) are required as per NDRF approved Technical Specification uploaded in buyer added bid specific ATC.	All parameter of Fire Breathing Apparatus with trolley (SCBA) are required as per NDRF approved Technical Specification uploaded in buyer added bid specific ATC.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Gaurav Balaso Jangate	754006, The Commandant, 03 BN NDRF, MUNDALI Distt- CUTTACK (ODHISHA)-754006	1	90

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
2	Kuldeep Sharma	781017,The Commandant, 01 Bn NDRF, PATGAON, PO-AZARA, DISTRICT- KAMRUP, NEAR- AZARA RAILWAY STATION, GUWAHATI (ASSAM) - 781017	1	90
3	Santosh Kumar	801103,The Commandant, 09 Bn NDRF, Ara Road Bihta, NH-30, PO- Bihta, Distt-Patna (Bihar)-801103	1	90
4	Ram Bhavan Singh Yadav	221002,The Commandant, 11 Bn NDRF, Goutambudh Bhawan, Maqbul Alam Road, Varanasi (Uttar Pradesh)- 221002	1	90
5	Dilbag Singh	521212,The Commandant 10 BN NDRF, Village- Adavinekkalam, Nunna Town, Viajywada, Distt-Krishna (Andra Pradesh) Pin Code-521212	1	90
6	Devender Parkash	151001,The Commandant, 07 BN NDRF 81 Bibiwala Road, Distt-Bhatinda (Punjab)-151001	1	90
7	Kunal Tiwari	201002,The Commandant, 08 BN NDRF, SECTOR 19 KAMALA NEHARU NAGAR GHAZIABAD (UP)-201002	1	90
8	RAJENDER KUMAR	391510,THE Commandant, 06 BN NDRF, JAROD CAMPUS, PO-JHAROD, NEAR JARODIA PURA, TEHSIL-WAGODIA, DISTT-VADODARA (GUJARAT)-391510	1	90
9	Dileep Kumar	440001,The Commandant, NDRF Academy, NCDC Building, Distt-Nagpur (Maharashtra)-440001	1	90
10	Pushpendra Kumar	741246,The Commandant, 2 BN NDRF, Haringhata, PO-Mohanpur, Distt-Nadia (West Bengal)-741246	1	90
11	Praveen S Prasad	631152,The Commandant, 04 Bn NDRF, ARAKKONAM, POST-SURAKSHA CAMPUS, DISTRICT-RANIPET (TAMIL NADU)-631152	1	90
12	Deepak Kumar Jaiswal	791112,The Commandant, 12 BN NDRF, RRC-KOHIMA,Vill + PO - DOIMUKH, DISTRICT - PAPUM PARE, (ARUNACHAL PRADESH)-791112	1	90

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
13	Binu Samuel	141008,The Commandant, 13 BN NDRF POST- Ladhawal Dist- Ludhiana -141008	1	90
14	Rohitashwa Mishra	263152,The Commandant, 15 BN NDRF, KISHAN SANKARI MILL BUILDING GADARPUR, POST- GADARPUR , DISTRICT- UDHAM SINGH NAGAR, UTTARAKHAND-PIN CODE- 263152 CONTACT NO-05949-231198	1	90
15	Gourav Sharma	110077,The commandant, 16 BN NDRF, RRC Campus Sector 7 Dwarka New Delhi-110077	1	90
16	PRAMOD KUMAR SINGH	410206,The Commandant, RRC Mumbai 05 NDRF, VILLAGE- Bambavi, Tehsil- Panvel	1	90
17	Anil Talkotra	176201,The Commandant, 14 BN NDRF, (Jachh) Jassur, Tehsil- Nurpur, Distt-Kangra (Himachal Pradesh)-176201	1	90

**Special terms and conditions-Version:1 effective from 05-11-2024 for category Fire Breathing Apparatus with Trolley (SCBA) as per IS 10245 (Part 3)**

**1. Applicable PESO Rules:**

Petroleum and Explosives Safety Organisation is a nodal agency for regulating safety of hazardous substances such as explosives, compressed gases and petroleum. The relevant rules for delivery or dispatch of cylinders or possession of cylinders under Gas Cylinder Rules 2016 framed under Explosives Act, 1884 administered by this Organization, are given below.:

Rule 10 : Restriction on delivery or dispatch of cylinder:- (1) No person shall deliver or dispatch any cylinder filled with any compressed gas to any other person in India who is not the holder of a licence to possess such gas cylinder or to his authorised agent unless he is exempted under these rules to possess compressed gas cylinder without a licence.

(2) The gas cylinder delivered or dispatched by a person under sub-rule (1) shall be of the type for which he is licensed and shall not exceed the quantity which the person to whom it is delivered or dispatched is authorised to possess under these rules.

(3) Nothing in sub-rules(1) and (2) shall apply to the delivery or dispatch of gas cylinder to the defence forces of the Union, port authorities or railway administration and other paramilitary forces:

Provided that this sub-rule shall not be applicable for co-operative societies run by the welfare associations of these organisations.

Rule 43: Licence for filling and possession (1) No person shall fill any cylinder with compressed gas and no cylinder filled with compressed gas shall be possessed by anyone except under and in accordance with the conditions of a licence granted under these rules.

(2) The licensee shall be responsible, for all operations connected with the filling and possession of cylinders in the licensed premises.

Rule 44: No licence needed for possession in certain cases.- Notwithstanding anything contained in rule 43, licence shall not be necessary for-

(a) possession of any cylinder filled with a compressed gas by a carrier or other person for the purpose of transport in accordance with the provisions of these rules;

(b) possession of cylinders for own use and not meant for sale or trading filled with,-

(i) any flammable and non-toxic gas when the total number of cylinders containing such gas does not exceed twenty five or the total weight of gas does not exceed 200 kg., whichever is less, at a time;

(ii) any non-flammable non-toxic gas when the total number of such cylinders does not exceed two hundred at a time;

(iii) any toxic gas when the total quantity of such cylinders does not exceed five at a time;

(iv) acetylene gas contained in cylinder in dissolved state when the total quantity of such cylinder does not exceed twenty five at a time.

(c) The provisions of sub-clause 44(b) shall not be applicable for liquefied petroleum gas when the total quantity of gas does not exceed 100 kg at a time for own use, distribution or sale from a sales room belonging to the dealer or distributor of respective oil marketing company.

Notwithstanding anything contained in rule 43, licence shall not be obligatory for working places where LPG cylinders are directly connected to the manifold, but the requirements of IS :6044 Part-1 shall be complied with ,such manifold installations and shall be constructed adapting the sound engineering practices and the quantity of the LPG at any point of the time shall not exceed the limits prescribed in IS- 6044 Part-1.

## Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

### 1. Generic

**OPTION CLAUSE:** The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

### 2. Generic

**Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

### 3. Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

### 4. Generic

**Manufacturer Authorization:** Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

### 5. OEM



**IMPORTED PRODUCTS:** In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

## 6. **Inspection**

**Nominated Inspection Agency:** On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance:  
Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

Board of Officers detailed by HQ NDRF

Post Receipt Inspection at consignee site before acceptance of stores:

Board of officers detailed by Consignee

## 7. **Financial Criteria**

**NET WORTH:** Net Worth of the OEM should be positive as per the last audited financial statement.

## 8. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

## 9. **Certificates**

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

## 10. **Turnover**

**Bidder Turn Over Criteria:** The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

## 11. **Turnover**

**OEM Turn Over Criteria:** The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

## 12. **Service & Support**

**Availability of Service Centres:** Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

## 13. **Warranty**

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

#### 14. Warranty

Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 15 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG). Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.

#### 15. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

#### Pre-Bid Details: -

Pre- Bid Date and Time	Pre-Bid Venue
04.04.2025 1100 hrs	Conference Hall, HQ DG NDRF, 6th Floor, NDCC Building-II, Jai Singh Road, New Delhi-110001

#### Technical Specification of Line Supply Hose (Fire Breathing Apparatus with Trolley (SCBA))

SN	Particular	Specification	Trial Directive
1.	<b>Conformity to Indian/ International Standard</b>	Fresh air hose and compressed air line breathing apparatus are designed to enable a person to work in irrespirable and hazardous atmospheres for longer periods than is generally possible by self-contained breathing apparatus complying with EN14594/BIS 10245 Part - 2/3 /ISO 23269-1	To be checked and verified with relevant standards and certifications by BOOs.
2.	<b>Classification of Breathing Apparatus</b>	Compressed air line apparatus in which the air is supplied from a source of compressed air. This may be of constant flow type with demand valve type complying with EN 14593 -1/BIS 10245 Part 2.	To be verified by BOOs through performance tests and standard checks.

3.	<b>Breathing Apparatus with trolley</b>	Trolley with 4 cylinders for 2 users complying with ISO 23269-1/BIS 10245 Part 2/3	To be checked by BOOs for compliance with ISO standards and physical verification.
4.	<b>Pressure Reducing</b>	2 stage pressure reducers complying with EN 14594/ BIS 10245 Part 2:2023	To be checked physically by BOOs and verified with relevant certificates.
5.	<b>Positive pressure Lung demand type (LDV)</b>	Yes	To be checked physically by BOOs for proper functioning.
6.	<b>Safe working duration including 10 minutes safety margin</b>	120-180 minutes	To be checked in a simulated environment for duration validation by BOOs.
7.	<b>Construction Details of SCBA</b>	IS- 10245 EN 136 Class-3/ BIS 14166 for Facemask EN 14593 for Performance Requirement	To be verified by BOOs against the standard requirements.
8.	<b>Trolley Design</b>	Designed to carry 4 compressed air cylinders of Required capacity complying with ISO 23269-1/ BIS standard if available.	To be physically checked by BOOs for design and functionality.
9.	<b>Trolley Material</b>	Mild Steel	To be checked physically by BOOs and verified with relevant certificates.
10.	<b>Trolley Mounting</b>	Mounted on 02/04 heavy duty Castor wheels with Brakes for easy movement with support.	To be physically checked by BOOs for mobility and stability.
11.	<b>Trolley wheel size</b>	Minimum 6" with Brakes.	To be checked physically by BOOs for correct readings and compliance.
12.	<b>Pressure gauge</b>	For High Pressure and Low Pressure, complying with ISO 23269-1/ BIS 10245 Part 2	To be checked physically by BOOs for correct readings and compliance.

13.	<b>Two stage pressure reducer</b>	Yes, complying with ISO 2326 9-1/ BIS 10245 Part 2	To be checked physically by BOOs and verified with test reports.
14.	<b>Warning Unit</b>	Yes, comply with EN 14594 /BIS 10245 Part 2	To be checked physically by BOOs for proper functionality during trials.
15.	<b>Trolley Hose Connection</b>	Hose connections for 4 cylinders to be mounted on the trolley with individual Non- Return Valve (NRV) and Bleed valve for each cylinder. A 'Bleed valve' is required in the line of NRVs to release pressure in the line for disconnecting the cylinder.	To be checked physically by BOOs for hose connection integrity.
16.	<b>Hose reel</b>	Hose reel system to be equipped with a handle for ease of retracting the uncoiled hose.	To be checked by BOOs for ease of use and proper reel function.
17.	<b>Compressed air cylinders secured to the trolley frame</b>	With webbing and Velcro, ensuring maximum grip to the cylinder.	To be checked physically by BOOs for secure attachment of cylinders.
18.	<b>Warning Whistle</b>	It shall operate when the cylinder pressure goes down to 50 – 60 bar, and still be in working condition till the air supply is exhausted complying with EN 14594/IS-10245-2:2023	To be checked physically by BOOs during trials.
19.	<b>Low pressure warning whistle in the Waist belt</b>	Yes	To be physically checked by BOOs for whistle functionality.
20.	<b>Working Pressure of Supply Hose</b>	Min. 20-30 bar	To be verified with test reports and physically checked by BOOs.
21.	<b>Hose should be anti-static</b>	Yes	To be checked for anti-static properties during trials.
22.	<b>Length of Hose with quick release coupling</b>	Single Min 40 mtr complying with EN 14593-1/ BIS 10245 Part 3	To be physically checked by BOOs and verified for compliance.

23.	<b>Numbers of compatible Extension tubing</b>	2	To be checked by BOOs for correct number and compatibility.
24.	<b>Length of Extension tubing</b>	25 meters	To be checked by BOOs for correct length during trials.
25.	<b>Air supply pressure</b>	8 bar -12 bar	To be verified and checked by BOOs for compliance.
26.	<b>Relief Valve Pressure</b>	10 bars to 15 bars	To be physically checked by BOOs for correct operation.
27.	<b>Pressure reducer can be adjusted by using special tools only</b>	Yes, Fail Safe Mode as per EN 14593 -1/ BIS 10245 Part 2	To be verified by BOOs during testing and physical inspection.
28.	<b>The relief valve should have a dual function, to provide venting for the excess medium pressure and to provide venting in the event of pressure reducer failure.</b>	Yes, complying with EN 14593-1/IS-10245-2:2023	To be checked by BOOs for functionality during trials.
29.	<b>The pressure reducer should be so designed that any failure will be in the safe mode</b>	Yes	To be checked and verified by BOOs for safe mode operation.
30.	<b>Minimum air supply capacity of first stage pressure reducer</b>	450-550 LPM	To be checked and verified by BOOs for flow rate.

31.	<b>The pressure reducer should be capable of supplying positive pressure to two users with supply hose 1/4" ID x 90 m wound on a reel</b>	Yes	To be checked physically by BOOs for positive pressure supply to two users.
32.	<b>Number of Pressure gauges</b>	2	To be physically checked by BOOs for correct number and function.
33.	<b>Face Mask Design</b>	BIS 14166/EN 136- CLASS-3	To be checked by BOOs for compliance with BIS/EN standards.
34.	<b>Material of Mask Frame</b>	Mask Frame made of EPDM material, all other material in contact with the face directly shall be of Silicon rubber	To be checked physically by BOOs for material quality.
35.	<b>The facemask should have a double- reflex sealing , speech diaphragm, inner mask, five-finger headband and with quick fitting plug-in type connection to the LDV</b>	Yes	To be checked physically and tested by BOOs for comfort and functionality.
36.	<b>Side sealing of the Face Mask</b>	Gas tight and suitable to fit the face of all contours	To be checked for airtight seal on various facial contours.
37.	<b>Visor fitted on the face mask</b>	Made from scratchproof Polycarbonate with maximum (panoramic) view to the wearer complying with EN 136- CLASS-3/ BIS 14166	To be checked by BOOs for durability and panoramic view quality.

38.	<b>Facemask to be provided with inhalation and exhalation valves, which can be of replaceable type for easy maintenance</b>	Yes	To be checked physically by BOOs for valve functionality.
39.	<b>Inner mask to minimize CO2 build up and misting on the visor</b>	Yes	To be physically checked by BOOs for misting prevention.
40.	<b>Weight of the mask</b>	Max 700 gms	To be checked by BOOs for weight compliance.
41.	<b>Numbers of Full-Face mask</b>	2	To be verified by BOOs for the correct number of masks.
42.	<b>LDV Connectivity</b>	Suitable to connect to the mask with a Plug-in connection from the front side of mask. 2 nos. LDVs should be supplied for use by 2 persons.	To be checked by BOOs for proper connection and functionality.
43.	<b>LDV air supply capacity</b>	450-550 LPM	To be checked by BOOs for air supply capacity.
44.	<b>LDV should be connected with a suitable hose connection to the waist belt manifold through a Quick-release Coupling</b>	Yes	To be physically checked by BOOs for correct connection and quick-release function.
45.	<b>LDV retainer</b>	Provided on the waist-belt to plug in the LDV when not being used to prevent dust & other particles from entering the LDV	To be checked physically by BOOs during non-use periods.
46.	<b>Air Cylinder material (non-corrosive)</b>	Carbon composites with Aluminum alloy liner complying with ISO 23269-1/ BIS 10245- 2 & PESO approved	To be checked and verified with relevant certificates.

47.	<b>Air Cylinder valve material</b>	Chrome-nickel plated forged brass and shall complying with IS7302/IS3224/DIN477/ BIS 10245- 2/3/ BIS 14166	To be physically checked by BOOs for material and compliance.
48.	<b>PESO approval Type for cylinder</b>	Type 2 PESO approval	To be checked for PESO approval.
49.	<b>Hydrostatic Pressure Test for Breathing Apparatus Cylinder</b>	Seamless super lightweight cylinder of adequate water capacity for 45 minutes effective duration at filling pressure not exceeding 300 bar duly hydro tested to 1.5 times of filling pressure, (must bear ISO/BS/DIN/NIOSH/EN mark on body of cylinder) complying with ISO 23269-1/EN 14594 BIS 10245- Part 2	To be checked and verified by BOOs during trials.
50.	<b>Certificate from authorized test station of the country from where it has been imported/ manufactured It must have approval from CCE, Nagpur and should be painted as per latest cylinder rules</b>	Yes, PESO approval and painted as per IS gas cylinder rule	To be verified with the relevant test certificates.
51.	<b>The cylinder should be marked with photo luminescent strip in which a way that when set is assembled it is visible from back side to trace/ follow the BA wearer in smoke filled compartment</b>	The cylinder should be marked with photo luminescent strip	To be checked by BOOs for visibility during trials.



52.	<b>The air pressure of the cylinder should be reduced by a two-stage pressure reduction system</b>	Yes	To be checked and verified by BOOs for reduction system functionality.
53.	<b>Valve Design</b>	Design of the valve shall be such that it shall be protected against blockage and shall avoid transmission of particulate matter that may be contained in the compressed air complying with EN 14594/ BIS 10245 Part 3	To be checked by BOOs for blockage prevention and clean air transmission.
54.	<b>Air outlet in the valve assembly to fit a pressure reducer directly on the valve without the use of a spanner</b>	Yes, complying with EN 14594/ BIS 10245 Part 3	To be physically checked by BOOs for compliance.
55.	<b>Water Capacity of each Breathing Apparatus cylinder</b>	5-8 liter	To be verified and checked by BOOs for compliance.
56.	<b>Charging Pressure</b>	251 Bars to 300 Bars	To be checked physically by BOOs during trials.
57.	<b>Air Capacity of Breathing Apparatus After Charging</b>	2040 liter	To be verified and checked by BOOs during trials.
58.	<b>Operating temperature</b>	Between -20°C and +50°C complying with EN 14594/ IS-10245-2:2023	To be checked by BOOs in various temperature conditions.
59.	<b>Air Supply Pressure for pressure reducer</b>	Between 7 and 12 bar at the pressure reducer complying with EN 14594/ BIS 10245 Part 3	To be checked and verified by BOOs during trials.
60.	<b>Operating pressure for relief valve</b>	Between 10 bar to 15 bar complying with EN 14594/ IS 10245-2:2023	To be checked physically by BOOs.

61.	<b>ISI Marked</b>	Yes	To be verified with the ISI certification.
-----	-------------------	-----	--

**1.**All participating firms to submit following self-declaration certificates on firm's letter head. -

- (a) Bid Security Declaration.
- (b) Non-Blacklist Certificate.
- (c) Bidder Financial Standing.
- (d) Local Content Certificate.
- (e) Sharing Land Border with India.

The format of above certificate is as under: -

**(a) Bid Security Declaration:** Micro and Small Enterprises/Startups or any other exempted entity should submit Bid Securing Declaration as per format given below failing which their participation will be liable to be straight way rejected during initial scrutiny and no opportunity will be given to provide the same during review representation: -

GeM Tender No.....

Dated.....

### **BID SECURING DECLARATIONS CERTIFICATE**

(Applicable only For MSE/Start-ups Sellers OR any other entity for exemption of EMD).

To,

Dy. Inspector General (Prov),  
 HQ DG NDRF  
 6<sup>th</sup> floor NDCC Building-II  
 Jai Singh Road,  
 New Delhi- 110001

Sir,

Tender/GeM. Bid No. \_\_\_\_\_ We, M/s- \_\_\_\_\_ under take th

at if we withdraw or modify our bid during the period of validity, or we are awarded the contract and we fail to sign the contract, or to submit a performance security before the deadline defined in bids documents, we will be suspended for the period of 02 years from being eligible to submit bids for contract with procuring entity i.e- NDRF , Ministry of Home Affairs.

Yours faithfully

(Sig of Auth Signatory of Firm with Seal)

**(b) Non-Blacklisting Certificate:-**

Bid No.....

Date.....

We M/s \_\_\_\_\_ do hereby undertake that our firm has not been blacklisted by any Govt/PSU agencies in last two years.

(Signature of the Authorized Signatory of Bidder, with  
Official seal)

**(c) Bidder Financial Standing:-**

Bid No.....

Date.....

We M/s \_\_\_\_\_ do hereby undertake that our firm has not under liquidation, court receivership or similar proceedings and also not bankrupt on any account.

(Signature of the Authorized Signatory of Bidder, with Official seal)

**(d) Local Content Certificate: -**

-

**SELF-CERTIFICATION UNDER PREFERENCE TO MAKE IN INDIA AND LOCAL CONTENT**

To,

Dy.Inspector General (Prov),  
HQ DG NDRF  
6<sup>th</sup> floor NDCC Building-II  
Jai Singh Road,  
New Delhi- 110001

In line with Government Public Procurement Order No. P-45021/2/2017-PP (BE-II ) dated 04.06.2020 and its amendments, we hereby certify that we M/s \_\_\_\_\_ are local supplier meeting the requirement of minimum local content i.e., \_\_\_\_\_% as defined in above orders for the material against IPR Enquiry/Tender No.....dated..... Details of location at which local value addition will be made as follows:

\_\_\_\_\_.

We also understand, false declarations will be in breach of the code of integrity under rule 175(1)(i) (h) of the General Financial Rules for which a bidder or its successors can be debarred for up to two years as per Rule 151(iii) of the General Financial Rules along with such other actions as may be permissible under law.

Signature with date:

Name:

Designation:

Official Seal

**(e) Sharing Land Border with India:-**

Bid No.....  
.....

Date.....

"I have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India; I certify that this vendor/bidder is not from such a country or, if from such a country, has been registered with the Competent Authority. I hereby certify that this vendor/bidder fulfils all requirements in this regard and is eligible to be considered for procurement on GeM.

(Signature of the Authorized Signatory of Bidder, with Official seal)

## **2. RIGHT TO REJECTION**

- (i) The decision of the DG NDRF shall be final as to the quality of the store and shall be binding upon the Tenderers and in case of any of the articles supplied not being found as per specification shall be liable to be rejected or replaced and any expenses or losses caused to the supplier should be borne by the supplier and ensured by the supplier that articles supplied should be best in quality and free from all defects.
- (ii) The acceptance of articles will be made only when the articles are inspected and found up to the standard/ as per specifications and free from all defects.
- (iii) The rejected stores must be removed by the Tenderers from the consignee's premises within 15 days from the date of the intimation about rejection at the risk and cost of the Tenderer. The In-charge of stores concerned will take reasonable view of such materials but in no case shall be responsible for any loss, shortage, damage that may occur to it while it is in the premises of the consignee

## **3. DELIVERY OF STORES**

- (i) Delivery period will include the inspection and replacement of rejected lot.
- (ii) Firm should not deliver stores to consignee(s) beyond scheduled Delivery Period without obtaining prior sanction of purchaser.
- (iii) Under the contract, the stores are of utmost importance and need to be delivered within DP as the stores are life-saving. Late delivery may cause loss of lives. Seller is liable to pay the LD charges for the loss likely to be caused to buyer due to late supplies as per T & C.
- (iv) No grace period will be provided after the stipulated delivery period, however the decision will be taken as per the circumstances and the buyer may extend DP with or without LD.

## **4. LAW GOVERNING THE CONTRACT**

- (i) The contract shall be governed by the laws in force as of date in India and interpretation would be done accordingly.
- (ii) Jurisdiction of Court: The courts of the New Delhi shall alone have jurisdiction to decide any dispute arising out of or in respect of the contract.

## **5. ARBITRATION**

- (i) Arbitration proceedings shall be held at New Delhi, India and the language of the arbitration proceedings and that of all documents and communications between the parties shall be English.
- (ii) In the case of dispute or difference arising between the purchaser and the supplier relating to any matter arising out of or connected with the contract, such dispute or difference shall be settled in accordance with the Indian Arbitration and Conciliation Act, 1996.

–

- 6.** Physical copy of EMD should be deposited to Procurement branch, HQ NDRF within 5 days from bid opening date (excluding Saturday, Sunday & Holiday).
- 7.** Physical copy of Performance Bank Guarantee should be deposited to Procurement branch, HQ NDRF within 15 days from the award of contract or else contract is liable to be cancelled.
- 8.** Bidder should be ready to deposit a free tender sample with all accessories along with original lab test report from any govt. approved NABL lab on returnable basis for physical evaluation within 7 days of opening of bid, after listening from NDRF HQ.
- 9.** Buyer have right to test/verify the tender sample/sample from bulk production /supplied store or at any stage from the NABL accredited/Govt lab, the testing charge will be borne by the seller.
- 10.** Training: - Firm will provide operational/technical training at consignee's location/locations intimated by the buyer through Physically/Virtually as per the decision of purchaser/buyer for a duration of 03 days free of cost.
- 11.** Bidder should upload the relevant documents/undertaking confirming the all parameter of technical specifications uploaded through Buyer Added Bid Specific ATC clause.
- 12.** Discussion points/clarifications in Pre-bid meeting should reach this HQ by 02/04/2025 through e-mail (e-mail id – [dcproccell-ndrf@gov.in](mailto:dcproccell-ndrf@gov.in).)
- 13.** The bidders should upload legible, attested documents in proper sequence with an abstract as given below.

S.N	Particular of documents	Page No.
1.	Bidder Turnover (In case bidder is OEM then not required)	
2.	OEM Authorization Certificate (In case bidder is OEM, Manufacturing Certificate)	
3.	OEM turn over	
4.	Seeking exemption letter (from turn over and EMD criteria if any)	
5.	Bid Security Declaration	
6.	Non-Blacklisting Certificate	
7.	Bidder Financial Standing	
8.	Local Content Certificate	
9.	Sharing Land Border with India	
10.	Acceptance of T&C and Additional Specification Parameters	
11.	Bidder should upload the relevant documents/undertaking confirming the all parameter of technical specifications uploaded through Buyer Added Bid Specific ATC clause.	

## Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.

13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.**

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

**---Thank You/धन्यवाद---**