

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	31-05-2025 11:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	31-05-2025 11:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Defence
Department Name/विभाग का नाम	Department Of Military Affairs
Organisation Name/संगठन का नाम	Indian Army
Office Name/कार्यालय का नाम	*****
क्रेता ईमेल/Buyer Email	tshubhankar.105x@gov.in
Total Quantity/कुल मात्रा	62
Item Category/मद केटेगरी	EXL LOCI B12 Vitamin B12 kit of 80 tests , Fully Utomated LDL Cholesterol Kit of 120 Tests , Lactate Dehydrogenase Kit of 480 tests , Generic PM Kit Dimension EXL 200 , UEG 734550 503 Sample Prob Tips pkg of 3 , UEG 715871 505 Reagent Probe Tips 2 , UEG RXV1A HM Reaction Vessels Kit of 4x250 , UEG RD702 RXL PROBE CLEANER pkt of 1X500 ml , UEG RD703 RXL SAMPLE PROBE C pkt of 1X1000ml , UEG 734561 501 200 UL KLOEHN Syringe , UEG 734560 501 500UL KLOEHN Syringe , UEG 734559 501 100UL KLOEHN Syringe , ADA Dimension pack 4x72 tests , ADA Calibrator 1 X 1 ML , ADA Control-1 1 x 1ml , ADA Control-2 1 x1ml , PP tubing Waste Tubing and connector , CK-MB Kit Fully automated Analyser siemens , Microalbumin reagent Test kit 80 Tests siemens , LDL Calibrator ALDL , CK-MB Calibrator CKI MBI CALIBRATOR , Microalbumin Calibrator MALB CAL

Bid Details/बिड विवरण	
GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS	<p>EXL LOCI B12/Vitamin B12 (kit of 80 tests), Fully Utomated LDL Cholesterol (Kit of 120 Tests), Lactate Dehydrogenase (Kit of 480 tests), Generic PM Kit Dimension EXL 200, UEG:734550.503 Sample Prob Tips (pkg of 3), UEG:715871.505 Reagent Probe Tips (2), UEG:RXV1A HM Reaction Vessels (Kit of 4x250), UEG: RD702 RXL PROBE CLEANER (pkt of 1X500 ml), UEG: RD703 RXL SAMPLE PROBE C (pkt of 1X1000ml), UEG: 734561.501 200 UL KLOEHN Syringe, UEG: 734560.501 500UL KLOEHN Syringe, UEG: 734559.501 100UL KLOEHN Syringe, ADA Dimension pack (4 x 72 tests), ADA Calibrator 1 X 1 ML, ADA Control-1 (1 x 1ml), ADA Control-2 (1 x1ml), PP tubing/Waste Tubing and connector , CK-MB Kit Fully automated Analyser (siemens), Microalbumin reagent Test kit (80 Tests siemens), LDL Calibrator (ALDL), CK-MB Calibrator (CKI/MBI CALIBRATOR), Microalbumin Calibrator (MALB CAL)</p> <p>Searched String: EXL LOCI B12/Vitamin B12 (kit of 80 tests)</p> <p>Hepatitis B Surface Antigen (HBsAg) Rapid Test Kits, ELISA Testing Kits, Prefab Shelters with PUF Panel of Size 7.620 M X 18.491 M (as per GeM Drawing), ELISA Test Kits (V2), Real Time PCR Kits (V2), Immunoassay Analyzer Reagents, Artificial Narcotics Scent Kit for training of detector dogs, Staplers (V2), Prefab Shelters With PUF Panel of Size 7.620 M X 10.661 (As Per GeM Drawing), Disease Specific Real Time PCR Kits</p> <p>Searched String: Fully Utomated LDL Cholesterol (Kit of 120 Tests)</p> <p>Albumin BCG Method Test Kit</p> <p>Searched String: Lactate Dehydrogenase (Kit of 480 tests)</p> <p>Point of Care Rapid Test Kits (V2), Biochemistry Reagent Kit (Close System), Point of Care Diagnostic Test Kit - Malaria Rapid Test Kits, Biochemistry Reagent Kit (Open System), Point of Care Diagnostic Test Kit - Dengue Rapid Test Kits, Point of Care Diagnostic Test Kit - Syphilis Rapid Test Kits, Point of Care Diagnostic Test Kits - HIV Rapid Test Kits, Point of Care Diagnostic Test Kits - Hepatitis C Virus (HCV) Rapid Test Kits, Point of Care Rapid Test Kits, Point of Care Diagnostic Test Kit - Leptospira Rapid Test Kit</p> <p>Searched String: Generic PM Kit Dimension EXL 200</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: UEG:734550.503 Sample Prob Tips (pkg of 3)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: UEG:715871.505 Reagent Probe Tips (2)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: UEG:RXV1A HM Reaction Vessels (Kit of 4x250)</p>

Bid Details/As per	Disease Specific Real Time PCR Kits, Extendable Road Barricade (V2), Real Time PCR Kits (V2)
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>Searched String: UEG: RD702 RXL PROBE CLEANER (pkt of 1X500 ml)</p> <p>Toilet Cleaner Liquid (V2) conforming to IS 7983</p> <p>Searched String: UEG: RD703 RXL SAMPLE PROBE C (pkt of 1X1000ml)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: UEG: 734561.501 200 UL KLOEHN Syringe</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: UEG: 734560.501 500UL KLOEHN Syringe</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: UEG: 734559.501 100UL KLOEHN Syringe</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: ADA Dimension pack (4 x 72 tests)</p> <p>Handloom Cotton Bandage as per IS 863:1988, Water proof HDPE/PP Woven Sack (for packing) - OFB, Handloom Cotton Pillow Covers (V3), Cotton Cloth Bag for Seed Packing - Capacity From 0.75 Kg to 12 Kg</p> <p>Searched String: ADA Calibrator 1 X 1 ML</p> <p>Server, OTI / WTI Calibrator, Sofa Set (Steel Tube), Temperature calibrator, Classroom Chairs, Towel Hand Cotton Turkish (IAF), Wool / Polypropylene Blended Blankets as per IS 12848, rubber bands, Portable Toilet, The Indian National Flag as per IS 1</p> <p>Searched String: ADA Control-1 (1 x 1ml)</p> <p>TERA Package 1 - 3D Printed Biped with Bluetooth Control (ASoSE), Multipara Monitor - Low End, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), Flying Insect Control Traps - Fly Catcher, BOD Incubator, Sterile Hypodermic Syringe for Manual use (V2), Nitrile Coated Hand Gloves, media control systems or wireless presentation system, Classroom Chairs, Sofas (V2)</p> <p>Searched String: ADA Control-2 (1 x1ml)</p> <p>BCAA 2:1:1 Powder, Multipara Monitor - Low End, TERA Package 1 - 3D Printed Biped with Bluetooth Control (ASoSE), Flying Insect Control Traps - Fly Catcher, Gear Box Conveyor no. SRC- 2 ,FOC-1 (SAIL), BOD Incubator, TERA Package 2 - Programmable Robotics Manipulator with 1 and 2 Degrees of Freedom (ASoSE), Immunoassay Reagents kits, Isoprothiolane, Nitrile Coated Hand Gloves</p> <p>Searched String: PP tubing/Waste Tubing and connector</p>

Bid Details/बिड विवरण	Glass Rods and Tubing for Laboratory Glassware conforming to IS 7374 (V2), Public Place Seating Chair, Ventury Medical
	<p>Oxygen Masks, Blood Sample Collection Tubes, Smooth Bore Circuits - Anesthesia Breathing Circuits (V2), Automotive Vehicles - Pneumatic Tyres for Commercial Vehicles - Diagonal and Radial Ply as per IS 15636, D and C Set, nasogastric tubes levins and ryles tube, Needle Free Connector with Extension Tube, Classroom Chairs</p> <p>Searched String: CK-MB Kit Fully automated Analyser (siemens)</p> <p>Fully automated coagulation analyser, Fully automated urine analyser, CK-MB (NAC Act) Test Kit, Fully Automatic Biochemistry Analyzer (V2), Fully Automated Immunohematology Analyzer, Biochemistry Reagent Kit (Open System), Fully Automated Urine Analyzer, Semi automated urine analyser, Fully Automated Coagulation Analyzer (V2), Automated Hematology Analyser (Part 5)</p> <p>Searched String: Microalbumin reagent Test kit (80 Tests siemens)</p> <p>Dengue Rapid Test Kits, Point of Care Rapid Test Kits, Relay Testing Educational Kit, Dual HIV and Syphilis Rapid Diagnostic Test Kit, Malaria Rapid Test Kits, Immunoassay Analyzer Reagents, HBsAg Rapid Test Kits, HIV Rapid Test Kits, HCV Rapid Test Kits, ELISA Testing Kits</p> <p>Searched String: LDL Calibrator (ALDL)</p> <p>Temperature calibrator, Theft Proof Rifle Racks, Pressure Calibrator, Biochemistry Reagent Kits, Process Calibrator, Hand Held Calibrator, Laboratory Reagent Kits, OTI / WTI Calibrator, DIGITAL BUTYRO REFRACTOMETER FOR DAIRY PRODUCTS, Slip Gauge Calibrator</p> <p>Searched String: CK-MB Calibrator (CKI/MBI CALIBRATOR)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Microalbumin Calibrator (MALB CAL)</p> <p>Process Calibrator, Pressure Calibrator, Temperature calibrator, Slip Gauge Calibrator, OTI / WTI Calibrator, Hand Held Calibrator, Mycobacteria Calibrator under NTEP, Dry Block Medium Temperature Calibrator, Calibrators for Diagnostic Analyzers, Multi function Calibrators</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> Biochemistry Reagent Kit (Open System)
BOQ Title/बीओक्यू शीर्षक	REAGENTS AND CONSUMABLES OF DIMENSION EXL 200
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	7 Lakh (s)
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	12 Lakh (s)

Bid Details/बिड विवरण	
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Past Performance/विगत प्रदर्शन	20 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	Yes
RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	EXL LOCI B12 Vitamin B12 kit of 80 tests
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Arbitration Clause	No
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	No
---	----

Details of the Competent Authority for MSE

Name of Competent Authority	Brig Kiran S
Designation of Competent Authority	Commandant
Office / Department / Division of Competent Authority	MH Bareilly
CA Approval Number	EXL-200
Competent Authority Approval Date	10-04-2025
Brief Description of the Approval Granted by Competent Authority	Reagents And Consumables for fully automated biochemistry analyser with electrolyte analyser Model: Dimension EXL200

Competent Authority Approval for not opting Micro and Small Enterprises Preference : [View Document](#)

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

Details of the Competent Authority for MII

Name of Competent Authority	BRIG KIRAN S
Designation of Competent Authority	COMMANDANT
Office / Department / Division of Competent Authority	MH BAREILLY
CA Approval Number	EXL-200
Competent Authority Approval Date	10-04-2025
Brief Description of the Approval Granted by Competent Authority	Reagents And Consumables for fully automated biochemistry analyser with electrolyte analyser Model: Dimension EXL200

Competent Authority Approval for not opting Make In India Preference : [View Document](#)

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria,

the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

7. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 20% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

8. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

EXL LOCI B12 Vitamin B12 Kit Of 80 Tests

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****BAREILLY	6	15

Fully Utomated LDL Cholesterol Kit Of 120 Tests**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****BAREILLY	8	15

Lactate Dehydrogenase Kit Of 480 Tests**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****BAREILLY	10	15

Generic PM Kit Dimension EXL 200**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****BAREILLY	1	15

UEG 734550 503 Sample Prob Tips Pkg Of 3**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****BAREILLY	1	15

UEG 715871 505 Reagent Probe Tips 2

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****BAREILLY	1	15

UEG RXV1A HM Reaction Vessels Kit Of 4x250

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****BAREILLY	1	15

UEG RD702 RXL PROBE CLEANER Pkt Of 1X500 MI

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****BAREILLY	6	15

UEG RD703 RXL SAMPLE PROBE C Pkt Of 1X1000ml

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****BAREILLY	3	15

UEG 734561 501 200 UL KLOEHN Syringe

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****BAREILLY	1	15

UEG 734560 501 500UL KLOEHN Syringe

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****BAREILLY	1	15

UEG 734559 501 100UL KLOEHN Syringe

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****BAREILLY	1	15

ADA Dimension Pack 4x72 Tests

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****BAREILLY	3	15

ADA Calibrator 1 X 1 ML

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****BAREILLY	1	15

ADA Control-1 1 X 1ml

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****BAREILLY	1	15

ADA Control-2 1 X1ml

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****BAREILLY	1	15

PP Tubing Waste Tubing And Connector

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****BAREILLY	1	15

CK-MB Kit Fully Automated Analyser Siemens

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****BAREILLY	9	15

Microalbumin Reagent Test Kit 80 Tests Siemens

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****BAREILLY	3	15

LDL Calibrator ALDL

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****BAREILLY	1	15

CK-MB Calibrator CKI MBI CALIBRATOR

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****BAREILLY	1	15

Microalbumin Calibrator MALB CAL

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****BAREILLY	1	15

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

3. Inspection

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---