

**Bid Document/ बिड दस्तावेज़**

Bid Details/बिड विवरण	
<b>Bid End Date/Time/बिड बंद होने की तारीख/समय</b>	03-06-2025 17:00:00
<b>Bid Opening Date/Time/बिड खुलने की तारीख/समय</b>	03-06-2025 17:30:00
<b>Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)</b>	180 (Days)
<b>Ministry/State Name/मंत्रालय/राज्य का नाम</b>	Ministry Of Defence
<b>Department Name/विभाग का नाम</b>	Department Of Military Affairs
<b>Organisation Name/संगठन का नाम</b>	Indian Army
<b>Office Name/कार्यालय का नाम</b>	*****
<b>क्रेता ईमेल/Buyer Email</b>	amitkumar.423l@gov.in
<b>Total Quantity/कुल मात्रा</b>	2551
<b>Item Category/मद केटेगरी</b>	PTZ Camera with adapter , IR Camera with adapter , Pole with Hanging Bracket 65 mm , PTZ Camera rain shield , IR Camera rain shield , PC Set , 75 inches Screen for central monitoring , 3.5 KVA Online UPS , Battery for Online UPS , NVR 8 Channel with 2 TB HDD , NVR 16 Channel with 4 TB HDD , NVR 32 Channel with 8 TB HDD , 20 Km OTE with Adapter , 4 Port Switch , 8 Port Switch , 3 Core Power Cable , 6 Core OFC Cable , Flexible cable , Cat 6 Outdoor LAN Cable , HDMI Cable 2 Mtr , HDMI Cable 5 Mtr , HDMI Cable 20 Mtr , Pig Tail SC , RJ 45 , 2U Rack , 3U Rack , Power switch board 5 socket , Power switch board 2 Socket , 2 Mtr Patch Cord , 5 Mtr Patch Cord , 5V Adapter , 12V Adapter , 24V Adapter , ISO Solution , LAN Tester , Insulation Tape , Nylon plastic Tie 6 and 8 inch , Fiber sleeves , Crimping tool
<b>GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS</b>	PTZ Camera with adapter, IR Camera with adapter, Pole with Hanging Bracket (65 mm), PTZ Camera rain shield, IR Camera rain shield, PC Set, 75" Screen (for central monitoring), 3.5 KVA Online UPS, Battery for Online UPS, NVR 8 Channel with 2 TB HDD, NVR 16 Channel with 4 TB HDD, NVR 32 Channel with 8 TB HDD, 20 Km OTE with Adapter, 4 Port Switch, 8 Port Switch, 3 Core Power Cable, 6 Core OFC Cable, Flexible cable, Cat 6 Outdoor LAN Cable, HDMI Cable 2 Mtr, HDMI Cable 5 Mtr, HDMI Cable 20 Mtr, Pig Tail (SC), RJ 45, 2U Rack, 3U Rack, Power switch board 5 socket, Power switch board 2 Socket, 2 Mtr Patch Cord, 5 Mtr Patch Cord, 5V Adapter, 12V Adapter, 24V Adapter, ISO Solution, LAN Tester, Insulation Tape, Nylon plastic Tie 6 & 8 inch, Fiber sleeves, Crimping tool

Bid Details/As per	Searched String: PTZ Camera with adapter
	<p>Laboratory Glass Adapters, Gel Documentation System, Commercial CPVC Pipe Fittings, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), Video Conferencing Camera / Web Camera (V2), Stereo Microscope (V1), Borescope - Inspection equipment, Cables suitable for CCTV System (Accessories), Microscopes - Pathological and Research as per IS 4381, IS 5204, IS 4381, IS 5204, Blood Bags as per IS 15102</p> <p><b>Searched String:</b> IR Camera with adapter</p> <p>Laboratory Glass Adapters, Gel Documentation System, FTIR MID and NEAR IR DUAL RANGE WITH ATR, Portable Vein Viewing Device for Vascular Imaging, Pan with Iron Handle / Chapati Tawa (Handel Cover with Wood) / Dosa Tawa, Commercial CPVC Pipe Fittings, Climbing Rope Nylon, Glacier Region (Defence), Cast Iron Detachable Joints for use with Asbestos Cement Pressure Pipes as per IS 8794, IS 12987, Stereo Microscope (V1), Asbestos Cement Pressure Pipe and Joints (V2) as per IS 1592</p> <p><b>Searched String:</b> Pole with Hanging Bracket (65 mm)</p> <p>Octagonal Pole with Single Arm or Double Arm Brackets (V2), traffic signs - bilinker light, Work Benches, Non Sparking Ring Slugging Spanners (V2)</p> <p><b>Searched String:</b> PTZ Camera rain shield</p> <p>Video Conferencing Camera / Web Camera (V2), Cables suitable for CCTV System (Accessories)</p> <p><b>Searched String:</b> IR Camera rain shield</p> <p>Cellophane paper, Climbing Rope Nylon, Glacier Region (Defence), Labelling Machine</p> <p><b>Searched String:</b> PC Set</p> <p>Mini PC, All in One PC, Micro PC (MPC), Power Generator - DG Set (up to 900 KVA), PC based Logic Analyzer, All in One PC (V2), PC Based Thermoluminescence Dosimeter (TLD) Reader, Tablet Computer (V2), Sofa Set (Steel Tube), Uniform PC - PV Suiting as per IS 15853</p> <p><b>Searched String:</b> 75" Screen (for central monitoring)</p> <p>Central Monitoring Station, modular electrical enclosure switch board boxes for modular type accessories, IT Infrastructure Items for Central Monitoring System (GIL), DARK GLASS FOR WELDER'S SCREEN, Refrigerated Centrifuge For General And Research Purpose, Cable Assembly for AMB2-Monitoring Board (BHEL), Portable Toilet, Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, XLPE Cables, Category C2 - FR - LSH, for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Online Monitoring System for Water and Energy Resource Utilisation (NLC INDIA LTD )</p> <p><b>Searched String:</b> 3.5 KVA Online UPS</p> <p>Online UPS (V2), Online Ups Modular Type, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Distribution Transformer, 3 Phase, 6.6 KV, &gt; 200</p>

Bid Details/As per	KVA Up to and including 2500 KVA, Line Interactive UPS with AVR (V2), Distribution Transformer, 3 Phase, 22 KV, > 200 KVA Up to and including 2500 KVA, true rms clamp meter, Distribution Transformer, 3 Phase, 33 KV, > 200 KVA Up to and including 2500 KVA, Electrical Box Extension (V2), Distribution Transformer, 3 Phase, 11 kV > 200 KVA up to and Including 2500 KVA
	<p><b>Searched String:</b> Battery for Online UPS</p> <p>Online UPS (V2), Online Ups Modular Type, Spare / Add On Battery Packs For Transreceiver - Handheld, Inverter Battery Trolley, PVC Flat Cable, Copper Conductor with PVC Insulation and Sheath as per IS 694, Battery Chargers (for Transreceivers) (V2), E - Cart for Garbage (V2), Battery Operated Three Wheeler for Passengers, PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), Interactive Panel Solution for Institutions</p> <p><b>Searched String:</b> NVR 8 Channel with 2 TB HDD</p> <p>2 channel heat therapy unit with vibration and Magnetism, Video Recorder for CCTV System (V2), Combination therapy with 2 channel electrotherapy, vaccum and dual frequency ultrasound, Climbing Rope Nylon, Glacier Region (Defence), Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Gear Lubricants For Enclosed Industrial Gear Drives conforming to IS 8406, Cellophane paper, Internal Storage Device (SSD/HDD), Port Fast Ethernet PoE Switch with 2 Gigabit Uplink, Hearing Aid</p> <p><b>Searched String:</b> NVR 16 Channel with 4 TB HDD</p> <p>4 channel heat therapy unit with vibration and Magnetism, Video Recorder for CCTV System (V2), Climbing Rope Nylon, Glacier Region (Defence), Server, Cellophane paper, Internal Storage Device (SSD/HDD), Rack Steel Adjustable (JSS Specification), PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), Box Strapping Machine, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694</p> <p><b>Searched String:</b> NVR 32 Channel with 8 TB HDD</p> <p>Video Recorder for CCTV System (V2), Cellophane paper, Holter with Monitor for analysis, Climbing Rope Nylon, Glacier Region (Defence), Hearing Aid</p> <p><b>Searched String:</b> 20 Km OTE with Adapter</p> <p>Laboratory Glass Adapters, Bucket Mop Wringer Trolley, Deep Water Barricading with Net and Anchor 8 km Long - UP PAC, Unmanned Aerial Vehicle &amp; Payload Systems for Surveillance, Automatic Milk Collection Unit with Milk Analyzer with Stirrer (KMF Co-op), Online UPS (V2), Cloth Disruptive Polyester and Cotton (20:80) with Digital Print Uniform Cloth (V3) (CRPF), Electronic Weighing Systems as per IS 9281 (Part I, Part II, Part III, Part IV), Commercial CPVC Pipe Fittings, Cloth Dryer Stand</p> <p><b>Searched String:</b> 4 Port Switch</p> <p>GPON 4 Port Optical Line Termination Equipment, Chemo Port, Geological compass, Port Fast Ethernet PoE Switch with 2 Gigabit Uplink, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Chemo Port</p>

Bid Details/As per	(V2), KVM Switch, Isolator switch, Laminar air flow cabinets or stations, Limit Switch
<p><b>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</b></p>	<p><b>Searched String:</b> 8 Port Switch</p> <p>HDMI 8 x 8 Switcher, Desktop Computers, Chemo Port, D and C Set, Port Fast Ethernet PoE Switch with 2 Gigabit Uplink, All in One PC, 8-Hydroxyquinoline, synthetic web equipment improved version, Chemo Port (V2), Surgical Gloves as per IS 4148</p> <p><b>Searched String:</b> 3 Core Power Cable</p> <p>Layer - 3 Core Switch, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Power Cable Fault Locator, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Cable tray Systems and Cable ladder systems (Overhead power Cable tray), Desktop Computers, Flexible Cable for Reefer power packs, Multicore Cable as per IS 694, Power cable for direct burial xlpe ugac cable for DMRC, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694</p> <p><b>Searched String:</b> 6 Core OFC Cable</p> <p>CAT 6 Cable for Outdoor, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Cat 6 Cable for Indoor Use, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Copper Cable 1 Core and Multi Core Circular Sheathed Cable with Rigid Conductor as per IS 694, Multicore Cable as per IS 694, PVC Aluminium Cable 1 Core and Multi Core Circular Sheathed Cable with Rigid Conductor as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Cat - 6 UTP Ethernet Cable for Wifi Indoor use (MTNL)</p> <p><b>Searched String:</b> Flexible cable</p> <p>PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Flexible Cable for Reefer power packs, Multicore Cable as per IS 694, Crepe Paper Covered Flexible Copper Cable-BHEL, Nylon cable Tie, Flexible Cables for Miners' Cap-Lamps (V2) ISI Marked To IS 2593, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Flexible Cystoscope, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694</p> <p><b>Searched String:</b> Cat 6 Outdoor LAN Cable</p> <p>CAT 6 Cable for Outdoor, Cat 6 Patch cord, Cat 6 Cable for Indoor Use, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), CAT 6 Information outlet, Cellophane paper, Cat 6 Patch Panel (V2), CAT 6 Field Termination Plug, Cable network tester, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1)</p> <p><b>Searched String:</b> HDMI Cable 2 Mtr</p>

Bid Details/As per	HDMI Cable, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Cable Cross Over (Version 2), synthetic web equipment improved version, PVC Insulated (Heavy Duty) Electric Cables (V2 ) ISI Marked to IS 1554 ( Part 2), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Radio Frequency Co - Axial Cable Type 75 - 7 - 2 (Coaxial Cable) as per IS 5802, Sea Water Reverse Osmosis (SWRO) Membrane, PVC Insulated (Heavy Duty) Electric Cables, Suitable for use in Mines as per IS 1554 (Part 2), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694
	<p><b>Searched String:</b> HDMI Cable 5 Mtr</p> <p>HDMI Cable, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Category 5 Cable, synthetic web equipment improved version, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Sea Water Reverse Osmosis (SWRO) Membrane, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Cellophane paper, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, VGA Cable</p> <p><b>Searched String:</b> HDMI Cable 20 Mtr</p> <p>HDMI Cable, Freight Containers - High Security Cable Seal as per IS 17381:2021, synthetic web equipment improved version, Armoured Optical Fibre Cable as per RDSO/SPN/TC/110/2020, Sea Water Reverse Osmosis (SWRO) Membrane, Telecommunication Cable - Fully filled (Petroleum Jelly or Absorbent Thixotropic Gel), Cellophane paper, Cable Trunking and Ducting system for Electrical Installations (Wiring duct), Air Hoses as per IS 446:1987, telecommunication cable</p> <p><b>Searched String:</b> Pig Tail (SC)</p> <p>Pipeline pig, Fiber Optic Patch Cord, Buprofezin 25 % SC, Chlorantraniliprole 18.5% SC, Fiber Optic Patch Panels, Rack Mountable, Dimilin 22 SC, Regulators for Breathing Apparatus ( Diving Instruments or Accessories), Flubendiamide 39.5% SC, Net Camouflage Shrimp Type (Defence), Spinosad 45% SC</p> <p><b>Searched String:</b> RJ 45</p> <p>RJ-45 Based Surge Suppressor, Hot air oven, Spinosad 45% SC, Connector Mounting Hardware - Multi Plug, Plug-In Protection Guard for RJ45 Ports, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, 45 degree Leg Press or Hack Squat Machine, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Ethidium Bromide, CAT 6 Information outlet</p> <p><b>Searched String:</b> 2U Rack</p> <p>Dumbbell Rack, Laminar air flow cabinets or stations, Dumbbells Rack (Version 2), Networking / Server Rack, Squats Rack (Version 2), Wooden Shoe Rack, Waste Containers and Accessories - Domestic (V2), Laboratory Reagent rack, Bucket Mop Wringer Trolley, Smart Rack (V2)</p>

Bid Details/Item	Searched String: 3U Rack
	<p>Dumbbell Rack, Dumbbells Rack (Version 2), Networking / Server Rack, Squats Rack (Version 2), Wooden Shoe Rack, Entry and Mid Level Desktop Computer, Laboratory Reagent rack, Sofas (V2), Bucket Mop Wringer Trolley, Smart Rack (V2)</p> <p><b>Searched String:</b> Power switch board 5 socket</p> <p>Flameproof Switch Socket, File/Folder (V3), Power supply board, Electrical Box Extension (V3), Plug and Socket Distribution Board, Power Generator - DG Set (up to 900 KVA), Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, modular electrical enclosure switch board boxes for modular type accessories, Flameproof Plug, Socket And Hand Lamp-IS:5, IS:1248, Card Board Box for Bio - Medical Waste Collection</p> <p><b>Searched String:</b> Power switch board 2 Socket</p> <p>Flameproof Switch Socket, Layer 2 Access Switch (V2), Power supply board, Electrical Box Extension (V3), Fabric Pin Up Notice Boards, Plug and Socket Distribution Board, modular electrical enclosure switch board boxes for modular type accessories, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, modular electrical switches and accessories, Layer - 2 Access Switch for Railways</p> <p><b>Searched String:</b> 2 Mtr Patch Cord</p> <p>Cat 6 Patch cord, Fiber Optic Patch Cord, Laboratory Condenser, Optical Fiber Patch Cord (PGCIL), Antibacterial Copper Patch Cord for Telecommunication, Cellophane paper, Elastomer Insulated, Unkinkable Flexible Cords (Workshop Type) - IS 9968 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Elastomer Insulated, Textile Braided Cables - IS 9968 (Part 1), D and C Set</p> <p><b>Searched String:</b> 5 Mtr Patch Cord</p> <p>Cat 6 Patch cord, Fiber Optic Patch Cord, synthetic web equipment improved version, Optical Fiber Patch Cord (PGCIL), Antibacterial Copper Patch Cord for Telecommunication, D and C Set, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Laboratory Condenser, P.F. Huts with PUF Panel (MHA), Cellophane paper</p> <p><b>Searched String:</b> 5V Adapter</p> <p>Adapter, Desktop Computers, Threaded Pipe Adapter, Cartridge Check Valve, Laboratory Glass Adapters, Sofas (V2), handset adapters, Commercial CPVC Pipe Fittings, Entry and Mid Level Desktop Computer, Vacutainer Luer Adapters</p> <p><b>Searched String:</b> 12V Adapter</p> <p>Adapter, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Threaded Pipe Adapter, Laboratory Glass Adapters, Vacuum Oven, DC-DC CONV ISO SMD 1W OP +12V 84MA (BHEL), Cartridge Check Valve, handset adapters, Insulation Tester, Commercial CPVC Pipe Fittings</p>

<p><b>Bid Details/बिड विवरण</b></p>	<p><b>Searched String:</b> 24V Adapter</p>
	<p>Adapter, Cleaning Duster (V2), Threaded Pipe Adapter, Cartridge Check Valve, Plug In Relay, 24V DC (BHEL-SCR), Insulation Tester, Laboratory Glass Adapters, handset adapters, Commercial CPVC Pipe Fittings, Cleaning Duster (V3)</p> <p><b>Searched String:</b> ISO Solution</p> <p>Iso Octane, Ultra low temperature laboratory deep freezer, ISO Intense MEC, Thread Plug Gauge, Antifoam Solution, Wheel Chairs (V2), Acetaldehyde solution, Canine Emergency Carrier and Stretcher, Ninhydrin Solution, Instrument Trolley for Hospitals (V2)</p> <p><b>Searched String:</b> LAN Tester</p> <p>Cable network tester, Insulation Tester, LAN Extender, Polypropylene Ropes as per IS 5175, Router, Battery Tester, Climbing Rope Nylon, Glacier Region (Defence), Line Tester, Compression Testing Machine, Flammability Tester - (Textile)</p> <p><b>Searched String:</b> Insulation Tape</p> <p>Glass Mica Tape-IS :7809, Environmental Chamber, HT Tape, synthetic web equipment improved version, Polyimide Tapes, Insulation Tester, Acoustical insulation, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Insulation Sheet (BHEL), Tape Library</p> <p><b>Searched String:</b> Nylon plastic Tie 6 &amp; 8 inch</p> <p>Antistatic Brush, Nylon cable Tie, Polyethylene Bags for General Purposes, Plastic Hand Gloves, Caster wheel</p> <p><b>Searched String:</b> Fiber sleeves</p> <p>Sleeves for DVT Pump, Fiber Optic Patch Cord, Adaptor sleeve along with locknut and washer, Electrical Sleeves as per IS 11654, IS 5831, Fiber Glass Sheet, MEDICAL GOWNS - DISPOSABLE, Fiber Media converter, Automatic Fiber Analyzer, Flower Pots or Planters (V2), Ceramic Fiber Tape</p> <p><b>Searched String:</b> Crimping tool</p> <p>Battery powered crimping tool, Cutting Tools, Crimping Tools, Regulators for Breathing Apparatus ( Diving Instruments or Accessories), Tool bag, medical staff bouffant caps female crimp cap disposable, Engine Tool Kit, synthetic web equipment improved version, Multipurpose Knife / Tool, Pneumatic tool oils</p>
<p><b>अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification</b></p>	<ul style="list-style-type: none"> <li>• Video Recorder for CCTV System (V2)</li> <li>• Camera for CCTV System (V3)</li> </ul>
<p><b>BOQ Title/बीओक्यू शीर्षक</b></p>	<p>AUGMENTATION OF SVL SYS</p>
<p><b>Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)</b></p>	<p>19 Lakh (s)</p>

Bid Details/बिड विवरण	
<b>OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)</b>	13 Lakh (s)
<b>Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष</b>	3 Year (s)
<b>MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है</b>	Yes
<b>Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है</b>	Yes
<b>Document required from seller/विक्रेता से मांगे गए दस्तावेज</b>	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
<b>Do you want to show documents uploaded by bidders to all bidders participated in bid?/</b>	No
<b>Past Performance/विगत प्रदर्शन</b>	50 %
<b>Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया</b>	Yes
<b>RA Qualification Rule</b>	50% Lowest Priced Technically Qualified Bidders
<b>Type of Bid/बिड का प्रकार</b>	Two Packet Bid
<b>Primary product category</b>	PTZ Camera with adapter
<b>Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय</b>	2 Days
<b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
<b>Estimated Bid Value/अनुमानित बिड मूल्य</b>	3858200
<b>Evaluation Method/मूल्यांकन पद्धति</b>	Total value wise evaluation
<b>Financial Document Required/वित्तीय दस्तावेज की आवश्यकता है।</b>	Yes
<b>Arbitration Clause</b>	No
<b>Mediation Clause</b>	No



**EMD Detail/ईएमडी विवरण**

Advisory Bank/एडवाइजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	115746

**ePBG Detail/ईपीबीजी विवरण**

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	5.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	14

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

**Beneficiary/लाभार्थी :**

QM, 11 MARATHA LI

11 MARATHA LIGHT INFANTRY, Department of Military Affairs, Indian Army, Ministry of Defence  
(Amit Kumar)

**UIN Number NCTGC2415P****Reserved for Make In India products**

Reserved for Make In India products	Yes
-------------------------------------	-----

**Reserved for MSE**

Reserved for MSE	Yes
------------------	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st

March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

6. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

7. Procurement under this bid is reserved for purchase from Micro and Small Enterprises having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal. If the bidder wants to avail themselves of the reservation benefit, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible to participate in this bid. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility based on documentary evidence submitted, while evaluating the bid. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

10. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non

MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

#### Pre Bid Detail(s)

Pre-Bid Date and Time	Pre-Bid Venue
24-05-2025 11:00:00	As per Para 4 of Draft RFP Part II.

#### PTZ Camera With Adapter

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Poonch	15	120

#### IR Camera With Adapter

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Poonch	15	120

**Pole With Hanging Bracket 65 Mm****(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Poonch	30	120

**PTZ Camera Rain Shield****(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Poonch	15	120

**IR Camera Rain Shield****(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Poonch	15	120

**PC Set****(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Poonch	3	120

**75 Inches Screen For Central Monitoring****(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Poonch	3	120

**3.5 KVA Online UPS****(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Poonch	3	120

**Battery For Online UPS****(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Poonch	18	120

**NVR 8 Channel With 2 TB HDD****(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Poonch	9	120

**NVR 16 Channel With 4 TB HDD**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Poonch	3	120

**NVR 32 Channel With 8 TB HDD**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>



Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Poonch	1	120

**20 Km OTE With Adapter**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Poonch	15	120

**4 Port Switch**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Poonch	10	120

**8 Port Switch**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Poonch	5	120

**3 Core Power Cable**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Poonch	300	120

**6 Core OFC Cable**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Poonch	350	120

**Flexible Cable**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
------------------------	---------------------------

**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Poonch	450	120

**Cat 6 Outdoor LAN Cable**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Poonch	600	120

**HDMI Cable 2 Mtr**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Poonch	9	120

### HDMI Cable 5 Mtr

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Poonch	3	120

### HDMI Cable 20 Mtr

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****Poonch	1	120

**Pig Tail SC**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****Poonch	40	120

**RJ 45**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****Poonch	500	120

**2U Rack**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****Poonch	10	120

**3U Rack**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****Poonch	4	120

**Power Switch Board 5 Socket**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****Poonch	15	120



## Power Switch Board 2 Socket

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Poonch	30	120

## 2 Mtr Patch Cord

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Poonch	15	120

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	-----------------	------------------------------

## 5 Mtr Patch Cord

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Poonch	10	120

## 5V Adapter

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Poonch	15	120

## 12V Adapter

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Poonch	12	120

## 24V Adapter

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Poonch	6	120

**ISO Solution****(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Poonch	2	120

**LAN Tester****(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Poonch	2	120

**Insulation Tape****(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Poonch	5	120

**Nylon Plastic Tie 6 And 8 Inch****(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Poonch	5	120

**Fiber Sleeves****(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Poonch	5	120

**Crimping Tool****(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Poonch	2	120

**Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें****1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

**2. Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

**Disclaimer/अस्वीकरण**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)

9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.**

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action

in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

**---Thank You/धन्यवाद---**