

**Bid Document/ बिड दस्तावेज़**

Bid Details/बिड विवरण	
<b>Bid End Date/Time/बिड बंद होने की तारीख/समय</b>	13-05-2025 13:00:00
<b>Bid Opening Date/Time/बिड खुलने की तारीख/समय</b>	13-05-2025 13:30:00
<b>Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)</b>	180 (Days)
<b>Ministry/State Name/मंत्रालय/राज्य का नाम</b>	Ministry Of Defence
<b>Department Name/विभाग का नाम</b>	Department Of Military Affairs
<b>Organisation Name/संगठन का नाम</b>	Indian Army
<b>Office Name/कार्यालय का नाम</b>	*****
<b>क्रेता ईमेल/Buyer Email</b>	mdeepika.631l@gov.in
<b>Total Quantity/कुल मात्रा</b>	7761

Bid Details/बिड विवरण	
Item Category/मद केटेगरी	<p>4 point 5 slace 5 slace 5 point 5mm Anatomical LCP for distal femur 05 slace 16 , Antirotation Proximal Femoral nail with Screws Assorted Sizes , Uncemented THR consisting of Grit-blasted biocompatible Titanium stem , Primary uncemented THR system, Proximally coated double slace triple taper , Primary uncemented THR system, Fully coated double slace triple taper , AO pattern DHS fixed angle Barrel Plate 130-150 degrees, 3-6 combi-holes , Interference screw with sheath construct Non metallic for secure fixation , Cannulated Tibial Nail with 5 proximal locking and 4 distal locking options , 4 point 5mm Narrow LCP with combi-hole technology, plate length 8-16 holes , Proximal humerus anatomical locking plate complete construct with 80 percentage , Uncemented THR with ceramic head, long stem, dual mobility linner , Ortho roll cast padding Cotton Size 10 cm X 3 mtr slace 15cm X 3 mtr , Bone Cement antibiotic loaded 40 gm , Vicryl No 2 with OS needle , Prolene Polypropylene Size No 1 40mm cutting needle , Polybutylate Coated Braided Polyester size 2 slace 5, 1 slace 2 Circle Taper , Vertical Isolation Drape for Hip surgery of clear transparent water proof , Sterile disposable U drape with tube holders coma 80inch x 124inch , Knee arthroplasty drape set , Adjustable Loop Cortical Button Device , Calcium sulphate pelletable powder for antibiotic delivery 10cc , Meniscal repair system with Trigger based positive deployment of 2 slace 4 , Disposable pulse lavage system , Trabecular metal shell slace liner with augment, ceramic head, stem and 5 screws , Augmented Posterior stabilized modular knee replacement prosthesis , Posterior stabilized fixed bearing modular knee replacement prosthesis , Locking proximal tibial osteotomy plate titanium plate with 8 x compatible , 3 point 5mm Locking proximal Humerus periarticular plate 5-14 shaft , Cemented Bipolar hip prosthesis with double slace triple tapered polished , 3 point 5mm LCP, 5-18 holes, with compatible 60 percentage locking head , Distal Radius fixed slace preferably variable angle Volar Locking Plate 2 point 4 , Railroad fixator set- Small, Medium and Larege with tapered HA coated , Knotless BioComposite suture anchors with closed eyelet 1 point 8 slace 2 , 2point7slace3point5mm Low Profile Reconstruction Plates - Straight 3-20 holes , Ethibond excel No 5 Green braided polyester, 75cm long, 48mm 1slace2 circle , Ethibond Suture No 2 , Revision knee prosthesis with rotating hinge, femoral component and tibial , Olecranon Plate, anatomical 3point5mm Right or Left, all sizes 2 , 12 hole , Anatomical clavicle shaft locking plate 2point7slace3point5mm all lengths , AO pattern 4 point0 mm partially threaded cannulated cancellous screws , External stabilizing system Set for CTEV complete small slace medium slace large , Hook Plate 2point7slace3point5mm, all lengths, with combi-hole technology , Hip spacer mould different sizes with 2 packets of low viscosity antibiotic , TOPICAL DYNAPAR PLUS 30 ML DICLOFENAC DIETHYLAMINE BP 2 , Sterile Packed 1point5slace1point8slace2point5slace2slace9slace3point5 , Non-Adhesive Elastic reusable Compression crepe Bandage 10 cm x 4point , Iodophor impregnated sterile Adhesive Incise drape 35x35cmslace60cm , Sterile packed transparent Cling Drape , Vac hydrophobic dressing with 400-600 micron size reticulated structure , Water resistant Synthetic orthopaedic cast padding 10 cm x 3 meter , Disposable Mould for knee articulating spacer Different sizes ..</p>

Bid Details/बिड विवरण	Small
<p><b>GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS</b></p>	<p>4.5/5/5.5mm Anatomical LCP for distal femur 05/16 holes with 80% locking, Antirotation Proximal Femoral nail with Screws (Assorted Sizes), Uncemented THR consisting of Grit-blasted biocompatible Titanium stem, Primary uncemented THR system, Proximally coated double/triple taper wedge, Primary uncemented THR system, Fully coated double/triple taper wedge , AO pattern DHS fixed angle Barrel Plate 130-150 degrees, 3-6 combi-holes, Interference screw with sheath construct (Non metallic) for secure fixation, Cannulated Tibial Nail with 5 proximal locking and 4 distal locking options,, 4.5mm Narrow LCP with combi-hole technology, plate length 8-16 holes,, Proximal humerus anatomical locking plate complete construct with 80% , Uncemented THR with ceramic head, long stem, dual mobility, Ortho roll cast padding Cotton Size 10 cm X 3 mtr/15cm X 3 mtr, Bone Cement antibiotic loaded 40 gm, Vicryl No 2 with OS needle , Prolene (Polypropylene) Size No 1 40mm cutting needle, Polybutylate Coated Braided Polyester size 2/5, 1/2 Circle Taper Cut, 45 mm, Vertical Isolation Drape for Hip surgery of clear transparent water proof, Sterile disposable U-drape with tube holders, 80" x 124", 4" x 44" split, Knee arthroplasty drape set, Adjustable Loop Cortical Button Device, Calcium sulphate pelletable powder for antibiotic delivery 10cc, Meniscal repair system with Trigger based positive deployment of 2/4 PEEK, Disposable pulse lavage system, Trabecular metal shell/ liner with augment, ceramic head, stem &amp; 5 screws, Augmented Posterior stabilized modular knee replacement prosthesis, Posterior stabilized fixed bearing modular knee replacement prosthesis, Locking proximal tibial osteotomy plate titanium plate with 8 x compatible, 3.5mm Locking proximal Humerus periarticular plate 5-14 shaft, Cemented Bipolar hip prosthesis with double/triple tapered polished , 3.5mm LCP, 5-18 holes, with compatible 60% locking head screws and 40%, Distal Radius fixed/preferably variable angle Volar Locking Plate 2.4/2.7mm,, Distal Radius fixed/preferably variable angle Volar Locking Plate 2.4/2.7mm,, Railroad fixator set- Small, Medium &amp; Large with tapered HA coated, Knotless BioComposite suture anchors with closed eyelet , 2.7/3.5mm Low Profile Reconstruction Plates – Straight 3-20 holes, Ethibond excel No 5 (Green braided polyester, 75cm long, 48mm 1/2 circle, Ethibond Suture No 2, Revision knee prosthesis with rotating hinge, femoral component and tibial, Olecranon Plate, anatomical 3.5mm Right or Left, all sizes (2 , 12 hole) , , Anatomical clavicle shaft locking plate 2.7/3.5mm all lengths,, AO pattern 4.0 mm partially threaded cannulated cancellous screws 20, External stabilizing system Set for CTEV complete small/medium/large, Hook Plate 2.7/3.5mm, all lengths, with combi-hole technology, hook depth , Hip spacer mould (different sizes) with 2 packets of low viscosity antibiotic , TOPICAL DYNAPAR PLUS 30 ML (DICLOFENAC DIETHYLAMINE BP 2.32% W/V, Sterile Packed 1.5/1.8/2.5/2.9/3.5/4,5/5.5/6.5mm All suture Anchor, Non-Adhesive Elastic reusable Compression crepe Bandage 10 cm x 4.5cm, Iodophor impregnated sterile Adhesive Incise drape 35x35cm/60cmx45, Sterile packed transparent Cling Drape., Vac hydrophobic dressing with 400-600 micron size reticulated structure foam, Water resistant Synthetic orthopaedic cast padding 10 cm x 3 meter/ 15cm, Disposable Mould for knee articulating spacer (Different sizes small, medium</p>

Bid Details/As Factor	Searched String: 4.5/5/5.5mm Anatomical LCP for distal femur 05/16 holes with 80% locking
	<p>Locking Compression Plates (V2), LCP 3.5mm Anterolateral Distal Tibia Plate with corresponding screws, LCP 3.5mm Distal Humeral Plate, Dorsolateral with corresponding screws</p> <p><b>Searched String:</b> Antirotation Proximal Femoral nail with Screws (Assorted Sizes)</p> <p>LCP 4.5mm Proximal Femoral Plate with corresponding screws, Locking Compression Plates (V2)</p> <p><b>Searched String:</b> Uncemented THR consisting of Grit-blasted biocompatible Titanium stem</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Primary uncemented THR system, Proximally coated double/triple taper wedge</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Primary uncemented THR system, Fully coated double/triple taper wedge</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> AO pattern DHS fixed angle Barrel Plate 130-150 degrees, 3-6 combi-holes</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Interference screw with sheath construct (Non metallic) for secure fixation</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Cannulated Tibial Nail with 5 proximal locking and 4 distal locking options,</p> <p>Locking Compression Plates (V2)</p> <p><b>Searched String:</b> 4.5mm Narrow LCP with combi-hole technology, plate length 8-16 holes,</p> <p>LCP 3.5mm Anterolateral Distal Tibia Plate with corresponding screws, LCP 3.5mm PHILOS-Proximal Humeral Plate with corresponding screws, Locking Compression Plates (V2), LCP 3.5mm Reconstruction Plate with corresponding screws, LCP 4.5mm Narrow Compression Plate with corresponding screws, 4.5mm T-Buttress Plate with corresponding screws, LCP 3.5mm Distal Humeral Plate, Dorsolateral with corresponding screws</p> <p><b>Searched String:</b> Proximal humerus anatomical locking plate complete construct with 80%</p> <p>Locking Compression Plates (V2)</p> <p><b>Searched String:</b> Uncemented THR with ceramic head, long stem, dual mobility</p>

Bid Details/Part	Category not available on GeM for the text string uploaded by the buyer
	<p><b>Searched String:</b> Ortho roll cast padding Cotton Size 10 cm X 3 mtr/15cm X 3 mtr</p> <p>Gamjee Rolls / Pads (V2), Plaster of Paris Bandage, Handloom Cotton Bed Sheets (V2) as per IS 745, Plaster of Paris Bandage (V2), Synthetic Cast Bandage (V2), Non Sparking Double Open Ended Spanner (V2), Non Sparking Double Ended Ring Spanner (V2), Cotton Cloth Bag for Seed Packing - Capacity From 0.75 Kg to 12 Kg</p> <p><b>Searched String:</b> Bone Cement antibiotic loaded 40 gm</p> <p>cleaning or janitorial cart, Bone Cements, Locking Compression Plates (V2)</p> <p><b>Searched String:</b> Vicryl No 2 with OS needle</p> <p>Tent Extendable Frame Supported 4M and 2M Complete with Accessories (V2), Sterile Hypodermic Syringe (V3), thermal gloves, Disposable Syringes as per IS 10258, uniform jersey woolen ribbed v neck dgsd specification, Intravenous Cannulas as per IS 10555 - 5, Sterile Hypodermic Syringe for Manual use (V2), Blood Sample Collection Tubes</p> <p><b>Searched String:</b> Prolene (Polypropylene) Size No 1 40mm cutting needle</p> <p>The Indian National Flag as per IS 1</p> <p><b>Searched String:</b> Polybutylate Coated Braided Polyester size 2/5, 1/2 Circle Taper Cut, 45 mm</p> <p>Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014</p> <p><b>Searched String:</b> Vertical Isolation Drape for Hip surgery of clear transparent water proof</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Sterile disposable U-drape with tube holders, 80" x 124", 4" x 44" split</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Knee arthroplasty drape set</p> <p>Pillow for Head and Knee For Panchakarma, Illuminated Near Vision Test Drum (V2) - RBSK</p> <p><b>Searched String:</b> Adjustable Loop Cortical Button Device</p> <p>Adjustable Tree Looper, Shin Guard for Taekwondo, Locking Compression Plates (V2), Box Strapping Machine</p> <p><b>Searched String:</b> Calcium sulphate pelletable powder for antibiotic delivery 10cc</p> <p>Category not available on GeM for the text string uploaded by the buyer</p>

Bid Details/बिड विवरण	Searched String: Meniscal repair system with Trigger based positive deployment of 2/4 PEEK
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Category not available on GeM for the text string uploaded by the buyer
	<b>Searched String:</b> Disposable pulse lavage system
	Single use Negative Pressure Wound Therapy System, Voice Logger System, Ultrasonic pulse velocity tester, Smooth Bore Circuits - Anesthesia Breathing Circuits, nebulizer mask and accessories, Shortwave Diathermy Machine (Continuous and Pulsed), Microwave Disinfectant system for disposal of Hospital waste (Bio-medical waste) - (MHA Spec), artificial airway cpap catheter mounts or catheter mount with connector, Digital Physiograph System, surgical isolation or surgical masks
	<b>Searched String:</b> Trabecular metal shell/ liner with augment, ceramic head, stem & 5 screws
	Category not available on GeM for the text string uploaded by the buyer
	<b>Searched String:</b> Augmented Posterior stabilized modular knee replacement prosthesis
	Category not available on GeM for the text string uploaded by the buyer
	<b>Searched String:</b> Posterior stabilized fixed bearing modular knee replacement prosthesis
	Category not available on GeM for the text string uploaded by the buyer
	<b>Searched String:</b> Locking proximal tibial osteotomy plate titanium plate with 8 x compatible
	Locking Compression Plates (V2), LCP 3.5mm PHILOS-Proximal Humeral Plate with corresponding screws, LCP 4.5mm Proximal Femoral Plate with corresponding screws
	<b>Searched String:</b> 3.5mm Locking proximal Humerus periarticular plate 5-14 shaft
	Locking Compression Plates (V2), LCP 3.5mm Medial Distal Humeral Plate with corresponding screws, LCP 3.5mm Anterolateral Distal Tibia Plate with corresponding screws, LCP 3.5mm PHILOS-Proximal Humeral Plate with corresponding screws
	<b>Searched String:</b> Cemented Bipolar hip prosthesis with double/triple tapered polished
	Bipolar Hip Prosthesis
	<b>Searched String:</b> 3.5mm LCP, 5-18 holes, with compatible 60% locking head screws and 40%
	LCP 3.5mm Anterolateral Distal Tibia Plate with corresponding screws, LCP 3.5mm Reconstruction Plate with corresponding screws, Locking Compression Plates (V2), LCP 3.5mm PHILOS-Proximal Humeral Plate with corresponding screws, LCP 3.5mm Distal Humeral Plate, Dorsolateral with corresponding screws
	<b>Searched String:</b> Distal Radius fixed/preferably variable

Bid Details/As per	angle Volar Locking Plate 2.4/2.7mm,
	<p>Locking Compression Plates (V2)</p> <p><b>Searched String:</b> Distal Radius fixed/preferably variable angle Volar Locking Plate 2.4/2.7mm,</p> <p>Locking Compression Plates (V2)</p> <p><b>Searched String:</b> Railroad fixator set- Small, Medium &amp; Large with tapered HA coated</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Knotless BioComposite suture anchors with closed eyelet</p> <p>Locking Compression Plates (V2)</p> <p><b>Searched String:</b> 2.7/3.5mm Low Profile Reconstruction Plates – Straight 3-20 holes</p> <p>Locking Compression Plates (V2), LCP 3.5mm Reconstruction Plate with corresponding screws</p> <p><b>Searched String:</b> Ethibond excel No 5 (Green braided polyester,75cm long,48mm 1/2 circle</p> <p>Self Watering Tree guard</p> <p><b>Searched String:</b> Ethibond Suture No 2</p> <p>2 - Nitrobenzaldehyde, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), sutures, Gear Box Conveyor no. SRC- 2 ,FOC-1 (SAIL), Sutures (V2), One Man Meals Ready to Eat (Menu No 2) (V3) (Defence), Inverter, One Man Meals Ready to Eat (Menu No. 2) (V2) (Defence), Hard Wood as per IS 1331, Package No. 2 Atal Tinkering Lab of Niti Aayog Rapid Prototyping Tools</p> <p><b>Searched String:</b> Revision knee prosthesis with rotating hinge, femoral component and tibial</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Olecranon Plate, anatomical 3.5mm Right or Left, all sizes (2 ,12 hole),</p> <p>Locking Compression Plates (V2)</p> <p><b>Searched String:</b> Anatomical clavicle shaft locking plate 2.7/3.5mm all lengths,</p> <p>Locking Compression Plates (V2), Inflatable Tent</p> <p><b>Searched String:</b> AO pattern 4.0 mm partially threaded cannulated cancellous screws 20</p> <p>Bone Screws, 4.5mm Narrow D.C. Plate with corresponding screws, LCP 4.5mm Narrow Compression Plate with corresponding screws</p> <p><b>Searched String:</b> External stabilizing system Set for CTEV complete small/medium/large</p> <p>Category not available on GeM for the text string uploaded by the buyer</p>

Bid Details/As Per	Searched String: Hook Plate 2.7/3.5mm, all lengths, with combi-hole technology, hook depth
	<p>Locking Compression Plates (V2)</p> <p><b>Searched String:</b> Hip spacer mould (different sizes) with 2 packets of low viscosity antibiotic</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> TOPICAL DYNAPAR PLUS 30 ML (DICLOFENAC DIETHYLAMINE BP 2.32% W/V)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Sterile Packed 1.5/1.8/2.5/2.9/3.5/4,5/5.5/6.5mm All suture Anchor</p> <p>Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Hand Operated Hydraulic Pipe Bender, modular electrical switches and accessories, Static Protective Relays, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Disposable Surgical Rubber Gloves - Prepowdered as per IS 13422, Split Air Conditioner Including Green AC, Wall Mount Type (V2)</p> <p><b>Searched String:</b> Non-Adhesive Elastic reusable Compression crepe Bandage 10 cm x 4.5cm</p> <p>Crepe Bandage (V2), elastic zinc oxide adhesive bandage, Elastic Bandage, Zinc Oxide Elastic Self - Adhesive Bandage (V2)</p> <p><b>Searched String:</b> Iodophor impregnated sterile Adhesive Incise drape 35x35cm/60cmx45</p> <p>Adhesive Incise Drape</p> <p><b>Searched String:</b> Sterile packed transparent Cling Drape.</p> <p>Adhesive Incise Drape, Surgical Drapes, tracheostomy tubes without cuff plain single use blister pack pre sterilized</p> <p><b>Searched String:</b> Vac hydrophobic dressing with 400-600 micron size reticulated structure foam</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Water resistant Synthetic orthopaedic cast padding 10 cm x 3 meter/ 15cm</p> <p>Gamjee Rolls / Pads (V2), Synthetic Cast Bandage (V2)</p> <p><b>Searched String:</b> Disposable Mould for knee articulating spacer (Different sizes small, medium)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p>



Bid Details/बिड विवरण	
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> <li>Locking Compression Plates (V2)</li> </ul>
BOQ Title/बीओक्यू शीर्षक	BOQBID
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	60 Lakh (s)
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	60 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	2 Year (s)
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	<p>Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Compliance of BoQ specification and supporting document</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Past Performance/विगत प्रदर्शन	20 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	Yes
RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	4 point 5 slace 5 slace 5 point 5mm Anatomical LCP for distal femur 05 slace 16
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	3 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Item wise evaluation/
Arbitration Clause	No

Bid Details/बिड विवरण	
Mediation Clause	No

#### EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
Schedule 1 EMD Amount/ईएमडी राशि (In INR)	2906
Schedule 2 EMD Amount/ईएमडी राशि (In INR)	16018
Schedule 3 EMD Amount/ईएमडी राशि (In INR)	10191
Schedule 4 EMD Amount/ईएमडी राशि (In INR)	17577
Schedule 5 EMD Amount/ईएमडी राशि (In INR)	17577
Schedule 6 EMD Amount/ईएमडी राशि (In INR)	1701
Schedule 7 EMD Amount/ईएमडी राशि (In INR)	6615
Schedule 8 EMD Amount/ईएमडी राशि (In INR)	9615
Schedule 9 EMD Amount/ईएमडी राशि (In INR)	1687
Schedule 10 EMD Amount/ईएमडी राशि (In INR)	4886
Schedule 11 EMD Amount/ईएमडी राशि (In INR)	1807
Schedule 12 EMD Amount/ईएमडी राशि (In INR)	893
Schedule 13 EMD Amount/ईएमडी राशि (In INR)	7088
Schedule 14 EMD Amount/ईएमडी राशि (In INR)	358
Schedule 15 EMD Amount/ईएमडी राशि (In INR)	542
Schedule 16 EMD Amount/ईएमडी राशि (In INR)	453
Schedule 17 EMD Amount/ईएमडी राशि (In INR)	680
Schedule 18 EMD Amount/ईएमडी राशि (In INR)	559
Schedule 19 EMD Amount/ईएमडी राशि (In INR)	1012
Schedule 20 EMD Amount/ईएमडी राशि (In INR)	20072
Schedule 21 EMD Amount/ईएमडी राशि (In INR)	20563
Schedule 22 EMD Amount/ईएमडी राशि (In INR)	15593
Schedule 23 EMD Amount/ईएमडी राशि (In INR)	9072
Schedule 24 EMD Amount/ईएमडी राशि (In INR)	33075

Schedule 25 EMD Amount/ईएमडी राशि (In INR)	17833
Schedule 26 EMD Amount/ईएमडी राशि (In INR)	33850
Schedule 27 EMD Amount/ईएमडी राशि (In INR)	8505
Schedule 28 EMD Amount/ईएमडी राशि (In INR)	3251
Schedule 29 EMD Amount/ईएमडी राशि (In INR)	10800
Schedule 30 EMD Amount/ईएमडी राशि (In INR)	7258
Schedule 31 EMD Amount/ईएमडी राशि (In INR)	3119
Schedule 32 EMD Amount/ईएमडी राशि (In INR)	1087
Schedule 33 EMD Amount/ईएमडी राशि (In INR)	8061
Schedule 34 EMD Amount/ईएमडी राशि (In INR)	5906
Schedule 35 EMD Amount/ईएमडी राशि (In INR)	1292
Schedule 36 EMD Amount/ईएमडी राशि (In INR)	2747
Schedule 37 EMD Amount/ईएमडी राशि (In INR)	111
Schedule 38 EMD Amount/ईएमडी राशि (In INR)	12060
Schedule 39 EMD Amount/ईएमडी राशि (In INR)	2741
Schedule 40 EMD Amount/ईएमडी राशि (In INR)	2687
Schedule 41 EMD Amount/ईएमडी राशि (In INR)	915
Schedule 42 EMD Amount/ईएमडी राशि (In INR)	1418
Schedule 43 EMD Amount/ईएमडी राशि (In INR)	1418
Schedule 44 EMD Amount/ईएमडी राशि (In INR)	3638
Schedule 45 EMD Amount/ईएमडी राशि (In INR)	372
Schedule 46 EMD Amount/ईएमडी राशि (In INR)	5129
Schedule 47 EMD Amount/ईएमडी राशि (In INR)	31762
Schedule 48 EMD Amount/ईएमडी राशि (In INR)	1385
Schedule 49 EMD Amount/ईएमडी राशि (In INR)	212
Schedule 50 EMD Amount/ईएमडी राशि (In INR)	1341
Schedule 51 EMD Amount/ईएमडी राशि (In INR)	5089
Schedule 52 EMD Amount/ईएमडी राशि (In INR)	5531

**ePBG Detail/ईपीबीजी विवरण**

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	5.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	6

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). The EMD Amount will be applicable for each schedule/group selected during Bid creation.

(c). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

**Beneficiary/लाभार्थी :**

COMMANDANT

Command Hospital Eastern Command Kolkata, Department of Military Affairs, Indian Army, Ministry of Defence (Maj Gen Ajay Deep Sud)

**MII Purchase Preference/एमआईआई खरीद वरीयता**

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

**MSE Purchase Preference/एमएसई खरीद वरीयता**

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the

completed financial years after the date of constitution shall be taken into account for this criteria.

4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

6. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

7. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 20% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

10. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified,

then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

#### **Evaluation Method ( Item Wise Evaluation Method )**

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

<b>Evaluation Schedules</b>	<b>Item/Category</b>	<b>Quantity</b>
Schedule 1	4 Point 5 Slace 5 Slace 5 Point 5mm Anatomical Lcp For Distal Femur 05 Slace 16	9
Schedule 2	Antirotation Proximal Femoral Nail With Screws Assorted Sizes	30
Schedule 3	Uncemented Thr Consisting Of Grit-blasted Biocompatible Titanium Stem	3
Schedule 4	Primary Uncemented Thr System, Proximally Coated Double Slace Triple Taper	6
Schedule 5	Primary Uncemented Thr System, Fully Coated Double Slace Triple Taper	6
Schedule 6	Ao Pattern Dhs Fixed Angle Barrel Plate 130-150 Degrees, 3-6 Combi-holes	6
Schedule 7	Interference Screw With Sheath Construct Non Metallic For Secure Fixation	30
Schedule 8	Cannulated Tibial Nail With 5 Proximal Locking And 4 Distal Locking Options	15
Schedule 9	4 Point 5mm Narrow Lcp With Combi-hole Technology, Plate Length 8-16 Holes,	9
Schedule 10	Proximal Humerus Anatomical Locking Plate Complete Construct With 80 Percentage	6
Schedule 11	Uncemented Thr With Ceramic Head, Long Stem, Dual Mobility Linner	3
Schedule 12	Ortho Roll Cast Padding Cotton Size 10 Cm X 3 Mtr Slace 15cm X 3 Mtr	900
Schedule 13	Bone Cement Antibiotic Loaded 40 Gm	75
Schedule 14	Vicryl No 2 With Os Needle	144
Schedule 15	Prolene Polypropylene Size No 1 40mm Cutting Needle	384
Schedule 16	Polybutylate Coated Braided Polyester Size 2 Slace 5, 1 Slace 2 Circle Taper	222
Schedule 17	Vertical Isolation Drape For Hip Surgery Of Clear Transparent Water Proof	45
Schedule 18	Sterile Disposable U Drape With Tube Holders Coma 80inch X 124inch	45
Schedule 19	Knee Arthroplasty Drape Set	36
Schedule 20	Adjustable Loop Cortical Button Device	60
Schedule 21	Calcium Sulphate Pelletable Powder For Antibiotic Delivery 10cc	12
Schedule 22	Meniscal Repair System With Trigger Based Positive Deployment Of 2 Slace 4	30
Schedule 23	Disposable Pulse Lavage System	120

Schedule 24	Trabecular Metal Shell Slace Liner With Augment, Ceramic Head, Stem And 5 Screws	3
Schedule 25	Augmented Posterior Stabilized Modular Knee Replacement Prosthesis	3
Schedule 26	Posterior Stabilized Fixed Bearing Modular Knee Replacement Prosthesis	18
Schedule 27	Locking Proximal Tibial Osteotomy Plate Titanium Plate With 8 X Compatible	15
Schedule 28	3 Point 5mm Locking Proximal Humerus Periarticular Plate 5-14 Shaft	6
Schedule 29	Cemented Bipolar Hip Prosthesis With Double Slace Triple Tapered Polished	6
Schedule 30	3 Point 5mm Lcp, 5-18 Holes, With Compatible 60 Percentage Locking Head	48
Schedule 31	Distal Radius Fixed Slace Preferably Variable Angle Volar Locking Plate 2 Point 4	9
Schedule 32	Distal Radius Fixed Slace Preferably Variable Angle Volar Locking Plate 2 Point 4	3
Schedule 33	Railroad Fixator Set- Small, Medium And Large With Tapered Ha Coated	6
Schedule 34	Knotless Biocomposite Suture Anchors With Closed Eyelet 1 Point 8 Slace 2	15
Schedule 35	2point7slace3point5mm Low Profile Reconstruction Plates - Straight 3-20 Holes	3
Schedule 36	Ethibond Excel No 5 Green Braided Polyester,75cm Long,48mm 1slace2 Circle	120
Schedule 37	Ethibond Suture No 2	30
Schedule 38	Revision Knee Prosthesis With Rotating Hinge, Femoral Component And Tibial	3
Schedule 39	Olecranon Plate, Anatomical 3point5mm Right Or Left, All Sizes 2 ,12 Hole	6
Schedule 40	Anatomical Clavicle Shaft Locking Plate 2point7slace3point5mm All Lengths	3
Schedule 41	Ao Pattern 4 Point0 Mm Partially Threaded Cannulated Cancellous Screws	60
Schedule 42	External Stabilizing System Set For Ctev Complete Small Slace Medium Slace Large	3
Schedule 43	Hook Plate 2point7slace3point5mm, All Lengths, With Combi-hole Technology	6
Schedule 44	Hip Spacer Mould Different Sizes With 2 Packets Of Low Viscosity Antibiotic	3
Schedule 45	Topical Dynapar Plus 30 Ml Diclofenac Diethylamine Bp 2	60
Schedule 46	Sterile Packed 1point5slace1point8slace2point5slace2slace9slace3point5	15
Schedule 47	Non-adhesive Elastic Reusable Compression Crepe Bandage 10 Cm X 4point	4110
Schedule 48	Iodophor Impregnated Sterile Adhesive Incise Drape 35x35cmslace60cm	90
Schedule 49	Sterile Packed Transparent Cling Drape	150
Schedule 50	Vac Hydrophobic Dressing With 400-600 Micron Size Reticulated Structure	15
Schedule 51	Water Resistant Synthetic Orthopaedic Cast Padding 10 Cm X 3 Meter	750
Schedule 52	Disposable Mould For Knee Articulating Spacer Different Sizes Small	6

**4 Point 5 Slace 5 Slace 5 Point 5mm Anatomical LCP For Distal Femur 05 Slace 16**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier**

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****Kolkata	9	30

**Antirotation Proximal Femoral Nail With Screws Assorted Sizes**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****Kolkata	30	30



## Uncemented THR Consisting Of Grit-blasted Biocompatible Titanium Stem

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Kolkata	3	30

## Primary Uncemented THR System, Proximally Coated Double Slace Triple Taper

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Kolkata	6	30

### Primary Uncemented THR System, Fully Coated Double Slace Triple Taper

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Kolkata	6	30

### AO Pattern DHS Fixed Angle Barrel Plate 130-150 Degrees, 3-6 Combi-holes

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Kolkata	6	30

**Interference Screw With Sheath Construct Non Metallic For Secure Fixation**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Kolkata	30	30

**Cannulated Tibial Nail With 5 Proximal Locking And 4 Distal Locking Options**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Kolkata	15	30

**4 Point 5mm Narrow LCP With Combi-hole Technology, Plate Length 8-16 Holes,**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Kolkata	9	30

**Proximal Humerus Anatomical Locking Plate Complete Construct With 80 Percentage**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Kolkata	6	30

### **Uncemented THR With Ceramic Head, Long Stem, Dual Mobility Linner**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Kolkata	3	30

### **Ortho Roll Cast Padding Cotton Size 10 Cm X 3 Mtr Slace 15cm X 3 Mtr**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Kolkata	900	30

**Bone Cement Antibiotic Loaded 40 Gm**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Kolkata	75	30

**Vicryl No 2 With OS Needle**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Kolkata	144	30

### **Prolene Polypropylene Size No 1 40mm Cutting Needle**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Kolkata	384	30

### **Polybutylate Coated Braided Polyester Size 2 Slace 5, 1 Slace 2 Circle Taper**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****Kolkata	222	30

**Vertical Isolation Drape For Hip Surgery Of Clear Transparent Water Proof**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****Kolkata	45	30

**Sterile Disposable U Drape With Tube Holders Coma 80inch X 124inch**



**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****Kolkata	45	30

**Knee Arthroplasty Drape Set**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Kolkata	36	30

### Adjustable Loop Cortical Button Device

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Kolkata	60	30

### Calcium Sulphate Pelletable Powder For Antibiotic Delivery 10cc

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Kolkata	12	30

**Meniscal Repair System With Trigger Based Positive Deployment Of 2 Slace 4**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Kolkata	30	30

**Disposable Pulse Lavage System**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Kolkata	120	30

**Trabecular Metal Shell Slace Liner With Augment, Ceramic Head, Stem And 5 Screws**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Kolkata	3	30

**Augmented Posterior Stabilized Modular Knee Replacement Prosthesis**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Kolkata	3	30

### **Posterior Stabilized Fixed Bearing Modular Knee Replacement Prosthesis**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Kolkata	18	30

### **Locking Proximal Tibial Osteotomy Plate Titanium Plate With 8 X Compatible**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Kolkata	15	30

### 3 Point 5mm Locking Proximal Humerus Periarticular Plate 5-14 Shaft

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Kolkata	6	30

### Cemented Bipolar Hip Prosthesis With Double Slace Triple Tapered Polished

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Kolkata	6	30

### 3 Point 5mm LCP, 5-18 Holes, With Compatible 60 Percentage Locking Head

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Kolkata	48	30

### Distal Radius Fixed Slace Preferably Variable Angle Volar Locking Plate 2 Point 4

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****Kolkata	9	30

**Distal Radius Fixed Slace Preferably Variable Angle Volar Locking Plate 2 Point 4**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****Kolkata	3	30

**Railroad Fixator Set- Small, Medium And Large With Tapered HA Coated**



**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****Kolkata	6	30

**Knotless BioComposite Suture Anchors With Closed Eyelet 1 Point 8 Slace 2**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Kolkata	15	30

## 2point7slace3point5mm Low Profile Reconstruction Plates - Straight 3-20 Holes

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Kolkata	3	30

## Ethibond Excel No 5 Green Braided Polyester,75cm Long,48mm 1slace2 Circle

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Kolkata	120	30

**Ethibond Suture No 2**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Kolkata	30	30

**Revision Knee Prosthesis With Rotating Hinge, Femoral Component And Tibial**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Kolkata	3	30

**Olecranon Plate, Anatomical 3point5mm Right Or Left, All Sizes 2 ,12 Hole**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Kolkata	6	30

**Anatomical Clavicle Shaft Locking Plate 2point7slace3point5mm All Lengths**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Kolkata	3	30

### **AO Pattern 4 Point0 Mm Partially Threaded Cannulated Cancellous Screws**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Kolkata	60	30

### **External Stabilizing System Set For CTEV Complete Small Slace Medium Slace Large**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Kolkata	3	30

**Hook Plate 2point7slace3point5mm, All Lengths, With Combi-hole Technology**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Kolkata	6	30

**Hip Spacer Mould Different Sizes With 2 Packets Of Low Viscosity Antibiotic**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Kolkata	3	30

### TOPICAL DYNAPAR PLUS 30 ML DICLOFENAC DIETHYLAMINE BP 2

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Kolkata	60	30

### Sterile Packed 1point5slace1point8slace2point5slace2slace9slace3point5

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****Kolkata	15	30

**Non-Adhesive Elastic Reusable Compression Crepe Bandage 10 Cm X 4point**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****Kolkata	4110	30

**Iodophor Impregnated Sterile Adhesive Incise Drape 35x35cmslace60cm**



**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****Kolkata	90	30

**Sterile Packed Transparent Cling Drape**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Kolkata	150	30

### Vac Hydrophobic Dressing With 400-600 Micron Size Reticulated Structure

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Kolkata	15	30

### Water Resistant Synthetic Orthopaedic Cast Padding 10 Cm X 3 Meter

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Kolkata	750	30

**Disposable Mould For Knee Articulating Spacer Different Sizes Small**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Kolkata	6	30

**Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें****1. Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

**Additional Terms & Conditions**  
**Consumables**

1. BBQR of all the schedules is attached in “Buyer added Bid Specification ATC” in the Bid document.

2. A brochure containing all the quoted schedules and compliance with BBQR specifications must be uploaded exclusively under “Compliance of BBQR specification and

supporting documents” Any incorrect quotation/ mismatch might result in bid rejection.

3. All required seller documents, such as MII Documents, Experience Criteria, Past Performance, Bidder Turnover, OEM Authorization Certificate, OEM Annual Turnover, Compliance of BoQ specification and supporting documents must be uploaded with due diligence. Any discrepancy must lead to Bid rejection.

4. Physical Sample/ Brochure if any, to be provided before the bid opening date for the Technical Evaluation Committee to the following address:-

OIC GeM (Med),  
Command Hospital (EC),  
Alipore, Kolkata, PIN - 700027

5. The decision of the Technical Evaluation Committee will be final and binding on all the vendors. No offline representation will be entertained.

6. Indigenous drugs will have 5/6 of shelf life and foreign products will have 2/3 of shelf life remaining at the time of supply. However, the acceptance of any item with shelf life shorter than the quoted remains entirely at the discretion of CFA/ as per terms and condition endorsed in BBQR.

7. Supplier will undertake to replace unconsumed stock before 3 Months of the expiry date of the items.

8. The dealer will replace any stock found defective during shelf life.

9. Quoting health supplement in- lieu of drugs/medicines strictly prohibited unless specifically asked in tender.

10. Info: Fund Code Head: 421/01.

11. Items required strictly in accordance with BBQR Specification, with full compliance mandatory.

12. Food Supplements should not be quoted in lieu of medicines.

13. File No: RE/DGLP/IFA/612/2024-25

## 2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

## 3. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 50% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original

delivery period while exercising the option clause. Bidders must comply with these terms.

## Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.**

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई

का आधार होगा।

**---Thank You/धन्यवाद---**