



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2025/B/6108331
Dated/दिनांक : 30-04-2025

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	21-05-2025 09:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	21-05-2025 09:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Defence
Department Name/विभाग का नाम	Department Of Military Affairs
Organisation Name/संगठन का नाम	Indian Army
Office Name/कार्यालय का नाम	*****
क्रेता ईमेल/Buyer Email	vishnuganthd.263l@gov.in
Total Quantity/कुल मात्रा	624

Bid Details/बिड विवरण	
Item Category/मद केटेगरी	<p>Dimension Transferrin Flex TRNF 10444985 box of 120 test , Dimension LOCI Folate Flex FOLA 10463370 box of 80 tests , Dimension HM reaction vessel 10445044 , Dimension Enzyme I calibrator ENZ I CAL 10284680 , Dimension C-reactive protein calibrator CRP CAL 10444988 , Dimension CKI MBI Calibrator CKI MBI CAL 10464508 , ASSY EXL WASTE TUBEING 10481557 , Dimension CardiacPhase High sensitivity C Reactive Protein Calibrator CCRP CAL 10445003 , UEG 734520 503 SAMPLE PROBE TIPS PKG 3 10457734 , 501 2500 UL Kloehn syringe siemens1 pack , UEG 716762 504 SVSP SOURCE LAMP ALIGNED 10456305 , Dimension chemistry wash 10445052 , Dimension reagent probe cleaner 10445036 , 501 500 UL Kloehn syringe siemens1 pack , Dimension sample probe cleaner 10445035 , Dimension IMT probe cleaner 10445038 , 501 or 100 UL Kloehn syringe siemens1 pack , Dimension LOCI Vitamin B12 Flex VB12 10463371 box of 80 test , Dimension LOCI Anemia calibrator LOCI ANEMIA CAL 10463372 , Dimension Ferritin FlexFERR 10444946 , Dimension cardiophase High Sensitivity CRP flex CCRP 10444897 box of 120 test , Dimension creatine kinase MB flex MBI 10464510 box of 120 test , Dimension Automated LDL Cholesterol Flex 10444890 box of 120 test , Dimension Creatine kinase Flex CKI 10464511 box of 480 test , Dimension Iron Flex IRON 10444945 box of 240 test , Dimension Lactate Dehydrogenase Flex LDI 10284483 box of 480 test , UEG 715871 505 REAGENT PROBE TIP 2 10455793 , Dimension Microalbumin Flex MALB 10444977 box of 80 test , Dimension Total Iron Binding capacity Flex IBCT 10444944 box of 240 test , Dimension Iron calibrator IRON CAL 10445010 , Dimension Microalbumin calibrator MALB CAL 10445022 , Dimension Total Iron Binding capacity IBCT calibrator 10445006 , Dimension Enzyme Diluent 10444870 , Dimension Sample Diluent 1044875 , GENERIC PM KIT Dimension EXL 200 10806917 , Dimension C Reactive Protein Flex CRP 10444894 box of 120 test , Dimension Ferritin calibrator calibrator FERR CAL 10445017</p>

Bid Details/बिड विवरण	
GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS	<p>Dimension® Transferrin Flex® (TRNF)10444985 box of 120 test, Dimension® LOCI Folate Flex® (FOLA)10463370 box of 80 tests, Dimension® HM reaction vessel (10445044), Dimension® Enzyme I calibrator (ENZ I CAL) 10284680, Dimension® C-ractive protein calibrator (CRP CAL) 10444988, Dimension® CKI/MBI Calibrator (CKI/MBI CAL) 10464508, ASSY EXL WASTE TUBEING (10481557), Dimension® CardiacPhase® High sensitivity (CCRP CAL)10445003, UEG: 734520. 503/SAMPLE PROBE TIPS(PKG=3(10457734), 501/2500 UL Kloehn syringe siemens1 pack, UEG: 716762. 504/SVSP SOURCE LAMP ALIGNED(10456305), Dimension® chemistry wash (10445052), Dimension® reagent probe cleaner (10445036), 501/500 UL Kloehn syringe siemens1 pack, Dimension® sample probe cleaner (10445035), Dimension® IMT probe cleaner (10445038), 501/100 UL Kloehn syringe siemens1 pack, Dimension® LOCI Vitamin B12 Flex® (VB12) 10463371 box of 80 test, Dimension® LOCI Anemia calibrator (LOCI ANEMIA CAL) 10463372 , Dimension® Ferritin Flex® (FERR)10444946, Dimension® CRP flex® (CCRP) 10444897 box of 120 test, Dimension® creatine kinase MB flex® (MBI) 10464510 box of 120 test, Dimension® Automated LDL Cholesterol Flex® 10444890 box of 120 test, Dimension® Creatine kinase Flex® (CKI)10464511 box of 480 test, Dimension® Iron Flex® (IRON) 10444945 box of 240 test, Dimension® Lactate Dehydrogenase Flex® (LDI)10284483 box of 480 test, UEG: 715871. 505/REAGENT PROBE TIP(2) (10455793), Dimension® Microalbumin Flex® (MALB) 10444977 box of 80 test, Dimension® Total Iron Binding capacity Flex® (IBCT) 10444944 box of 240 test, Dimension® Iron calibrator(IRON CAL) 10445010, Dimension® Microalbumin calibrator(MALB CAL) 10445022, Dimension® Total Iron Binding capacity (IBCT) calibrator 10445006, Dimension® Enzyme Diluent (10444870), Dimension® Sample Diluent (1044875), GENERIC PM KIT Dimension EXL 200 (10806917), Dimension® C-Reactive Protein Flex® (CRP)10444894 box of 120 test, Dimension® Ferritin calibrator calibrator (FERR CAL)10445017</p>
	<p>Searched String: Dimension® Transferrin Flex® (TRNF)10444985 box of 120 test</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Dimension® LOCI Folate Flex® (FOLA)10463370 box of 80 tests</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Dimension® HM reaction vessel (10445044)</p> <p>Bidriware Products - ODOP</p> <p>Searched String: Dimension® Enzyme I calibrator (ENZ I CAL) 10284680</p> <p>Category not available on GeM for the text string uploaded by the buyer</p>

Bid Details	Searched String: Dimension® C-ractive protein calibrator (CRP CAL) 10444988
	<p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Dimension® CKI/MBI Calibrator (CKI/MBI CAL) 10464508</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: ASSY EXL WASTE TUBEING (10481557)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Dimension® CardiacPhase® High sensitivity (CCRP CAL)10445003</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: UEG: 734520. 503/SAMPLE PROBE TIPS(PKG=3(10457734)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: 501/2500 UL Kloehn syringe siemens1 pack</p> <p>Pit and fissure sealants, Sterile Hypodermic Syringe for Manual use (V2)</p> <p>Searched String: UEG: 716762. 504/SVSP SOURCE LAMP ALIGNED(10456305)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Dimension® chemistry wash (10445052)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Dimension® reagent probe cleaner (10445036)</p> <p>Line Probe Assay Reagent Kits under NTEP, Haematology Analyzer Reagents</p> <p>Searched String: 501/500 UL Kloehn syringe siemens1 pack</p> <p>Pit and fissure sealants, Sterile Hypodermic Syringe for Manual use (V2)</p> <p>Searched String: Dimension® sample probe cleaner (10445035)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Dimension® IMT probe cleaner (10445038)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p>

Bid Details/बिड विवरण	Searched String: 501/100 UL Kloehe syringe siemens1 pack
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Insulin Syringe, Climbing Rope Nylon, Glacier Region (Defence), Pit and fissure sealants, Sterile Hypodermic Syringe for Manual use (V2), Toothpaste (V2) as per IS 6356, Entomological Pins, Toothpaste as per IS 6356, Transparent Tape (V2)
	Searched String: Dimension® LOCI Vitamin B12 Flex® (VB12) 10463371 box of 80 test
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: Dimension® LOCI Anemia calibrator (LOCI ANEMIA CAL) 10463372
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: Dimension® Ferritin Flex® (FERR)10444946
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: Dimension® CRP flex® (CCRP) 10444897 box of 120 test
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: Dimension® creatine kinase MB flex® (MBI) 10464510 box of 120 test
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: Dimension® Automated LDL Cholesterol Flex® 10444890 box of 120 test
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: Dimension® Creatine kinase Flex® (CKI)10464511 box of 480 test
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: Dimension® Iron Flex® (IRON) 10444945 box of 240 test
	Fire Rated Steel Door
	Searched String: Dimension® Lactate Dehydrogenase Flex® (LDI)10284483 box of 480 test
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: UEG: 715871. 505/REAGENT PROBE TIP(2) (10455793)
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: Dimension® Microalbumin Flex®

	<p>(MALB) 10444977 box of 80 test</p>
<p>Bid Details/बिड विवरण</p>	<p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Dimension® Total Iron Binding capacity Flex® (IBCT) 10444944 box of 240 test</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Dimension® Iron calibrator(IRON CAL) 10445010</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Dimension® Microalbumin calibrator(MALB CAL) 10445022</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Dimension® Total Iron Binding capacity (IBCT) calibrator 10445006</p> <p>Biochemistry Reagent Kit (Open System), Biochemistry Reagent Kit (Close System)</p> <p>Searched String: Dimension® Enzyme Diluent (10444870)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Dimension® Sample Diluent (1044875)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: GENERIC PM KIT Dimension EXL 200 (10806917)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Dimension® C-Reactive Protein Flex® (CRP)10444894 box of 120 test</p> <p>C - Reactive Protein (CRP) Kit, C - Reactive Protein (CRP) Test Kits, C-Reactive Protein (CRP) Test Kit</p> <p>Searched String: Dimension® Ferritin calibrator calibrator (FERR CAL)10445017</p> <p>Process Calibrator, Pressure Calibrator, Temperature calibrator, Slip Gauge Calibrator, OTI / WTI Calibrator, Hand Held Calibrator, Mycobacteria Calibrator under NTEP, Dry Block Medium Temperature Calibrator, Calibrators for Diagnostic Analyzers, Multi function Calibrators</p>
<p>अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification</p>	<ul style="list-style-type: none"> Biochemistry Reagent Kit (Open System)
<p>BOQ Title/बीओक्यू शीर्षक</p>	<p>DGLPBOQPA06</p>

Bid Details/बिड विवरण	
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	Yes
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	Yes
RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Dimension Transferrin Flex TRNF 10444985 box of 120 test
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Arbitration Clause	No
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

Details of the Competent Authority for MII

Name of Competent Authority	Sher Bhadur
Designation of Competent Authority	Under Secretary
Office / Department / Division of Competent Authority	Gov of Ind Ministry of Finance
CA Approval Number	F.4/1/2023-PPD(I)
Competent Authority Approval Date	19-12-2023
Brief Description of the Approval Granted by Competent Authority	Relaxation for procurement of certain items through GTE

Competent Authority Approval for not opting Make In India Preference : [View Document](#)

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
5. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to

next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

Dimension Transferrin Flex TRNF 10444985 Box Of 120 Test

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DEHRADUN	12	30

Dimension LOCI Folate Flex FOLA 10463370 Box Of 80 Tests

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DEHRADUN	12	30

Dimension HM Reaction Vessel 10445044

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DEHRADUN	12	30

Dimension Enzyme I Calibrator ENZ I CAL 10284680

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DEHRADUN	12	30

Dimension C-ractive Protein Calibrator CRP CAL 10444988

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DEHRADUN	6	30

Dimension CKI MBI Calibrator CKI MBI CAL 10464508

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DEHRADUN	6	30

ASSY EXL WASTE TUBEING 10481557

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DEHRADUN	24	30

Dimension CardiacPhase High Sensitivity C Reactive Protein Calibrator CCRP CAL 10445003

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DEHRADUN	12	30

UEG 734520 503 SAMPLE PROBE TIPS PKG 3 10457734

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DEHRADUN	12	30

501 2500 UL Kloehn Syringe Siemens1 Pack

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DEHRADUN	12	30

UEG 716762 504 SVSP SOURCE LAMP ALIGNED 10456305

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DEHRADUN	12	30

Dimension Chemistry Wash 10445052

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DEHRADUN	6	30

Dimension Reagent Probe Cleaner 10445036

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DEHRADUN	12	30

501 500 UL Kloehn Syringe Siemens1 Pack

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DEHRADUN	12	30

Dimension Sample Probe Cleaner 10445035

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DEHRADUN	12	30

Dimension IMT Probe Cleaner 10445038

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DEHRADUN	6	30

501 Or 100 UL Kloehn Syringe Siemens1 Pack

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DEHRADUN	12	30

Dimension LOCI Vitamin B12 Flex VB12 10463371 Box Of 80 Test

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DEHRADUN	36	30

Dimension LOCI Anemia Calibrator LOCI ANEMIA CAL 10463372

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DEHRADUN	6	30

Dimension Ferritin FlexFERR 10444946

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DEHRADUN	12	30

Dimension Cardiophase High Sensitivity CRP Flex CCRP 10444897 Box Of 120 Test

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DEHRADUN	12	30

Dimension Creatine Kinase MB Flex MBI 10464510 Box Of 120 Test

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DEHRADUN	24	30

Dimension Automated LDL Cholesterol Flex 10444890 Box Of 120 Test

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DEHRADUN	60	30

Dimension Creatine Kinase Flex CKI 10464511 Box Of 480 Test

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DEHRADUN	24	30

Dimension Iron Flex IRON 10444945 Box Of 240 Test

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DEHRADUN	12	30

Dimension Lactate Dehydrogenase Flex LDI 10284483 Box Of 480 Test

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DEHRADUN	48	30

UEG 715871 505 REAGENT PROBE TIP 2 10455793

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DEHRADUN	12	30

Dimension Microalbumin Flex MALB 10444977 Box Of 80 Test

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DEHRADUN	84	30

Dimension Total Iron Binding Capacity Flex IBCT 10444944 Box Of 240 Test

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DEHRADUN	12	30

Dimension Iron Calibrator IRON CAL 10445010

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DEHRADUN	6	30

Dimension Microalbumin Calibrator MALB CAL 10445022

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DEHRADUN	6	30

Dimension Total Iron Binding Capacity IBCT Calibrator 10445006

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DEHRADUN	6	30

Dimension Enzyme Diluent 10444870

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DEHRADUN	12	30

Dimension Sample Diluent 1044875

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DEHRADUN	36	30

GENERIC PM KIT Dimension EXL 200 10806917

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DEHRADUN	6	30

Dimension C Reactive Protein Flex CRP 10444894 Box Of 120 Test

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DEHRADUN	6	30

Dimension Ferritin Calibrator Calibrator FERR CAL 10445017

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DEHRADUN	12	30

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

DGLP Reciept Cell
MH Dehradun
Garhi Cantt
Dehradun
Uttarakhand
.

2. Generic

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 5 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

3. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

4. **Generic**

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

5. **Generic**

Installation, Commissioning, Testing, Configuration, Training (if any - which ever is applicable as per scope of supply) is to be carried out by OEM / OEM Certified resource or OEM authorised Reseller.

6. **Generic**

Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

7. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 50% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

8. **Generic**

Registration / Empanelment Requirement: Contract shall be awarded to only such sellers , who are registered / empanelled / approved / enlisted with

MH Dehradun or any other service hospital
for the required goods / service category on the date of bid opening. Prospective bidders (if not already registered), are advised to get themselves registered with the said registration authority before bid opening date. (It is certified that the registration is granted by the registering agency as per Rule 150 of GFR following a fair, transparent and reasonable procedure.)

9. **Generic**

Shelf Life: The Product/Spare parts to be supplied as part of the services must have minimum

5 Years

Shelf Life. On the date of supply, minimum

5/6

usable shelf life should be available / balance.

10. **Generic**

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

11. Generic

The Buyer has an existing set up / inventory of similar products. The offered / supplied product must be compatible with existing system. The bidder has to ensure Compatibility of the supplied items or shall have to include in the supply the necessary hardware / software to make them compatible at no extra cost to the buyer. The details of items with which compatibility is required are as under:

Inventory support for existing OEM products inventory at MH,Dehradun

12. Generic

The successful bidder has to supply all essential accessories required for the successful installation and commissioning of the goods supplied. Besides standard accessories as per normal industry practice, following accessories must be part of supply and cost should be included in bid price:

Inventory and instrumentation support, technical rep for each case, exchange pf sizes of components

13. Generic

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

14. OEM

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

15. Inspection

Nominated Inspection Agency: On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance:
Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

By concerned Dept

Post Receipt Inspection at consignee site before acceptance of stores:
Receiving board of offrs nominated by Commandant MH, Dehradun

16. Financial Criteria

NET WORTH: Net Worth of the OEM should be positive as per the last audited financial statement.

17. Purchase Preference (Centre)

Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25% of total value.

18. Purchase Preference (Centre)

Purchase Preference linked with Local Content (PP-LC) Policy:

The bid clause regarding "Preference to Make In India products" stands modified in this bid and shall be governed by the PPLC Policy No. FP-20013/2/2017-FP-PNG dated 17.11.2020 issued by MoP&NG as amended up to date. Accordingly, bidders with Local Content less than or equal to 20% will be treated as "Non Local Supplier". The prescribed LC shall be applicable on the date of Bid opening. Sanctions on the bidders for false / wrong declaration or not fulfilling the Local Content requirement shall be as per the PPLC policy. Further following additional provisions are added in the certification and verification of local content provision of the Preference to Make in India clause:

- i. In case of foreign bidder, certificate from the statutory auditor or cost auditor of their own office or subsidiary in India giving the percentage of local content is also acceptable. In case office or subsidiary in India does not exist or Indian office/subsidiary is not required to appoint statutory auditor or cost auditor, certificate from practicing cost accountant or practicing chartered accountant giving the percentage of local content is also acceptable.
- ii. Along with Each Invoice: The local content certificate (issued by statutory auditor on behalf of procuring company) shall be submitted along with each invoice raised. However, the % of local content may vary with each invoice while maintaining the overall % of local content for the total work/purchase of the pro-rata local content requirement. In case, it is not satisfied cumulatively in the invoices raised up to that stage, the supplier shall indicate how the local content requirement would be met in the subsequent stages.
- iii. The bidder shall submit an undertaking from the authorized signatory of bidder having the Power of Attorney along with the bid stating the bidder meets the mandatory minimum LC requirement and such undertaking shall become a part of the contract.

19. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

20. Certificates

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

21. Certificates

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

22. Certificates

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

23. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Effective Date of the Contract: The contract shall come into effect on the contract (Effective Date) and shall remain valid until the completion of the obligation of the parties under the contract ie. period of the one year and extendable for one more year. the deliveries and supplies and performance of the services shall commence from the effective date of the contract and supply order will be placed offline.

.

24. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

25. Turnover

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid

document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

26. **Turnover**

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

27. **Service & Support**

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

28. **Warranty**

Successful bidder will have to ensure that adequate number of dedicated technical service personals / engineers are designated / deployed for attending to the Service Request in a time bound manner and for ensuring Timely Servicing / rectification of defects during warranty period, as per Service level agreement indicated in the relevant clause of the bid.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.

12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---