

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	12-06-2025 14:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	12-06-2025 14:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	90 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Defence
Department Name/विभाग का नाम	Department Of Military Affairs
Organisation Name/संगठन का नाम	Indian Air Force
Office Name/कार्यालय का नाम	*****
क्रेता ईमेल/Buyer Email	cure11.a@nic.in
Total Quantity/कुल मात्रा	150
Item Category/मद केटेगरी	ALBUMIN REAGENT FOR IMOLA RX100 , ALKALINE PHOSPHATE REAGENT FOR IMOLA RX100 , CHOLESTEROL REAGENT FOR IMOLA RX100 , CREATININE REAGENT FOR IMOLA RX100 , BILIRUBIN DIRECT REAGENT FOR IMOLA RX100 , GLUCOSE REAGENT FOR IMOLA RX100 , HBA1C LIQUID REAGENT FOR IMOLA RX100 , HDL REAGENT FOR IMOLA RX100 , BILIRUBIN TOTAL REAGENT FOR IMOLA RX100 , TRIGLYCERIDES REAGENT FOR IMOLA RX100 , UREA REAGENT FOR IMOLA RX100 , URIC ACID REAGENT FOR IMOLA RX100 , WASH SOLUTION 2 REAGENT FOR IMOLA RX100 , WASH SOLUTION 1 REAGENT FOR IMOLA RX100 , HBA1C CONTROL HA5072 1, 2 REAGENT FOR IMOLA RX100 , HBA1C CALIBERATOR HA34444 REAGENT FOR IMOLA RX100 , CALIBERATION SERA LEVEL 3 REAGENT FOR IMOLA RX100 , HDL LDL CHOLESTEROL CALIBERATOR REAGENT FOR IMOLA RX100 , HUM ASY CONTROL 2 REAGENT FOR IMOLA RX100 , HUM ASY CONTROL 3 REAGENT FOR IMOLA RX100 , LPD CONTROL 1 REAGENT FOR IMOLA RX100 , LPD CONTROL 2 REAGENT FOR IMOLA RX100 , LPD CONTROL 3 REAGENT FOR IMOLA RX100 , TOTAL PROTEIN LIQUID MON REAGENT FOR IMOLA RX100 , ALT GPT LIQUID SGPT REAGENT FOR IMOLA RX100 , AST GOT LIQUID SGOT REAGENT FOR IMOLA RX100

Bid Details/बिड विवरण	
GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS	<p>ALBUMIN REAGENT FOR IMOLA RX100, ALKALINE PHOSPHATE REAGENT FOR IMOLA RX100, CHOLESTEROL REAGENT FOR IMOLA RX100, CREATININE REAGENT FOR IMOLA RX100, BILIRUBIN DIRECT REAGENT FOR IMOLA RX100, GLUCOSE REAGENT FOR IMOLA RX100, HBA1C LIQUID REAGENT FOR IMOLA RX100, HDL REAGENT FOR IMOLA RX100, BILIRUBIN TOTAL REAGENT FOR IMOLA RX100, TRIGLYCERIDES REAGENT FOR IMOLA RX100, UREA REAGENT FOR IMOLA RX100, URIC ACID REAGENT FOR IMOLA RX100, WASH SOLUTION 2 REAGENT FOR IMOLA RX100, WASH SOLUTION 1 REAGENT FOR IMOLA RX100, HBA1C CONTROL HA5072 1 & 2 REAGENT FOR IMOLA RX100, HBA1C CALIBERATOR HA34444 REAGENT FOR IMOLA RX100, CALIBRATION SERA LEVEL 3 REAGENT FOR IMOLA RX100, HDL/LDL CHOLESTEROL CALIBERATOR REAGENT FOR IMOLA RX100, HUM ASY CONTROL 2 REAGENT FOR IMOLA RX100, HUM ASY CONTROL 3 REAGENT FOR IMOLA RX100, LPD CONTROL 1 REAGENT FOR IMOLA RX100, LPD CONTROL 2 REAGENT FOR IMOLA RX100, LPD CONTROL 3 REAGENT FOR IMOLA RX100, TOTAL PROTEIN (LIQUID) MON REAGENT FOR IMOLA RX100, ALT GPT LIQUID SGPT REAGENT FOR IMOLA RX100, AST (GOT) LIQUID SGOT REAGENT FOR IMOLA RX100</p>
	<p>Searched String: ALBUMIN REAGENT FOR IMOLA RX100</p> <p>Beef Extract Reagent Grade, LED Luminaire (for Flood Light) as per IS 10322, IS 16107, Calibrators for Diagnostic Analyzers, Biochemistry Reagent Kit (Open System), Controls for Diagnostic Analyzers, Polyethylene Pipes for Water Supply, Cleaning Solution for Diagnostic Analyzers, Biochemistry Reagent Kit (Close System), Dilution Buffer for Diagnostic Analyzers, LED Luminaire for High Bay Lighting</p> <p>Searched String: ALKALINE PHOSPHATE REAGENT FOR IMOLA RX100</p> <p>Biochemistry Reagent Kits, Biochemistry Reagent Kit (Open System), Biochemistry Reagent Kit (Close System), Laboratory Reagent Kits</p> <p>Searched String: CHOLESTEROL REAGENT FOR IMOLA RX100</p> <p>Beef Extract Reagent Grade, LED Luminaire (for Flood Light) as per IS 10322, IS 16107, Calibrators for Diagnostic Analyzers, Biochemistry Reagent Kit (Open System), Controls for Diagnostic Analyzers, Polyethylene Pipes for Water Supply, Cleaning Solution for Diagnostic Analyzers, Biochemistry Reagent Kit (Close System), Dilution Buffer for Diagnostic Analyzers, LED Luminaire for High Bay Lighting</p> <p>Searched String: CREATININE REAGENT FOR IMOLA RX100</p> <p>Beef Extract Reagent Grade, LED Luminaire (for Flood Light) as per IS 10322, IS 16107, Calibrators for Diagnostic Analyzers, Biochemistry Reagent Kit (Open System), Controls for Diagnostic Analyzers, Polyethylene Pipes for Water Supply, Cleaning Solution for Diagnostic Analyzers, Biochemistry Reagent Kit (Close System), Dilution Buffer for Diagnostic Analyzers, LED Luminaire for High Bay Lighting</p> <p>Searched String: BILIRUBIN DIRECT REAGENT FOR IMOLA</p>

Bid Details/बिड विवरण	RX100
	<p>Biochemistry Reagent Kits, Biochemistry Reagent Kit (Open System), Biochemistry Reagent Kit (Close System), Laboratory Reagent Kits</p> <p>Searched String: GLUCOSE REAGENT FOR IMOLA RX100</p> <p>Beef Extract Reagent Grade, LED Luminaire (for Flood Light) as per IS 10322, IS 16107, Calibrators for Diagnostic Analyzers, Biochemistry Reagent Kit (Open System), Controls for Diagnostic Analyzers, Polyethylene Pipes for Water Supply, Cleaning Solution for Diagnostic Analyzers, Biochemistry Reagent Kit (Close System), Dilution Buffer for Diagnostic Analyzers, LED Luminaire for High Bay Lighting</p> <p>Searched String: HBA1C LIQUID REAGENT FOR IMOLA RX100</p> <p>Cryocan for Liquid Nitrogen, Yeast Extract, Insecticides for mosquitoes cockroaches and other insects (Liquid vaporizer and spray), Liquid waste treatment or Digester for solid and liquid waste management, Micro - Nutrient Mixture for Agricultural use, Gear Lubricants For Enclosed Industrial Gear Drives conforming to IS 8406, Poultry Feed Additives or Supplements (For Vitamins), Bio Culture for wastewater treatment, Rubbing Car Polish (V2) as per IS 7984, Glass Ionomer Cement for Dentistry</p> <p>Searched String: HDL REAGENT FOR IMOLA RX100</p> <p>Beef Extract Reagent Grade, LED Luminaire (for Flood Light) as per IS 10322, IS 16107, Calibrators for Diagnostic Analyzers, Biochemistry Reagent Kit (Open System), Controls for Diagnostic Analyzers, Polyethylene Pipes for Water Supply, Cleaning Solution for Diagnostic Analyzers, Biochemistry Reagent Kit (Close System), Dilution Buffer for Diagnostic Analyzers, LED Luminaire for High Bay Lighting</p> <p>Searched String: BILIRUBIN TOTAL REAGENT FOR IMOLA RX100</p> <p>Biochemistry Reagent Kits, Biochemistry Reagent Kit (Open System), Laboratory Reagent Kits, Biochemistry Reagent Kit (Close System)</p> <p>Searched String: TRIGLYCERIDES REAGENT FOR IMOLA RX100</p> <p>Beef Extract Reagent Grade, LED Luminaire (for Flood Light) as per IS 10322, IS 16107, Calibrators for Diagnostic Analyzers, Urine Drug Screen Kit, Controls for Diagnostic Analyzers, Polyethylene Pipes for Water Supply, Cleaning Solution for Diagnostic Analyzers, Yeast Extract, Dilution Buffer for Diagnostic Analyzers, LED Luminaire for High Bay Lighting</p> <p>Searched String: UREA REAGENT FOR IMOLA RX100</p> <p>Beef Extract Reagent Grade, LED Luminaire (for Flood Light) as per IS 10322, IS 16107, Calibrators for Diagnostic Analyzers, Dry Chemistry Reagent Kit (Open System), Dry Chemical Powder for Fire Fighting (Potassium Bicarbonate Base Urea Reaction Product) Type - A, Polyethylene Pipes for Water Supply, Controls for Diagnostic Analyzers, Biochemistry Reagent Kit (Close System), Cleaning Solution for Diagnostic Analyzers, LED Luminaire for High Bay</p>

Bid Details/बिड विवरण	Lighting
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>Searched String: URIC ACID REAGENT FOR IMOLA RX100</p> <p>Biochemistry Reagent Kits, Biochemistry Reagent Kit (Open System), Biochemistry Reagent Kit (Close System), Laboratory Reagent Kits, L-Ascorbic Acid</p> <p>Searched String: WASH SOLUTION 2 REAGENT FOR IMOLA RX100</p> <p>Wash Solution for Diagnostic Analyzers, resuscitation crash cart console for hospitals, Cleaning Solution for Diagnostic Analyzers, Washable Distemper-IS:428, Real Time PCR (Polymerase Chain Reaction) Kits For Novel Coronavirus (SARS-CoV-2/COVID-19), Desk and Bench Set for Classroom/Training Area, Face Wash, Budesonide Respirator Solution for use in Nebulizer, Automatic Fully Mechanised Organic Waste Machine for Compost, Steel Porta Cabin</p> <p>Searched String: WASH SOLUTION 1 REAGENT FOR IMOLA RX100</p> <p>Wash Solution for Diagnostic Analyzers, resuscitation crash cart console for hospitals, Cleaning Solution for Diagnostic Analyzers, Sodium Hypochlorite Solution for Bulk Supply (V2) as per IS 11673 (Part 1), Face Wash, Washable Distemper-IS:428, Steel Porta Cabin, Interactive Panel Solution for Institutions, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Modular Toilet</p> <p>Searched String: HBA1C CONTROL HA5072 1 & 2 REAGENT FOR IMOLA RX100</p> <p>Portable Toilet, HbA1c Calibration Reagent Kit, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Flying Insect Control Traps - Fly Catcher, Immunoassay Reagents kits, Astronomical Timer for Street Light Control (Timer Controls) as per IS 9000, Software for Advance Network command and control system, Electric Kettles and Jugs for Household as per IS 367, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Sterile Hypodermic Needles for Single use (V2)</p> <p>Searched String: HBA1C CALIBERATOR HA34444 REAGENT FOR IMOLA RX100</p> <p>Gear Lubricants For Enclosed Industrial Gear Drives conforming to IS 8406, Yeast Extract, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Beef Extract Reagent Grade, Modular Toilet, water for chromatography, Software for Advance Network command and control system, Household Refrigerating Appliances as per IS 17550, Swing Check Type Reflux (Non - Return) Valves for Water Works Purposes (Single Door Pattern) as per IS 5312</p> <p>Searched String: CALIBERATION SERA LEVEL 3 REAGENT FOR IMOLA RX100</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: HDL/LDL CHOLESTEROL CALIBERATOR REAGENT FOR IMOLA RX100</p>

Bid Details/Part	Category not available on GeM for the text string uploaded by the buyer
	<p>Searched String: HUM ASY CONTROL 2 REAGENT FOR IMOLA RX100</p> <p>Retro - Fit Emission Control Equipment for Diesel Generators (V2)</p> <p>Searched String: HUM ASY CONTROL 3 REAGENT FOR IMOLA RX100</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: LPD CONTROL 1 REAGENT FOR IMOLA RX100</p> <p>Controls for Diagnostic Analyzers, Astronomical Timer for Street Light Control (Timer Controls) as per IS 9000, Software for Advance Network command and control system, Submersible Pump Starters (Motor starter controls), Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1)</p> <p>Searched String: LPD CONTROL 2 REAGENT FOR IMOLA RX100</p> <p>Controls for Diagnostic Analyzers, Retro - Fit Emission Control Equipment for Diesel Generators (V2), Astronomical Timer for Street Light Control (Timer Controls) as per IS 9000, Real Time PCR (Polymerase Chain Reaction) Kits For Novel Coronavirus (SARS-CoV-2/COVID-19), Submersible Pump Starters (Motor starter controls), Mass Flow Controllers, Automatic Fully Mechanised Organic Waste Machine for Compost</p> <p>Searched String: LPD CONTROL 3 REAGENT FOR IMOLA RX100</p> <p>Controls for Diagnostic Analyzers, Cat 6 Cable for Indoor Use, Submersible Pump Starters (Motor starter controls), Semi Automatic Bio Chemistry Analyser, Astronomical Timer for Street Light Control (Timer Controls) as per IS 9000, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1)</p> <p>Searched String: TOTAL PROTEIN (LIQUID) MON REAGENT FOR IMOLA RX100</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: ALT GPT LIQUID SGPT REAGENT FOR IMOLA RX100</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: AST (GOT) LIQUID SGOT REAGENT FOR IMOLA RX100</p> <p>Category not available on GeM for the text string uploaded by the buyer</p>

Bid Details/बिड विवरण	
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> Biochemistry Reagent Kits
BOQ Title/बीओक्यू शीर्षक	LAB REAGENTS FOR IMOLA RX100
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	1 Year (s)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Past Performance/विगत प्रदर्शन	10 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	Yes
RA Qualification Rule	H1-Highest Priced Bid Elimination
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	ALBUMIN REAGENT FOR IMOLA RX100
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Arbitration Clause	No
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	3.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	12

(a). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

MEDICAL OFFICER
SMC 12 WG, Department of Military Affairs, Indian Air Force, Ministry of Defence
(Paneeni)

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1_4_2021_PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

3. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers

offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

5. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

6. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

ALBUMIN REAGENT FOR IMOLA RX100

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****CHANDIGARH	1	21

ALKALINE PHOSPHATE REAGENT FOR IMOLA RX100

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****CHANDIGARH	2	21

CHOLESTEROL REAGENT FOR IMOLA RX100

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****CHANDIGARH	10	21

CREATININE REAGENT FOR IMOLA RX100

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****CHANDIGARH	8	21

BILIRUBIN DIRECT REAGENT FOR IMOLA RX100

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****CHANDIGARH	12	21

GLUCOSE REAGENT FOR IMOLA RX100

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****CHANDIGARH	12	21

HBA1C LIQUID REAGENT FOR IMOLA RX100

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****CHANDIGARH	3	21

HDL REAGENT FOR IMOLA RX100

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****CHANDIGARH	7	21

BILIRUBIN TOTAL REAGENT FOR IMOLA RX100

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****CHANDIGARH	12	21

TRIGLYCERIDES REAGENT FOR IMOLA RX100

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****CHANDIGARH	7	21

UREA REAGENT FOR IMOLA RX100

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****CHANDIGARH	8	21

URIC ACID REAGENT FOR IMOLA RX100

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****CHANDIGARH	8	21

WASH SOLUTION 2 REAGENT FOR IMOLA RX100

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****CHANDIGARH	8	21

WASH SOLUTION 1 REAGENT FOR IMOLA RX100

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****CHANDIGARH	8	21

HBA1C CONTROL HA5072 1, 2 REAGENT FOR IMOLA RX100

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****CHANDIGARH	4	21

HBA1C CALIBRATOR HA34444 REAGENT FOR IMOLA RX100

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****CHANDIGARH	2	21

CALIBRATION SERA LEVEL 3 REAGENT FOR IMOLA RX100

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****CHANDIGARH	2	21

HDL LDL CHOLESTEROL CALIBRATOR REAGENT FOR IMOLA RX100

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****CHANDIGARH	4	21

HUM ASY CONTROL 2 REAGENT FOR IMOLA RX100

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****CHANDIGARH	8	21

HUM ASY CONTROL 3 REAGENT FOR IMOLA RX100

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****CHANDIGARH	4	21

LPD CONTROL 1 REAGENT FOR IMOLA RX100

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****CHANDIGARH	2	21

LPD CONTROL 2 REAGENT FOR IMOLA RX100

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****CHANDIGARH	2	21

LPD CONTROL 3 REAGENT FOR IMOLA RX100

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****CHANDIGARH	2	21

TOTAL PROTEIN LIQUID MON REAGENT FOR IMOLA RX100

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****CHANDIGARH	2	21

ALT GPT LIQUID SGPT REAGENT FOR IMOLA RX100

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****CHANDIGARH	8	21

AST GOT LIQUID SGOT REAGENT FOR IMOLA RX100

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परिषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परिषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****CHANDIGARH	4	21

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Generic

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

SMC
12WING
AIR FORCE STATION
CHANDIGARH
PIN 160003
.

3. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action

in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा

जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---