

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	28-04-2025 20:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	28-04-2025 20:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Madhya Pradesh
Department Name/विभाग का नाम	Urban Development And Environment Department
Organisation Name/संगठन का नाम	N/a
Office Name/कार्यालय का नाम	Omkareshwar Nagar Palika
क्रैता ईमेल/Buyer Email	buycon44.uded.mp@gembuyer.in
Total Quantity/कुल मात्रा	10
Item Category/मद केटेगरी	FRP Urinal Cabin (Q3)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Past Performance/विगत प्रदर्शन	80 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid

Bid Details/बिड विवरण	
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Arbitration Clause	No
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	20000

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

Omkareshar Nagar Palika
Omkareshar Nagar Palika, Urban Development and Environment Department, N/A,
(Girdhari Lal Bhoi)

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	No
---	----

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

1. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and

for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

2. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

FRP Urinal Cabin (10 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Cofiguration	Urinals without washbasin, Urinals with inside washbasin, Urinals with outside washbasin
	Design & Function of the urinal	Corner urinal - designed to fit in the corner of wall., Flat back urinal - designed to fix in the wall with a screw i.e low in weight and small in shape., Half stall urinal - supported by flange., Full stall urinal - supported by floor., Squatting urinal for women mounted on floor
	Mode of Supply	Assembled Ready To Use, Knocked Down To Be Assembled At Consignee Site By The Seller, Knocked Down To Be Assembled At Consignee Site By Consignee Himself
	Number of urinal Cabins	1 no., 2 nos., 3 nos., 4 nos., 5 nos.
	Number of Urinals	1 no., 2 nos., 3 nos., 4 nos., 5 nos.
	Water facility	By mean of overhead tank(Capacity 200Ltrs), By mean of overhead tank(Capacity 300Ltrs), By mean of overhead tank(Capacity 500Ltrs), Direct connection from external supply
	Sewage facility	Sludge tank(Capacity 200 Ltrs) with 75mm outlet facility through butterfly valve and hosepipe(for 1-seater and 2-seater), Sludge tank(Capacity 400 Ltrs) with 75mm outlet facility through butterfly valve and hosepipe(for 2-seater and 3-seater), Sludge tank(Capacity 500 Ltrs) with 75mm outlet facility through butterfly valve and hosepipe(for 3-seater), No sludge tank / directly connected to septic tank
	Ventilation	One No., Two No., Full size ventilation above door plus half size ventilation on other side for cross ventilation, All 4 - sides, No ventilation, Exhaust fan facility
	Lifting hook	One number heavy lifting hook provided, Two number heavy lifting hook provided, Four number heavy lifting hook provided, No lifting hook

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Projection of Roof	50mm projection on all the four sides, 100mm projection from front and 50mm projection on other sides, 50mm projection from front and 25mm projection on other sides, No projection
	Installation and commissioning	To be done by seller, To be done by Consignee himself
	Plumbing and Sanitary fitting connection	To be done by seller, To be done by Consignee himself
	Electrical connection	To be done by seller, To be done by Consignee himself
	Waste extraction fittings	To be done by seller, To be done by Consignee himself
	Civil foundation	No foundation required, Required - To be done by seller, Required - To be done by consignee himself
	Materials used to produce urinals for Men's	Ceramic, Steel, FRP
	Materials used to produce urinals for Women's	Ceramic, Steel, FRP, FRP integrated with floor
	Number of cabins having urinals without washbasin	1 no., 2 no., 3 no., 4 no., 5 no., N.A
	Number of urinal cabins having one number inside washbasin	1 no., 2 no., 3 no., 4 no., 5 no., N.A
	Number of urinal cabins having two numbers inside washbasin	1 no., 2 no., 3 no., 4 no., 5 no., N.A
	Number of urinal cabins having one number outside washbasin	1 no., 2 no., 3 no., 4 no., 5 no., N.A
	Number of urinal cabins having two numbers outside washbasin	1 no., 2 no., 3 no., 4 no., 5 no., N.A
	Water spreader facility	Water spreader available (For Gent's urinal), One push cock water tap available (For Ladie's urinal), As per Buyer's requirement
	Partition for Gent's urinal	Yes
	Type of mounting	Floor mount - Supported and fixed in floor., Wall mount - Fixed in a wall
	Unit type	Portable, Fixed
FRAME MATERIAL	Bottom frame material	35mm X 35mm X 5mm(thick) MS angle for 1 no. urinal, 75mm X 37.5mm C-channel MS(for 2 nos. urinal & 3 nos. urinal), 35mm X 35mm X 5mm(thick) SS angle for 1 no. urinal, 75mm X 37.5mm C-channel SS(for 2 nos. urinal & 3 nos. urinal), 25mm X 25mm X 16 gauge MS Sq. pipe and MS angle, No bottom frame structure

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Bottom frame support material	25mm X 25mm X 3mm(thick) MS angle (for 1 no. urinal, 2 nos. urinal & 3 nos. urinal), 25mm X 25mm X 3mm(thick) SS angle, No support structure
	Side panel frame material	35mm X 35mm X 5mm(thick) MS angle, 35mm X 35mm X 5mm(thick) SS angle, 25 mm x 25 mm x 2 mm (thick) MS pipe as per IS 4923 / latest, 38 mm x 38 mm x 2 mm (thick) MS pipe as per IS 4923 / latest, No side frame structure
	Top(roof) frame material	35mm X 35mm X 5mm(thick) MS angle, 35mm X 35mm X 5mm(thick) SS angle, 25 mm x 25 mm x 2 mm (thick) MS pipe as per IS 4923 / latest, 38 mm x 38 mm x 2 mm (thick) MS pipe as per IS 4923 / latest, No roof frame structure
	Top(roof) support frame structure	25mm X 25mm X 3mm(thick) MS angle, 25mm X 25mm X 3mm(thick) SS angle, 25 mm x 25 mm x 2 mm (thick) MS pipe as per IS 4923 / latest, 38 mm x 38 mm x 2 mm (thick) MS pipe as per IS 4923 / latest, No support structure
	Partition frame material	35mm X 35mm X 5mm(thick) MS angle, 35mm X 35mm X 5mm(thick) SS angle, 25 mm x 25 mm x 2 mm (thick) MS pipe as per IS 4923 / latest, 38 mm x 38 mm x 2 mm (thick) MS pipe as per IS 4923 / latest, No partition frame structure
	Ventilation frame material	25mm X 25mm X 3mm(thick) flat MS, 25mm X 25mm X 3mm(thick) flat SS, 25 mm x 25 mm x 2 mm (thick) MS Flat, No ventilation frame material
	Door frame material	50mm X 25mm of 14-16gauge rectangular MS hollow pipe, 50mm X 25mm of 14-16gauge rectangular SS hollow pipe, 35 mm x 35 mm x 5 mm (thick) MS ANGLE, No door frame material
	Support material for Door panel fixing	Aluminium U-channel of 18gauge, SS U-channel of 18gauge, No support material
	Door hinges(two numbers)	75mm size with 1.2-1.5mm thickness MS, 75mm size with 0.6-0.8mm thickness SS, 75mm size with 1.2-1.5mm thickness Chrome plated
	Tank holder frame material	25mm X 3mm(thick) MS flat, 25mm X 3mm(thick) SS flat, 1125mm X 820mm outer ring(tubular structure)-MS, No Support

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Unit understructure	Supported by 4-legs of size 35mm X 35mm X 5mm MS angle with corner support of 25mm x 25mm X 3mm MS angle for 1 no. urinal, Supported by 4-legs of size 35mm X 35mm X 5mm SS angle with corner support of 25mm x 25mm X 3mm SS angle for 1 no. urinal, Supported by 4-legs of size 75mm X 37mm C-channel MS angle, Supported by 4-legs of size 75mm X 37mm C-channel SS angle, Pedestal base having 890mm X 1065mm X 300mm(height) FRP molded, Supported by 4-legs of size 25 mm x 25 mm x 2 mm (thick) MS pipe with corner support of 25 mm x 25 mm x 2 mm MS pipe as per IS 4923 / latest for 1 no. urinal, Supported by 4-legs of size 25 mm x 25 mm x 2 mm (thick) MS pipe with central support of 38 mm x 38 mm x 2 mm MS pipe as per IS 4923 / latest for 2 nos. urinal, Without understructure
	Stairs frame material	25mm x 25mm X 3mm MS angle, 25mm x 25mm X 3mm SS angle, No stairs
	Stairs material	25mm X 3mm MS flat, 25mm X 3mm SS flat, No stair material
	Door Tee material	40mm X 40mm x40mm X 5mm(thick) MS Tee, 40mm X 40mm x40mm X 5mm(thick) SS Tee, No door Tee material
PANEL MATERIAL	Side panel material	5mm thick ply core sandwich with 1mm thick FRP from both sides(5+1+1mm), Single layer 3mm thick FRP
	Top(Roof) panel material	5mm thick ply core sandwich with 1mm thick FRP from both sides(5+1+1mm), Single layer 3mm thick FRP, 4mm poly carbonate sheet fitted on top
	Door panel material	5mm thick ply core sandwich with 1mm thick FRP from both sides(5+1+1mm), Single layer 3mm thick FRP
	Partition panel material	5mm thick ply core sandwich with 1mm thick FRP from both sides(5+1+1mm), Single layer 3mm thick FRP, Baked enamel, Plastic laminate, Solid phenolic, Solid plastic, Stainless steel, No partition
	Floor material	5mm thick FRP material, 2-3mm thick SS material, Fitted with plastic light weight LLDPE roto molded, Anti skid tile finish floor inside toilet, The double wall constructed ready-made base shall be made out with Plastics material by roto-molded process - PUF to be filled in cavity between two walls for extra load bearing - single piece molded with required outlets - special handle to be provided on two side of toilet block for easily shifting the whole Block, 1.6 mm thick SS 304, 2 mm thick SS 304
DIMENSION	Cabin size for Gent's urinal (LXWXH) ± 25mm	840 mm X 890 mm X 1980 mm (for 1 no. urinal), 1700 mm X 1220 mm X 1980 mm (for 2 nos. urinal), 2055 mm X 1220 mm X 1980 mm (for 3 nos. urinal), 2745 mm X 1220 mm X 1980 mm (for 4 nos. urinal), 3430 mm X 1220 mm X 1980 mm (for 5 nos. urinal), No urinals for Gents

Specification	Specification Name/विशिष्ट का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Door size(WxH) ± 20mm	585 mm x 1830 mm, 655 mm X 1790 mm (Steel sheet thickness - 0.6mm 275MPA)
	Ventilation size (WXH) ± 10mm	838 mm X 150 mm(above door) plus 838mm X 75mm(opposite side), 650 mm X 40 mm, No ventilation
	Partition height for cabin ± 20mm	1830 mm, No partition
	Gent's urinal pot size ± 10mm	455 mm, 610 mm, 700 mm, N.A
	Stairs size ± 10mm	610mm X 230mm having 1-step, 610mm X 230mm having 2-step, 610mm X 230mm having 3-step, No stairs
	Leg height ±10mm	455 mm, No legs
	Partition size for Gent's urinal	455 mm X 762 mm X 7 mm, N.A
	Cabin size for Ladies urinal (LXWXH) ± 25mm	840 mm X 890 mm X 1980 mm(for 1 no. urinal), 1700 mm X 890 mm X 1980 mm (for 2 nos. urinal), 2520 mm X 890 mm X 1980 mm (for 3 nos. urinal), 3360 mm X 890 mm X 1980 mm (for 4 nos. urinal), 4200 mm X 890 mm X 1980 mm (for 5 nos. urinal), No urinal for ladies
MISC	Door locking bolts	Size 100 mm of MS, Size 100 mm SS
	Towerbolt locking	Towerbolt of MS size 75mm, Towerbolt of SS size 75mm, Towerbolt of Aluminium size 75mm
	Overhead tank material	made of double layer HDPE sheet, made of three layer HDPE sheet, Made of PVC, No tank, Loft type single layer HDPE
	Wash basin material	Made of FRP (fiber reinforced plastic), Made of Ceramic, Made of SS 304, No wash basin
	Dia of lifting hook	20 mm, 25 mm, 30 mm, 40 mm, NO lifting hook
	Electric provision	By mean solar energy, BY mean of battery, By mean of connection from main line, No electric provision
	Sewage provision	Provided, Not provided
	Level indicator provision	To be provided in every sewer / sludge tank to know the level of sludge and plan to get it evacuated, N.A
	Soap stand	Plastic made, SS 304 made, Aluminium made, No soap stand
	Tap	HDPE push cock, PVC push cock, Chrome plated, PTMT tap, No tap
CERTIFICATION	Test reports to be furnished to buyer's on demand	YES, NO
	OEM of offered product is ISO 9001:2015 certified	YES, NO
WARRANTY	Warranty period	1 - year, 2 - year, 3 - year

Additional Specification Parameters - FRP Urinal Cabin (10 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Specification	5 Men & 5 Women Separate

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sanjay Geete	450554,Nagar Parishad Omkareshwar	10	15

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum

issued by DPIIT in this regard.

2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

---Thank You/धन्यवाद---