



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2025/B/6198607
Dated/दिनांक : 08-05-2025

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	29-05-2025 16:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	29-05-2025 16:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Defence
Department Name/विभाग का नाम	Department Of Military Affairs
Organisation Name/संगठन का नाम	Indian Army
Office Name/कार्यालय का नाम	*****
क्रेता ईमेल/Buyer Email	sankum.94619@gov.in
Total Quantity/कुल मात्रा	463

Bid Details/बिड विवरण	
Item Category/मद केटेगरी	<p>Liaison T3 100 Test Kit , Liaison T4 100 Test Kit , Liaison TSH 100 Test Kit , LIAISON 25 OH Vitamin D Total Assay 100 Test Kit , Liaison BRAHMS PCT II GEN 100 Test Kit , Liaison FSH 100 Test Kit , Liaison LH 100 Test Kit , LIAISON Anti TPO 100 Test Kit , LIAISON PSA 100 Test , LIAISON CEA 100 Test , LIAISON CA 19 9 100 Test , LIAISON PROLACTIN XT 100 Test , Liaison Testosterone 100 Test Kit , Liaison Cortisol 100 Test Kit , LIAISON tTG IgA 100 Test , Liaison Ferritin 100 Test Kit , Liaison TOXO IgG II 100 Test Kit , LIAISON Rubella IgM Kit of 100 test , Liaison Rubella IgG 100 Test Kit , Liaison CMV IgM II 100 Test Kit , Liaison CMV IgG II 100 Test Kit , LIAISON HSV 1I2 IgG100 Test Kit , LIAISON HSV1I2 IgM100 Test Kit , LIAISON Toxo IgM 100 Test , LIAISON Starter kit , LIAISON Module , LIAISON Cleaning kit , LIAISON Light check 12 , LIAISON Washlystem liquid , Liaison DHEAS 100 Test Kit , Liaison Control tTG IgA 2 Neg 2x1.2ml 2 Pos 2x1.2ml , Liaison Control TOXO IgM2 Neg 2x0.7ml, 2 Pos 2x0.7ml , Liaison Control Rubella IgM 2 Neg 2x0.7ml2 Pos 2x0.7ml , Liaison Control CMV IgM II2 Neg 2x0.8ml 2 Pos 2x0.8ml , LIAISON Control Toxo IgG IIControl 1 2 X 1.5mlControl 2 2 X1.5ml , LIAISON Control AntiTPO Control 1 2x1ml Control 2 2x1ml , LIAISON Control Rubella IgG 2 Neg 2x0.7ml 2 Pos 2x0.7ml , Liaison Control CMV IgG II 2 Neg 2x0.9ml,2 Pos 2x0.9ml , LIAISON Control HSV 1I2 IgG 2 Neg 2x1POINT3ml 2 pos 2x1POINT3ml , LIAISON Control HSV1I2 IgM2 Neg 2x1POINT2ml2 Pos 2x1POINT2ml , LIAISON Multi Control TMControl 1 2 X 3ml Control 2 2 X3ml , Liaison 25OH Vitamin D Total Control Set Control 1 2 X 2 ml Control 2 2 X 2 ml , LIAISON Control BRAHMS PCT II GEN,LEVEL 1 and Level 2,ontrol 1 2x1.1ml Control 2 2x1.1ml , LIAISON TESTOSTERONE CONTROL SET Control 1 2 X 3.5 ml Control 2 2 X3.5ml</p>

Bid Details/बिड विवरण	
GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS	<p>Liaison T3 (100 Test Kit), Liaison T4 (100 Test Kit), Liaison TSH (100 Test Kit), LIAISON 25-OH Vitamin D Total Assay(100 Test Kit), Liaison BRAHMS PCT II GEN (100 Test Kit), Liaison FSH (100 Test Kit), Liaison LH (100 Test Kit), LIAISON Anti TPO(100 Test Kit), LIAISON PSA (100 Test), LIAISON CEA (100 Test), LIAISON CA 19-9 (100 Test), LIAISON PROLACTIN XT (100 Test), Liaison Testosterone (100 Test Kit), Liaison Cortisol (100 Test Kit), LIAISON tTG IgA (100 Test), Liaison Ferritin (100 Test Kit), Liaison TOXO IgG II (100 Test Kit), LIAISON Rubella IgM (Kit of 100 test), Liaison Rubella IgG (100 Test Kit), Liaison CMV IgM II (100 Test Kit), Liaison CMV IgG II (100 Test Kit), LIAISON HSV-1/2 IgG(100 Test Kit), LIAISON HSV-1/2 IgM(100 Test Kit), LIAISON Toxo IgM (100 Test), LIAISON Starter kit, LIAISON Module, LIAISON Cleaning kit, LIAISON Light check 12, LIAISON Wash/system liquid, Liaison DHEAS (100 Test Kit), Liaison Control tTG IgA,2 Neg (2x1.2ml), 2 Pos (2x1.2ml), Liaison Control TOXO IgM,2 Neg (2x0.7ml), 2 Pos (2x0.7ml), Liaison Control Rubella IgM, 2 Neg (2x0.7ml),2 Pos (2x0.7ml), Liaison Control CMV IgM II,2 Neg (2x0.8ml),2 Pos (2x0.8ml), LIAISON Control Toxo IgG II,Control 1 (2 X 1.5ml) Control 2(2 X1.5ml), LIAISON Control Anti-TPO,Control 1 (2x1ml) Control 2(2x1ml), LIAISON Control Rubella IgG,2 Neg (2x0.7ml),2 Pos (2x0.7ml), Liaison Control CMV IgG II,2 Neg (2x0.9ml),2 Pos (2x0.9ml), LIAISON Control HSV 1/2 IgG,2 Neg (2x1.3ml),2 pos (2x1.3ml), LIAISON Control HSV-1/2 IgM,2 Neg (2x1.2ml),2 Pos (2x1.2ml), LIAISON Multi Control TM,Control 1 (2 X 3ml) Control 2(2 X3ml), Liaison 25-OH Vit D Total Control Set Control 1(2 X 2 ml) Control 2(2 X 2 ml), LIAISONControlBRAHMSPTIIGENLEVEL 1Level 2Control1(2x1.1ml)Control2(2x1.1ml), LIAISON TESTOSTERONE CONTROL SET Control 1 (2 X 3.5 ml) Control 2(2 X3.5ml)</p> <p>Searched String: Liaison T3 (100 Test Kit)</p> <p>Rheumatoid Factor Test Kit (RA Test Kit), Digital Trainer Kit, Widal Test Kit, Immunoassay Reagents kits, Field test kit, Dengue Rapid Test Kits, Rheumatoid Factor Test Kit - RA Test Kit (V2), poc t point of care test and bio markers, Pregnancy Rapid Test Kits (V2), Relay Testing Educational Kit</p> <p>Searched String: Liaison T4 (100 Test Kit)</p> <p>Rheumatoid Factor Test Kit (RA Test Kit), Digital Trainer Kit, Widal Test Kit, Immunoassay Reagents kits, Field test kit, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Rheumatoid Factor Test Kit - RA Test Kit (V2), poc t point of care test and bio markers, Pregnancy Rapid Test Kits (V2), Dengue Rapid Test Kits</p> <p>Searched String: Liaison TSH (100 Test Kit)</p> <p>Rheumatoid Factor Test Kit (RA Test Kit), Digital Trainer Kit, Widal Test Kit, Immunoassay Reagents kits, Field test kit, Dengue Rapid Test Kits, Rheumatoid Factor Test Kit - RA Test Kit (V2), poc t point of care test and bio markers, Pregnancy Rapid Test Kits (V2), Relay Testing Educational Kit</p> <p>Searched String: LIAISON 25-OH Vitamin D Total Assay(100 Test Kit)</p>

Bid Details/As Per	ELISA Testing Kits, Immunoassay Analyzer Reagents, ELISA Test Kits (V2), Immunoassay Reagents kits
	<p>Searched String: Liaison BRAHMS PCT II GEN (100 Test Kit)</p> <p>Immunoassay Reagents kits</p> <p>Searched String: Liaison FSH (100 Test Kit)</p> <p>Rheumatoid Factor Test Kit (RA Test Kit), Digital Trainer Kit, Widal Test Kit, Immunoassay Reagents kits, Field test kit, Dengue Rapid Test Kits, Rheumatoid Factor Test Kit - RA Test Kit (V2), poct point of care test and bio markers, Pregnancy Rapid Test Kits (V2), Relay Testing Educational Kit</p> <p>Searched String: Liaison LH (100 Test Kit)</p> <p>Rheumatoid Factor Test Kit (RA Test Kit), Digital Trainer Kit, Widal Test Kit, poct point of care test and bio markers, Field test kit, Dengue Rapid Test Kits, Rheumatoid Factor Test Kit - RA Test Kit (V2), Immunoassay Reagents kits, Pregnancy Rapid Test Kits (V2), Relay Testing Educational Kit</p> <p>Searched String: LIAISON Anti TPO(100 Test Kit)</p> <p>Anti-HAV Rapid Test Kits (V2), Real Time PCR (Polymerase Chain Reaction) Kits For Novel Coronavirus (SARS-CoV-2/COVID-19), Anti-HAV ELISA Test Kits (V2), Immunoassay Reagents kits, Anti - SARS CoV - 2 / COVID - 19 Elisa Testing Kit, ELISA Testing Kits, Anti - Streptolysin O (ASO) Kits, Digital Trainer Kit, Anti-HEV ELISA Test Kits (V2), Rheumatoid Factor Test Kit - RA Test Kit (V2)</p> <p>Searched String: LIAISON PSA (100 Test)</p> <p>Moulds for Use in Tests of Cement, Concrete and Pozzolana Conforming to IS 10086, Real Time PCR (Polymerase Chain Reaction) Kits For Novel Coronavirus (SARS-CoV-2/COVID-19), Immunoassay Reagents kits, poct point of care test and bio markers, ELISA Test Kits (V2), ELISA Testing Kits</p> <p>Searched String: LIAISON CEA (100 Test)</p> <p>Moulds for Use in Tests of Cement, Concrete and Pozzolana Conforming to IS 10086, Real Time PCR (Polymerase Chain Reaction) Kits For Novel Coronavirus (SARS-CoV-2/COVID-19), poct point of care test and bio markers, Immunoassay Reagents kits, Digital Trainer Kit, Contact Resistance meters, Rapid Plasma Reagin (RPR) test kit</p> <p>Searched String: LIAISON CA 19-9 (100 Test)</p> <p>Moulds for Use in Tests of Cement, Concrete and Pozzolana Conforming to IS 10086, Real Time PCR (Polymerase Chain Reaction) Kits For Novel Coronavirus (SARS-CoV-2/COVID-19), Immunoassay Reagents kits, Immunoassay Analyzer Reagents</p> <p>Searched String: LIAISON PROLACTIN XT (100 Test)</p> <p>Moulds for Use in Tests of Cement, Concrete and Pozzolana Conforming to IS 10086, Real Time PCR (Polymerase Chain Reaction) Kits For Novel Coronavirus (SARS-CoV-2/COVID-19), Immunoassay Reagents kits, poct point of care test and bio markers, ELISA Test Kits (V2), ELISA Testing Kits</p>

Bid Details/lot	Searched String: Liaison Testosterone (100 Test Kit)
	<p>Rheumatoid Factor Test Kit (RA Test Kit), Digital Trainer Kit, Widal Test Kit, Immunoassay Reagents kits, Field test kit, Dengue Rapid Test Kits, Rheumatoid Factor Test Kit - RA Test Kit (V2), ELISA Test Kits (V2), Pregnancy Rapid Test Kits (V2), Relay Testing Educational Kit</p> <p>Searched String: Liaison Cortisol (100 Test Kit)</p> <p>Rheumatoid Factor Test Kit (RA Test Kit), Digital Trainer Kit, Widal Test Kit, Immunoassay Reagents kits, Field test kit, Dengue Rapid Test Kits, Rheumatoid Factor Test Kit - RA Test Kit (V2), ELISA Test Kits (V2), Pregnancy Rapid Test Kits (V2), Relay Testing Educational Kit</p> <p>Searched String: LIAISON tTG IgA (100 Test)</p> <p>Moulds for Use in Tests of Cement, Concrete and Pozzolana Conforming to IS 10086, Real Time PCR (Polymerase Chain Reaction) Kits For Novel Coronavirus (SARS-CoV-2/COVID-19), poct point of care test and bio markers, Immunoassay Reagents kits, Sutures (V2), Syphilis Rapid Test Kits, Pregnancy Rapid Test Kits, HIV Rapid Test Kits</p> <p>Searched String: Liaison Ferritin (100 Test Kit)</p> <p>Rheumatoid Factor Test Kit (RA Test Kit), Digital Trainer Kit, Widal Test Kit, Immunoassay Reagents kits, Field test kit, Dengue Rapid Test Kits, Rheumatoid Factor Test Kit - RA Test Kit (V2), ELISA Test Kits (V2), Pregnancy Rapid Test Kits (V2), Relay Testing Educational Kit</p> <p>Searched String: Liaison TOXO IgG II (100 Test Kit)</p> <p>SARS-CoV-2 IgG (COV2G) Testing Kit, Dengue Rapid Test Kits, Bayley-III Screening Test Complete Kit, Immunoassay Reagents kits, Typhoid Rapid Test Kits, Point of Care Rapid Test Kits (V2), Real Time PCR (Polymerase Chain Reaction) Kits For Novel Coronavirus (SARS-CoV-2/COVID-19), Point of Care Diagnostic Test Kit - Dengue Rapid Test Kits</p> <p>Searched String: LIAISON Rubella IgM (Kit of 100 test)</p> <p>Point of Care Diagnostic Test Kit - Chikungunya Rapid Test Kit, Dengue Rapid Test Kits, Point of Care Diagnostic Test Kit - Typhoid Rapid Test Kit, Point of Care Diagnostic Test Kit - Dengue Rapid Test Kits, Point of Care Diagnostic Test Kit - Leptospira Rapid Test Kit, Typhoid Rapid Test Kits, Point of Care Diagnostic Test Kit - HAV Rapid Test Kit, Point of Care Rapid Test Kits (V2), Point of Care Diagnostic Test Kit - Procalcitonin (PCT) Rapid Test Kit, Point of Care Diagnostic Test Kit - Malaria Rapid Test Kits</p> <p>Searched String: Liaison Rubella IgG (100 Test Kit)</p> <p>SARS-CoV-2 IgG (COV2G) Testing Kit, Dengue Rapid Test Kits, Point of Care Rapid Test Kits (V2), Typhoid Rapid Test Kits, Real Time PCR (Polymerase Chain Reaction) Kits For Novel Coronavirus (SARS-CoV-2/COVID-19), Point of Care Diagnostic Test Kit - Dengue Rapid Test Kits</p> <p>Searched String: Liaison CMV IgM II (100 Test Kit)</p> <p>Bayley-III Screening Test Complete Kit, Dengue Rapid Test Kits, Point of Care Rapid Test Kits (V2), Typhoid Rapid Test Kits, Real Time PCR (Polymerase Chain Reaction) Kits For</p>

Bid Details/As per	Novel Coronavirus (SARS-CoV-2/COVID-19), Point of Care Diagnostic Test Kit - Dengue Rapid Test Kits, ELISA Testing Kits, ELISA Test Kits (V2), Point of Care Rapid Test Kits, Dengue ELISA Test Kit
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>Searched String: Liaison CMV IgG II (100 Test Kit)</p> <p>SARS-CoV-2 IgG (COV2G) Testing Kit, Dengue Rapid Test Kits, Bayley-III Screening Test Complete Kit, Immunoassay Reagents kits, Typhoid Rapid Test Kits, Point of Care Rapid Test Kits (V2), Real Time PCR (Polymerase Chain Reaction) Kits For Novel Coronavirus (SARS-CoV-2/COVID-19), Point of Care Diagnostic Test Kit - Dengue Rapid Test Kits</p> <p>Searched String: LIAISON HSV-1/2 IgG(100 Test Kit)</p> <p>SARS-CoV-2 IgG (COV2G) Testing Kit, HIV Rapid Test Kits, Immunoassay Analyzer Reagents, Dengue Rapid Test Kits, Point of Care Diagnostic Test Kit - Dengue Rapid Test Kits, Real Time PCR (Polymerase Chain Reaction) Kits For Novel Coronavirus (SARS-CoV-2/COVID-19), Point of Care Diagnostic Test Kits - HIV Rapid Test Kits, HIV ELISA Test Kits</p> <p>Searched String: LIAISON HSV-1/2 IgM(100 Test Kit)</p> <p>HIV Rapid Test Kits, Point of Care Diagnostic Test Kit - Dengue Rapid Test Kits, Dengue Rapid Test Kits, Real Time PCR (Polymerase Chain Reaction) Kits For Novel Coronavirus (SARS-CoV-2/COVID-19), Point of Care Diagnostic Test Kits - HIV Rapid Test Kits, HIV ELISA Test Kits</p> <p>Searched String: LIAISON Toxo IgM (100 Test)</p> <p>Moulds for Use in Tests of Cement, Concrete and Pozzolana Conforming to IS 10086, Dengue Rapid Test Kits, poct point of care test and bio markers, Typhoid Rapid Test Kits, Point of Care Rapid Test Kits (V2), Real Time PCR (Polymerase Chain Reaction) Kits For Novel Coronavirus (SARS-CoV-2/COVID-19), Point of Care Diagnostic Test Kit - Dengue Rapid Test Kits, Immunoassay Reagents kits, ELISA Testing Kits, ELISA Test Kits (V2)</p> <p>Searched String: LIAISON Starter kit</p> <p>DOL starter, personal safety kit reflective luminous garments, Starter Motor Assembly, Immunoassay Reagents kits, Star Delta Starter (V2), Biochemistry Reagent Kits, Lead Acid starter Batteries, Networking Trainer Educational Kit, Starters For Fluorescent Lamps - IS 2215, Biochemistry Reagent Kit (Open System)</p> <p>Searched String: LIAISON Module</p> <p>Relay Module, Interface module, Chemiluminescence Immuno analyzers, Current Voltage Measuring Module, Solar Photovoltaic Modules / Panels - Crystalline silicon terrestrial, Single switch IGBT Module, Immunoassay Reagents kits, Disconnection Telecommunication Voice Module, LoRA Development Module Kit, Hardware Security Module (HSM)</p> <p>Searched String: LIAISON Cleaning kit</p> <p>Camera Cleaning Kit, Cleaning Duster (V2), Cleaning scrapers, Immunoassay Reagents kits, Injector Diagnosis and Cleaning System Kit For Educational Purpose, Cleaning Duster (V3), Toilet Brush (V2), industrial vacuum cleaner, MEMBRANE CLEANING CHEMICAL, personal safety kit</p>

Bid Details/As per	reflective luminous garments
	<p>Searched String: LIAISON Light check 12</p> <p>Rubber Mallet -as per IS 12522, High Mast Lighting Tower for large area with LED Flood Lighting System, Stainless Steel Butt Hinges as per IS 12817, Desktop Calculator - Electronics, White - LED Based Solar Street Lighting System, Steel Tubes, Tubulars as per IS 1239, Self Ballasted LED Lamps for General Lighting Service as per IS 16102, Self Ballasted LED Lamps for General Lighting Services (V2) Conforming to IS 16102, traffic signs - bilinker light, Lead Acid Batteries for Motor Vehicles with Light Weight and High Cranking Performance as per IS 14257:2019</p> <p>Searched String: LIAISON Wash/system liquid</p> <p>Liquid Lab Wash Detergent, High Performance Liquid Chromatography (HPLC) System, Robotic or automated liquid handling systems, Laundry Type Washing Machines / Drying Machines, Automated rapid Mycobacterium Culture Differentiation and Sensitivity System (Liquid Culture)</p> <p>Searched String: Liaison DHEAS (100 Test Kit)</p> <p>Rheumatoid Factor Test Kit (RA Test Kit), Digital Trainer Kit, Widal Test Kit, Immunoassay Reagents kits, Field test kit, Dengue Rapid Test Kits, Rheumatoid Factor Test Kit - RA Test Kit (V2), poc point of care test and bio markers, Pregnancy Rapid Test Kits (V2), Relay Testing Educational Kit</p> <p>Searched String: Liaison Control tTG IgA,2 Neg (2x1.2ml), 2 Pos (2x1.2ml)</p> <p>Laminar air flow cabinets or stations, External branding signage boards, Waste Containers and Accessories - Domestic (V2), Bucket Mop Wringer Trolley, Sofas (V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Entry and Mid Level Desktop Computer, BOD Incubator, High End Desktop Computer, water baths</p> <p>Searched String: Liaison Control TOXO IgM,2 Neg (2x0.7ml), 2 Pos (2x0.7ml)</p> <p>Waste Containers and Accessories - Domestic (V2), Immunoassay Reagents kits, Sterile Hypodermic Syringe (V3), Minifuge, Blood Collection Tube, Disposable Surgical Rubber Gloves - Prepowdered as per IS 13422, Disposable Syringes as per IS 10258, shoes school pvc boys girls, Blood Sample Collection Tubes, nabulizer</p> <p>Searched String: Liaison Control Rubella IgM, 2 Neg (2x0.7ml),2 Pos (2x0.7ml)</p> <p>Waste Containers and Accessories - Domestic (V2), Immunoassay Reagents kits, Sterile Hypodermic Syringe (V3), Minifuge, Blood Collection Tube, Disposable Surgical Rubber Gloves - Prepowdered as per IS 13422, Disposable Syringes as per IS 10258, shoes school pvc boys girls, Blood Sample Collection Tubes, nabulizer</p> <p>Searched String: Liaison Control CMV IgM II,2 Neg (2x0.8ml),2 Pos (2x0.8ml)</p> <p>Sofa Set (Steel Tube), Immunoassay Reagents kits, Waste</p>

Bid Details/As per	Containers and Accessories - Domestic (V2), Flying Insect Control Traps - Fly Catcher, Sterile Hypodermic Syringe (V3), Layer 2 Access Switch (V2), Blood Collection Tube, Disposable Surgical Rubber Gloves - Prepowdered as per IS 13422, Switch Mode Power Supply (SMPS) as per IS 14886:, Blood Sample Collection Tubes
	<p>Searched String: LIAISON Control Toxo IgG II,Control 1 (2 X 1.5ml) Control 2(2 X1.5ml)</p> <p>Disposable Surgical Rubber Gloves - Prepowdered as per IS 13422, Immunoassay Reagents kits, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Flying Insect Control Traps - Fly Catcher, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Mob/Riot Control Vehicle, Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V3) Confirming to IS 2932, shoes school pvc boys girls, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Electric Kettles and Jugs for Household as per IS 367</p> <p>Searched String: LIAISON Control Anti-TPO,Control 1 (2x1ml) Control 2(2x1ml)</p> <p>Flying Insect Control Traps - Fly Catcher, Immunoassay Reagents kits, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), Astronomical Timer for Street Light Control (Timer Controls) as per IS 9000, Mass Flow Controllers, Retro - Fit Emission Control Equipment for Diesel Generators (V2), Temperature Controller, M.S Stopper for Traffic Control (Portable Barrier), Control Cable, Submersible Pump Starters (Motor starter controls)</p> <p>Searched String: LIAISON Control Rubella IgG,2 Neg (2x0.7ml),2 Pos (2x0.7ml)</p> <p>Waste Containers and Accessories - Domestic (V2), Immunoassay Reagents kits, Sterile Hypodermic Syringe (V3), Minifuge, Blood Collection Tube, Disposable Surgical Rubber Gloves - Prepowdered as per IS 13422, Disposable Syringes as per IS 10258, shoes school pvc boys girls, Blood Sample Collection Tubes, nabolizer</p> <p>Searched String: Liaison Control CMV IgG II,2 Neg (2x0.9ml),2 Pos (2x0.9ml)</p> <p>Sterile Hypodermic Syringe (V3), Immunoassay Reagents kits, Blood Collection Tube, Flying Insect Control Traps - Fly Catcher, Reciprocating Air Compressors - Electric Motor Driven, Minifuge, Desk and Bench Set for Classroom/Training Area, Disposable Syringes as per IS 10258, shoes school pvc boys girls, nabolizer</p> <p>Searched String: LIAISON Control HSV 1/2 IgG,2 Neg (2x1.3ml),2 pos (2x1.3ml)</p> <p>Laminar air flow cabinets or stations, Immunoassay Reagents kits, Platform Trolley (V2), Immunoassay Analyzer Reagents, Portable Toilet, Blood Sample Collection Tubes, Flying Insect Control Traps - Fly Catcher, Sterile Hypodermic Syringe (V3), Electrical Box Extension (V3), Blood Collection Tube</p> <p>Searched String: LIAISON Control HSV-1/2 IgM,2 Neg</p>

Bid Details/बिड विवरण	(2x1.2ml), 2 Pos (2x1.2ml)
	<p>Laminar air flow cabinets or stations, Immunoassay Reagents kits, Waste Containers and Accessories - Domestic (V2), External branding signage boards, Bucket Mop Wringer Trolley, Sofas (V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Entry and Mid Level Desktop Computer, BOD Incubator, High End Desktop Computer</p> <p>Searched String: LIAISON Multi Control TM,Control 1 (2 X 3ml) Control 2(2 X3ml)</p> <p>Flying Insect Control Traps - Fly Catcher, Immunoassay Reagents kits, Platform Trolley (V2), Mob/Riot Control Vehicle, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), Portable Toilet, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V3) Confirming to IS 2932, Retro - Fit Emission Control Equipment for Diesel Generators (V2), Blood Sample Collection Tubes</p> <p>Searched String: Liaison 25-OH Vit D Total Control Set Control 1(2 X 2 ml) Control 2(2 X 2 ml)</p> <p>Minifuge, Immunoassay Reagents kits, PCR Mini Cooler, Mob/Riot Control Vehicle</p> <p>Searched String: LIAISONControlIBRAHMSPECTIIGENLEVEL 1Level 2Control1(2x1.1ml)Control2(2x1.1ml)</p> <p>Multipara Monitor - Low End, External branding signage boards, Laminar air flow cabinets or stations, Waste Containers and Accessories - Domestic (V2), BOD Incubator, Bucket Mop Wringer Trolley, Sofas (V2), Nitrile Coated Hand Gloves, Entry and Mid Level Desktop Computer, Nitrile Coated/Nitrile Hand Gloves (V2)</p> <p>Searched String: LIAISON TESTOSTERONE CONTROL SET Control 1 (2 X 3.5 ml) Control 2(2 X3.5ml)</p> <p>Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V3) Confirming to IS 2932, Immunoassay Reagents kits, Flying Insect Control Traps - Fly Catcher, shoes school pvc boys girls, Mob/Riot Control Vehicle, Minifuge, Control Cable, compressed asbestos fibre jointing sheet, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), Blood Collection Tube</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • Widal Test Kit
BOQ Title/बीओक्यू शीर्षक	RFP 27 PATHOLOGY
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	46 Lakh (s)
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes

Bid Details/बिड विवरण	
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes
Document required from seller/विक्रेता से मांगे गए दस्तावेज	Past Performance,Bidder Turnover,OEM Authorization Certificate,Additional Doc 2 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	Yes
Past Performance/विगत प्रदर्शन	50 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	Yes
RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Liaison T3 100 Test Kit
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	5 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Estimated Bid Value/अनुमानित बिड मूल्य	9382947.375
Evaluation Method/मूल्यांकन पद्धति	Item wise evaluation/
Financial Document Required/वित्तीय दस्तावेज की आवश्यकता है।	Yes
Arbitration Clause	No
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) /ईपीबीजी प्रतिशत (%)	3.00

Duration of ePBG required (Months)/ईपीबीजी की अपेक्षित अवधि (महीने).

5

(a). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

Commandant, Base hospital Delhi cantt

Base Hospital Delhi Cantt-10, Department of Military Affairs, Indian Army, Ministry of Defence

(Commandant Base Hospital Delhi Cantt)

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता

Yes

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता

Yes

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1_4_2021_PPD_dated_18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

5. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

7. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

8. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Estimated Value	Item/Category	Quantity
Schedule 1	583537.500	Liaison T3 100 Test Kit	78
Schedule 2	505732.500	Liaison T4 100 Test Kit	78
Schedule 3	494660.250	Liaison Tsh 100 Test Kit	87
Schedule 4	957600.000	Liaison 25 Oh Vitamin D Total Assay 100 Test Kit	24
Schedule 5	4894533.000	Liaison Brahms Pct li Gen 100 Test Kit	24
Schedule 6	44289.000	Liaison Fsh 100 Test Kit	6
Schedule 7	44289.000	Liaison Lh 100 Test Kit	6

Schedule 8	54463.500	Liaison Anti Tpo 100 Test Kit	6
Schedule 9	26633.250	Liaison Psa 100 Test	3
Schedule 10	38902.500	Liaison Cea 100 Test	3
Schedule 11	40698.000	Liaison Ca 19 9 100 Test	3
Schedule 12	81994.500	Liaison Prolactin Xt 100 Test	6
Schedule 13	81994.500	Liaison Testosterone 100 Test Kit	6
Schedule 14	17057.250	Liaison Cortisol 100 Test Kit	1
Schedule 15	35191.800	Liaison Ttg Iga 100 Test	3
Schedule 16	164587.500	Liaison Ferritin 100 Test Kit	15
Schedule 17	23640.750	Liaison Toxo Igg li 100 Test Kit	3
Schedule 18	40997.250	Liaison Rubella Igm Kit Of 100 Test	3
Schedule 19	34861.050	Liaison Rubella Igg 100 Test Kit	3
Schedule 20	28129.500	Liaison Cmv Igm li 100 Test Kit	3
Schedule 21	22445.325	Liaison Cmv Igg li 100 Test Kit	3
Schedule 22	28428.750	Liaison Hsv 1i2 Igg100 Test Kit	3
Schedule 23	28129.500	Liaison Hsv1i2 Igm100 Test Kit	3
Schedule 24	33156.900	Liaison Toxo Igm 100 Test	3
Schedule 25	239848.875	Liaison Starter Kit	21
Schedule 26	239848.875	Liaison Module	21
Schedule 27	137056.500	Liaison Cleaning Kit	12
Schedule 28	34264.125	Liaison Light Check 12	3
Schedule 29	219609.600	Liaison Washiystem Liquid	12
Schedule 30	47880.000	Liaison Dheas 100 Test Kit	3
Schedule 31	8724.800	Liaison Control Ttg Iga 2 Neg 2x1.2ml 2 Pos 2x1.2ml	2
Schedule 32	6962.550	Liaison Control Toxo Igm2 Neg 2x0.7ml, 2 Pos 2x0.7ml	1
Schedule 33	4732.875	Liaison Control Rubella Igm 2 Neg 2x0.7ml2 Pos 2x0.7ml	1
Schedule 34	6832.875	Liaison Control Cmv Igm li2 Neg 2x0.8ml 2 Pos 2x0.8ml	1
Schedule 35	3192.000	Liaison Control Toxo Igg licontrol 1 2 X 1.5mlcontrol 2 2 X1.5ml	1
Schedule 36	4149.600	Liaison Control Antitpo Control 1 2x1ml Control 2 2x1ml	1
Schedule 37	1715.700	Liaison Control Rubella Igg 2 Neg 2x0.7ml 2 Pos 2x0.7ml	1
Schedule 38	6962.550	Liaison Control Cmv Igg li 2 Neg 2x0.9ml,2 Pos 2x0.9ml	1
Schedule 39	6832.875	Liaison Control Hsv 1i2 Igg 2 Neg 2x1point3ml 2 Pos 2x1point3ml	1
Schedule 40	6919.000	Liaison Control Hsv1i2 Igm2 Neg 2x1point2ml2 Pos 2x1point2ml	1
Schedule 41	54463.500	Liaison Multi Control Tmcontrol 1 2 X 3ml Control 2 2 X3ml	2
Schedule 42	6384.000	Liaison 25oh Vitamin D Total Control Set Control 1 2 X 2 MI Control 2 2 X 2 MI	1

Schedule 43	26250.000	Liaison Control Brahms Pct li Gen,level 1 And Level 2,ontrol 1 2x1.1ml Control 2 2x1.1ml	2
Schedule 44	14364.000	Liaison Testosterone Control Set Control 1 2 X 3.5 MI Control 2 2 X3.5ml	2

Liaison T3 100 Test Kit

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH WEST DELHI	78	30

Liaison T4 100 Test Kit

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH WEST DELHI	78	30

Liaison TSH 100 Test Kit

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH WEST DELHI	87	30

LIAISON 25 OH Vitamin D Total Assay 100 Test Kit

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH WEST DELHI	24	30

Liaison BRAHMS PCT II GEN 100 Test Kit

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH WEST DELHI	24	30

Liaison FSH 100 Test Kit

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH WEST DELHI	6	30

Liaison LH 100 Test Kit

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH WEST DELHI	6	30

LIAISON Anti TPO 100 Test Kit

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH WEST DELHI	6	30

LIAISON PSA 100 Test

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH WEST DELHI	3	30

LIAISON CEA 100 Test

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH WEST DELHI	3	30

LIAISON CA 19 9 100 Test

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH WEST DELHI	3	30

LIAISON PROLACTIN XT 100 Test

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH WEST DELHI	6	30

Liaison Testosterone 100 Test Kit

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH WEST DELHI	6	30

Liaison Cortisol 100 Test Kit

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH WEST DELHI	1	30

LIAISON TTG IgA 100 Test

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH WEST DELHI	3	30

Liaison Ferritin 100 Test Kit

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH WEST DELHI	15	30

Liaison TOXO IgG II 100 Test Kit

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH WEST DELHI	3	30

LIAISON Rubella IgM Kit Of 100 Test

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH WEST DELHI	3	30

Liaison Rubella IgG 100 Test Kit

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH WEST DELHI	3	30

Liaison CMV IgM II 100 Test Kit

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH WEST DELHI	3	30

Liaison CMV IgG II 100 Test Kit

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH WEST DELHI	3	30

LIAISON HSV 1I2 IgG100 Test Kit

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH WEST DELHI	3	30

LIAISON HSV1I2 IgM100 Test Kit

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH WEST DELHI	3	30

LIAISON Toxo IgM 100 Test

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH WEST DELHI	3	30

LIAISON Starter Kit

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH WEST DELHI	21	30

LIAISON Module

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH WEST DELHI	21	30

LIAISON Cleaning Kit

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH WEST DELHI	12	30

LIAISON Light Check 12

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH WEST DELHI	3	30

LIAISON Washlystem Liquid

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH WEST DELHI	12	30

Liaison DHEAS 100 Test Kit

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH WEST DELHI	3	30

Liaison Control TTG IgA 2 Neg 2x1.2ml 2 Pos 2x1.2ml

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH WEST DELHI	2	30

Liaison Control TOXO IgM2 Neg 2x0.7ml, 2 Pos 2x0.7ml

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH WEST DELHI	1	30

Liaison Control Rubella IgM 2 Neg 2x0.7ml 2 Pos 2x0.7ml

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH WEST DELHI	1	30

Liaison Control CMV IgM II2 Neg 2x0.8ml 2 Pos 2x0.8ml

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH WEST DELHI	1	30

LIAISON Control Toxo IgG IIControl 1 2 X 1.5mlControl 2 2 X1.5ml

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH WEST DELHI	1	30

LIAISON Control AntiTPO Control 1 2x1ml Control 2 2x1ml

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH WEST DELHI	1	30

LIAISON Control Rubella IgG 2 Neg 2x0.7ml 2 Pos 2x0.7ml

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH WEST DELHI	1	30

Liaison Control CMV IgG II 2 Neg 2x0.9ml,2 Pos 2x0.9ml

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH WEST DELHI	1	30

LIAISON Control HSV 1I2 IgG 2 Neg 2x1POINT3ml 2 Pos 2x1POINT3ml

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH WEST DELHI	1	30

LIAISON Control HSV1I2 IgM2 Neg 2x1POINT2ml2 Pos 2x1POINT2ml

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH WEST DELHI	1	30

LIAISON Multi Control TMControl 1 2 X 3ml Control 2 2 X3ml

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH WEST DELHI	2	30

Liaison 250H Vitamin D Total Control Set Control 1 2 X 2 MI Control 2 2 X 2 MI

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH WEST DELHI	1	30

LIAISON Control BRAHMS PCT II GEN,LEVEL 1 And Level 2,ontrol 1 2x1.1ml Control 2 2x1.1ml

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH WEST DELHI	2	30

LIAISON TESTOSTERONE CONTROL SET Control 1 2 X 3.5 MI Control 2 2 X3.5ml

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH WEST DELHI	2	30

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 50% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

3. Service & Support

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

4. Ration Item ATCs

Packing Material The items will be supplied by the successful bidder in its original packing material and

the packing material will not be returned. Weight of packing material will not be included in quantity supplied and only net weight of the items will be counted. The packing should be of standardized weights of appropriate size. Item will not be accepted in non-standardized weights. Packing Material. The items will be supplied by the successful bidder in its original packing material and the packing material will not be returned. Weight of packing material will not be included in quantity supplied and only net weight of the items will be counted. The packing should be of standardized weights of appropriate size. Item will not be accepted in non-standardized weights.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976,

The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---