



Bid Number/बोली क्रमांक (बिड संख्या)[:] GEM/2025/B/6235745 Dated/दिनांक : 21-05-2025

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण		
Bid End Date/Time/बिड बंद होने की तारीख/समय	31-05-2025 18:00:00	
Bid Opening Date/Time/बिड खुलने की तारीख/समय	31-05-2025 18:30:00	
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	120 (Days)	
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Power	
Department Name/विभाग का नाम	Na	
Organisation Name/संगठन का नाम	Ntpc Limited	
Office Name/कार्यालय का नाम	Ussc Cpg2 Sipat	
क्रेता ईमेल/Buyer Email	buyer165.nl.mp@gembuyer.in	
Total Quantity/कुल मात्रा	2645	
	Schedule1_100251096_Item10_M2030091170 - BLT,TRX V,SPB,IS 14261 for NTPC Telangana , Schedule2_100251096_Item20_M2030091212 - BLT,TRX V,SPB,16MM,2120MM for NTPC Telangana , Schedule3_100251096_Item30_M2030655632 - BLT,TRX V,SPB2150,16.3MM,13MM,2150MM for NTPC Telangana , Schedule4_100251096_Item40_M2025998912 - BLT,TRX V,SPC 2360,22MM,18MM for NTPC Telangana , Schedule5_100251096_Item50_M2030655631 - BLT,TRX V,SPB2800,16.3MM,13MM,2800MM for NTPC Telangana , Schedule6_100251096_Item60_M2030121300 - BELT,BS3790,ISO4184,SPC,22MM,18MM,3000MM for NTPC Telangana , Schedule7_100251096_Item70_M2030121315 - BELT,V,SPC,22MM,18MM,3150MM,1 for NTPC Telangana , Schedule8_100251096_Item80_M2030121335 - BLT,TRX V,SPC,22MM,3350MM for NTPC Telangana , Schedule9_100251096_Item90_M2030655622 - BLT,TRX V,SPB2020,W16.3MM,713MM,L2020MM for NTPC Telangana , Schedule10_100251096_Item100_M2025998931 - BLT,TRX V,SPB 2150-PT,16MM,13MM,2150MM for NTPC Telangana , Schedule11_100251096_Item110_M2025998932 - BLT,TRX V,SPC2360PT,22MM,18MM,2360MM for NTPC Telangana , Schedule12_100251096_Item120_M2025998934 - BLT,TRX V,8V-7100,25MM,23MM,7100MM for NTPC Telangana , Schedule13_100251096_Item120_M2025998933 - BLT,TRX V,5V-1500,15MM,13MM,1500MM for NTPC Telangana , Schedule14_100255823_Item10_M2030655620 - BLT,TRX V,5V-1500,15MM,13MM,1500MM for NTPC Telangana , Schedule15_100255823_Item20_M2030655620 - BLT,TRX WEDGE,SPB 5070,16.3MM,13MM,5070 for NTPC Telangana , Schedule16_100255823_Item20_M2030655621 - BLT,TRX	

kem Category/मद केटेगरी Schedule18_100255823_ttem50_M2030091529 - BLT,TRX V BELT,SPB 5300,16.3MM,13MM for NTPC Telangana, Schedule19_100255823_ttem60_M2030091529 - BLT,TRX V BELT,SPB 5000,16.3MM,13MM for NTPC Telangana, Schedule19_100254805_ttem10_M203009180 - BLT,TRX V,SPB,16MM,13MM,1800MM for NTPC Solapur, Schedule21_100254805_ttem10_M203009180 - BLT,TRX V,SPB,16MM,13MM,1800MM for NTPC Solapur, Schedule21_100254805_ttem10_M2030091212 - BLT,TRX V,SPB,16MM,2130MM for NTPC Solapur, Schedule22_100254805_ttem30_M2030091253 - BLT,TRX V,SPB,16MM_2530MM for NTPC Solapur, Schedule23_100254805_ttem30_M2030091268 - BLT,TRX V,SPB,16MM_2580MM for NTPC Solapur, Schedule24_100254805_ttem50_M203001136 - BELT,BS3790,ISO4184,SPA,13MM,10MM,1550MM for NTPC Solapur, Schedule24_100254805_ttem50_M2030101156 - BELT,BS3790,ISO4184,SPA,13MM,10MM,1550MM for NTPC Solapur, Schedule25_100254805_ttem50_M203101126 - BELT,PS3790,ISO4184,SPA,13MM,10MM,1550MM for NTPC Solapur, Schedule27_100254805_ttem50_M203101126 - BELT,VSPB,17MM,14MM,1600MM,1 for NTPC Solapur, Schedule27_100254805_ttem50_M203101120 - BELT,VSPB,17MM,14MM,1500MM,1 for NTPC Solapur, Schedule28_100254805_ttem10_M203011120 - BELT,VSPB,17MM,14MM,1500MM,1 for NTPC Solapur, Schedule28_100254805_ttem10_M2030121250 - BELT,VSPB,17MM,14MM,1500MM,1 for NTPC Solapur, Schedule31_100254805_ttem10_M2030121250 - BELT,VSPC,2MM,18MM,2500MM,1 for NTPC Solapur, Schedule31_100254805_ttem10_M2030121305 - BELT,VSPC,2MM,18MM,3500MM,1 for NTPC Solapur, Schedule31_100254805_ttem10_M2030121305 - BELT,VSPC,2MM,18MM,3500MM,1 for NTPC Solapur, Schedule31_100254805_ttem100_M2030121335 - BLT,TRX V,SPC,2MM,18MM,3500MM,1 for NTPC Solapur, Schedule31_100254805_ttem100_M2030121335 - BLT,TRX V,SPC,2MM,38MM,3500MM for NTPC Solapur, Schedule31_100254805_ttem100_M2030121335 - BLT,TRX V,SPC,2MM,38MM,3500MM for NTPC Solapur, Schedule31_100254805_ttem100_M2030121335 - BLT,TRX V,SPC,2MM,3350MM for NTPC Solapur, Schedule35_100254805_ttem100_M2030121335 - BLT,TRX V,SPC,2MM,3350MM for NTPC Solapur, Schedule35_100254805	1 k:a	BELT, SPB 4560,17 MM,14MM for NTPC Telangana ,
Solapur , Schedule33_100254805_Item140_M2030121315_BELT,V,SPC,22MM,18MM,3150MM,1 for NTPC Solapur, Schedule34_100254805_Item150_M2030655606 - BLT,TRX WEDGE BELT,SPB1850,17MM,14MM for NTPC Solapur, Schedule35_100254805_Item160_M2030121335 - BLT,TRX V,SPC,22MM,3350MM for NTPC Solapur V,SPC,22MM,3350MM for NTPC Solapur V BELT GeMARPTS में खोजा गया परिणाम / Searched Strings used in GeMARPTS V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Insulation Tester, V - Belts - Endless Narrow V - Belts for Industrial use as per IS 14261, Belt Trainer, Small Angle Grinders, leather belt, Timing Belt, Belt Oil skimmer, Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Belt Clasp (Brass) for Gram Prahari (UP) अधिस्चना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494 V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494 V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494 V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494 V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494 V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494		V,SPB,16MM,13MM,5380MM for NTPC Telangana , Schedule18_100255823_Item50_M2030091529 - BLT,TRX V BELT,SPB 5300,16.3MM,13MM for NTPC Telangana , Schedule19_100255823_Item50_M2030091509 - BLT,TRX V BELT,SPB 5300,16.3MM,13MM for NTPC Telangana , Schedule19_100255823_Item60_M2030091500 - BLT,TRX V BELT,SPB 5000,16.3MM,13MM for NTPC Telangana , Schedule20_100254805_Item10_M2030091180 - BLT,TRX V V,SPB,16MM,13MM,1800MM for NTPC Solapur , Schedule21_100254805_Item20_M2030091212 - BLT,TRX V V,SPB,16MM,2120MM for NTPC Solapur , Schedule22_100254805_Item30_M2030091253 - BLT,TRX V V,SPB,16MM,2530MM for NTPC Solapur , Schedule23_100254805_Item40_M2030091268 - BLT,TRX V V,SPB,16MM,2680MM for NTPC Solapur , Schedule24_100254805_Item50_M2030101136 - BELT,BS3790,ISO4184,SPA,13MM,10MM,1360MM for NTPC Solapur , Schedule25_100254805_Item60_M2030101165 - BELT,BS3790,ISO4184,SPA,13MM,10MM,1650MM for NTPC Solapur , Schedule26_100254805_Item70_M2030101250 - BELT,V,SPA,13MM,10MM,2500MM,1 for NTPC Solapur , Schedule27_100254805_Item80_M2030111160 - BELT,V,SPB,17MM,14MM,1600MM,1 for NTPC Solapur , Schedule28_100254805_Item90_M2030111190 - BLT,TRX V V,SPB,16.3MM,1900MM for NTPC Solapur , Schedule29_100254805_Item90_M2030111215 - BELT,V,SPB,17MM,14MM,2150MM,1 for NTPC Solapur , Schedule30_100254805_Item100_M2030111215 - BELT,V,SPB,17MM,14MM,2150MM,1 for NTPC Solapur , Schedule30_100254805_Item100_M2030121250 - BELT,V,SPB,17MM,14MM,2500MM,1 for NTPC Solapur , Schedule31_100254805_Item110_M2030121250 - BELT,V,SPC,22MM,18MM,2500MM,1 for NTPC Solapur , Schedule31_100254805_Item110_M2030121250 - BELT,V,SPC,22MM,18MM,2650MM,1 for NTPC Solapur , Schedule31_100254805_Item110_M2030121250 -
Strings used in GeMARPTS V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Insulation Tester, V - Belts - Endless Narrow V - Belts for Industrial use as per IS 14261, Belt Trainer, Small Angle Grinders, leather belt, Timing Belt, Belt Oil skimmer, Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Belt Clasp (Brass) for Gram Prahari (UP) अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification BOQ Title/बीओक्यू शीर्षक V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494 V BELT MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट		Schedule32_100254805_Item130_M2030121300 - BELT,BS3790,ISO4184,SPC,22MM,18MM,3000MM for NTPC Solapur , Schedule33_100254805_Item140_M2030121315 - BELT,V,SPC,22MM,18MM,3150MM,1 for NTPC Solapur , Schedule34_100254805_Item150_M2030655606 - BLT,TRX WEDGE BELT,SPB1850,17MM,14MM for NTPC Solapur , Schedule35_100254805_Item160_M2030121335 - BLT,TRX
2494, Insulation Tester, V - Belts - Endless Narrow V - Belts for Industrial use as per IS 14261, Belt Trainer, Small Angle Grinders, leather belt, Timing Belt, Belt Oil skimmer, Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Belt Clasp (Brass) for Gram Prahari (UP) अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification BOQ Title/बीओक्यू शीर्षक V BELT MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट Startup Exemption for Years of Experience	* **	V BELT
Categories selected for notification 2494 BOQ Title/बीओक्यू शीर्षक V BELT MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट No Startup Exemption for Years of Experience No	• •	2494, Insulation Tester, V - Belts - Endless Narrow V - Belts for Industrial use as per IS 14261, Belt Trainer, Small Angle Grinders, leather belt, Timing Belt, Belt Oil skimmer, Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Belt
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट Startup Exemption for Years of Experience		• V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494
Turnover/ अनुभव के वर्षों से एमएसई छ्ट Startup Exemption for Years of Experience	BOQ Title/बीओक्यू शीर्षक	V BELT
I NIO		No
<u> </u>		No

Bid Details/बिङ विवरण				
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Certificate (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer			
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No			
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No			
Type of Bid∕बिड का प्रकार	Two Packet Bid			
Primary product category	Schedule1_100251096_ltem10_M2030091170 - BLT,TRX V,SPB,IS 14261 for NTPC Telangana			
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days			
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No			
Evaluation Method/मूल्यांकन पद्धति	Item wise evaluation/			
Arbitration Clause	No			
Mediation Clause	No			
EMD Detail/ईएमडी विवरण				
Required/आवश्यकता	No			
ePBG Detail/ईपीबीजी विवरण				
Required/आवश्यकता	No			
Reserved for Make In India products				
Reserved for Make In India products	Yes			
	MSE Purchase Preference/एमएसई खरीद वरीयता			
MSE Purchase Preference/एमएसई खरीद वरीयता				

1. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time

to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

- 2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
- 3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules Item/Category		Quan tity
Schedule 1	Schedule1_100251096_item10_m2030091170 - Blt,trx V,spb,is 14261 For Ntpc Telangana	
Schedule 2	Schedule2_100251096_item20_m2030091212 - Blt,trx V,spb,16mm,2120mm For Ntpc Telangana	50
Schedule 3	Schedule3_100251096_item30_m2030655632 - Blt,trx V,spb2150,16.3mm,13mm,2150mm For Ntpc Telangana	100
Schedule 4	Schedule4_100251096_item40_m2025998912 - Blt,trx V,spc 2360,22mm,18mm For Ntpc Telangana	
Schedule 5	Schedule5_100251096_item50_m2030655631 - Blt,trx V,spb2800,16.3mm,13mm,2800mm For Ntpc Telangana	60
Schedule 6	Schedule6_100251096_item60_m2030121300 - Belt,bs3790,iso4184,spc,22mm,18mm,3000mm For Ntpc Telangana	40
Schedule 7 Schedule7_100251096_item70_m2030121315 - Belt,v,spc,22mm,18mm,3150mm,1 For Ntpc Telangana		40

		7
Schedule 8	Schedule8_100251096_item80_m2030121335 - Blt,trx V,spc,22mm,3350mm For Ntpc Telangana	55
Schedule 9 Schedule9_100251096_item90_m2030655622 - Blt,trx V,spb2020,w16.3mm,t13mm,l2020mm For Ntpc Telangana		100
Schedule 10 Schedule10_100251096_item100_m2025998931 - Blt,trx V,spb 2150- pt,16mm,13mm,2150mm For Ntpc Telangana		20
Schedule 11	Schedule11_100251096_item110_m2025998932 - Blt,trx V,spc2360pt,22mm,18mm,2360mm For Ntpc Telangana	30
Schedule 12	Schedule12_100251096_item120_m2025998934 - Blt,trx V,8v- 7100,25mm,23mm,7100mm For Ntpc Telangana	80
Schedule 13	Schedule13_100251096_item130_m2025998933 - Blt,trx V,5v- 1500,15mm,13mm,1500mm For Ntpc Telangana	20
Schedule 14	Schedule14_100255823_item10_m2030655592 - Blt,trx V- belt,spc6000,22.00mm,18.00mm For Ntpc Telangana	80
Schedule 15	Schedule15_100255823_item20_m2030655620 - Blt,trx Wedge,spb 5070,16.3mm,13mm,5070 For Ntpc Telangana	80
Schedule 16	Schedule16_100255823_item30_m2030655621 - Blt,trx V Belt,spb 4560,17 Mm,14mm For Ntpc Telangana	80
Schedule 17	Schedule17_100255823_item40_m2030091530 - Blt,trx V,spb,16.3mm,13mm,5380mm For Ntpc Telangana	80
Schedule 18	Schedule18_100255823_item50_m2030091529 - Blt,trx V Belt,spb 5300,16.3mm,13mm For Ntpc Telangana	80
Schedule 19	Schedule19_100255823_item60_m2030091500 - Blt,trx V Belt,spb 5000,16.3mm,13mm For Ntpc Telangana	80
Schedule 20	Schedule20_100254805_item10_m2030091180 - Blt,trx V,spb,16mm,13mm,1800mm For Ntpc Solapur	60
Schedule 21	Schedule21_100254805_item20_m2030091212 - Blt,trx V,spb,16mm,2120mm For Ntpc Solapur	70
Schedule 22	Schedule22_100254805_item30_m2030091253 - Blt,trx V,spb,16mm,2530mm For Ntpc Solapur	80
Schedule 23	Schedule23_100254805_item40_m2030091268 - Blt,trx V,spb,16mm,2680mm For Ntpc Solapur	70
Schedule 24	Schedule24_100254805_item50_m2030101136 - Belt,bs3790,iso4184,spa,13mm,10mm,1360mm For Ntpc Solapur	80
Schedule 25	Schedule25_100254805_item60_m2030101165 - Belt,bs3790,iso4184,spa,13mm,10mm,1650mm For Ntpc Solapur	60
Schedule 26	Schedule26_100254805_item70_m2030101250 - Belt,v,spa,13mm,10mm,2500mm,1 For Ntpc Solapur	80
Schedule 27	Schedule27_100254805_item80_m2030111160 - Belt,v,spb,17mm,14mm,1600mm,1 For Ntpc Solapur	80
Schedule 28	Schedule28_100254805_item90_m2030111190 - Blt,trx V,spb,16.3mm,1900mm For Ntpc Solapur	200
Schedule 29	Schedule29_100254805_item100_m2030111215 - Belt,v,spb,17mm,14mm,2150mm,1 For Ntpc Solapur	60
Schedule 30	Schedule30_100254805_item110_m2030121250 - Belt,v,spc,22mm,18mm,2500mm,1 For Ntpc Solapur	150

Schedule 31	Schedule31_100254805_item120_m2030121265 - Belt,v,spc,22mm,18mm,2650mm,1 For Ntpc Solapur	
Schedule 32	Schedule32_100254805_item130_m2030121300 - Belt,bs3790,iso4184,spc,22mm,18mm,3000mm For Ntpc Solapur	60
Schedule 33	Schedule33_100254805_item140_m2030121315 - Belt,v,spc,22mm,18mm,3150mm,1 For Ntpc Solapur	60
Schedule 34	Schedule34_100254805_item150_m2030655606 - Blt,trx Wedge Belt,spb1850,17mm,14mm For Ntpc Solapur	80
Schedule 35	Schedule35_100254805_item160_m2030121335 - Blt,trx V,spc,22mm,3350mm For Ntpc Solapur	60

Schedule1_100251096_Item10_M2030091170 - BLT,TRX V,SPB,IS 14261 For NTPC Telangana

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Jayaraju Pagi	505215,GSTIN: 36AAACN0255D1ZZ NTPC Stores Ramagundam Super Thermal Power Station PO JYOTINAGAR 505215 DISTRICT PEDDAPALLI	150	150

Schedule2_100251096_Item20_M2030091212 - BLT,TRX V,SPB,16MM,2120MM For NTPC Telangana

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Specification Document	<u>View File</u>

BOQ Detail Document <u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Jayaraju Pagi	505215,GSTIN: 36AAACN0255D1ZZ NTPC Stores Ramagundam Super Thermal Power Station PO JYOTINAGAR 505215 DISTRICT PEDDAPALLI	50	150

Schedule3_100251096_Item30_M2030655632 - BLT,TRX V,SPB2150,16.3MM,13MM,2150MM For NTPC Telangana

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
-------------------	--	-------------	-----------------	---------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Jayaraju Pagi	505215,GSTIN: 36AAACN0255D1ZZ NTPC Stores Ramagundam Super Thermal Power Station PO JYOTINAGAR 505215 DISTRICT PEDDAPALLI	100	150

Schedule4_100251096_Item40_M2025998912 - BLT,TRX V,SPC 2360,22MM,18MM For NTPC Telangana

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Jayaraju Pagi	505215,GSTIN: 36AAACN0255D1ZZ NTPC Stores Ramagundam Super Thermal Power Station PO JYOTINAGAR 505215 DISTRICT PEDDAPALLI	70	150

Schedule5_100251096_Item50_M2030655631 - BLT,TRX V,SPB2800,16.3MM,13MM,2800MM For NTPC Telangana

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Jayaraju Pagi	505215,GSTIN: 36AAACN0255D1ZZ NTPC Stores Ramagundam Super Thermal Power Station PO JYOTINAGAR 505215 DISTRICT PEDDAPALLI	60	150

Schedule6_100251096_Item60_M2030121300 - BELT,BS3790,ISO4184,SPC,22MM,18MM,3000MM For NTPC Telangana

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/ਧਗ	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
-------------------	--	------------	-----------------	---------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Jayaraju Pagi	505215,GSTIN: 36AAACN0255D1ZZ NTPC Stores Ramagundam Super Thermal Power Station PO JYOTINAGAR 505215 DISTRICT PEDDAPALLI	40	150

Schedule7_100251096_Item70_M2030121315 - BELT,V,SPC,22MM,18MM,3150MM,1 For NTPC Telangana

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Jayaraju Pagi	505215,GSTIN: 36AAACN0255D1ZZ NTPC Stores Ramagundam Super Thermal Power Station PO JYOTINAGAR 505215 DISTRICT PEDDAPALLI	40	150

Schedule8_100251096_Item80_M2030121335 - BLT,TRX V,SPC,22MM,3350MM For NTPC Telangana

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Jayaraju Pagi	505215,GSTIN: 36AAACN0255D1ZZ NTPC Stores Ramagundam Super Thermal Power Station PO JYOTINAGAR 505215 DISTRICT PEDDAPALLI	55	150

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
-------------------	--	-------------	-----------------	---------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Jayaraju Pagi	505215,GSTIN: 36AAACN0255D1ZZ NTPC Stores Ramagundam Super Thermal Power Station PO JYOTINAGAR 505215 DISTRICT PEDDAPALLI	100	150

Schedule10_100251096_Item100_M2025998931 - BLT,TRX V,SPB 2150-PT,16MM,13MM,2150MM For NTPC Telangana

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Jayaraju Pagi	505215,GSTIN: 36AAACN0255D1ZZ NTPC Stores Ramagundam Super Thermal Power Station PO JYOTINAGAR 505215 DISTRICT PEDDAPALLI	20	150

Schedule11_100251096_Item110_M2025998932 - BLT,TRX V,SPC2360PT,22MM,18MM,2360MM For NTPC Telangana

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

5	Specification Document	<u>View File</u>
E	BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Jayaraju Pagi	505215,GSTIN: 36AAACN0255D1ZZ NTPC Stores Ramagundam Super Thermal Power Station PO JYOTINAGAR 505215 DISTRICT PEDDAPALLI	30	150

Schedule12_100251096_Item120_M2025998934 - BLT,TRX V,8V-7100,25MM,23MM,7100MM For NTPC Telangana

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
-------------------	--	-------------	-----------------	---------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Jayaraju Pagi	505215,GSTIN: 36AAACN0255D1ZZ NTPC Stores Ramagundam Super Thermal Power Station PO JYOTINAGAR 505215 DISTRICT PEDDAPALLI	80	150

Schedule13_100251096_Item130_M2025998933 - BLT,TRX V,5V-1500,15MM,13MM,1500MM For NTPC Telangana

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Jayaraju Pagi	505215,GSTIN: 36AAACN0255D1ZZ NTPC Stores Ramagundam Super Thermal Power Station PO JYOTINAGAR 505215 DISTRICT PEDDAPALLI	20	150

Schedule14_100255823_Item10_M2030655592 - BLT,TRX V-BELT,SPC6000,22.00MM,18.00MM For NTPC Telangana

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

S	specification Document	View File
E	30Q Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery perio	Advisor	v-Please refer	attached BOO	document for	detailed consid	anee list and	delivery period
--	---------	----------------	--------------	--------------	-----------------	---------------	-----------------

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Jayaraju Pagi	505215,GSTIN: 36AAACN0255D1ZZ NTPC Stores Ramagundam Super Thermal Power Station PO JYOTINAGAR 505215 DISTRICT PEDDAPALLI	80	90

Schedule15_100255823_Item20_M2030655620 - BLT,TRX WEDGE,SPB 5070,16.3MM,13MM,5070 For NTPC Telangana

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
-------------------	--	-------------	-----------------	---------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Jayaraju Pagi	505215,GSTIN: 36AAACN0255D1ZZ NTPC Stores Ramagundam Super Thermal Power Station PO JYOTINAGAR 505215 DISTRICT PEDDAPALLI	80	90

Schedule16_100255823_Item30_M2030655621 - BLT,TRX V BELT,SPB 4560,17 MM,14MM For NTPC Telangana

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Jayaraju Pagi	505215,GSTIN: 36AAACN0255D1ZZ NTPC Stores Ramagundam Super Thermal Power Station PO JYOTINAGAR 505215 DISTRICT PEDDAPALLI	80	90

Schedule17_100255823_Item40_M2030091530 - BLT,TRX V,SPB,16.3MM,13MM,5380MM For NTPC Telangana

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery perio	Advisor	v-Please refer	attached BOO	document for	detailed consid	anee list and	delivery period
--	---------	----------------	--------------	--------------	-----------------	---------------	-----------------

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Jayaraju Pagi	505215,GSTIN: 36AAACN0255D1ZZ NTPC Stores Ramagundam Super Thermal Power Station PO JYOTINAGAR 505215 DISTRICT PEDDAPALLI	80	90

Schedule18_100255823_Item50_M2030091529 - BLT,TRX V BELT,SPB 5300,16.3MM,13MM For NTPC Telangana

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
-------------------	--	-------------	-----------------	---------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Jayaraju Pagi	505215,GSTIN: 36AAACN0255D1ZZ NTPC Stores Ramagundam Super Thermal Power Station PO JYOTINAGAR 505215 DISTRICT PEDDAPALLI	80	90

Schedule19_100255823_Item60_M2030091500 - BLT,TRX V BELT,SPB 5000,16.3MM,13MM For NTPC Telangana

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Document	View File
BOQ Detail De	ocument	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Jayaraju Pagi	505215,GSTIN: 36AAACN0255D1ZZ NTPC Stores Ramagundam Super Thermal Power Station PO JYOTINAGAR 505215 DISTRICT PEDDAPALLI	80	90

Schedule20_100254805_Item10_M2030091180 - BLT,TRX V,SPB,16MM,13MM,1800MM For NTPC Solapur

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

5	Specification Document	<u>View File</u>
E	BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sivaiah Dugyala	413215,GSTIN: 27AAACN0255D1ZY NTPC Stores Solapur STPP PO- HOTGI STATION 413215 SOUTH SOLAPUR	60	100

Schedule21_100254805_Item20_M2030091212 - BLT,TRX V,SPB,16MM,2120MM For NTPC Solapur

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sivaiah Dugyala	413215,GSTIN: 27AAACN0255D1ZY NTPC Stores Solapur STPP PO- HOTGI STATION 413215 SOUTH SOLAPUR	70	100

Schedule22_100254805_Item30_M2030091253 - BLT,TRX V,SPB,16MM,2530MM For NTPC Solapur

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sivaiah Dugyala	413215,GSTIN: 27AAACN0255D1ZY NTPC Stores Solapur STPP PO- HOTGI STATION 413215 SOUTH SOLAPUR	80	100

Schedule23_100254805_Item40_M2030091268 - BLT,TRX V,SPB,16MM,2680MM For NTPC Solapur

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sivaiah Dugyala	413215,GSTIN: 27AAACN0255D1ZY NTPC Stores Solapur STPP PO- HOTGI STATION 413215 SOUTH SOLAPUR	70	100

Schedule24_100254805_Item50_M2030101136 - BELT,BS3790,ISO4184,SPA,13MM,10MM,1360MM For NTPC Solapur

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sivaiah Dugyala	413215,GSTIN: 27AAACN0255D1ZY NTPC Stores Solapur STPP PO- HOTGI STATION 413215 SOUTH SOLAPUR	80	100

Schedule25_100254805_Item60_M2030101165 - BELT,BS3790,ISO4184,SPA,13MM,10MM,1650MM For NTPC Solapur

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sivaiah Dugyala	413215,GSTIN: 27AAACN0255D1ZY NTPC Stores Solapur STPP PO- HOTGI STATION 413215 SOUTH SOLAPUR	60	100

Schedule26_100254805_Item70_M2030101250 - BELT,V,SPA,13MM,10MM,2500MM,1 For NTPC Solapur

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sivaiah Dugyala	413215,GSTIN: 27AAACN0255D1ZY NTPC Stores Solapur STPP PO- HOTGI STATION 413215 SOUTH SOLAPUR	80	100

Schedule27_100254805_Item80_M2030111160 - BELT,V,SPB,17MM,14MM,1600MM,1

For NTPC Solapur

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sivaiah Dugyala	413215,GSTIN: 27AAACN0255D1ZY NTPC Stores Solapur STPP PO- HOTGI STATION 413215 SOUTH SOLAPUR	80	100

Schedule28_100254805_Item90_M2030111190 - BLT,TRX V,SPB,16.3MM,1900MM For NTPC Solapur

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sivaiah Dugyala	413215,GSTIN: 27AAACN0255D1ZY NTPC Stores Solapur STPP PO- HOTGI STATION 413215 SOUTH SOLAPUR	200	100

Schedule29_100254805_Item100_M2030111215 - BELT,V,SPB,17MM,14MM,2150MM,1 For NTPC Solapur

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sivaiah Dugyala	413215,GSTIN: 27AAACN0255D1ZY NTPC Stores Solapur STPP PO- HOTGI STATION 413215 SOUTH SOLAPUR	60	100

Schedule30_100254805_Item110_M2030121250 - BELT,V,SPC,22MM,18MM,2500MM,1 For NTPC Solapur

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sivaiah Dugyala	413215,GSTIN: 27AAACN0255D1ZY NTPC Stores Solapur STPP PO- HOTGI STATION 413215 SOUTH SOLAPUR	150	100

Schedule31_100254805_Item120_M2030121265 - BELT,V,SPC,22MM,18MM,2650MM,1 For NTPC Solapur

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sivaiah Dugyala	413215,GSTIN: 27AAACN0255D1ZY NTPC Stores Solapur STPP PO- HOTGI STATION 413215 SOUTH SOLAPUR	100	100

Schedule32_100254805_Item130_M2030121300 -

BELT, BS3790, ISO4184, SPC, 22MM, 18MM, 3000MM For NTPC Solapur

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sivaiah Dugyala	413215,GSTIN: 27AAACN0255D1ZY NTPC Stores Solapur STPP PO- HOTGI STATION 413215 SOUTH SOLAPUR	60	100

Schedule33_100254805_Item140_M2030121315 - BELT,V,SPC,22MM,18MM,3150MM,1 For NTPC Solapur

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sivaiah Dugyala	413215,GSTIN: 27AAACN0255D1ZY NTPC Stores Solapur STPP PO- HOTGI STATION 413215 SOUTH SOLAPUR	60	100

Schedule34_100254805_Item150_M2030655606 - BLT,TRX WEDGE BELT,SPB1850,17MM,14MM For NTPC Solapur

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sivaiah Dugyala	413215,GSTIN: 27AAACN0255D1ZY NTPC Stores Solapur STPP PO- HOTGI STATION 413215 SOUTH SOLAPUR	80	100

Schedule35_100254805_Item160_M2030121335 - BLT,TRX V,SPC,22MM,3350MM For NTPC Solapur

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sivaiah Dugyala	413215,GSTIN: 27AAACN0255D1ZY NTPC Stores Solapur STPP PO- HOTGI STATION 413215 SOUTH SOLAPUR	60	100

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

2. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

3. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

SI.No.	ATC for PR-100251096,100255823 & 100254805 (PR No is for internal reference only)
--------	---

	Nil Deviation Clause:
	The sellers who participate in current Tender are deemed to have fully accepted all Term s & Conditions, Technical Specifications, Data Sheets, Drawings, Quality Plans, Buyer Add ed Bid Specific Terms and Conditions given in Bidding Documents, read in conjunction wit h Amendment(s)/ Clarification(s)/ Addenda/ Errata (if any) issued by the Buyer prior to op ening of Techno-Commercial Bids, and the same are supposed to have been taken into consideration while making their Techno-Commercial Bid & Price Bid.
1.	Further it is construed that no deviation has been taken by the seller in this regard. In ca se any documents/ details/ catalogues are found to have been submitted by the bidder al ong with its bid, which is in contravention to buyer's bidding documents inter-alia including technical specification, those will not be taken into cognizance. If any deviation is observed in the bid, bidder shall have to withdraw such deviations; failing which bid shall be liable for rejection.
	Bidder/supplier shall have no right to contest the same in case supplied material is rejected due to deviation with respect to tender specification.
2.	Bidders are requested to refer detailed technical specification (as per 'Specification Doc ument' of the bid) of the item (s). In case of any contradiction between Item Category or Item Title/Item Description (as in BOQ Detail Document) of item(s) and complete technical specification (as per Specification Document) of the item(s), only complete technical specification (as per 'Specification Document' of the bid document) of that item should be considered for the submission of offer and same shall be considered for evaluation p urpose.
3.	Payment Term: As per GeM GTC
	Warranty / Guarantee Clause: (Applicable)
4.	18 months from the date of supply or 12 months from date of installation and commissio ning / use whichever is earlier.
	Post Bid Clarification:
5.	 In the event subsequent clarification(s)/query(ies) by NTPC are sought from Bidder an d bidder fails to respond or responds with incorrect / inadequate or non-compliant info rmation, the bid shall be liable to be rejected.
	 During techno-commercial evaluation of offer, reply given by bidder against the querie s/clarifications asked and further accepted by NTPC shall be an integral part of the Ge M Contract. Contract shall be executed in accordance with the same.
	Bid Acceptance Criteria:
6.	a. "Subject Tender/bid is floated on Limited Tender (LT) basis and Vendors eligible to part icipate have been short-listed and approved by Competent Authority as per 'Works & Pro curement Policy of NTPC'. Any Other Bidder(s) who is not shortlisted/approved by Competent Authority for this Bid shall not be considered and Bids of such Bidder(s) shall be sum marily rejected during Technical Evaluation."
	b. All the shortlisted and approved vendors shall be intimated by tender inviting authorit y through NTPC e-mail ID for participation in the bid. NTPC shall send e-mail intimation to eligible bidders on their e-mail ID's as updated in NTPC records.

Clarification/Bid Submission extension requests:

- Bidders are requested to check the bid document thoroughly as soon as bid is publi shed on GeM portal. If any clarification is required, immediately raise the representation on GeM portal within the timeline allowed by GeM portal.
- 7. Clarifications sought outside GeM portal through any email/phone/SMS etc. shall n ot be entertained.
 - Requests for extension in Bid Submission time through any email/phone/SMS etc. s hall not be entertained.
 - All post award communication/ grievance will be addressed to consignee at email id: "s
 toreincharge-ramagundam@ntpc.co.in".
 - · Consignee Deatails:-

NTPC Stores - Telangana for Schedule 1 to 19.

Name: Sh. Jayaraju Pagi (SENIOR MANAGER)

· Number: 9440918715

· Email Id : <u>pjayaraju@ntpc.co.in</u>

• NTPC Stores - Solapur for Schedule 20 & 35

• Name: - Sh. SIVAIAH DUGYALA (SENIOR MANAGER)

• Email: - svaiahdugyala@ntpc.co.in

• Mob:- 9494800778

8.

- · All post award communication/ grievance will be addressed to consignee at email i d: storeincharge-solapur@ntpc.co.in
- · In case of non-resolution of the issue, matter can be escalated along with previous corr espondence(s) to email id: vendor_grievance_cpg2@ntpc.co.in.
- Any communication other than post award are not to be asked through above mail I Ds. NTPC will not take cognizance of any such correspondence sent to above mail IDs and shall be outrightly ignored.

Conflict of Interest

- (A) A bidder shall not have conflict of interest with other bidders. Such conflict of inter est can lead to anti-competitive practices to the detriment of Employer's interests. A bidder may be considered to have a conflict of interest with one or more parties in th is bidding process, if:
 - a) they directly or indirectly control, or are controlled by or are under common contr ol of another entity; or
 - b) they have the same legal representative/agent for purposes of their bids; or
 - c) they have relationship with each other, directly or through common third party(ie s), that puts them in a position to have access to information about or influence o n the bid of another Bidder; or
 - d) Bidder and/or any of its allied entity(ies), which directly or indirectly control(s) or is(are) controlled by or is(are) under common control of another entity, has(ve) p articipated as a consultant in the preparation of the design or technical specificati ons of the contract that is the subject of the tender; or
 - e) Bidder participates in more than one bid in this bidding process.
 - f) In cases of agents quoting on behalf of their principal manufacturers/s ervice providers, one agent cannot represent two manufacturers/service provider s or quote on their behalf in a particular tender enquiry. One manufacturer/servic e provider can also authorize only one agent. There can be only one bid from the f ollowing:

The principal manufacturer/service provider directly or through one Indian a gent on his behalf; and ii) Indian/foreign agent on behalf of only one principal. For the purposes of this clause the term 'control' shall have the following meaning: "Control" shall include the right to appoint majority of the directors or to control the 9. management or policy decisions exercisable by a person or persons acting individuall y or in concert, directly or indirectly, including by virtue of their shareholding or man agement rights or shareholders' agreements or voting agreements or in any other m Note: If two or more CPSEs/State PSEs participate in a tender, they will not be deemed to fall under the 'Conflict of Interest' provisions solely because they are under common control of Government of India/State Government. (B) Bidders who participate in current tender are deemed to have accepted the following Annexure as compliance to Clause "Conflict of Interest": Annexure-1 (Compliance to "Conflict of Interest" provisions) We confirm that we have read and understood the Clause as mentioned under Buyer Added Bid Specific ATC regarding "Conflict of Interest" and our bid is in compliance t o this clause. In case it is established that we have provided any false information in pursuance of the aforesaid Clause, while competing for this contract, then our bid shall be rejecte d and bid security shall be forfeited. We also understand that in case we become successful bidder, if it is established tha t we have not complied with terms of aforesaid Clause as mentioned under Buyer Ad ded Bid Specific ATC, during execution of contract, this would be considered as fraud ulent practice as mentioned in para 5.1 (j) of Policy for Debarment from Business De alings and shall be dealt accordingly. The policy document can be accessed through the following link: https://ntpctender.ntpc.co.in/Heading/Policy for Debarment from Business Dealings .pdf No contract shall be awarded to a bidder against whom a Debarment Order has been issu ed as per Employer's Policy for Debarment from Business Dealings. Policy details can be referred at the URL given below: 10. https://ntpctender.ntpc.co.in/Heading/Fraud Prevention Policy.pdf https://ntpctender.ntpc.co.in/Heading/Policy for Debarment from Business Dealings.pd Risk purchase:In the event of Suppliers failure to supply the material of acceptable quali ty in scheduled delivery period, NTPC reserves the right to procure the materials from an y other source at the Suppliers risk and cost and the difference in cost shall be borne by t 11. he Supplier. Further, NTPC shall retain the right of forfeiture of CPG and or any other acti on as deemed fit. Common IP Addresses: Bidders may please note that GeM is capturing and showing th e IP addresses used by the Buyer and the Bidder(s) /Seller(s). The received bids having m 12. atching/common IP address with either Bidder(s)/Seller(s) or Buyer, shall be outrightly rej ected & shall not be considered for further evaluation.

Vendor Code for Creation of regularizing SAP PO in NTPC:

13.

Bidders kindly note that NTPC shall create a regularizing SAP PO (internal PO) against respective gem contract for payment purposes. Following details will be used for creation of a regularizing SAP PO, as applicable.

(i) If vendor code matching with PAN/GSTIN is already available in NTPC records.

In this case, vendor's existing vendor code in NTPC shall be used and payment shall be r eleased to vendor's existing bank account as updated in NTPC records.

(ii) If the bidder is a new vendor and does not have a vendor code in NTPC:

In such cases, NTPC shall create a vendor code as per vendor's details (including bank de tails) fetched from GeM portal only, at the time of creation of Vendor Code. Payment shall be released accordingly.

MSE benefit shall be given as per following conditions:

- (A) In case of procurement of Goods/Services, where requirement is not splitable, pref erence to MSEs shall be given as follows subject to matching of LI price:
- 1. First Preference to SC/ST & Women MSE-s i.e. Women SC-ST MSE.
- 2. Second preference to SC/ST -MSE Only
- 3. Third Preference to Women- MSE only.
- 4. Others MSFs.
 - **(B)** In case the requirement is Splitable, out of the 25% quantity/value, 4% shall be reserved for SC/ST and 3% shall be reserved for Women and balance qty. out of 25% shal I be divided in all MSEs within the margin of purchase preference subject to matching of LI price (LI is Non-MSME & Quoted price of MSEs are L 1+15%).
 - 1. In case of non-availability of SC/ST-MSE vendor within L $1+15\,\%$ Margin, 7% wil I go to women-MSE & 18% to others MSEs.
- 2. In case of non-availability of Women-MSE, then 7% to SC/ST-MSE and 18% to others MS Fs.
 - 3. In case of non-availability of both SC/ST & women-MSEs, all 25 % goes to other MSEs.
 - **(C)** In case where in a non-splitable tender two or more bidders have quoted the same price, preference shall be given as per follows:
 - 1. First Preference to SC/ST & Women MSE
 - 2. Second preference to SC/ST-MSE
 - 3. Third Preference to Women-MSE
 - 4. Others
 - **(D)** If as per bid conditions, Performance Bank Guarantee (PBG) is applicable in this cas e, then in that case, Performance Bank Guarantee (PBG) shall be 2.5% of contract value in place of original 5% of contract value for all MSE-SC-ST or MSE-Women vendors on who m order is placed

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

33 / 34

- 1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
- 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
- 4. Creating BoQ bid for single item.
- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
- 6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for <u>attached categories</u>, trials are allowed as per approved procurement policy of the buyer nodal Ministries)
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
- 11. Creating bid for items from irrelevant categories.
- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.
- 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
- 15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
- 16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---