



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2025/B/6136154
Dated/दिनांक : 12-04-2025

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	03-05-2025 12:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	03-05-2025 12:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	90 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Defence
Department Name/विभाग का नाम	Department Of Military Affairs
Organisation Name/संगठन का नाम	Indian Army
Office Name/कार्यालय का नाम	*****
क्रेता ईमेल/Buyer Email	reetikapal.692y@gov.in
Total Quantity/कुल मात्रा	4215

Bid Details/बिड विवरण	
Item Category/मद केटेगरी	<p>Glucose System Pack 10 x44ml Erba , Urea system Pack 5 x 44 5 x 11 ml Erba , Creatinine system Pack 5 x 44 5 x 11 ml Erba , Cholestrol system Pack 5 x 44 Erba , Uric acid system Pack 5 x 44 5 x 11 ml Erba , Triglyceride system Pack 5 x 44 5 x 11 ml Erba , HDL Cholestrolsystem Pack 4 x 30 4 x 10 ml Erba , LDL Cholestrolsystem Pack 2 x 30 2 x 10 ml Erba , Bilirubin Total System Pack 6 x44 3 x22 ml Erba , Bilirubin Direct System Pack 6 x44 3 x22 ml Erba , SGOT EL system Pack 6 x44 3 x 22ml Erba , SGPT EL system Pack 6 x44 3 x 22ml Erba , ALP system PaCK 2 X44 2 X11ML Erba , Amylase system Pack 5 x22 ml Erba , Lipase System PACK 2 X22 2 X11 ML Erba , GGT System PACK 2 X22 2 X6.8ML Erba , LDH System PACK 2 X22 2 X11ML Erba , HbA1C with Calibrator System Pack 2 x44ml 2 x15ml Erba , CK System PACK 2 X22 2 X11ML Erba , CK MB System PACK 2 X12 2 X3ML Erba , Calcium System PACK 10 x 44ML Erba , Erba Path System Pack 1 x 5ml , Erba Norm System Pack 1 x 5ml , XL multical System pack 4x3ml Erba , Fe 4x25 4x6.5ml Erba , Total protein system pack 10x44ml Erba , Albumin system pack 10x44ml Erba , UIBC system pack 4x25 4x6.5ml Erba , AM Kit for DI plant 10L PH for distiller of EM 200 Biochemistry analyser , RA factor test kit , Urea semi auto analyser , Standard F CRP Quantitive , C-Reactive protein CRP Qualitative , TSH Standard F , T4 Standard F , T3 Standard F , Rapid test for Dengue IgG IgM and NS1AG , Glucose pulv , Rapid Typhoid IgG IgM , Formaldehyde solution , Urine Stripe Glucose Protein 100 Test , Cal A Compatible With micro Lab Electrolyte Analyzer , Cal B Compatible With micro lab Electrolyte Analyzer , Level 1 control Bio Red 12x5 MI Compatible With micro lab Electrolyte Analyzer , Level 2 control Bio Red 12x5 MI Compatible With micro lab Electrolyte Analyzer , Urine Pregnancy stripe , PT Reagent 12x4MI , Mac conkey Broth neutral red , Mac conkey Agar , Microtome High Profile blade Leica , Ck-MB semi auto analyser , Triglyceride semi auto analyser , Standard F PCT , G6PD , SRC 10 PT test tube pkt of 1000 , PTTK Reagent , Standard F Vitamin D</p>

Bid Details/बिड विवरण	
GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS	<p>Glucose System Pack 10 x44ml, Urea system Pack 5 x 44 5 x 11 ml, Creatinine system Pack 5 x 44 5 x 11 ml, Cholestrol system Pack 5 x 44 , Uric acid system Pack 5 x 44 5 x 11 ml, Triglyceride system Pack 5 x 44 5 x 11 ml, HDL Cholestrolsystem Pack 4 x 30 4 x 10 ml, LDL Cholestrolsystem Pack 2 x 30 2 x 10 ml, Bilirubin Total System Pack 6 x44 3 x22 ml, Bilirubin Direct System Pack 6 x44 3 x22 ml, SGOT EL system Pack 6 x44 3 x 22ml, SGPT EL system Pack 6 x44 3 x 22ml, ALP system PaCK 2 X44 2 X11ML, Amylase system Pack 5 x22 ml, Lipase System PACK 2 X22 2 X11 ML, GGT System PACK 2 X22 2 X6.8ML, LDH System PACK 2 X22 2 X11ML, HbA1C with Calibrator System Pack 2 x44ml 2 x15ml, CK System PACK 2 X22 2 X11ML, CK MB System PACK 2 X12 2 X3ML, Calcium System PACK 10 x 44ML, Erba Path System Pack 1 x 5ml, Erba Norm System Pack 1 x 5ml, XL multical System pack 4x3ml, Fe 4x25 4x6.5ml, Total protein system pack 10x44ml, Albumin system pack 10x44ml, UIBC system pack 4x25 4x6.5ml, AM Kit for DI plant 10L PH for distiller of EM 200 Biochemistry analyser, RA factor test kit, Urea (semi auto analyser, Standard F CRP Quantitive, C-Reactive protein (CRP) Qualitative, TSH (Standard F), T4 (Standard F), T3(Standard F), Rapid test for Dengue IgG IgM &NS1AG, Glucose pulv, Rapid Typhoid IgG/IgM , Formaldehyde solution , Urine Stripe Glucose & Protein (100 Test), Cal - A (Compatible With micro ab Electrolyte Analyzer), Cal - B (Compatible With micro lab Electrolyte Analyzer), Level1 control Bio Red(12x5 MI)(Compatible With micro lab), Level2 control Bio Red 12x5 MI (Compatible With micro lab), Urine Pregnancy stripe, PT Reagent (12x4MI), Mac conkey Broth neutral red, Mac conkey Agar, Microtome High Profile blade(Leica), Ck-MB(semi auto analyser), Triglyceride(semi auto analyser), Standard F PCT, G6PD, SRC -10 (PT test tube) pkt of 1000, PTTK Reagent, Standard F Vitamin D</p>
	<p>Searched String: Glucose System Pack 10 x44ml</p> <p>XL Multical System Pack, Flushing Cistern, Chemical Dosing System (V2), Handloom Cotton Bandage as per IS 863:1988, Receiver for Global Navigation Satellite System (GNSS) (V1), Body Worn Camera System, Package No. 6 Atal Tinkering Lab of Niti Aayog - Learning Management System, The Multilayered Cross Laminated Sheets / Tarpaulins / Covers / Agricultural Films as per IS 14611, RO Water Treatment System Above 50 LPH Filtration Capacity, Video Recorder for CCTV System (V2)</p> <p>Searched String: Urea system Pack 5 x 44 5 x 11 ml</p> <p>Minifuge, Handloom Cotton Bandage as per IS 863:1988, Theft Proof Rifle Racks, Shaker Incubator, Cotton Cloth Bag for Seed Packing - Capacity From 0.75 Kg to 12 Kg, Hemodialysis Catheter Kit, Liquid Consortia (V2), Presentation Pack for First Day Covers, Brochure and Sheetlets, PCR Mini Cooler</p> <p>Searched String: Creatinine system Pack 5 x 44 5 x 11 ml</p> <p>Minifuge, Handloom Cotton Bandage as per IS 863:1988, Theft Proof Rifle Racks, Shaker Incubator, Cotton Cloth Bag for Seed Packing - Capacity From 0.75 Kg to 12 Kg, Hemodialysis Catheter Kit, Liquid Consortia (V2),</p>

Bid Details/As per	Presentation Pack for First Day Covers, Brochure and Sheetlets, PCR Mini Cooler
	<p>Searched String: Cholestrol system Pack 5 x 44</p> <p>Theft Proof Rifle Racks, Handloom Cotton Bandage as per IS 863:1988, Cotton Cloth Bag for Seed Packing - Capacity From 0.75 Kg to 12 Kg, Presentation Pack for First Day Covers, Brochure and Sheetlets</p> <p>Searched String: Uric acid system Pack 5 x 44 5 x 11 ml</p> <p>Minifuge, Handloom Cotton Bandage as per IS 863:1988, Theft Proof Rifle Racks, Shaker Incubator, Battery Secondary Lead Acid MT Type (Defence), Cotton Cloth Bag for Seed Packing - Capacity From 0.75 Kg to 12 Kg, Hemodialysis Catheter Kit, Liquid Consortia (V2), Presentation Pack for First Day Covers, Brochure and Sheetlets, PCR Mini Cooler</p> <p>Searched String: Triglyceride system Pack 5 x 44 5 x 11 ml</p> <p>Minifuge, Handloom Cotton Bandage as per IS 863:1988, Theft Proof Rifle Racks, Shaker Incubator, Cotton Cloth Bag for Seed Packing - Capacity From 0.75 Kg to 12 Kg, Hemodialysis Catheter Kit, Liquid Consortia (V2), Presentation Pack for First Day Covers, Brochure and Sheetlets, PCR Mini Cooler</p> <p>Searched String: HDL Cholestrolsystem Pack 4 x 30 4 x 10 ml</p> <p>Shaker Incubator, Handloom Cotton Bandage as per IS 863:1988, Crepe Bandage (V2), crepe bandage, Cotton Bandage Cloth (V2), Zinc Oxide Elastic Self - Adhesive Bandage (V2), Elastic Bandage, Handloom Cotton Pillow Covers (V3), Cotton Bandage Cloth - IS 863, Cotton Cloth Bag for Seed Packing - Capacity From 0.75 Kg to 12 Kg</p> <p>Searched String: LDL Cholestrolsystem Pack 2 x 30 2 x 10 ml</p> <p>Minifuge, Climbing Rope Nylon, Glacier Region (Defence), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Immunoassay Reagents kits, Handloom Cotton Pillow Covers (V3), Modular Work Stations (V2), Plaster of Paris Bandage (V2), Cotton Cloth Bag for Seed Packing - Capacity From 0.75 Kg to 12 Kg, PCR Mini Cooler, Tarpaulins Made from HDPE Woven Fabrics as per IS 7903</p> <p>Searched String: Bilirubin Total System Pack 6 x44 3 x22 ml</p> <p>Body Worn Camera System, Handloom Cotton Bandage as per IS 863:1988, Cotton Cloth Bag for Seed Packing - Capacity From 0.75 Kg to 12 Kg, Minifuge, Synthetic Cast Bandage (V2), Cotton Bandage Cloth (V2), Non Sparking Double Ended Ring Spanner (V2), Cardiopulmonary Bypass Connectors, Non Sparking Double Open Ended Spanner (V2)</p> <p>Searched String: Bilirubin Direct System Pack 6 x44 3 x22 ml</p> <p>Body Worn Camera System, Walking Shoes, Handloom Cotton Bandage as per IS 863:1988, Cotton Cloth Bag for Seed Packing - Capacity From 0.75 Kg to 12 Kg, Minifuge,</p>

Bid Details/As per	Synthetic Cast Bandage (V2), Cotton Bandage Cloth (V2), Non Sparking Double Ended Ring Spanner (V2), Cardiopulmonary Bypass Connectors, Non Sparking Double Open Ended Spanner (V2)
	<p>Searched String: SGOT EL system Pack 6 x44 3 x 22ml</p> <p>Body Worn Camera System, Handloom Cotton Bandage as per IS 863:1988, Cotton Cloth Bag for Seed Packing - Capacity From 0.75 Kg to 12 Kg, Minifuge, External branding signage boards, Synthetic Cast Bandage (V2), Cotton Bandage Cloth (V2), Non Sparking Double Ended Ring Spanner (V2), Cardiopulmonary Bypass Connectors, Non Sparking Double Open Ended Spanner (V2)</p> <p>Searched String: SGPT EL system Pack 6 x44 3 x 22ml</p> <p>Body Worn Camera System, Handloom Cotton Bandage as per IS 863:1988, Cotton Cloth Bag for Seed Packing - Capacity From 0.75 Kg to 12 Kg, Minifuge, External branding signage boards, Synthetic Cast Bandage (V2), Cotton Bandage Cloth (V2), Non Sparking Double Ended Ring Spanner (V2), Cardiopulmonary Bypass Connectors, Non Sparking Double Open Ended Spanner (V2)</p> <p>Searched String: ALP system PaCK 2 X44 2 X11ML</p> <p>TERA Package 2 - Programmable Robotics Manipulator with 1 and 2 Degrees of Freedom (ASoSE), Laminar air flow cabinets or stations, Emergency Response and Health System Preparedness Package for COVID19 (ECRP-Phase 2), Disposable Bladeless Trocar, TERA Package 2 - 3D Printer with Consumables, Server, TERA Package 2 - Bionic Inspired Flower (ASoSE), TERA Package 2 - Mobile Robot Platform (ASoSE), Platform Trolley (V2), Disaster Relief Kit - Packet 2 (UP Gov.)</p> <p>Searched String: Amylase system Pack 5 x22 ml</p> <p>Minifuge, Air Freshener Liquid (V2), Theft Proof Rifle Racks, Climbing Rope Nylon, Glacier Region (Defence), Shaker Incubator, Cyphenothrin, Handloom Cotton Bandage as per IS 863:1988, Pit and fissure sealants, Cotton Cloth Bag for Seed Packing - Capacity From 0.75 Kg to 12 Kg, Liquid Consortia (V2)</p> <p>Searched String: Lipase System PACK 2 X22 2 X11 ML</p> <p>Emergency Response and Health System Preparedness Package for COVID19 (ECRP-Phase 2), Laminar air flow cabinets or stations, Air Freshener Liquid (V2), Server, Household Insecticides (V2), Platform Trolley (V2), Immunoassay Reagents kits, Sofa Set (Steel Tube), Modular Work Stations (V2), Bunk Beds as per IS 17636</p> <p>Searched String: GGT System PACK 2 X22 2 X6.8ML</p> <p>Emergency Response and Health System Preparedness Package for COVID19 (ECRP-Phase 2), Laminar air flow cabinets or stations, Climbing Rope Nylon, Glacier Region (Defence), Server, Air Freshener Liquid (V2), Platform Trolley (V2), Handloom Cotton Pillow Covers (V3), Sofa Set (Steel Tube), Bunk Beds as per IS 17636, Body Worn Camera System</p> <p>Searched String: LDH System PACK 2 X22 2 X11ML</p>

Bid Details/As per	TERA Package 2 - Programmable Robotics Manipulator with 1 and 2 Degrees of Freedom (ASoSE), Laminar air flow cabinets or stations, Emergency Response and Health System Preparedness Package for COVID19 (ECRP-Phase 2), instrument trolley for hospitals, TERA Package 2 - 3D Printer with Consumables, Server, TERA Package 2 - Bionic Inspired Flower (ASoSE), Disposable Bladeless Trocar, TERA Package 2 - Mobile Robot Platform (ASoSE), Platform Trolley (V2)
	<p>Searched String: HbA1C with Calibrator System Pack 2 x44ml 2 x15ml</p> <p>TERA Package 2 - 3D Printer with Consumables, Bucket Mop Wringer Trolley, TERA Package 2 - Programmable Robotics Manipulator with 1 and 2 Degrees of Freedom (ASoSE), Dental Impression Trays - RBSK, Emergency Response and Health System Preparedness Package for COVID19 (ECRP-Phase 2), Laminar air flow cabinets or stations, Nutmeg, Server, Poppy Seed, Platform Trolley (V2)</p> <p>Searched String: CK System PACK 2 X22 2 X11ML</p> <p>TERA Package 2 - Programmable Robotics Manipulator with 1 and 2 Degrees of Freedom (ASoSE), Laminar air flow cabinets or stations, Emergency Response and Health System Preparedness Package for COVID19 (ECRP-Phase 2), Disposable Bladeless Trocar, TERA Package 2 - 3D Printer with Consumables, Server, TERA Package 2 - Bionic Inspired Flower (ASoSE), TERA Package 2 - Mobile Robot Platform (ASoSE), Platform Trolley (V2), Disaster Relief Kit - Packet 2 (UP Gov.)</p> <p>Searched String: CK MB System PACK 2 X12 2 X3ML</p> <p>Emergency Response and Health System Preparedness Package for COVID19 (ECRP-Phase 2), Laminar air flow cabinets or stations, read write compact disc cd, Server, Blood Collection Tube, Platform Trolley (V2), Blood Sample Collection Tubes, Sofa Set (Steel Tube), Bunk Beds as per IS 17636, Body Worn Camera System</p> <p>Searched String: Calcium System PACK 10 x 44ML</p> <p>Handloom Cotton Bandage as per IS 863:1988, Theft Proof Rifle Racks, Liquid Consortia (V2), Dressing for Reusable NPWT System</p> <p>Searched String: Erba Path System Pack 1 x 5ml</p> <p>rubber bands, XL Multical System Pack, Server, UV - Visible Spectrophotometer (FSSAI), Minifuge, ERBA controls for Biochemistry, Elastic Surgical Adhesive Tapes (V2), Handloom Cotton Pillow Covers (V3), Theft Proof Rifle Racks, Laminar air flow cabinets or stations</p> <p>Searched String: Erba Norm System Pack 1 x 5ml</p> <p>rubber bands, XL Multical System Pack, Server, ERBA controls for Biochemistry, Minifuge, Handloom Cotton Pillow Covers (V3), Elastic Surgical Adhesive Tapes (V2), Theft Proof Rifle Racks, Laminar air flow cabinets or stations, Permeable Nonwoven Surgical Adhesive Tape</p> <p>Searched String: XL multical System pack 4x3ml</p> <p>XL Multical System Pack, Video Recorder for CCTV System (V2), Chemical Dosing System (V2), Package No. 6 Atal</p>

Bid Details/As per	Tinkering Lab of Niti Aayog - Learning Management System, Body Worn Camera System, Emergency Response and
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>Health System Preparedness Package for COVID19 (ECRP-Phase 2), Recycled T - Shirt, Solar Lamps (Solar Based Home Systems - Solar Power Packs - AC Models), Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Solar Lamps (Solar Based Home Systems - Solar Power Packs - DC Models)</p> <p>Searched String: Fe 4x25 4x6.5ml</p> <p>door mats, Non Sparking Double Ended Ring Spanner (V2), Cleaning Duster (V2), Non Sparking Double Open Ended Spanner (V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Non Sparking Combination Spanners (V2), Cleaning Duster (V3), Customised Envelopes, Laminar air flow cabinets or stations, water baths</p> <p>Searched String: Total protein system pack 10x44ml</p> <p>Protein Detection System, Flushing Cistern, XL Multical System Pack, Biochemistry Reagent Kit (Open System), Chemical Dosing System (V2), Body Worn Camera System, Package No. 6 Atal Tinkering Lab of Niti Aayog - Learning Management System, Biochemistry Reagent Kits, Multi Station Gym (V3), Video Recorder for CCTV System (V2)</p> <p>Searched String: Albumin system pack 10x44ml</p> <p>XL Multical System Pack, Flushing Cistern, Chemical Dosing System (V2), Biochemistry Reagent Kit (Open System), Package No. 6 Atal Tinkering Lab of Niti Aayog - Learning Management System, Body Worn Camera System, Emergency Response and Health System Preparedness Package for COVID19 (ECRP-Phase 2), Disposable Bladeless Trocar, Solar Lamps (Solar Based Home Systems - Solar Power Packs - AC Models), Video Recorder for CCTV System (V2)</p> <p>Searched String: UIBC system pack 4x25 4x6.5ml</p> <p>Medical Centrifuge, Laboratory Vials (V2), Server, Sterile Hypodermic Syringe for Manual use (V2), File/Folder (V3), Presentation Pack for First Day Covers, Brochure and Sheetlets, Shaker Incubator, Handloom Cotton Bandage as per IS 863:1988, Video Recorder for CCTV System (V2), Elastic Surgical Adhesive Tapes (V2)</p> <p>Searched String: AM Kit for DI plant 10L PH for distiller of EM 200 Biochemistry analyser</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: RA factor test kit</p> <p>Rheumatoid Factor Test Kit (RA Test Kit), Dengue Rapid Test Kits, Rheumatoid Factor Test Kit - RA Test Kit (V2), Pregnancy Rapid Test Kits (V2), Relay Testing Educational Kit, Typhoid Rapid Test Kits, Malaria Rapid Test Kits, Syphilis Rapid Test Kits, HBsAg Rapid Test Kits, HIV Rapid Test Kits</p> <p>Searched String: Urea (semi auto analyser)</p> <p>Semi automated coagulation analyser, Semi Automatic Bio Chemistry Analyser, Semi automated urine analyser,</p>

Bid Details/As per	Electronic Milk Analyser with adulteration testing equipment, Semi Automated Coagulation Analyzer (V2), Semi Automated Urine Analyzer, Semi Automated Nephelometer, ESR Analyser, Semi Automatic TLD Badge Reader, Fully automated coagulation analyser
	<p>Searched String: Standard F CRP Quantitive</p> <p>Immunoassay Analyzer Reagents, Immunoassay Reagents kits, poct point of care test and bio markers, Immunoassay Analyzers</p> <p>Searched String: C-Reactive protein (CRP) Qualitative</p> <p>C - Reactive Protein (CRP) Kit, C - Reactive Protein (CRP) Test Kits, Polypropylene Ropes as per IS 5175, C-Reactive Protein (CRP) Test Kit, C Band Pass Filter for POLNET Terminal (CRPF), Point of Care Diagnostic Test Kits - Hepatitis C Virus (HCV) Rapid Test Kits</p> <p>Searched String: TSH (Standard F)</p> <p>Standard Ambulances, Network Attached Storage (NAS) Device, Calcium Standard, Immunoassay Reagents kits, Turbidity Standard, Submersible Sewerage Pump, Iron Standard, Immunoassay Analyzer Reagents, Deltamethrin F as per IS 14411, Manganese Standard Solution</p> <p>Searched String: T4 (Standard F)</p> <p>Standard Ambulances, Calcium Standard, Immunoassay Reagents kits, Turbidity Standard, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Iron Standard, ELISA Testing Kits, Deltamethrin F as per IS 14411, Laminar air flow cabinets or stations, Manganese Standard Solution</p> <p>Searched String: T3(Standard F)</p> <p>Standard Ambulances, Entry and Mid Level Desktop Computer, Calcium Standard, Immunoassay Reagents kits, Turbidity Standard, Sofas (V2), Iron Standard, ELISA Testing Kits, Deltamethrin F as per IS 14411, Bucket Mop Wringer Trolley</p> <p>Searched String: Rapid test for Dengue IgG IgM &NS1AG</p> <p>Dengue Rapid Test Kits, Point of Care Diagnostic Test Kit - Dengue Rapid Test Kits, HIV Rapid Test Kit for NACO, HIV Rapid Test Kits, Rapid Plasma Reagin (RPR) Test Kit for Syphilis (V2), Typhoid Rapid Test Kits, Rapid Molecular Diagnostic Test Kit for COVID - 19, Dengue ELISA Test Kit, Dual Rapid Test Kit for HIV and Syphilis, Dengue ELISA Test Kits</p> <p>Searched String: Glucose pulv</p> <p>Glucose, Blood Glucose Test Strips (Glucostrips), Glucose agar, Blood Glucose Test Strips (Glucostrips) with Glucometer, Blood Glucose Meter - Glucometer (V2), Glucose Monitors or Meters - Glucometer, Glucose Salt Teepol Broth, Urine Test Strips, Glucose-6-Phosphate Dehydrogenase (G6PD) Activity Test Kit, Biochemistry Reagent Kits</p> <p>Searched String: Rapid Typhoid IgG/IgM</p>

Bid Details/As per	Typhoid Rapid Test Kits, Dengue Rapid Test Kits, Point of Care Diagnostic Test Kit - Typhoid Rapid Test Kit, Point of Care Diagnostic Test Kit - Dengue Rapid Test Kits, Point of Care Rapid Test Kits (V2), Chikungunya Rapid Test Kits (V2), Point of Care Rapid Test Kits, Leptospira Rapid Test Kits (V2), Point of Care Diagnostic Test Kit - Leptospira Rapid Test Kit
	<p>Searched String: Formaldehyde solution</p> <p>Formaldehyde Solution as per IS 3321, Ultra low temperature laboratory deep freezer, Formaldehyde Solution (V2) as per IS 3321, Chemical Indicator for Low Temperature Steam and Formaldehyde Sterilization Process, Wheel Chairs (V2), Formocresol Solution, Instrument Trolley for Hospitals (V2), Antifoam Solution, Patient Bed (Fowler and Semi Fowler), Acetaldehyde solution</p> <p>Searched String: Urine Stripe Glucose & Protein (100 Test)</p> <p>Urine Test Strips</p> <p>Searched String: Cal – A (Compatible With micro ab Electrolyte Analyzer)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Cal – B (Compatible With micro lab Electrolyte Analyzer)</p> <p>Electrolyte Analyzers (V2)</p> <p>Searched String: Level1 control Bio Red(12x5 MI)(Compatible With micro lab)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Level2 control Bio Red 12x5 MI (Compatible With micro lab)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Urine Pregnancy stripe</p> <p>Pregnancy Rapid Test Kits, Urine Collection Bag (V2), urine collection containers or urine culture bottles, Pregnancy Rapid Test Kits (V2), Urine culture bottles, Urine collection bag, Urine Test Strip, Urine Test Strips, Semi Automated Urine Analyzer, Fully Automated Urine Analyzer</p> <p>Searched String: PT Reagent (12x4MI)</p> <p>TRIzol Reagent, Barfoed's Reagent, Biuret Reagent, Molisch's Reagent, Haematology Analyzer Reagents, Tollen's Reagent, Cleaning Duster (V2), Fouchet reagent, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Schiff's reagent</p> <p>Searched String: Mac conkey Broth neutral red</p> <p>Mac Conkey Agar, MacConkey Broth</p> <p>Searched String: Mac conkey Agar</p>

Bid Details/As per	Mac Conkey Agar, Laminar air flow cabinets or stations, MacConkey Sorbitol Agar, AGAR AGAR Bacteriological Powder, Laboratory Incubators, Pseudomonas Selective Agar (CFC Agar), Orbital Shaking Incubators, Cetrimide Agar, water baths, Coliform Agar
	<p>Searched String: Microtome High Profile blade(Leica)</p> <p>Microtome blades, Pruning Shear / Secateur, Shrub Master, Rotary Microtome, Cryostat Microtome</p> <p>Searched String: Ck-MB(semi auto analyser)</p> <p>CK-MB (NAC Act) Test Kit, Semi Automatic Bio Chemistry Analyser, Semi automated coagulation analyser, Semi automated urine analyser, Semi Automated Coagulation Analyzer (V2), Biochemistry Reagent Kit (Open System), Semi Automated Urine Analyzer, Biochemistry Reagent Kits, Semi Automated Nephelometer, ESR Analyser</p> <p>Searched String: Triglyceride(semi auto analyser)</p> <p>Semi automated coagulation analyser, Semi Automatic Bio Chemistry Analyser, Semi automated urine analyser, Semi Automated Coagulation Analyzer (V2), Semi Automated Urine Analyzer, ESR Analyser, Semi Automated Nephelometer, Semi Automatic TLD Badge Reader, Fully automated coagulation analyser, Fully automated urine analyser</p> <p>Searched String: Standard F PCT</p> <p>Standard Ambulances, Network Attached Storage (NAS) Device, Calcium Standard, Immunoassay Reagents kits, Turbidity Standard, Submersible Sewerage Pump, Iron Standard, Immunoassay Analyzer Reagents, Deltamethrin F as per IS 14411, Manganese Standard Solution</p> <p>Searched String: G6PD</p> <p>Neonatal Glucose-6 Phosphate Dehydrogenase, Waste Containers and Accessories - Domestic (V2), Glucose-6-Phosphate Dehydrogenase (G6PD) Activity Test Kit, Glucose-6-Phosphate Dehydrogenase (G6PD) Activity Test Kit (V2), Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Limestone (NTPC), Electrical Box Extension (V2), Desktop Computers, Bucket Mop Wringer Trolley, water baths</p> <p>Searched String: SRC -10 (PT test tube) pkt of 1000</p> <p>Test Tube Rack</p> <p>Searched String: PTTK Reagent</p> <p>TRIzol Reagent, Biochemistry Reagent Kits, Barfoed's Reagent, Haematology Analyzer Reagents, Biuret Reagent, Biochemistry Reagent Kit (Open System), Molisch's Reagent, Laboratory Reagent Kits, Tollen's Reagent, Biochemistry Reagent Kit (Close System)</p> <p>Searched String: Standard F Vitamin D</p> <p>D-Biotin, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Calcium + Vitamin D3, Immunoassay Analyzer Reagents, Immunoassay Reagents kits, ELISA Testing Kits, Cat 6 Cable for Indoor Use, Standard</p>

अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories	Bid Details/बिड विवरण
Categories selected for notification	<ul style="list-style-type: none"> Ambulances Biochemistry Reagent Kits
BOQ Title/बीओक्यू शीर्षक	lab kits consumables
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	5 Lakh (s)
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	5 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	<p>Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Compliance of BoQ specification and supporting document</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	Yes
Past Performance/विगत प्रदर्शन	80 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	Yes
RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Glucose System Pack 10 x44ml Erba
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Estimated Bid Value/अनुमानित बिड मूल्य	1000931.74
Evaluation Method/मूल्यांकन पद्धति	Item wise evaluation/
Arbitration Clause	No
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	3.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	3

(a). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

OIC DGLP Cell

159 General Hospital, Department of Military Affairs, Indian Army, Ministry of Defence

(Reetika Pal)

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
3. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
4. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid

document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

5. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

6. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

7. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

8. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

9. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Estimated Value	Item/Category	Quantity
Schedule 1	27000	Glucose System Pack 10 X44ml Erba	12
Schedule 2	18600	Urea System Pack 5 X 44 5 X 11 MI Erba	6
Schedule 3	9840	Creatinine System Pack 5 X 44 5 X 11 MI Erba	6
Schedule 4	40050	Cholestrol System Pack 5 X 44 Erba	9
Schedule 5	21000	Uric Acid System Pack 5 X 44 5 X 11 MI Erba	6
Schedule 6	20100	Triglyceride System Pack 5 X 44 5 X 11 MI Erba	6
Schedule 7	40800	Hdl Cholestrolsystem Pack 4 X 30 4 X 10 MI Erba	6
Schedule 8	38400	Ldl Cholestrolsystem Pack 2 X 30 2 X 10 MI Erba	6
Schedule 9	23940	Bilirubin Total System Pack 6 X44 3 X22 MI Erba	9
Schedule 10	22500	Bilirubin Direct System Pack 6 X44 3 X22 MI Erba	9
Schedule 11	25480	Sgot El System Pack 6 X44 3 X 22ml Erba	7
Schedule 12	24640	Sgpt El System Pack 6 X44 3 X 22ml Erba	7
Schedule 13	12520	Alp System Pack 2 X44 2 X11ml Erba	8
Schedule 14	27680	Amylase System Pack 5 X22 MI Erba	4
Schedule 15	39200	Lipase System Pack 2 X22 2 X11 MI Erba	4
Schedule 16	41400	Ggt System Pack 2 X22 2 X6.8ml Erba	6
Schedule 17	5800	Ldh System Pack 2 X22 2 X11ml Erba	2
Schedule 18	36200	Hba1c With Calibrator System Pack 2 X44ml 2 X15ml Erba	4
Schedule 19	20910	Ck System Pack 2 X22 2 X11ml Erba	3
Schedule 20	17790	Ck Mb System Pack 2 X12 2 X3ml Erba	3
Schedule 21	7100	Calcium System Pack 10 X 44ml Erba	4
Schedule 22	3225	Erba Path System Pack 1 X 5ml	5
Schedule 23	3500	Erba Norm System Pack 1 X 5ml	5
Schedule 24	15640	XI Multical System Pack 4x3ml Erba	4
Schedule 25	6200	Fe 4x25 4x6.5ml Erba	4
Schedule 26	7800	Total Protein System Pack 10x44ml Erba	6
Schedule 27	4200	Albumin System Pack 10x44ml Erba	6
Schedule 28	7700	Uibc System Pack 4x25 4x6.5ml Erba	4
Schedule 29	18500	Am Kit For Di Plant 10l Ph For Distiller Of Em 200 Biochemistry Analyser	1
Schedule 30	585	Ra Factor Test Kit	3
Schedule 31	500	Urea Semi Auto Analyser	2

Schedule 32	8652	Standard F Crp Quantitive	60
Schedule 33	1497	C-reactive Protein Crp Qualitative	6
Schedule 34	41040	Tsh Standard F	600
Schedule 35	81900	T4 Standard F	600
Schedule 36	80640	T3 Standard F	600
Schedule 37	10890	Rapid Test For Dengue Igg Igm And Ns1ag	300
Schedule 38	1275	Glucose Pulv	10
Schedule 39	2568	Rapid Typhoid Igg Igm	400
Schedule 40	1270	Formaldehyde Solution	10
Schedule 41	2925	Urine Stripe Glucose Protein 100 Test	45
Schedule 42	28440	Cal A Compatible With Micro Lab Electrolyte Analyzer	3
Schedule 43	21840	Cal B Compatible With Micro Lab Electrolyte Analyzer	3
Schedule 44	20500	Level 1 Control Bio Red 12x5 MI Compatible With Micro Lab Electrolyte Analyzer	1
Schedule 45	20500	Level 2 Control Bio Red 12x5 MI Compatible With Micro Lab Electrolyte Analyzer	1
Schedule 46	915	Urine Pregnancy Stripe	300
Schedule 47	13520	Pt Reagent 12x4ml	4
Schedule 48	1325	Mac Conkey Broth Neutral Red	500
Schedule 49	1275	Mac Conkey Agar	500
Schedule 50	6440	Microtome High Profile Blade Leica	1
Schedule 51	5460	Ck-mb Semi Auto Analyser	3
Schedule 52	1334	Triglyceride Semi Auto Analyser	2
Schedule 53	13440	Standard F Pct	30
Schedule 54	5035.74	G6pd	6
Schedule 55	8250	Src 10 Pt Test Tube Pkt Of 1000	1
Schedule 56	2400	Pttk Reagent	2
Schedule 57	28800	Standard F Vitamin D	60

Glucose System Pack 10 X44ml Erba

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	12	21

Urea System Pack 5 X 44 5 X 11 MI Erba

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	6	21

Creatinine System Pack 5 X 44 5 X 11 MI Erba

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	6	21

Cholestrol System Pack 5 X 44 Erba

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	9	21

Uric Acid System Pack 5 X 44 5 X 11 MI Erba

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	6	21

Triglyceride System Pack 5 X 44 5 X 11 MI Erba

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	6	21

HDL Cholestrolsystem Pack 4 X 30 4 X 10 MI Erba

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	6	21

LDL Cholestrolsystem Pack 2 X 30 2 X 10 MI Erba

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	6	21

Bilirubin Total System Pack 6 X44 3 X22 MI Erba

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	9	21

Bilirubin Direct System Pack 6 X44 3 X22 MI Erba

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	9	21

SGOT EL System Pack 6 X44 3 X 22ml Erba

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	7	21

SGPT EL System Pack 6 X44 3 X 22ml Erba

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	7	21

ALP System PaCK 2 X44 2 X11ML Erba

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	8	21

Amylase System Pack 5 X22 MI Erba

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	4	21

Lipase System PACK 2 X22 2 X11 ML Erba

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	4	21

GGT System PACK 2 X22 2 X6.8ML Erba

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	6	21

LDH System PACK 2 X22 2 X11ML Erba

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	2	21

HbA1C With Calibrator System Pack 2 X44ml 2 X15ml Erba

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	4	21

CK System PACK 2 X22 2 X11ML Erba

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	3	21

CK MB System PACK 2 X12 2 X3ML Erba

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	3	21

Calcium System PACK 10 X 44ML Erba

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	4	21

Erba Path System Pack 1 X 5ml

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	5	21

Erba Norm System Pack 1 X 5ml

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	5	21

XL Multical System Pack 4x3ml Erba

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	4	21

Fe 4x25 4x6.5ml Erba

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	4	21

Total Protein System Pack 10x44ml Erba

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	6	21

Albumin System Pack 10x44ml Erba

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	6	21

UIBC System Pack 4x25 4x6.5ml Erba

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	4	21

AM Kit For DI Plant 10L PH For Distiller Of EM 200 Biochemistry Analyser

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	1	21

RA Factor Test Kit

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	3	21

Urea Semi Auto Analyser

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	2	21

Standard F CRP Quantitive

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	60	21

C-Reactive Protein CRP Qualitative

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	6	21

TSH Standard F

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	600	21

T4 Standard F

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	600	21

T3 Standard F

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	600	21

Rapid Test For Dengue IgG IgM And NS1AG

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	300	21

Glucose Pulv

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	10	21

Rapid Typhoid IgG IgM

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	400	21

Formaldehyde Solution

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	10	21

Urine Stripe Glucose Protein 100 Test

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	45	21

Cal A Compatible With Micro Lab Electrolyte Analyzer

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	3	21

Cal B Compatible With Micro Lab Electrolyte Analyzer

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	3	21

Level 1 Control Bio Red 12x5 MI Compatible With Micro Lab Electrolyte Analyzer

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	1	21

Level 2 Control Bio Red 12x5 MI Compatible With Micro Lab Electrolyte Analyzer

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	1	21

Urine Pregnancy Stripe

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	300	21

PT Reagent 12x4MI

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	4	21

Mac Conkey Broth Neutral Red

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	500	21

Mac Conkey Agar

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	500	21

Microtome High Profile Blade Leica

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	1	21

Ck-MB Semi Auto Analyser

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	3	21

Triglyceride Semi Auto Analyser

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	2	21

Standard F PCT

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	30	21

G6PD

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	6	21

SRC 10 PT Test Tube Pkt Of 1000

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	1	21

PTTK Reagent

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	2	21

Standard F Vitamin D

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****FEROZEPUR	60	21

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

3. Certificates

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

4. Certificates

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

5. Certificates

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

6. Certificates

To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports on the date of bid opening (to be uploaded with bid):

NABL Report/ Test report from Auth Lab

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in

the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

---Thank You/धन्यवाद---