

### Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	30-05-2025 09:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	30-05-2025 09:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Defence
Department Name/विभाग का नाम	Department Of Military Affairs
Organisation Name/संगठन का नाम	Indian Army
Office Name/कार्यालय का नाम	*****
क्रेता ईमेल/Buyer Email	gpkumar.276h@gov.in
Total Quantity/कुल मात्रा	171
Item Category/मद केटेगरी	PCO2 electrodes sensor 1 per pack for phox , PCO2 membrane pack of 3 phox ultra , Ph electrode sensor 1 per pack phox ultra , Na plus plus electrode senor 1 per pack , K plus electrode sensor for phox ultra , Ca plus plus electrode sensor for phox ultra , Cl Electrode Sensor 1 Per pack , Reference electrode sensor for phox ultra , Ionized magnesium electrode sensor pack of 4 , Lactate Electrode Sensor , Lactate membrane pack of 3 for phox ultra , Glucose electrode sensor 1 per pack for , Glucose membrane pack of 3 for phox ultra , Bun electrode sensor 1 per pack for phox , Bun membrane pack of 3 for phox ultra , SO2 Hb electrode 1 per pack for , SO2 percent calibration ampoules 20 amp , Calibration pack Ultra 1 without creatinine , Paper rolls 5 per pack for phox ultra , Cleaning solution 1 per pack , pH Na Conditioning Solution 1 per pack phox , soaking polishing solution 1 per pack , Po2 electrode sensor 1 per pack for NOVA , PO2 membrane pack of 6 for nova phox , Deproteinizing soluion abg Ampouls 30 , Performance check solution Glu BUN Creat , Probe and S Line w per 2 ADET ABG , Manifold tubing internal 1 per pack for , Manifold tubing lines L1 2 3 1 , Manifold tubing lines L4 5 6 1 , Ultra chem 9 internal qc multipack with , Ultra abg gas atuo qc pack 1 per , Pump tubing harness coox pump d and w

Bid Details/बिड विवरण	
GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS	<p>PCO2 electrodes/sensor (1 per pack) for phox ultra, PCO2 membrane (pack of 3) phox ultra, Ph electrode/sensor (1 per pack) phox ultra, Na++ electrode/sensor (1 per pack) phox ultra, K+ electrode/sensor for phox ultra, Ca++ electrode/sensor for phox ultra, Cl- Electrode/Sensor (1 Per pack), Reference electrode/sensor for phox ultra, Ionized magnesium electrode/sensor (pack of 4) for phox ultra, Lactate Electrode/Sensor, Lactate membrane (pack of 3) for phox ultra, Glucose electrode/sensor (1 per pack) for phox ultra, Glucose membrane (pack of 3) for phox ultra, Bun electrode/sensor (1 per pack) for phox ultra, Bun membrane (pack of 3) for phox ultra, SO2 Hb electrode (1 per pack) for phox ultra, SO2% calibration ampoules (20 amp / box) for phox ultra, Calibration pack: Ultra 1 without creatinine (1 per pack), Paper rolls (5 per pack) for phox ultra, Cleaning solution (1 per pack), pH(Na) Conditioning Solution (1 per pack) phox ultra, soaking polishing solution (1 per pack), Po2 electrode/sensor (1 per pack) for NOVA PHOX ULTRA ABG MACHINE, PO2 membrane (pack of 6) for nova phox ultra abg machine, Deproteinizing solution abg (Ampoules) (30 ampoules/pack), Performance check solution (Glu/BUN/Creat) Ampoules (1 per pack) for phox ultra, Probe &amp; S Line w/2 ADET (ABG only) Ultra (1 per pack), Manifold tubing (internal) (1 per pack) for phox ultra, Manifold tubing lines L1/2/3 (1 per pack) for phox ultra, Manifold tubing lines: L4/5/6 (1 per pack) for phox ultra, Ultra chem -9 internal qc multipack with creat cartridge (1 per pack), Ultra abg gas auto qc pack (1 per pack) for phox ultra, Pump tubing harness- coox (pump d&amp;w) for phox ultra</p>
	<p><b>Searched String:</b> PCO2 electrodes/sensor (1 per pack) for phox ultra</p> <p>XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Yankauer Suction for Deep Throat, Electric Kettles and Jugs for Household as per IS 367, Spices and Condiments - Turmeric Whole and Ground (V2) as per IS 3576, Welding Goggles for Eye Protector as per IS 5983, Swing Check Type Reflux (Non - Return) Valves for Water Works Purposes (Single Door Pattern) as per IS 5312, Kraft Paper for Packing and Wrapping (V2) as per IS 1397, Ultra Violet (UV) Cabinet for Sterilization, Wide - Vision Goggles for Eye - Protector as per IS 5983, Sulphur Powder as per IS:3383</p> <p><b>Searched String:</b> PCO2 membrane (pack of 3) phox ultra</p> <p>Package No. 3 Atal Tinkering Lab of Niti Aayog Mechanical, Electrical and Measurement Tools, General Purpose Hand Gloves (V2), Badminton Shuttle Cock (V2) as per IS 415, Precast Concrete Pipes (With And Without Reinforcement) (V2) As Per Is 458, Sulphur Powder as per IS:3383, Cricket Stumps and Bails, Live Remote Temperature and Humidity Monitoring and Alert System, Handloom Cotton Pillow Covers (V3), Line Interactive UPS with AVR (V2), Real Time PCR Kits (V2)</p> <p><b>Searched String:</b> Ph electrode/sensor (1 per pack) phox ultra</p> <p>Category not available on GeM for the text string uploaded by the buyer</p>

Bid Details/As Per	Searched String: Na++ electrode/senor (1 per pack) phox ultra
	<p>Hydrochloric Acid as per IS 265</p> <p><b>Searched String:</b> K+ electrode/sensor for phox ultra</p> <p>Biochemistry Reagent Kits, Ultra Violet (UV) Cabinet for Sterilization, Welding Rod for Manual Metal Arc Welding of Carbon and Carbon Manganese Steel as per IS 814</p> <p><b>Searched String:</b> Ca++ electrode/sensor for phox ultra</p> <p>Ultra Violet (UV) Cabinet for Sterilization, Carry Oven for Welding Electrodes, Sensors for Continuous cardiac output monitor, Assistive Tech</p> <p><b>Searched String:</b> Cl- Electrode/Sensor (1 Per pack)</p> <p>Package No. 1 - ATAL TINKERING LAB OF NITI AAYOG ELECTRONICS DEVELOPMENT, ROBOTICS, INTERNET OF THINGS AND SENSORS, Fixing Toys (V2), Plain Weave Cotton Fabrics - Leopard Packing Cloth as per IS 181, Biochemistry Reagent Kits, Assistive Tech, Sulphur Powder as per IS:3383, Trouser Disposable Cotton Voile for Special Clothing Personnel Related to Special Platform, Shirt Disposable Cotton Voile for Special Clothing Personnel Related to Special Platform, Mancozeb 75 % WP as per IS 8708, Hydrochloric Acid as per IS 265</p> <p><b>Searched String:</b> Reference electrode/sensor for phox ultra</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Ionized magnesium electrode/sensor (pack of 4) for phox ultra</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Lactate Electrode/Sensor</p> <p>RINGER LACTATE, Welding Rod for Manual Metal Arc Welding of Carbon and Carbon Manganese Steel as per IS 814, pH Electrode, Biochemistry Reagent Kits, Occupancy sensor, Portable electrode oven, Photoelectric Sensor, Biochemistry Reagent Kit (Close System), Force Sensor, Temperature controlled soldering station</p> <p><b>Searched String:</b> Lactate membrane (pack of 3) for phox ultra</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Glucose electrode/sensor (1 per pack) for phox ultra</p> <p>Kraft Paper for Packing and Wrapping (V2) as per IS 1397, Yankauer Suction for Deep Throat, Welding Electrode - Copper Coated Solid Wire for Co2 Gas Shielded Arc Welding ( BEML) as per C4002 BEML Welding Electrode, Suction Set for Brush and Yankauer, Welding Goggles for Eye Protector as per IS 5983</p> <p><b>Searched String:</b> Glucose membrane (pack of 3) for phox</p>

Bid Details/बिड विवरण	ultra
<p><b>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</b></p>	<p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Bun electrode/sensor (1 per pack) for phox ultra</p> <p>Kraft Paper for Packing and Wrapping (V2) as per IS 1397, Yankauer Suction for Deep Throat, Welding Electrode - Copper Coated Solid Wire for Co2 Gas Shielded Arc Welding ( BEML) as per C4002 BEML Welding Electrode, Suction Set for Brush and Yankauer, Welding Goggles for Eye Protector as per IS 5983</p> <p><b>Searched String:</b> Bun membrane (pack of 3) for phox ultra</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> SO2 Hb electrode (1 per pack) for phox ultra</p> <p>XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Consumables for Point of Care Test (POCT) Equipment, Electric Kettles and Jugs for Household as per IS 367, Yankauer Suction for Deep Throat, Welding Goggles for Eye Protector as per IS 5983, Spices and Condiments - Turmeric Whole and Ground (V2) as per IS 3576, Swing Check Type Reflux (Non - Return) Valves for Water Works Purposes (Single Door Pattern) as per IS 5312, Kraft Paper for Packing and Wrapping (V2) as per IS 1397, Ultra Violet (UV) Cabinet for Sterilization, Wide - Vision Goggles for Eye - Protector as per IS 5983</p> <p><b>Searched String:</b> SO2% calibration ampoules (20 amp / box) for phox ultra</p> <p>Theft Proof Rifle Racks</p> <p><b>Searched String:</b> Calibration pack: Ultra 1 without creatinine (1 per pack)</p> <p>Disaster Relief Kit - Packet 1 (UP Gov.), Nitrile Coated/Nitrile Hand Gloves (V2), TERA Package 1 - Robotics Demo Kits (ASoSE), TERA Package 1 - Robotics and Automation Modular Skilling Kits, Recycled T - Shirt, TERA Package 1 - Robotics and Electro - Mechanical Components (ASoSE), TERA Package 1 - Robotics and Automation High end Engineering (ASoSE), Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), TERA Package 1 - 3D Printed Bipod with Bluetooth Control (ASoSE), Spices and Condiments - Turmeric Whole and Ground (V2) as per IS 3576</p> <p><b>Searched String:</b> Paper rolls (5 per pack) for phox ultra</p> <p>Waxed Paper for General Packaging as per IS 3962, Kraft Paper for Packing and Wrapping (V2) as per IS 1397, Handloom Cotton Bandage as per IS 863:1988, Inks (V2)</p> <p><b>Searched String:</b> Cleaning solution (1 per pack)</p> <p>Cleaning Solution for Diagnostic Analyzers, Nitrile Coated Hand Gloves, Sodium Hypochlorite Solution (V2) as per IS 11673 (Part 1), Sodium Hypochlorite Solution for Bulk Supply (V2) as per IS 11673 (Part 1), Nitrile Coated/Nitrile Hand Gloves (V2), Laboratory Glassware Cleaning Solutions,</p>

Bid Details/As per	Mobile Containers For Solid Waste (Industrial) - IS 12402, Formaldehyde Solution as per IS 3321, Microscopes - Pathological and Research as per IS 4381, IS 5204, IS 4381, IS 5204, Formaldehyde Solution (V2) as per IS 3321
	<p><b>Searched String:</b> pH(Na) Conditioning Solution (1 per pack) phox ultra</p> <p>Hydrochloric Acid as per IS 265</p> <p><b>Searched String:</b> soaking polishing solution (1 per pack)</p> <p>Sodium Hypochlorite Solution (V2) as per IS 11673 (Part 1), Disposable Surgical Rubber Gloves - Prepowdered as per IS 13422, Sodium Hypochlorite Solution for Bulk Supply (V2) as per IS 11673 (Part 1), Fixing Toys (V2), Shoe Polish Brushes as per IS 3009, Sulphur Powder as per IS:3383, Mancozeb 75 % WP as per IS 8708, Hydrochloric Acid as per IS 265, Pedestal Safety Lock, AC Static Watthour Meters - Energy Meter (V2) as per IS 13779</p> <p><b>Searched String:</b> Po2 electrode/sensor (1 per pack) for NOVA PHOX ULTRA ABG MACHINE</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> PO2 membrane (pack of 6) for nova phox ultra abg machine</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Deproteinizing soluion abg (Ampoules) (30 ampules/pack)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Performance check solution (Glu/BUN/Creat) Ampoules (1 per pack) for phox ultra</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Probe &amp; S Line w/2 ADET (ABG only) Ultra (1 per pack)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Manifold tubing (internal) (1 per pack) for phox ultra</p> <p>Ultra Violet (UV) Cabinet for Sterilization, Yankauer Suction for Deep Throat, Steel Tubes used for Water Wells (V2) as per IS 4270, Automotive Vehicles - Tubes for Pneumatic Tyres (V2) as per IS 13098, Kraft Paper for Packing and Wrapping (V2) as per IS 1397, High Density Polyethylene (HDPE) Laminated Woven Lay Flat Tube for Irrigation Purpose as per IS 16190</p> <p><b>Searched String:</b> Manifold tubing lines L1/2/3 (1 per pack) for phox ultra</p> <p>Ultra Violet (UV) Cabinet for Sterilization, Gloves, Anti - Flash for Gun Crews, Alcohol Resistant Aqueous Film Forming Foam (AR - AFFF, Type 3 / 3) Liquid Concentrate for Fire</p>

<b>Bid Details/बिड विवरण</b>	Fighting (PNG), Alcohol Resistant Aqueous Film Forming Foam (AR - AFFF, Type 3 / 3) Liquid Concentrate for Fire Fighting (V2) (PNG), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Flood Light Luminaire suitable for HPSV Lamps  <b>Searched String:</b> Manifold tubing lines: L4/5/6 (1 per pack) for phox ultra  Category not available on GeM for the text string uploaded by the buyer  <b>Searched String:</b> Ultra chem -9 internal qc multipack with creat catridge (1 per pack)  Category not available on GeM for the text string uploaded by the buyer  <b>Searched String:</b> Ultra abg gas atuo qc pack (1 per pack) for phox ultra  Category not available on GeM for the text string uploaded by the buyer  <b>Searched String:</b> Pump tubing harness- coox (pump d&w) for phox ultra  Category not available on GeM for the text string uploaded by the buyer
<b>अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification</b>	<ul style="list-style-type: none"> <li>• Arterial Blood Gas Analyzer (V2)</li> <li>• Fully Automatic Biochemistry Analyzer (V2)</li> <li>• Haematology Analyzer Reagents</li> </ul>
<b>BOQ Title/बीओक्यू शीर्षक</b>	PAC ABG ANALYSER DGLP 2
<b>Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)</b>	17 Lakh (s)
<b>OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)</b>	17 Lakh (s)
<b>Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष</b>	3 Year (s)
<b>MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है</b>	Yes
<b>Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है</b>	Yes
<b>Document required from seller/विक्रेता से मांगे गए दस्तावेज़</b>	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

Bid Details/बिड विवरण	
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	Yes
Past Performance/विगत प्रदर्शन	50 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	Yes
RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	PCO2 electrodes sensor 1 per pack for phox
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Item wise evaluation/
Financial Document Required/वित्तीय दस्तावेज की आवश्यकता है।	Yes
Arbitration Clause	No
Mediation Clause	No

#### EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाइजरी बैंक	PUNJAB NATIONAL BANK
Schedule 1 EMD Amount/ईएमडी राशि (In INR)	4248
Schedule 2 EMD Amount/ईएमडी राशि (In INR)	2549
Schedule 3 EMD Amount/ईएमडी राशि (In INR)	4248
Schedule 4 EMD Amount/ईएमडी राशि (In INR)	2124
Schedule 5 EMD Amount/ईएमडी राशि (In INR)	2124
Schedule 6 EMD Amount/ईएमडी राशि (In INR)	3186
Schedule 7 EMD Amount/ईएमडी राशि (In INR)	2390
Schedule 8 EMD Amount/ईएमडी राशि (In INR)	4514
Schedule 9 EMD Amount/ईएमडी राशि (In INR)	2470
Schedule 10 EMD Amount/ईएमडी राशि (In INR)	2231
Schedule 11 EMD Amount/ईएमडी राशि (In INR)	3186

Schedule 12 EMD Amount/ईएमडी राशि (In INR)	2257
Schedule 13 EMD Amount/ईएमडी राशि (In INR)	2124
Schedule 14 EMD Amount/ईएमडी राशि (In INR)	1460
Schedule 15 EMD Amount/ईएमडी राशि (In INR)	1859
Schedule 16 EMD Amount/ईएमडी राशि (In INR)	2257
Schedule 17 EMD Amount/ईएमडी राशि (In INR)	1512
Schedule 18 EMD Amount/ईएमडी राशि (In INR)	38010
Schedule 19 EMD Amount/ईएमडी राशि (In INR)	1323
Schedule 20 EMD Amount/ईएमडी राशि (In INR)	1260
Schedule 21 EMD Amount/ईएमडी राशि (In INR)	1260
Schedule 22 EMD Amount/ईएमडी राशि (In INR)	1260
Schedule 23 EMD Amount/ईएमडी राशि (In INR)	2124
Schedule 24 EMD Amount/ईएमडी राशि (In INR)	1593
Schedule 25 EMD Amount/ईएमडी राशि (In INR)	1008
Schedule 26 EMD Amount/ईएमडी राशि (In INR)	807
Schedule 27 EMD Amount/ईएमडी राशि (In INR)	929
Schedule 28 EMD Amount/ईएमडी राशि (In INR)	2655
Schedule 29 EMD Amount/ईएमडी राशि (In INR)	1991
Schedule 30 EMD Amount/ईएमडी राशि (In INR)	1991
Schedule 31 EMD Amount/ईएमडी राशि (In INR)	2016
Schedule 32 EMD Amount/ईएमडी राशि (In INR)	1008
Schedule 33 EMD Amount/ईएमडी राशि (In INR)	664

#### ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	PUNJAB NATIONAL BANK
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	3.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	4



(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). The EMD Amount will be applicable for each schedule/group selected during Bid creation.

(c). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

**Beneficiary/लाभार्थी :**

Brig

Military Hospital Secunderabad, Department of Military Affairs, Indian Army, Ministry of Defence  
(The Commandant)

**MII Purchase Preference/एमआईआई खरीद वरीयता**

MIIPurchase Preference/एमआईआई खरीद वरीयता	Yes
---	-----

**MSE Purchase Preference/एमएसई खरीद वरीयता**

MSEPurchase Preference/एमएसई खरीद वरीयता	Yes
--	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old,

the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

6. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

7. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

10. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

#### **Evaluation Method ( Item Wise Evaluation Method )**

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Item/Category	Quantity
Schedule 1	Pco2 Electrodes Sensor 1 Per Pack For Phox	2
Schedule 2	Pco2 Membrane Pack Of 3 Phox Ultra	8
Schedule 3	Ph Electrode Sensor 1 Per Pack Phox Ultra	2
Schedule 4	Na Plus Plus Electrode Senor 1 Per Pack	2
Schedule 5	K Plus Electrode Sensor For Phox Ultra	2
Schedule 6	Ca Plus Plus Electrode Sensor For Phox Ultra	6
Schedule 7	Cl Electrode Sensor 1 Per Pack	3
Schedule 8	Reference Electrode Sensor For Phox Ultra	2
Schedule 9	Ionized Magnesium Electrode Sensor Pack Of 4	3
Schedule 10	Lactate Electrode Sensor	1
Schedule 11	Lactate Membrane Pack Of 3 For Phox Ultra	15
Schedule 12	Glucose Electrode Sensor 1 Per Pack For	1
Schedule 13	Glucose Membrane Pack Of 3 For Phox Ultra	10
Schedule 14	Bun Electrode Sensor 1 Per Pack For Phox	1
Schedule 15	Bun Membrane Pack Of 3 For Phox Ultra	10
Schedule 16	So2 Hb Electrode 1 Per Pack For	1
Schedule 17	So2 Percent Calibration Ampoules 20 Amp	6
Schedule 18	Calibration Pack Ultra 1 Without Creatinine	25
Schedule 19	Paper Rolls 5 Per Pack For Phox Ultra	15
Schedule 20	Cleaning Solution 1 Per Pack	5
Schedule 21	Ph Na Conditioning Solution 1 Per Pack Phox	5
Schedule 22	Soaking Polishing Solution 1 Per Pack	5
Schedule 23	Po2 Electrode Senstor 1 Per Pack For Nova	1
Schedule 24	Po2 Membrane Pack Of 6 For Nova Phox	6
Schedule 25	Deproteinizing Soluion Abg Ampouls 30	4
Schedule 26	Performance Check Solution Glu Bun Creat	4
Schedule 27	Probe And S Line W Per 2 Adet Abg	3
Schedule 28	Manifold Tubing Internal 1 Per Pack For	4
Schedule 29	Manifold Tubing Lines L1 2 3 1	3
Schedule 30	Manifold Tubing Lines L4 5 6 1	3
Schedule 31	Ultra Chem 9 Internal Qc Multipack With	8
Schedule 32	Ultra Abg Gas Atuo Qc Pack 1 Per	4
Schedule 33	Pump Tubing Harness Coox Pump D And W	1

## PCO2 Electrodes Sensor 1 Per Pack For Phox

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Hyderabad	2	30

## PCO2 Membrane Pack Of 3 Phox Ultra

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Hyderabad	8	30

### Ph Electrode Sensor 1 Per Pack Phox Ultra

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Hyderabad	2	30

### Na Plus Plus Electrode Senor 1 Per Pack

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Hyderabad	2	30

**K Plus Electrode Sensor For Phox Ultra**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Hyderabad	2	30

**Ca Plus Plus Electrode Sensor For Phox Ultra**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Hyderabad	6	30

**CI Electrode Sensor 1 Per Pack**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Hyderabad	3	30

**Reference Electrode Sensor For Phox Ultra**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Hyderabad	2	30

#### **Ionized Magnesium Electrode Sensor Pack Of 4**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Hyderabad	3	30

#### **Lactate Electrode Sensor**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>



Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Hyderabad	1	30

**Lactate Membrane Pack Of 3 For Phox Ultra**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Hyderabad	15	30

**Glucose Electrode Sensor 1 Per Pack For**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Hyderabad	1	30

### Glucose Membrane Pack Of 3 For Phox Ultra

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Hyderabad	10	30

### Bun Electrode Sensor 1 Per Pack For Phox

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****Hyderabad	1	30

**Bun Membrane Pack Of 3 For Phox Ultra**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****Hyderabad	10	30

**SO2 Hb Electrode 1 Per Pack For**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****Hyderabad	1	30

**S02 Percent Calibration Ampoules 20 Amp**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Hyderabad	6	30

### Calibration Pack Ultra 1 Without Creatinine

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Hyderabad	25	30

### Paper Rolls 5 Per Pack For Phox Ultra

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Hyderabad	15	30

**Cleaning Solution 1 Per Pack**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Hyderabad	5	30

**PH Na Conditioning Solution 1 Per Pack Phox**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Hyderabad	5	30

**Soaking Polishing Solution 1 Per Pack**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Hyderabad	5	30

**Po2 Electrode Senstor 1 Per Pack For NOVA**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Hyderabad	1	30

### **PO2 Membrane Pack Of 6 For Nova Phox**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Hyderabad	6	30

### **Deproteinizing Soluion Abg Ampouls 30**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>



Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Hyderabad	4	30

**Performance Check Solution Glu BUN Creat**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Hyderabad	4	30

**Probe And S Line W Per 2 ADET ABG**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****Hyderabad	3	30

### **Manifold Tubing Internal 1 Per Pack For**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****Hyderabad	4	30

### **Manifold Tubing Lines L1 2 3 1**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****Hyderabad	3	30

**Manifold Tubing Lines L4 5 6 1**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****Hyderabad	3	30

**Ultra Chem 9 Internal Qc Multipack With**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****Hyderabad	8	30

**Ultra Abg Gas Atuo Qc Pack 1 Per**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Hyderabad	4	30

### Pump Tubing Harness Coox Pump D And W

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Hyderabad	1	30

### Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

#### 1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

#### 2. Purchase Preference (Centre)

Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated

23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25% of total value.

### 3. Past Project Experience

**Proof for Past Experience and Project Experience clause:** For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.**Proof for Past Experience and Project Experience clause:** For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.

### 4. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

1. PAC Certificate by OEM (NOVA Biomedical) duly notarized.
2. Authorization letter by OEM (NOVA Biomedical) to the seller duly notarized.

.

### 5. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

## Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without

specifying equivalent Indian Certification / standards.

10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.**

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action

in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

**---Thank You/धन्यवाद---**