

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	05-06-2025 18:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	05-06-2025 18:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Defence
Department Name/विभाग का नाम	Department Of Military Affairs
Organisation Name/संगठन का नाम	Indian Army
Office Name/कार्यालय का नाम	*****
क्रेता ईमेल/Buyer Email	ajayritz@nic.in
Total Quantity/कुल मात्रा	2160
Item Category/मद केटेगरी	Portable Fire Extinguishers (V3) as per BS EN Standards (Q2)
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	287 Lakh (s)
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	1916 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes

Bid Details/बिड विवरण	
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Past Performance/विगत प्रदर्शन	30 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	Yes
RA Qualification Rule	H1-Highest Priced Bid Elimination
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Portable Fire Extinguishers (V3) as per BS EN Standards
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	5 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	Yes
Inspection to be carried out by Buyers own empanelled agency	Yes
Type Of Inspection	Post Dispatch
Name of the Empanelled Inspection Agency/ Authority	Board of Officers
Auto CRAC Days	60
Quality Assurance Plan document	1747197989.pdf
Evaluation Method/मूल्यांकन पद्धति	Item wise evaluation/
Arbitration Clause	No
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
Schedule 1 EMD Amount/ईएमडी राशि (In INR)	134577
Schedule 2 EMD Amount/ईएमडी राशि (In INR)	519305
Schedule 3 EMD Amount/ईएमडी राशि (In INR)	783540

Schedule 4 EMD Amount/ईएमडी राशि (In INR)	134577
Schedule 5 EMD Amount/ईएमडी राशि (In INR)	519305
Schedule 6 EMD Amount/ईएमडी राशि (In INR)	783540

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	5.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	26

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). The EMD Amount will be applicable for each schedule/group selected during Bid creation.

(c). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

GOC-in-C, Headquarters Eastern Command
HQ Eastern Command, Department of Military Affairs, Indian Army, Ministry of Defence
(Goc-in-c, Headquarters Eastern Command)

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and

"Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

6. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

7. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 30% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

10. Inspection of Stores by Nominated Inspection Authority / Agency of buyer or their authorized representatives

An independent third party Professional Inspection Body can help buyer in mitigating buyer's risk with pre-dispatch/post-dispatch inspection in order to ensure that equipment, components, solutions and documentation conform to contractual requirements. The buyer has a right to inspect goods in reasonable manner and within reasonable time at any reasonable place as indicated in contract. Inspection Fee/ Charges (as pre-greed between buyer and Inspection Agency) would be borne by the buyer as per their internal arrangement but may be recovered from the seller if the consignment failed to conform to contractual specification and got rejected by the Inspection Officer. If so requested and accepted by the seller, initially seller may pay for inspection charges as applicable and get the same reimbursed from buyer if consignment accepted by the Inspecting Officer. For reimbursement seller has to submit proof of payment to Inspection Agency.

Seller/OEM shall send a notice in writing / e-mail to the Inspecting officer / inspection agency specifying the place of inspection as per contract and the Inspecting officer shall on receipt of such notice notify to the seller the date and time when the stores would be inspected. The seller shall, at his own expenses, afford to the Inspecting officer, all reasonable facilities as may be necessary for satisfying himself that the stores are being and or have been manufactured in accordance with the technical particulars governing the supply. The decision of the purchaser representative /inspection authority regarding acceptance / rejection of consignment shall be final and binding on the seller.

The Seller shall provide, without any extra charge, all materials, tools, labour and assistance of every kind which the Inspecting officer may demand of him for any test, and examination, other than special or independent test, which he shall require to be made on the seller's premises and the seller shall bear and pay all costs attendant thereon.

The seller shall also provide and deliver store / sample from consignment under inspection free of charge at any such place other than his premises as the Inspecting officer may specify for acceptance tests for which seller/OEM does not have the facilities or for special/ independent tests.

In the event of rejection of stores or any part thereof by the Inspecting officer basis testing outside owing to lack of test facility at sellers premises, the seller shall, on demand, pay to the buyer the costs incurred in the inspection and/or test. Cost of test shall be assessed at the rate charged by the Laboratory to private persons for similar work.

Inspector shall have the right to put all the stores or materials forming part of the same or any part thereof to such tests as he may like fit and proper as per QAP/governing specification. The seller shall not be entitled to object on any ground whatsoever to the method of testing adopted by the Inspecting officer.

Unless otherwise provided for in the contract, the quantity of the stores or materials expended in test will be borne by seller.

Inspecting officer is the Final Authority to Certify Performance / accept the consignment. The Inspecting officer's decision as regards the rejection shall be final and binding on the seller.

The seller shall if so required at his own expense shall mark or permit the Inspecting officer to mark all the approved stores with a recognised Government or purchaser's mark.

11. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Item/Category	Quantity
Schedule 1	Portable Fire Extinguishers (v3) As Per Bs En Standards	360
Schedule 2	Portable Fire Extinguishers (v3) As Per Bs En Standards	360
Schedule 3	Portable Fire Extinguishers (v3) As Per Bs En Standards	360
Schedule 4	Portable Fire Extinguishers (v3) As Per Bs En Standards	360
Schedule 5	Portable Fire Extinguishers (v3) As Per Bs En Standards	360
Schedule 6	Portable Fire Extinguishers (v3) As Per Bs En Standards	360

Portable Fire Extinguishers (V3) As Per BS EN Standards (360 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Conformity to Standard	EN 3-7 + A1: 2007 Composite Fire Extinguisher (Non Metallic Liner)
	Type of Cylinder/Vessel Body	Metal Body, Composite Non Metallic Liner Or higher
	Type	Stored Pressure
CONSTRUCTIONAL	Extinguishing Media	Powder Based
	Powder Based Extinguishing Media	ABC Powder
	Nominal Permitted Charge for Water Based, Foam Based, Wet Chemical Fire Extinguisher (Ltrs)	NA
	Nominal Permitted Charge for Powder Based Fire Extinguisher (in kg)	2
	Nominal Permitted Charge for CO2 Based Fire Extinguisher (kg)	NA
	Nominal Permitted Charge for Halon Based Fire Extinguisher (kg)	NA
	Nominal Permitted Charge for clean Agents Based Fire Extinguisher (kg)	NA
	Class of fire for which Fire Extinguisher is suitable	Class -A, Class -B, Class -C

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Cylinder/Vessel Material	HDPE with Aramid Fiber Winding Non- Corrosive Type
	Warranty for the Complete Product	1, 2, 3, 5, 10 Or higher (year)
	Liner Material Type	Non Metallic Liner, Metallic Liner, NA
	Number of gauges fitted on Fire Extinguisher	1 Gauge, 2 Gauges, 1 Gauge with 1 Schrader valve fitted
	Features and Accessories of the Fire Extinguisher	Rechargeable, Magnet for self calibration of 2 gauges, Outer Body / Jacket UV Protective for weather colour protection, An yearly visual maintenance inspection, checking indicators with the magnet, Laser serial number on outer casing for identification, Material of Fire extinguisher body is made of recyclable virgin material, UV-Treated De-ionized water to be used in foam based fire extinguisher to prevent Biological Effects, Rechargeable with leak proof valve & complete SS 304 body & valve make with multiple usage possible without subsequent leakages, Electrical Non conductivity 100 KV to be tested, NA
	Material of Operating Valve	Nickel Plated Brass with Stainless Steel Handle, Stainless Steel, Any other material
PERFORMANCE	Expellant Medium	CO2 Based, N2 Based, Helium Based, Air Based, Argon Based
	Suitable for Class -A fire ratings as per EN 3-7	13A
	Class -B Fire Rating for (Powder Based, Foam Based CO2 based Fire Extinguisher)	55B
	Fire Rating for Class -F	5F, 25F, 40F, 75F, NA
	Operating Temperature (-30° C? N >=60° C)	-30° C to + 60° C
CERTIFICATION	Corrosion Guarantee for vessel body	1, 2, 3, 5, 10 (year)

Additional Specification Parameters - Portable Fire Extinguishers (V3) As Per BS EN Standards (360 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Item required as per Technical Specification/ECQR	Item required as per Technical Specification/ECQR

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Darjeeling	360	90

Portable Fire Extinguishers (V3) As Per BS EN Standards (360 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Conformity to Standard	EN 3-7 + A1: 2007 Composite Fire Extinguisher (Non Metallic Liner)
	Type of Cylinder/Vessel Body	Metal Body, Composite Non Metallic Liner Or higher
	Type	Stored Pressure
CONSTRUCTIONAL	Extinguishing Media	Powder Based
	Powder Based Extinguishing Media	ABC Powder
	Nominal Permitted Charge for Water Based, Foam Based, Wet Chemical Fire Extinguisher (Ltrs)	NA
	Nominal Permitted Charge for Powder Based Fire Extinguisher (in kg)	6
	Nominal Permitted Charge for CO2 Based Fire Extinguisher (kg)	NA
	Nominal Permitted Charge for Halon Based Fire Extinguisher (kg)	NA
	Nominal Permitted Charge for clean Agents Based Fire Extinguisher (kg)	NA
	Class of fire for which Fire Extinguisher is suitable	Class -A, Class -B, Class -C
	Cylinder/Vessel Material	HDPE with Aramid Fiber Winding Non- Corrosive Type, Stainless Steel, Mild Steel, Aluminum Alloy

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Warranty for the Complete Product	1, 2, 3, 5, 10 Or higher (year)
	Liner Material Type	Non Metallic Liner, Metallic Liner, NA
	Number of gauges fitted on Fire Extinguisher	1 Gauge, 2 Gauges, 1 Gauge with 1 Schrader valve fitted
	Features and Accessories of the Fire Extinguisher	Rechargeable, Magnet for self calibration of 2 gauges, Outer Body / Jacket UV Protective for weather colour protection, An yearly visual maintenance inspection, checking indicators with the magnet, Laser serial number on outer casing for identification, Material of Fire extinguisher body is made of recyclable virgin material, UV-Treated De-ionized water to be used in foam based fire extinguisher to prevent Biological Effects, Rechargeable with leak proof valve & complete SS 304 body & valve make with multiple usage possible without subsequent leakages, Electrical Non conductivity 100 KV to be tested, NA
	Material of Operating Valve	Nickel Plated Brass with Stainless Steel Handle, Stainless Steel, Any other material
PERFORMANCE	Expellant Medium	CO2 Based, N2 Based, Helium Based, Air Based, Argon Based
	Suitable for Class -A fire ratings as per EN 3-7	43A
	Class -B Fire Rating for (Powder Based, Foam Based CO2 based Fire Extinguisher)	233B
	Fire Rating for Class -F	5F, 25F, 40F, 75F, NA
	Operating Temperature (-30° C? N >=60° C)	-30° C to + 60° C
CERTIFICATION	Corrosion Guarantee for vessel body	1, 2, 3, 5, 10 (year)

Additional Specification Parameters - Portable Fire Extinguishers (V3) As Per BS EN Standards (360 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Item required as per Technical Specification/ECQR	Item required as per Technical Specification/ECQR

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Darjeeling	360	90

Portable Fire Extinguishers (V3) As Per BS EN Standards (360 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Conformity to Standard	EN 3-7 + A1: 2007 Composite Fire Extinguisher (Non Metallic Liner)
	Type of Cylinder/Vessel Body	Metal Body, Composite Non Metallic Liner Or higher
	Type	Stored Pressure
CONSTRUCTIONAL	Extinguishing Media	Powder Based
	Powder Based Extinguishing Media	ABC Powder
	Clean Agents Based Extinguishing Media	NA
	Nominal Permitted Charge for Water Based, Foam Based, Wet Chemical Fire Extinguisher (Ltrs)	NA
	Nominal Permitted Charge for Powder Based Fire Extinguisher (in kg)	9
	Nominal Permitted Charge for CO2 Based Fire Extinguisher (kg)	NA
	Nominal Permitted Charge for Halon Based Fire Extinguisher (kg)	NA
	Nominal Permitted Charge for clean Agents Based Fire Extinguisher (kg)	NA
	Class of fire for which Fire Extinguisher is suitable	Class -A, Class -B, Class -C
	Cylinder/Vessel Material	HDPE with Aramid Fiber Winding Non- Corrosive Type

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Warranty for the Complete Product	1, 2, 3, 5, 10 Or higher (year)
	Liner Material Type	Non Metallic Liner, Metallic Liner, NA
	Number of gauges fitted on Fire Extinguisher	1 Gauge, 2 Gauges, 1 Gauge with 1 Schrader valve fitted
	Features and Accessories of the Fire Extinguisher	Rechargeable, Magnet for self calibration of 2 gauges, Outer Body / Jacket UV Protective for weather colour protection, An yearly visual maintenance inspection, checking indicators with the magnet, Laser serial number on outer casing for identification, Material of Fire extinguisher body is made of recyclable virgin material, UV-Treated De-ionized water to be used in foam based fire extinguisher to prevent Biological Effects, Rechargeable with leak proof valve & complete SS 304 body & valve make with multiple usage possible without subsequent leakages, Electrical Non conductivity 100 KV to be tested, NA
	Material of Operating Valve	Nickel Plated Brass with Stainless Steel Handle, Stainless Steel, Any other material
PERFORMANCE	Expellant Medium	CO2 Based, N2 Based, Helium Based, Air Based, Argon Based
	Suitable for Class -A fire ratings as per EN 3-7	55A
	Class -B Fire Rating for (Powder Based, Foam Based CO2 based Fire Extinguisher)	233B
	Fire Rating for Class -F	5F, 25F, 40F, 75F, NA
	Operating Temperature (-30° C? N >=60° C)	-30° C to + 60° C
CERTIFICATION	Corrosion Guarantee for vessel body	1, 2, 3, 5, 10 (year)

Additional Specification Parameters - Portable Fire Extinguishers (V3) As Per BS EN Standards (360 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Item required as per Technical Specification/ECQR	Item required as per Technical Specification/ECQR

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Darjeeling	360	90

Portable Fire Extinguishers (V3) As Per BS EN Standards (360 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Conformity to Standard	EN 3-7 + A1: 2007 Composite Fire Extinguisher (Non Metallic Liner)
	Type of Cylinder/Vessel Body	Metal Body, Composite Non Metallic Liner Or higher
	Type	Stored Pressure
CONSTRUCTIONAL	Extinguishing Media	Foam Based
	Foam Based Extinguishing Media	Aqueous Film Forming Foam (AFFF)
	Powder Based Extinguishing Media	NA
	Nominal Permitted Charge for Water Based, Foam Based, Wet Chemical Fire Extinguisher (Ltrs)	2
	Nominal Permitted Charge for Powder Based Fire Extinguisher (in kg)	NA
	Nominal Permitted Charge for CO2 Based Fire Extinguisher (kg)	NA
	Nominal Permitted Charge for Halon Based Fire Extinguisher (kg)	NA
	Nominal Permitted Charge for clean Agents Based Fire Extinguisher (kg)	NA
	Class of fire for which Fire Extinguisher is suitable	Class -A, Class -B, Class -C, Class -D, Class -F
	Cylinder/Vessel Material	HDPE with Aramid Fiber Winding Non- Corrosive Type

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Warranty for the Complete Product	1, 2, 3, 5, 10 Or higher (year)
	Liner Material Type	Non Metallic Liner, Metallic Liner, NA
	Number of gauges fitted on Fire Extinguisher	1 Gauge, 2 Gauges, 1 Gauge with 1 Schrader valve fitted
	Features and Accessories of the Fire Extinguisher	Rechargeable, Magnet for self calibration of 2 gauges, Outer Body / Jacket UV Protective for weather colour protection, An yearly visual maintenance inspection, checking indicators with the magnet, Laser serial number on outer casing for identification, Material of Fire extinguisher body is made of recyclable virgin material, UV-Treated De-ionized water to be used in foam based fire extinguisher to prevent Biological Effects, Rechargeable with leak proof valve & complete SS 304 body & valve make with multiple usage possible without subsequent leakages, Electrical Non conductivity 100 KV to be tested, NA
	Material of Operating Valve	Nickel Plated Brass with Stainless Steel Handle, Stainless Steel, Any other material
PERFORMANCE	Expellant Medium	CO2 Based, N2 Based, Helium Based, Air Based, Argon Based
	Suitable for Class -A fire ratings as per EN 3-7	8A
	Class -B Fire Rating for (Powder Based, Foam Based CO2 based Fire Extinguisher)	55B
	Fire Rating for Class -F	5F, 25F, 40F, 75F, NA
	Operating Temperature (-30° C? N >=60° C)	+5° C to + 60° C
CERTIFICATION	Corrosion Guarantee for vessel body	1, 2, 3, 5, 10 (year)

Additional Specification Parameters - Portable Fire Extinguishers (V3) As Per BS EN Standards (360 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Item required as per Technical Specification/ECQR	Item required as per Technical Specification/ECQR

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Darjeeling	360	90

Portable Fire Extinguishers (V3) As Per BS EN Standards (360 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Conformity to Standard	EN 3-7 + A1: 2007 Composite Fire Extinguisher (Non Metallic Liner)
	Type of Cylinder/Vessel Body	Metal Body, Composite Non Metallic Liner Or higher
	Type	Stored Pressure
CONSTRUCTIONAL	Extinguishing Media	Foam Based
	Foam Based Extinguishing Media	Aqueous Film Forming Foam (AFFF)
	Nominal Permitted Charge for Water Based, Foam Based, Wet Chemical Fire Extinguisher (Ltrs)	6
	Nominal Permitted Charge for Powder Based Fire Extinguisher (in kg)	NA
	Nominal Permitted Charge for CO2 Based Fire Extinguisher (kg)	NA
	Nominal Permitted Charge for Halon Based Fire Extinguisher (kg)	NA
	Nominal Permitted Charge for clean Agents Based Fire Extinguisher (kg)	NA
	Class of fire for which Fire Extinguisher is suitable	Class -A, Class -B, Class -C, Class -D, Class -F
	Cylinder/Vessel Material	HDPE with Aramid Fiber Winding Non- Corrosive Type
	Warranty for the Complete Product	1, 2, 3, 5, 10 Or higher (year)

Specification	Specification Name/विशिष्ट का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Liner Material Type	Non Metallic Liner, Metallic Liner, NA
	Number of gauges fitted on Fire Extinguisher	1 Gauge, 2 Gauges, 1 Gauge with 1 Schrader valve fitted
	Features and Accessories of the Fire Extinguisher	Rechargeable, Magnet for self calibration of 2 gauges, Outer Body / Jacket UV Protective for weather colour protection, An yearly visual maintenance inspection, checking indicators with the magnet, Laser serial number on outer casing for identification, Material of Fire extinguisher body is made of recyclable virgin material, UV-Treated De-ionized water to be used in foam based fire extinguisher to prevent Biological Effects, Rechargeable with leak proof valve & complete SS 304 body & valve make with multiple usage possible without subsequent leakages, Electrical Non conductivity 100 KV to be tested, NA
	Material of Operating Valve	Nickel Plated Brass with Stainless Steel Handle, Stainless Steel, Any other material
PERFORMANCE	Expellant Medium	CO2 Based, N2 Based, Helium Based, Air Based, Argon Based
	Suitable for Class -A fire ratings as per EN 3-7	27A
	Class -B Fire Rating for (Powder Based, Foam Based CO2 based Fire Extinguisher)	183B
	Fire Rating for Class -F	5F, 25F, 40F, 75F, NA
	Operating Temperature (-30° C? N >=60° C)	+5° C to + 60° C
CERTIFICATION	Corrosion Guarantee for vessel body	1, 2, 3, 5, 10 (year)

Additional Specification Parameters - Portable Fire Extinguishers (V3) As Per BS EN Standards (360 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Item required as per Technical Specification/ECQR	Item required as per Technical Specification/ECQR

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषित/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Darjeeling	360	90

Portable Fire Extinguishers (V3) As Per BS EN Standards (360 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Conformity to Standard	EN 3-7 + A1: 2007 Composite Fire Extinguisher (Non Metallic Liner)
	Type of Cylinder/Vessel Body	Metal Body, Composite Non Metallic Liner Or higher
	Type	Stored Pressure
CONSTRUCTIONAL	Extinguishing Media	Foam Based
	Foam Based Extinguishing Media	Aqueous Film Forming Foam (AFFF)
	Clean Agents Based Extinguishing Media	NA
	Nominal Permitted Charge for Water Based, Foam Based, Wet Chemical Fire Extinguisher (Ltrs)	9
	Nominal Permitted Charge for Powder Based Fire Extinguisher (in kg)	NA
	Nominal Permitted Charge for CO2 Based Fire Extinguisher (kg)	NA
	Nominal Permitted Charge for Halon Based Fire Extinguisher (kg)	NA
	Nominal Permitted Charge for clean Agents Based Fire Extinguisher (kg)	NA
	Class of fire for which Fire Extinguisher is suitable	Class -A, Class -B, Class -C, Class -D, Class -F
	Cylinder/Vessel Material	HDPE with Aramid Fiber Winding Non- Corrosive Type
	Warranty for the Complete Product	1, 2, 3, 5, 10 Or higher (year)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Liner Material Type	Non Metallic Liner, Metallic Liner, NA
	Number of gauges fitted on Fire Extinguisher	1 Gauge, 2 Gauges, 1 Gauge with 1 Schrader valve fitted
	Features and Accessories of the Fire Extinguisher	Rechargeable, Magnet for self calibration of 2 gauges, Outer Body / Jacket UV Protective for weather colour protection, An yearly visual maintenance inspection, checking indicators with the magnet, Laser serial number on outer casing for identification, Material of Fire extinguisher body is made of recyclable virgin material, UV-Treated De-ionized water to be used in foam based fire extinguisher to prevent Biological Effects, Rechargeable with leak proof valve & complete SS 304 body & valve make with multiple usage possible without subsequent leakages, Electrical Non conductivity 100 KV to be tested, NA
	Material of Operating Valve	Nickel Plated Brass with Stainless Steel Handle, Stainless Steel, Any other material
PERFORMANCE	Expellant Medium	CO2 Based, N2 Based, Helium Based, Air Based, Argon Based
	Suitable for Class -A fire ratings as per EN 3-7	34A
	Class -B Fire Rating for (Powder Based, Foam Based CO2 based Fire Extinguisher)	233B
	Fire Rating for Class -F	5F, 25F, 40F, 75F, NA
	Operating Temperature (-30° C? N >=60° C)	+5° C to + 60° C
CERTIFICATION	Corrosion Guarantee for vessel body	1, 2, 3, 5, 10 (year)

Additional Specification Parameters - Portable Fire Extinguishers (V3) As Per BS EN Standards (360 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Item required as per Technical Specification/ECQR	Item required as per Technical Specification/ECQR

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषित/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Darjeeling	360	90

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

2. Generic

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 7 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

3. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

4. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- Copy of PAN Card.
- Copy of GSTIN.
- Copy of Cancelled Cheque.
- Copy of EFT Mandate duly certified by Bank.

5. Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

6. Generic

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

7. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 50% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the

additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

8. **Generic**

Shelf Life: The Product/Spare parts to be supplied as part of the services must have minimum

20 Years

Shelf Life. On the date of supply, minimum

50%

usable shelf life should be available / balance.

9. **Generic**

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

10. **OEM**

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

11. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

GOC-in-C, Headquarters Eastern Command
payable at
Kolkata-21

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

12. **Financial Criteria**

NET WORTH: Net Worth of the OEM should be positive as per the last audited financial statement.

13. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

14. **Certificates**

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

15. **Certificates**

To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports on the date of bid opening (to be uploaded with bid):

UIAA/CE/BIS/NABL/OEM Certification

.

16. **Turnover**

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid

document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

17. **Turnover**

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

18. **Warranty**

Warranty period of the supplied products shall be 2 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

19. **Past Project Experience**

Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria: a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed. b. Execution certificate by client with contract value. c. Any other document in support of contract execution like Third Party Inspection release note, etc. **Proof for Past Experience and Project Experience clause:** For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria: a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed. b. Execution certificate by client with contract value. c. Any other document in support of contract execution like Third Party Inspection release note, etc.

20. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

1. **Inspection of Stores at TEC Stage** TEC will be conducted for evaluation of technical bids with sample. Sample evaluation will be carried out by user at **OD Kolkata**. Sample will be provided by the bidder on call. All prospective bidders will provide samples of the subject equipment to the TEC on call. The trial/user feedback can be obtained from deployed troops/ area/ condition where equipment is likely to be used, if felt necessary. The sample brought by vendors will be on NO COST NO COMMITMENT BASIS. The sample would be held with the buyer till completion of tender process. It is clarified that no samples are to be produced on the date of tender opening. The sample may be called for on date of TEC by TEC Board of officers.

2. **Inspection of Bulk Stores** Bulk stores will be inspected by JRI Board at consignee location.

3. Please note that your price quoted for the bid will be inclusive of all charges. No extra cost/ testing charges will be paid extra.

4. **Liquidated Damages.** In the event of the Contractor's failure to submit the Bonds, Guarantees and Documents, supply the stores and conduct trials, as specified in this contract, the Headquarters Eastern Command may, at their discretion, withhold any payment until the completion of the contract. The Headquarters Eastern Command may also deduct from the CONTRACTOR as agreed, liquidated damages to the sum of 0.5% of the contract price of the delayed/ undelivered stores mentioned above for every week of delay or part of a week, subject to the maximum value of the Liquidated Damages being not higher than 10% of the value of delayed stores. Thereafter, the Buyer will have the option to buy the item from the market at the Vendors risk and cost. The mode and method of such risk purchase would be at the total discretion of the Buyer.

5. However, in case the Vendor anticipates delay in supply due to any unforeseen reasons, he will at once bring it to the notice of Buyer who after considering the reasons as valid and beyond Vendor's control may give extension of time in consultation with Integrated Financial Advisor. However, Buyer reserves the right to recover from the Vendor, liquidated damages as indicated above in respect of any stores which the Vendor has failed to deliver within the stipulated period.

6. **Method of payment of Liquidated Damage.** The amount charged as liquidated damages shall be deducted by the BUYER from the amount due for payment to the VENDOR. If the amount of such liquidated damages exceeds the payments due to the VENDOR, the VENDOR shall within **30** (thirty) days make payment to the BUYER in FULL & FINAL settlement of claims failing which the Bank Guarantee will be en-cashed to make good the amount exceeding the payments due to the VENDOR.

7. **Risk & Expense Clause.**

(a) Should the stores or any installment thereof not be delivered within the time or times specified in the supply order, or if defective delivery is made in respect of the stores or any instalment thereof, the Buyer shall after granting the Seller **45 days** to cure the breach, be at liberty, without prejudice to the right to recover liquidated damages as a remedy supply order, to declare the supply order as cancelled either wholly or to the extent of such default.

(b) Should the stores or any installment thereof not perform in accordance with the specification / parameters provided by the SELLER during the check proof tests to be done, the BUYER shall be at liberty, without prejudice to any other remedies for breach of faith, to cancel the supply order wholly or to the extent of such default.

(c) The firm shall not be paid for stores rejected as above and such stores shall be removed by the firm at their own expense.

(d) The firm will not be entitled to any payment for any damage the stores may suffer during examination/ test of such stores.

(e) The buyer shall be under no liability whatsoever for rejected stores. If the rejected stores are not removed by the firm within 15 days of rejection, the buyer shall be entitled to cause the same to be removed and to charge the firm with all expense incurred in such removal or to charge rent for the space occupied, and settle dues from sum due to the firm.

(f) In case of a material breach that was not remedied within **45 days**, the BUYER shall, having given the right of first refusal to the SELLER be at liberty to purchase, manufacture, or procure from any other source as he thinks fit, other stores of the same or similar description to make good :-

(i) Such default.

(ii) In the event of the contract being wholly determined the balance of the stores remaining to be delivered there under.

(g) Any excess of the purchase price, cost of manufacturer, or value of any stores procured from any other supplier as the case may be, over the order price appropriate to such

h default or balance shall be recoverable from the SELLER.

8. **Franking Clause** The following Franking clause will form part of the contract placed on a successful bidder: –

(a) **Franking Clause in the Case of Acceptance of Goods** “The fact that the goods have been inspected after the delivery period and passed by the Inspecting Officer will not have the effect of keeping the contract alive. The goods are being passed without prejudice to the rights of the Buyer under the terms and conditions of the contract”.

(b) **Franking Clause in the Case of Rejection of Goods** “The fact that the goods have been inspected after the delivery period and rejected by the Inspecting Officer will not bind the Buyer in any manner. The goods are being rejected without prejudice to the rights of the Buyer under the terms and conditions of the contract.”

9. **Payment Terms.** 100% payment will be made on delivery of stores and acceptance by the JRI Board of Officers. In case of part receipt of stores or partial quantity cleared/accepted by the JRI Board, partial corresponding payments may be made to the firm, to the extent of accepted stores quantities by the JRI Board of Officers.

10. **Additional Documents.**

- (a) MSME bidders shall clearly mention the category under which they are registered along with supporting documents.
- (b) Bidders shall submit copy of GeM registration certificate along with necessary document which proving capacity of production/category of supply.
- (c) Bidder shall provide certificate from statutory/cost auditor of the company/firm, if the bidding value exceeds over Rs 10 Crores.

11. **Schedule Wise Details.** The Schedule Wise details of Fire Extinguishers, qty-2160 Nos are as under:-

S.No	Schedule	Items	Qty
(a)	Schedule 1	MFCF/Powder 2 KG	360 Nos
(b)	Schedule 2	MFCF/Powder 6 KG	360 Nos
(c)	Schedule 3	MFCF/Powder 9 KG	360 Nos
(d)	Schedule 4	MFCF/Foam 2 Ltr	360 Nos
(e)	Schedule 5	MFCF/ Foam 6 Ltr	360 Nos
(f)	Schedule 6	MFCF/ Foam 9 Ltr	360 Nos
<u>Total</u>			2160Nos

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद

पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---