

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	03-06-2025 12:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	03-06-2025 12:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	30 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Defence
Department Name/विभाग का नाम	Department Of Military Affairs
Organisation Name/संगठन का नाम	Indian Army
Office Name/कार्यालय का नाम	*****
क्रेता ईमेल/Buyer Email	micagold@nic.in
Total Quantity/कुल मात्रा	40
Item Category/मद केटेगरी	IC DK 124 , Motor 6V DC with Pump , Bty 7 point 4 V 4400 MAH , Bty 12V 700 MAH , Toggle Switch , Tubing , Sensor , Viristor 14K , Thermistor 5D , Capacitor 450 , Rectifier , Silicon pipe 4mm , 2 core Wire with 3 pin , Screen Guard Spo2 , BP Cuff Sensor Tube , BP Cuff , Limb Electrode , Chest Electrode , Ech Cable , Spo2 Probe
GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS	IC DK 124, Motor 6V DC with Pump, Bty 7 Point 4 4400 MAH, Bty 12V 700 MAH, Toggle Switch, Sensor, Viristor 14K, Thermistor 5D, Capacitor 450, Rectifier, Silicon Pipe 4MM, 2 Core wire with 3 Pin, Screen Guard Spo2, BP Cuff Sensor Tube, BP Cuff, Limb Electrode, Chest Electrode, Ech Cable, Spo2 Cable
	Searched String: IC DK 124 IC SOCKET, Hand Held Brush Cutter (V2), Ion Chromatography System, Mobile Containers For Solid Waste Conforming to IS 12402, Flameproof Plug, Socket And Hand Lamp-IS:5, IS:1248, Boot Ankle Leather Direct Vulcanized Sole, Potassium Ferricyanide Photographic Grade - IS 12495, Garden Sword (V2) as per IS 12409, Two Wheeler - Motorcycle, Scooter and Moped (V2), Two Stage, 0.5 Litre Diesel Fuel Filters - IS 12499 Searched String: Motor 6V DC with Pump DC WINCH MOTOR, DC Motor Armature Reversing Contactor-BHEL, Submersible Pump Starters (Motor starter controls), Online UPS (V2), Electric Motorized hydraulic pump, hydraulic ramset with matching foot pump, Sofas

Bid Details/As per	(V2), Non Invasive Cardiac Support Pump with Defibrillator, Vortex mixers, DC SPV Deep Well (Submersible) Pumping Systems
	<p>Searched String: Bty 7 Point 4 4400 MAH</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Bty 12V 700 MAH</p> <p>read only compact disc cd, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, read write compact disc cd</p> <p>Searched String: Toggle Switch</p> <p>Toggle Switches, Layer 2 Access Switch (V2), Isolator switch, Jaw Crusher, Limit Switch, Reed Switch, modular electrical enclosure switch board boxes for modular type accessories, Rotary Switch, Switch Fuse Unit, Time Switch</p> <p>Searched String: Sensor</p> <p>Occupancy sensor, Temperature controlled soldering station, Photoelectric Sensor, Video - Nystagmography (VNG) for Vertigo Clinics, Force Sensor, Inductive Proximity Sensor, LVDT Sensor, Sensors for Continuous cardiac output monitor, Temperature sensor, Ultrasonic Sensor</p> <p>Searched String: Viristor 14K</p> <p>water baths, Muffle Furnace, Balli / Wood Pole as per IS 876, Refuse Compactor (V2), Cleaning Duster (V3), Kirschner Wire (V2), Laminar air flow cabinets or stations, Laboratory Incubators, Spirometer, Ultra low temperature laboratory deep freezer</p> <p>Searched String: Thermistor 5D</p> <p>Sofas (V2), Entry and Mid Level Desktop Computer, Blood Glucose Meter - Glucometer (V2), Plastic Moulded Table - Preschool Kit, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Polypropylene Ropes as per IS 5175, High End Desktop Computer, Online UPS (V2), All in One PC (V2), Disposable Surgical Rubber Gloves (V2)</p> <p>Searched String: Capacitor 450</p> <p>Capacitor Banks For Use On 11 KV System (PSPCL)), Ultra low temperature laboratory deep freezer, A.C. Motor Capacitors ISI Marked to IS 2993 (Part 1), Bomb Blanket (MHA), Fixed Capacitors (Fixed Capacitor for Single Phase AC Electric Fan) as per IS 1709:1984, Shunt Power Capacitors of the Self - Healing Type for AC Systems as per IS 13340 (Part 1), Shirts Cotton White for Cooks, Modular Metal Drawer File Cabinet Pedestal, Acid And Alkali-Resistant Rubberized Protective Aprons-IS:4501, Bearing (BHEL)</p> <p>Searched String: Rectifier</p> <p>Rectifier diode, Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Brake Rectifier, Blocking Rectifier /Free Wheeling Diode Panel - BHEL , Bridge Rectifiers</p>

GeMARPTS में खोजा गया परिणाम / Searched Bid Details/जोख विवरण	Searched String: Silicon Pipe 4MM
Result generated in GeMARPTS	<p>Silicon Metal, Silicon Spray, Parallel Bar - Outdoor Gym Equipment, Silicon Sealent, Thermal Silicon Adhesive, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Silicon Rubber(BHEL), Silicon Rubber Sheet, Silica Fume - IS 15388, Waste Pipe</p> <p>Searched String: 2 Core wire with 3 Pin</p> <p>Elastomer Insulated, Unkinkable Flexible Cords (Workshop Type) - IS 9968 (Part 1), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Elastomer Insulated, Textile Braided Cables - IS 9968 (Part 1), Automatic and Semi Automatic Welding Equipment with Self Adjusting Arcs MIG / MAG as per IS 7931 (Part 1, Part 2 and Part 3), Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Cellophane paper, Fume Hood (FSSAI), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Flat Cable, Copper Conductor with PVC Insulation and Sheath as per IS 694</p> <p>Searched String: Screen Guard Spo2</p> <p>Screen Protector, Laminar air flow cabinets or stations, Mobile Folding Privacy Screen / Ward Screen, Stink Guard, Waste Containers and Accessories - Domestic (V2), Bed Guard, Electrical Box Extension (V3), Wedge Wire Screen, Bucket Mop Wringer Trolley, Projector Screen (V2)</p> <p>Searched String: BP Cuff Sensor Tube</p> <p>Blood Pressure Monitor Cuff (V2), Endotracheal Tube Cuff Manometer, Endotracheal Tubes (V2)</p> <p>Searched String: BP Cuff</p> <p>Blood Pressure Monitor Cuff (V2), Cuff Links-Handicraft, Cuff links-Handicraft, Weight cuffs, Endotracheal Tube Cuff Manometer, Bullet Resistant Morcha as per IS 17525, Mercurial Sphygmomanometer, Aneroid Type Sphygmomanometer, Ambulatory Blood Pressure Monitor (V2), Hand and Leg restraints</p> <p>Searched String: Limb Electrode</p> <p>pH Electrode, Carbon Electrode paste, Portable electrode oven, Ion selective electrode, PH GLASS ELECTRODE, Carry Oven for Welding Electrodes, WELDING ELECTRODE - Air arc gouging electrode (BEML) -as per C4117 BEML Welding Electrode, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), ECG Electrodes (V2), Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML)</p> <p>Searched String: Chest Electrode</p> <p>ecg chest suction bulb electrode, personal safety kit reflective luminous garments, pH Electrode, Chest Of Drawers, Chest Press - Outdoor Gym Equipments, Chest Guard- Gymnastic, Carbon Electrode paste, Portable electrode oven, Ion selective electrode, PH GLASS ELECTRODE</p>

Bid Details/बिड विवरण	Searched String: Ech Cable
	<p>Field Telephone Cable (Telecommunication Cable), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), VGA Cable, Antenna Cable, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Control Cable, HDMI Cable, telecommunication cable, Fiber Optics Trainer Kit For Educational Purpose, Speaker cable</p> <p>Searched String: Spo2 Cable</p> <p>Field Telephone Cable (Telecommunication Cable), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), VGA Cable, Antenna Cable, Laminar air flow cabinets or stations, Control Cable, Power cable for direct burial xlpe ugac cable for DMRC, HDMI Cable, Waste Containers and Accessories - Domestic (V2), telecommunication cable</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> Blood Pressure Monitor Cuff (V2)
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/	Yes
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	<p>Compliance of BoQ specification and supporting document</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	Yes
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Single Packet Bid
Primary product category	IC DK 124
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Arbitration Clause	No
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

Pre Bid Detail(s)

Pre-Bid Date and Time	Pre-Bid Venue
14-05-2025 11:00:00	11czw

IC DK 124

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परिषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परिषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALANDHAR CITY	1	15

Motor 6V DC With Pump**Technical Specifications/तकनीकी विशिष्टियाँ****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परिषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परिषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALANDHAR CITY	1	15

Bty 7 Point 4 V 4400 MAH**Technical Specifications/तकनीकी विशिष्टियाँ****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALANDHAR CITY	1	15

Bty 12V 700 MAH

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALANDHAR CITY	1	15

Toggle Switch

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परिषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परिषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALANDHAR CITY	1	15

Tubing

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परिषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परिषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALANDHAR CITY	2	15

Sensor

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****JALANDHAR CITY	1	15

Viristor 14K**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****JALANDHAR CITY	2	15

Thermistor 5D**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALANDHAR CITY	1	15

Capacitor 450**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALANDHAR CITY	1	15

Rectifier**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALANDHAR CITY	1	15

Silicon Pipe 4mm**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALANDHAR CITY	2	15

2 Core Wire With 3 Pin**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परिषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परिषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALANDHAR CITY	1	15

Screen Guard Spo2**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परिषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परिषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALANDHAR CITY	3	15

BP Cuff Sensor Tube**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परिषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALANDHAR CITY	6	15

BP Cuff

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALANDHAR CITY	1	15

Limb Electrode

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALANDHAR CITY	4	15

Chest Electrode

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALANDHAR CITY	6	15

Ech Cable

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALANDHAR CITY	1	15

Spo2 Probe

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALANDHAR CITY	3	15

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Scope of Supply

Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

3. Warranty

Warranty period of the supplied products shall be 2 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The

Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

---Thank You/धन्यवाद---