

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	27-05-2025 09:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	27-05-2025 09:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	90 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Defence
Department Name/विभाग का नाम	Department Of Military Affairs
Organisation Name/संगठन का नाम	Indian Army
Office Name/कार्यालय का नाम	*****
क्रेता ईमेल/Buyer Email	trijal-1426@nic.in
Total Quantity/कुल मात्रा	20304
	Cement OPC 43 Grade packed in HDPE bag each 50 Kg wt conforming to IS 8112-1989 as per store list under job No 2629 , Portabel Collapsible Protective Wall Baskets, Galvanised Welded Mesh Frame 2 Cells per Set of size 1.232 X 0.616 X 0.769 Mtr as per store list , CGI sheet 10feetx3feet x 0.63mm Make-SAIL,TATA,Jindal , LED Tube light fittings 15 w box type 4 feet with CRCA body Pre coated white and Prewired for LED tube complete Make-HAVELLS,BAJAJ,PHILIPS,CROMPTON , Water Storage tank triple layer 500 Ltrs confirming to IS 12701-1996 Make-Sintex,Ultrapur Aqua,Polywell , Exhaust fan 230 volts 300 mm sweep plastic body alongwith louvers and complete fittings Make-Bajaj,Havells,Crompton , Cable PVC insulated electric cables heavy duty 1100 volts grade multi stranded copper conductor of size 2.5 Sqmm single core as per store list , Acrylic sheet 8feet x 4feet x 3mm Make-Acrylic,Prakash , Wooden Planks 12inch x 5inch x 12feet Make-Standard , Plywood 4feet x 6feet x 6mm Termite Resistant and BWR Cofirming to IS 1328-1996 Make-Supreme,Assam,Green ply,Kit Ply,ISI Mark , Synthetic Paint enamelled OG confirming to IS 5-2004 Make-Berger,Asian,Nerolac , Synthetic Paint enamelled Black confirming to IS 5-2004 Make- Berger,Asian,Nerolac , Synthetic Paint enamelled White confirming to IS 5-2004 Make- Berger,Asian,Nerolac , Bed Switch 5 Amps Make-Bajaj,Havells,Anchor , LED Blub 12W Make-Bajaj,Crompton,Havells,Philips , LED Blub 10W Make-Bajaj,Crompton,Havells,Philips , White Cement confirming to IS 8042,1989 Make-ACC,Birla White ,Ambuja , Switch Piano 5 Amp 230 Volts Flush type one way snow white Make-Anchor,SSK,CONA , MCB SPN 240 Volts 32 Amps Make-

Bid Details/As per	Havells, L and T, Standard , MCB SP 6 to 32 Amps Make-Havells, L and T, Standard , LED Blub 15W Make-
	<p>Bajaj, Crompton, Havells, Philips , PVC switch board snow white size 7inchx4inch for sockets and switches Make-Supreme, Polycab, Finolex , PVC switch board snow white size 8inch x 10inch for main switches, DB Make-Supreme, Polycab, Finolex , Bib Cock long spout brass chromium plated 15 mm weight not less than 330 gm Make-Ess Ess, Prayag, Johnson Suisse , Stop Cock angular type Chromium plated Brass 15 mm weight not less than 330 gm Make-Ess Ess, Prayag, Johnson Suisse , Gate valve 25 mm Make-SFMC, Finolex, Supreme , Window Fibre Glass 3 mm thick confirming to IS - 2835-1987 ISI Marked , Angle Holder Make-Anchor, SSK, CONA , Welding machine for PPR pipe, single phase with Dia set Make-SFMC, Venus, JK , Service cable PVC insulated aluminium conductor, 1100 volt grade Heavy duty 10 Sqmm 2 core Make-Havells, Finolex, Plaza as per store list , HDPE sand bag of size 15inch x 30inch , LED Tube light fittings 8, 9W 230V box type 2 feet with CRCA body Pre coated white and Prewired for LED tube complete as per store list , Distribution box 6 way SPN, 240 volts copper bus bar and neutral link earthing stud conforming to IS-13032 and IS-8623 double door type as per store list , Bulk Head fitting Model No LHKLO1160099 of Havells or Equivalent Make-Bajaj, Philips with CFL 08 watt , Switch socket combination snow white multipurpose 2 in 1, 15 Amp 230 Volts Make-Anchor, SSK, CONA , Switch socket combination snow white 5 Amp 230 Volts Make-Anchor, SSK, CONA , Water Dispenser of 230 V 500 Watts without refrigerator with normal cold and heating capacity of 5 ltrs as per store list , Ceiling Rose three terminal snow white Make-Anchor, SSK, CONA , Peg set of six fitted with galvanised screws along the internal surface of the walls in the rooms Make-Ess Ess, Prayag, Johnson Suisse , Soap Dish S, S, flat back complete with screw Make-Ess Ess, Prayag, Johnson Suisse , Door hinges 75 mm Make ISI Marked , Bow Door handle 4 inch, Make-Standard , Aldrop door complete set , ISI Marked , Tower Bolt complete set, ISI Marked , Cable PVC insulated electric cables heavy duty 1100 volts grade multi stranded copper conductor of size 1.5 Sqmm single core as per store list , Mattress 6feet x 3.5feet Make-Kurlon, Sleepwell, Corform , Plywood 6feet x 3feet x 12mm Termite Resistant and BWR Confirming to IS 1328-1996 Make-Supreme, Assam, Green ply, Kit Ply, ISI Mark , Water Storage tank triple layer 1000 Ltrs confirming to IS 12701-1996 Make-Sintex, Ultrapure Aqua, Polywell , IWC of vitreous china squatting Pan Orissa pattern of size 580mmx440mm, dark coloured with P or S trap as per store list , Brass CP Jet water spray for EWC Make-Ess Ess, PRAYAG, JOHNSON SUISE , Stainless steel Connection pipe 45 cm long 15 mm Make-Supreme, Johnson Suisse, Famingo , PPR Elbow 20mm dia Make-SFMC, FINOLEX, SUPREME , PPR Socket 20 mm dia Make-SFMC, FINOLEX, SUPREME , PPR Plain T 20 mm dia Make-SFMC, FINOLEX, SUPREME , HDPE Water Proof cover 15feetx15feet, Make-Shalimar , Stop Cock T Type Chromium plated Brass 15 mm weight not less than 330 gm Make-Ess Ess, Prayag, Johnson Suisse , Gate valve 20 mm dia Make-SFMC, Finolex, Supreme , PPGI roofing sheet 16feet x 3feet long and thickness 0.63 mm with grard film as per store list , Wire flexible multi strand copper conductor multi stranded 0.0023, 76 Make-Havells, Finolex, Paragon , MCB single pole 32 Amp capacity B Series confirming to IS 8828 of 1996 Make-Havells, L and T, Standard , Change over switch 100 Amps, 4 pole, TPN confirming to IS 13947 Part 3 2607 Make-</p>

Item Category/मद केटेगरी	Bid Details/बिड डिटेल्स
	<p>Havells, Standard, L and T, Welding Machine Portable Make- Widstar, Technotronics, Iron welding rod confirming to IS 814-2002 ISI Marked 3.15mm Thick 100 Nos Pkt, Hand gloves leather best quality ISI marked, Sun Glasses for welding, M Seal 150 GM Pkt Make-Pidilite, Fevicol, M Seal, Taflon Tape Roll ISI Marked Make-Supreme, Omega, Asbestos, Solvent Cement 150 GM Tube Make-Finolex, Fit Well, Jindal, Brass CP Wall Mixer for mixing hot and cold water screwed down for PPR pipe of dia 20mm Make- Cera, Hindware, Parryware, MCB four pole 63 Amp Make- Havells, Equivalent, PVC Tape Insulation 25 mm wide 5 Mtr long Make- Steelgrip, Anchor, Kinjal, LED Blub 9W Make- Bajaj, Crompton, Havells, Philips, Distribution box 4 way double door SPN, 240 volts copper bus bar and neutral link earthing stud as per store list, Cable PVC insulated electric cables heavy duty 1100 volts grade multi stranded copper conductor of size 4.0 Sqmm single core as per store list, PVC cable 6 Sqmm 2 core aluminium conductor multi stranded confirming to IS 1554-1988 Make- Havells, Finolex, Polycab, Cable PVC insulated electric cables heavy duty 1100 volts grade served multi stranded copper conductor of size 6 Sqmm single core as per store list, Wall Mounted Fan 230V 300mm Make-Usha, Khaitan, Bajaj, Plywood 6feet x 4feet x 12mm thick Termite Resistant and BWR as per store list, Silicon gel with gun Make-Standard, GI binding wire TATA, SAIL, JSW, PVC casing capping of size 1inch Medium Grade snow white Make- Presto, Polycab, Finolex, PPR Pipe 20 mm dia Make- SFMC, FINOLEX, SUPREME, Chromium plated Piller cock swan neck with aerator and butter fly handle weight not less than 450 gm as per store list, Nails 1inch ISI Marked, Nails 2inch ISI Marked, Nails 4inch ISI Marked, Nails 5inch ISI Marked, Nails 6inch ISI Marked, Self driving 2.5inch screw for PPGI sheet 100 Nos, Pkt, PVC Pipe 110 mm dia each 3 mtr length Make-Prince, Finolex, Supreme, PVC tape 19mm wide 5 m long Make-Steelgrip, Anchor, Kinjal, Self driving 1.5inch screw for PPGI sheet 100 Nos, Pkt, PUF Revit 75mm ISI Marked, Wash Hand Basin 580 mm x 450 mm with assy and with pedestal confirming to IS 2556-2004 as per store list, Chromium plated Waste coupling 32 mm dia Make- Supreme, Johnson Suisse, Famingo, PVC Waste Pipe 32 mm and 1m long Make-Supreme, Johnson Suisse, Famingo, PVC Connection 45 cm long 15 mm Make-Supreme, Johnson Suisse, Famingo, Looking mirror of size 600 x 450 mm with 4mm thick glass and 4 mm thick back ply Make- Prayag, Saint Gobain, Modigaurd, MCB single pole 16 Amp capacity B Series confirming to IS 8828 of 1996 Make- Havells, L and T, Standard, Brass Chromium plated Shower rose 100 mm dia with bend Make-Ess Ess, Prayag, Johnson Suisse, Curtain Arrangement Drapery and rod made of 25 mm dia and 1600 mm long, pre coated MS pipe with fancy type ends as per store list, Ceiling Fan 1200mm sweep with regulator and incl clamps, hooks, holdfast and complete fittings Make-Usha, Khaitan, Bajaj, CGI sheet 12feetx3feet x 0.63mm Make-SAIL, TATA, Jindal, Plywood 8feet x 4feet x 12mm thick Termite Resistant and BWR confirming to IS 1328-1996 Make-Supreme, Green ply, Kit Ply, MCB SPN 240 Volts 63 Amps Make-HAVELLS, STANDARD, L and T, Electric Geyser 5 star of capacity 25 ltr Make-V-GUARD, RACOLD, BAJAJ, CROMPTON, PPGI roofing sheet 10feet x 3feet long and thickness 0.63 mm with grad film as per store list attached, Fire extinguisher of one kilogram capacity, dry power type conforming to IS-13849 along with its accessories as per store list, Steel screw 15mm size full</p>

Bid Details/As per	thread, ISI Marked, 100 Nos,Pkt , Steel screw size 3inch full thread with Rawl plug ISI Marked 100 Nos,Pkt , Steel screw full thread with rawl plug of 1.5inch size ISI Marked 100 Nos,Pkt , PPR Socket 32 mm Make-SFMC,Finolex,Supreme , PPR Socket 25 mm Make-SFMC,Finolex,Supreme , PPR Elbow 90 degree 25 mm Make-SFMC,Finolex,Supreme , PPR Plain T 25 mm Make-SFMC,Finolex,Supreme , PVC Float valve 20 mm dia Make-SFMC,Finolex,Supreme , Non skid Ceramic tiles of size 300mmx300mm on the floor. Minimum thickness shall be between 6-8 mm tiles as per store list , Chequered Ceramic tiles of size 300mmx300mm on the floor. Minimum thickness shall be between 6-8 mm tiles as per store list , Casing caping 25mm x 12mm confirming to IS 3419 Part3 1988 Make- Plaza,Polycab,Finolex , Glass Putty confirming to IS 419-1967 ISI Marked , MCB SPN 240 Volts 40 Amps Make-HAVELLS,STANDARD,L and T , Plywood 4feet x 8feet x 6mm Termite Resistant and BWR Confirming to IS 1328-1996 Make-Supreme,Assam,Green ply,Kit Ply,ISI Mark , Switch piano 15 AMP 230 Volt snow white Make-Anchor,SSR,Cona , Wooden Beading 1st class wood of size 0.5inch to 1inch , Wooden Scantling 3inch x 2inch x 16feet long , Tarpaulin 30feet x 30feet Make-Standard , Nylon rope 1inch dia Make-Samson,Cajun,New England , Thinner Make-Nerolac,Berger,Asian , Taparia screw Driver set multipurpose , Cutting Pliers Make-Taparia,Venus,Miranda , Top Plug , 15 Amp 230 Volts Make-Anchor,SSK,CONA , Synthetic Paint enamelled Red confirming to IS 5-2004 Make- Berger,Asian,Nerolac , Synthetic Paint enamelled Yellow confirming to IS 5-2004 Make- Berger,Asian,Nerolac , Battery 12 V 92 AH Make-Exide , Angle Iron 75 x 75 x 6mm thick Make-TATA,SAIL,JSW , CGI Sheet 6feet x 3feet x 0.63mm Make-SAIL,TATA,Jindal , CGI Sheet 8feet x 3feet x 0.63mm Make-SAIL,TATA,Jindal , Plywood 8feet x 3feet x 12mm thick Termite Resistant and BWR Confirming to IS 1328-1996 Make-Supreme,Green ply,Kit Ply , Plywood 6feet x 4feet x 8mm thick Tremite Resistant and BWR confirming to IS 1328-1996 Make-Supreme,Green ply,Kit Ply , PPR Tank Connector 20 mm dia Make-SFMC,FINOLEX,SUPREME , M Seal 1 KG Make-Pidilite,Fevicol,M Seal , Corner Sheet Glass Shelf with two shelf assembly consisting of 5.5mm thick sheet glass shelf as per store list , PVC Flexible wire copper conductor multi stranded 0.0016,76 Make-Havells,Finolex,Plaza , LED Blub 20W Make-Bajaj,Crompton,Havells,Philips , LED Blub 30W Make-Bajaj,Crompton,Havells,Philips , Painting Brush 4inch ISI Marked , Painting Brush 3inch ISI Marked , Synthetic Paint enamelled Green confirming to IS 5-2004 Make - Berger,Asian,Nerolac , Synthetic Paint enamelled Brown confirming to IS 5-2004 Make- Berger,Asian,Nerolac , Nails 3inch ISI Marked , Top Plug, 5 Amp 230 Volts Make-Anchor,SSK,CONA , UG Cable XLPE insulated screened PVC bedded, galvanised steel strip or wire armored electric power cable 16 sqmm 4 core as per store list , PPR Pipe 32 mm dia Make-SFMC,Finolex,Supreme , LED ceiling light 36 Watt, Size 2feetx2feet Make-Philips, SYSKA, Crompton. , Pre painted galvatume aluminium zinc coating GI based corrugated steel sheet 0.50 mm thick of size 8feetx3feet as per store list , J Hook 6inch thickness not less than 8mm , Synthetic enamelled paint alluminium confirming to IS-2932-1971 Berger,Nerolac,Asian Paints , MCB single pole 10 Ampere capacity B Series confirming to IS 8828 of 1996 Make-Havells,Standard
	Make-Havells,Standard in HDPE bag each 50 Kg wt conforming to IS 8112 - 1989 (Make:-Birla Gold/Ambuja/Ultratech/ ACC/JK/ Dalmia), Portabel

Bid Details/As per	Collapsible Protective Wall Baskets, Galvanised Welded Mesh Frame (2 Cells per Set) of size 1.232 X 0.616 X 0.769 Mtr with complete accessories including non woven geo-textile materials (3 mm thick 300 GSM), shall be supplied as per Schedule - II., CGI sheet 10'x3' x 0.63mm (Make : SAIL/TATA/Jindal), LED Tube light fittings 15 w box type 4 feet with CRCA body Pre coated white and Prewired for LED tube complete (Make : HAVELLS/BAJAJ/PHILIPS/CROMPTON), Water Storage tank triple layer 500 Ltrs confirming to IS 12701-1996 (Make : Sintex /Ultrapure Aqua /Polywell), Exhaust fan 230 volts 300 mm sweep plastic body alongwith louvers and complete fittings (Make : Bajaj/Havells/ Crompton)., Cable PVC insulated electric cables (heavy duty) 1100 volts grade multi stranded copper conductor of size 2.5 Sqmm single core (FRLS) confirming to IS 1554 (part-1) 1988 (Make : (Havells/Finolex/Polycab), Acrylic sheet 8' x 4' x 3mm (Make:-Acrylic/Prakash), Wooden Planks 12" x 5" x 12' Make:Standard, Plywood 4' x 6' x 6mm (Termite Resistant & BWR) Cofirming to IS 1328-1996 (Make : Supreme/ Assam/ Green ply/Kit Ply/ISI Mark), Synthetic Paint enamelled OG confirming to IS 5-2004 (Make : Berger/Asian/Nerolac), Synthetic Paint enamelled Black confirming to IS 5-2004 (Make : Berger/Asian/Nerolac), Synthetic Paint enamelled White confirming to IS 5-2004 (Make : Berger/Asian/Nerolac), Bed Switch 5 Amps (Make : Bajaj/Havells/Anchor), LED Blub 12W (Make : Bajaj/Crompton/Havells/Philips), LED Blub 10W (Make : Bajaj/Crompton/Havells/Philips), White Cement confirming to IS 8042/1989 (Make: ACC/Birla White /Ambuja, Switch Piano 5 Amp 230 Volts Flush type one way (snow white) (Make : Anchor/ SSK/CONA), MCB SPN 240 Volts 32 Amps (Make : Havells/ L&T/ Standard), MCB SP 6 to 32 Amps (Make : Havells/ L&T/ Standard), LED Blub 15W (Make : Bajaj/Crompton/Havells/Philips), PVC switch board (snow white) size 7"x4" for sockets and switches (Make : Supreme/ Polycab/ Finolex), PVC switch board (snow white) size 8" x 10" for main switches / DB (Make : Supreme/Polycab/ Finolex), Bib Cock long spout brass chromium plated 15 mm weight not less than 330 gm (Make:-Ess Ess/Prayag/ Johnson Suisse), Stop Cock angular type Chromium plated Brass 15 mm weight not less than 330 gm (Make:-Ess Ess/Prayag/ Johnson Suisse), Gate valve 25 mm (Make:- SFMC/Finolex/Supreme), Angle Holder (Make: Anchor/SSK/CONA), Welding machine for PPR pipe, single phase with Dia set (Make:-SFMC/ Venus /JK), Service cable PVC insulated aluminium conductor, 1100 volt grade Heavy duty served with inner sheathing of PVC tap and overall PVC sheathed in service connection 10 Sqmm 2 core (Make : Havells/ Finolex/ Plaza), HDPE sand bag of size15" x 30", LED Tube light fittings 8/9W 230V box type 2 feet with CRCA body Pre coated white and Prewired for LED tube complete (Make : HAVELLS/BAJAJ/PHILIPS/CROMPTON), Distribution box 6 way SPN, 240 volts copper bus bar and neutral link earthing stud conforming to IS-13032 & IS - 8623 double door type. (Make : Havells/Legrand/ L&T), Bulk Head fitting Model No LHKL01160099 of Havells or Equivalent (make: in Bajaj / Philips with CFL 08 watt ., Switch socket combination(snow white) multipurpose 2 in 1, 15 Amp 230 Volts (Make : Anchor/ SSK/CONA), Switch socket combination (snow white) 5 Amp 230 Volts (Make : Anchor/ SSK/CONA), Water Dispenser of 230 V 500 Watts without refrigerator with normal cold and heating capacity of 5 lts/hour with storage compartment and auto shut off facility. (Make : VOLTAS/LG/USHA), Ceiling Rose three
--------------------	---

Bid Details/As per	terminal (snow white) (Make : Anchor/ SSK/CONA), Peg set of six fitted with galvanised screws along the internal surface
<p>GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS</p>	<p>of the walls in the rooms (Make:-Ess Ess/Prayag/ Johnson Suisse), Soap Dish S/S, flat back complete with screw (Make:-Ess Ess /Prayag/ Johnson Suisse), Door hinges 75 mm Make ISI Marked, Bow (Door) handle 4 inch , Make : Standred, Aldrop door complete set , ISI Marked, Tower Bolt complete set, ISI Marked, Cable PVC insulated electric cables (heavy duty) 1100 volts grade multi stranded copper conductor of size 1.5 Sqmm single core (FRLS) confirming to IS 1554 (part-1) 1988 (Make : (Havells/Finolex/Polycab), Mattress 6' x 3.5' Make : Kurlon/Sleepwell/Corform,, Plywood 6' x 3' x 12mm (Termite Resistant & BWR) Cofirming to IS 1328-1996 (Make : Supreme/ Assam/ Green ply/Kit Ply/ISI Mark), Water Storage tank triple layer 1000 Ltrs confirming to IS 12701-1996 (MakeSintex /Ultrapur Aqua /Polywell), IWC of vitreous china squatting Pan Orissa pattern of size 580mmx440mm, dark coloured with 'P' or 'S' trap (Make: Parryware/Hindware/Cera complete in all respects., Brass CP Jet water spray for EWC. (Make- Ess Ess/PRAYAG/JOHNSON SUISSSE), Stainless steel Connection pipe 45 cm long 15 mm (Make:-Supreme/Johnson Suisse/Famingo)., PPR Elbow 20mm dia (Make : SFMC/FINOLEX/SUPREME), PPR Socket 20 mm dia. Make: SFMC/ FINOLEX/ SUPREME., PPR Plain T 20 mm dia Make: SFMC/ FINOLEX/ SUPREME., HDPE Water Proof cover 15'x15', Make Shalimar, Stop Cock T Type Chromium plated Brass 15 mm weight not less than 330 gm (Make:-Ess Ess/Prayag/ Johnson Suisse), Gate valve 20 mm dia (Make : SFMC/Finolex /Supreme), PPGL roofing sheet 16' x 3' long and thickness 0.63 mm with grad film. The PPGL sheet shall have minium coating of 4-5 micron epoxy primer and 18-20 micon polyester top coat. The top of 30-40 micon on the finished surface only for protection. The pre coated GI sheet confirm to IS -14246-1995 Make : Unifix/Jindal Mectec or euinalent brand with IS specification., Wire flexible multi strand copper conductor multi stranded 0.0023/76 (Make : Havells/Finolex/ Paragon), MCB single pole 32 Amp capacity B Series confirming to IS 8828 of 1996 (Make : Havells/ L&T/ Standard), Change over switch 100 Amps, 4 pole, TPN confirming to IS 13947 (Part 3) 2607 (Make :- Havells/ Standard/L&T), Welding Machine Portable (Make : Wldstar/Technotronics), Iron welding rod confirming to IS 814-2002 (ISI Marked) 3.15mm Thick : 100 Nos Pkt, Hand gloves leather best quality ISI marked, Sun Glasses for welding, M Seal 150 GM Pkt (Make:- Pidilite/Fevicol/M Seal), Taflon Tape Roll (ISI Marked) (Make :- Supreme/Omega/Asbestos), Solvent Cement 150 GM Tube (Make:- Finolex/Fit Well/Jindal), Brass CP Wall Mixer for mixing hot and cold water screwed down for PPR pipe of dia 20mm (Make : Cera / Hindware / Parryware), MCB four pole 63 Amp (Make : Havells/Equivalent), PVC Tape Insulation 25 mm wide 5 Mtr long (Make : Steelgrip/Anchor/Kinjal), LED Blub 9W (Make : Bajaj/Crompton/Havells/Philips), Distribution box 4 way double door SPN, 240 volts copper bus bar and neutral link earthing stud conforming to IS- 13032 & IS - 8623 double door type. (Make : Havells/Legrand/L&T), Cable PVC insulated electric cables (heavy duty) 1100 volts grade multi stranded copper conductor of size 4.0 Sqmm single core (FRLS) confirming to IS 1554 (part-1) 1988 (Make : (Havells/Finolex/Polycab), PVC cable 6 Sqmm 2 core aluminium conductor multi stranded confirming to IS 1554-1988 (Make : Havells/Finolex/Polycab), Cable PVC insulated electric cables</p>

Bid Details/As per	(heavy duty) 1100 volts grade served multi stranded copper conductor of size 6 Sqmm single core (FRLS) confirming to IS 1554 (part-1) 1988 (Make : Havells/Finolex/Polycab), Wall Mounted Fan 230V 300mm Make : Usha/Khaitan/Bajaj, Plywood 6' x 4' x 12mm thick (Termite Resistant & BWR) confirming to IS 1328-1996 (Make : Supreme/Green ply/ Kit Ply), Silicon gel with gun Make: Standard, GI binding wire (TATA / SAIL / JSW), PVC casing capping of size' 1" Medium Grade (snow white) (Make:-Presto/Polycab/Finolex), PPR Pipe 20 mm dia Make: SFMC/ FINOLEX/ SUPREME., Chromium plated Piller cock swan neck with aerator and butter fly handle weight not less than 450 gm (Make:-Ess Ess/Prayag/ Johnson Suisse), Nails 1" ISI Marked, Nails 2" ISI Marked, Nails 4" ISI Marked, Nails 5" ISI Marked, Nails 6" ISI Marked, Self driving 2.5" screw for PPGI sheet (100 Nos/Pkt), PVC Pipe 110 mm dia each 3 mtr length (Make:Prince/Finolex/Supreme), PVC tape 19mm wide 5 m long (Make : Steelgrip/Anchor/ Kinjal), Self driving 1.5" screw for PPGI sheet (100 Nos/Pkt), PUF Revit 75mm ISI Marked, Wash Hand Basin 580 mm x 450 mm with assy and with pedestal confirming to IS 2556-2004 (Make : Parryware/Cera/Hindware), Chromium plated Waste coupling 32 mm dia (Make:-Supreme/Johnson Suisse/Famingo)., PVC Waste Pipe 32 mm and 1m long (Make:-Supreme/Johnson Suisse/Famingo)., PVC Connection 45 cm long 15 mm (Make:-Supreme/Johnson Suisse/Famingo)., Looking mirror of size 600 x 450 mm with 4mm thick glass and 4 mm thick back ply (Make : Prayag/Saint Gobain/ Modigaurd), MCB single pole 16 Amp capacity B Series confirming to IS 8828 of 1996 (Make : Havells/ L&T/ Standard), Brass Chromium plated Shower rose 100 mm dia with bend (Make:-Ess Ess/Prayag/ Johnson Suisse), Curtain Arrangement Drapery and rod made of 25 mm dia and 1600 mm long, pre coated MS pipe with fancy type ends. Suitable fixing arrangement for the curtain rod, shall be made and supplied to hold the curtain rods alongwith fixing arrangement complete. (ISI Marked), Ceiling Fan 1200mm sweep with regulator and incl clamps, hooks, holdfast and complete fittings (Make : Usha/Khaitan/Bajaj), CGI sheet 12'x3' x 0.63mm (Make : SAIL/TATA/Jindal), Plywood 8' x 4' x 12mm thick (Termite Resistant & BWR) confirming to IS 1328-1996 (Make : Supreme/Green ply/ Kit Ply), MCB SPN 240 Volts 63 Amps (Make : HAVELLS/STANDARD/L&T), Electric Geyser 5 star of capacity 25 ltr. (Make : V-GUARD/ RACOLD /BAJAJ /CROMPTON), PPGI roofing sheet 10' x 3' long and thickness 0.63 mm with grard film. The PPGI sheet shall have minium coating of 4-5 micron epoxy primer and 18-20 micon polyester top coat. The top of 30-40 micon on the finished surface only for protection. The pre coated GI sheet confirm to IS -14246-1995 Make : Unifix/Jindal Mectec or euinalent brand with IS specification., Fire extinguisher of one kilogram capacity, dry power type conforming to IS-13849 along with its accessories (Make: Cease fire/Omex/Alfa Fire), Steel screw 1/2" size full thread(ISI Marked)(100 Nos/Pkt), Steel screw size 3" full thread with Rawl plug (ISI Marked) (100 Nos/Pkt), Steel screw full thread with rawl plug of 1 1/2" size (ISI Marked) (100 Nos/Pkt), PPR Socket 32 mm (Make:- SFMC/Finolex/Supreme), PPR Socket 25 mm (Make:- SFMC/Finolex/Supreme), PPR Elbow 90° 25 mm (Make:- SFMC/Finolex/Supreme), PPR Plain T 25 mm (Make:- SFMC/Finolex/Supreme), PVC Float valve 20 mm dia (Make : SFMC/ Finolex/Supreme), Non skid Ceramic tiles of size 300mmx300mm on the floor. Minimum thickness shall be
--------------------	---

Bid Details/As per	between 6-8 mm tiles of Make: Johnson/ Kajaria/ Orient (1st quality) conforming to IS : 15622-2006), Chequered Ceramic tiles of size 300mmx300mm on the floor. Minimum thickness shall be between 6-8 mm tiles of Make: Johnson/ Kajaria/ Orient (1st quality) conforming to IS : 15622-2006), Casing caping 25mm x 12mm confirming to IS 3419 (Part3) 1988 (Make: Plaza/Polycab/Finolex), Glass Putty confirming to IS 419-1967(ISI Marked), MCB SPN 240 Volts 40 Amps (Make : HAVELLS/STANDARD/L&T), Plywood 4' x 8' x 6mm (Termite Resistant & BWR) Cofirming to IS 1328-1996 (Make : Supreme/ Assam/ Green ply/Kit Ply/ISI Mark), Switch piano 15 AMP 230 Volt (snow white) Make: Anchor/SSR/ Cona., Wooden Beading 1st class wood of size 0.5" to 1" ., Wooden Scantling 3" x 2" x 16' long, Tarpaulin (30' x 30') Make: Standard, Nylon rope 1" dia (Make:-Samson /Cajun/New England), Thinner (Make- Nerolac/Berger/Asian), Taparia screw Driver set multipurpose, Cutting Pliers (Make - (Make:Taparia/Venus/Miranda), Top Plug , 15 Amp 230 Volts (Make : Anchor/ SSK/CONA), Synthetic Paint enamelled Red confirming to IS 5-2004 (Make : Berger/Asian/Nerolac), Synthetic Paint enamelled Yellow confirming to IS 5-2004 (Make : Berger/Asian/Nerolac), Battery 12 V 92 AH Make : Exide, Angle Iron 75 x 75 x 6mm thick (Make : TATA/SAIL/JSW), CGI Sheet 6' x 3' x 0.63mm (Make : SAIL/TATA/Jindal), CGI Sheet 8' x 3' x 0.63mm (Make : SAIL/TATA/Jindal), Plywood 8' x 3' x 12mm thick (Termite Resistant & BWR) Confirming to IS 1328-1996 (Make : Supreme/Green ply/ Kit Ply), Plywood 6' x 4' x 8mm thick (Tremite Resistan & BWR) confirming to IS 1328-1996 (Make : Supreme/Green ply/ Kit Ply), PPR Tank Connector 20 mm dia. Make: SFMC/ FINOLEX/ SUPREME., M Seal 1 KG (Make:- Pidilite/Fevicol/M Seal), Corner Sheet Glass Shelf with two shelf assembly consisting of 5.5mm thick sheet glass shelf with cromium plated brass bracket guard and railing.(Make- Supreme/Neelkamal/Prayag), PVC Flexible wire copper conductor multi stranded 0.0016/76 (Make: Havells/Finolex/ Plaza), LED Blub 20W (Make : Bajaj/Crompton/Havells/Philips), LED Blub 30W (Make : Bajaj/Crompton/Havells/Philips), Painting Brush 4" (ISI Marked), Painting Brush 3" (ISI Marked), Synthetic Paint enamelled Green confirming to IS 5-2004 (Make : Berger/Asian/Nerolac), Synthetic Paint enamelled Brown confirming to IS 5-2004 (Make : Berger/Asian/Nerolac), Nails 3" ISI Marked, Top Plug , 5 Amp 230 Volts (Make : Anchor/ SSK/CONA), UG Cable XLPE insualted screened PVC bedded, galvanised steel strip or wire armored electric power cable (heavy duty) 1100 volts grade with multi stranded aluminum conductor of size 16 sqmm 4 core, FRLS, confirming to IS 7098 (part-1) 1998 (Make : Havells/Finolex/Polycab), PPR Pipe 32 mm dia (Make:- SFMC/Finolex/ Supreme), LED ceiling light 36 Watt, (Size 2'x2') Make:Philips, SYSKA, Crompton., Pre painted galvatume aluminium zinc coating GI based corrugated steel sheet 0.50 mm thick an colour having a tensile strength 550 Mpa of size 8'x3' (Make-Uniix/Jindal mectec or Eqv Brand), J Hook 6" thikness not less than 8mm., Synthetic enamelled paint alluminium confirming to IS : 2932-1971 : Berger/Nerolac/Asian Paints, MCB single pole 10 Ampere capacity B Series confirming to IS 8828 of 1996 (Make : Havells/ L&T/ Standard)
	<p>between 6-8 mm tiles of Make: Johnson/ Kajaria/ Orient (1st quality) conforming to IS : 15622-2006), Chequered Ceramic tiles of size 300mmx300mm on the floor. Minimum thickness shall be between 6-8 mm tiles of Make: Johnson/ Kajaria/ Orient (1st quality) conforming to IS : 15622-2006), Casing caping 25mm x 12mm confirming to IS 3419 (Part3) 1988 (Make: Plaza/Polycab/Finolex), Glass Putty confirming to IS 419-1967(ISI Marked), MCB SPN 240 Volts 40 Amps (Make : HAVELLS/STANDARD/L&T), Plywood 4' x 8' x 6mm (Termite Resistant & BWR) Cofirming to IS 1328-1996 (Make : Supreme/ Assam/ Green ply/Kit Ply/ISI Mark), Switch piano 15 AMP 230 Volt (snow white) Make: Anchor/SSR/ Cona., Wooden Beading 1st class wood of size 0.5" to 1" ., Wooden Scantling 3" x 2" x 16' long, Tarpaulin (30' x 30') Make: Standard, Nylon rope 1" dia (Make:-Samson /Cajun/New England), Thinner (Make- Nerolac/Berger/Asian), Taparia screw Driver set multipurpose, Cutting Pliers (Make - (Make:Taparia/Venus/Miranda), Top Plug , 15 Amp 230 Volts (Make : Anchor/ SSK/CONA), Synthetic Paint enamelled Red confirming to IS 5-2004 (Make : Berger/Asian/Nerolac), Synthetic Paint enamelled Yellow confirming to IS 5-2004 (Make : Berger/Asian/Nerolac), Battery 12 V 92 AH Make : Exide, Angle Iron 75 x 75 x 6mm thick (Make : TATA/SAIL/JSW), CGI Sheet 6' x 3' x 0.63mm (Make : SAIL/TATA/Jindal), CGI Sheet 8' x 3' x 0.63mm (Make : SAIL/TATA/Jindal), Plywood 8' x 3' x 12mm thick (Termite Resistant & BWR) Confirming to IS 1328-1996 (Make : Supreme/Green ply/ Kit Ply), Plywood 6' x 4' x 8mm thick (Tremite Resistan & BWR) confirming to IS 1328-1996 (Make : Supreme/Green ply/ Kit Ply), PPR Tank Connector 20 mm dia. Make: SFMC/ FINOLEX/ SUPREME., M Seal 1 KG (Make:- Pidilite/Fevicol/M Seal), Corner Sheet Glass Shelf with two shelf assembly consisting of 5.5mm thick sheet glass shelf with cromium plated brass bracket guard and railing.(Make- Supreme/Neelkamal/Prayag), PVC Flexible wire copper conductor multi stranded 0.0016/76 (Make: Havells/Finolex/ Plaza), LED Blub 20W (Make : Bajaj/Crompton/Havells/Philips), LED Blub 30W (Make : Bajaj/Crompton/Havells/Philips), Painting Brush 4" (ISI Marked), Painting Brush 3" (ISI Marked), Synthetic Paint enamelled Green confirming to IS 5-2004 (Make : Berger/Asian/Nerolac), Synthetic Paint enamelled Brown confirming to IS 5-2004 (Make : Berger/Asian/Nerolac), Nails 3" ISI Marked, Top Plug , 5 Amp 230 Volts (Make : Anchor/ SSK/CONA), UG Cable XLPE insualted screened PVC bedded, galvanised steel strip or wire armored electric power cable (heavy duty) 1100 volts grade with multi stranded aluminum conductor of size 16 sqmm 4 core, FRLS, confirming to IS 7098 (part-1) 1998 (Make : Havells/Finolex/Polycab), PPR Pipe 32 mm dia (Make:- SFMC/Finolex/ Supreme), LED ceiling light 36 Watt, (Size 2'x2') Make:Philips, SYSKA, Crompton., Pre painted galvatume aluminium zinc coating GI based corrugated steel sheet 0.50 mm thick an colour having a tensile strength 550 Mpa of size 8'x3' (Make-Uniix/Jindal mectec or Eqv Brand), J Hook 6" thikness not less than 8mm., Synthetic enamelled paint alluminium confirming to IS : 2932-1971 : Berger/Nerolac/Asian Paints, MCB single pole 10 Ampere capacity B Series confirming to IS 8828 of 1996 (Make : Havells/ L&T/ Standard)</p>
	<p>Searched String: Cement OPC 43 Grade packed in HDPE bag each 50 Kg wt conforming to IS 8112 - 1989 (Make:- Birla Gold/Ambuja/Ultratech/ ACC/JK/ Dalmia)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p>

Bid Details/As per	Searched String
	<p>Searched String: Portabel Collapsible Protective Wall Baskets, Galvanised Welded Mesh Frame (2 Cells per Set) of size 1.232 X 0.616 X 0.769 Mtr with complete accessories including non woven geo-textile materials (3 mm thick 300 GSM), shall be supplied as per Schedule - II.</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: CGI sheet 10'x3' x 0.63mm (Make : SAIL/TATA/Jindal)</p> <p>Corrugated Boxes, Mild Steel Sheet, Aluminium Composite Panel Sheet, Sheet Cellular Defence or Foam Rubber Sheet as per IS 8255, Pulp Board as per IS 4664</p> <p>Searched String: LED Tube light fittings 15 w box type 4 feet with CRCA body Pre coated white and Prewired for LED tube complete (Make : HAVELLS/BAJAJ/PHILIPS/CROMPTON)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Water Storage tank triple layer 500 Ltrs confirming to IS 12701-1996 (Make : Sintex /Ultrapure Aqua /Polywell)</p> <p>Rotational Moulded Polyethylene Water Storage Tanks (V2) conforming to IS 12701</p> <p>Searched String: Exhaust fan 230 volts 300 mm sweep plastic body alongwith louvers and complete fittings (Make : Bajaj/Havells/ Crompton).</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Cable PVC insulated electric cables (heavy duty) 1100 volts grade multi stranded copper conductor of size 2.5 Sqmm single core (FRLS) confirming to IS 1554 (part-1) 1988 (Make : (Havells/Finolex/Polycab)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Acrylic sheet 8' x 4' x 3mm (Make:- Acrylic/Prakash)</p> <p>Plastic Sheet (4 x 50 m) for NDRF, Sofa Set (Steel Tube), Parallel Bar - Outdoor Gym Equipment, Information Boards or Illustration Board (V2), Corrugated Boxes, Aerial Bunched Cables as per IS 14255, Mild Steel Sheet, Work Benches, Electronic Baby Weighing Scale - RBSK, Picket Steel as per DGS&D Drawing</p> <p>Searched String: Wooden Planks 12" x 5" x 12' Make:Standard</p> <p>Prefab Toilet Block With PUF Panel of Size : 6.120 M X 8.051 M (30 Men) (As Per GeM Drawing), Cleaning Duster (V3), Prefab Toilet Block with PUF Panel of Size 6.120 M X 5.441 M (10 Men) (as per GeM Drawing), Digital Medical X - Ray Films (V2), X-ray Film Digitizer, laboratory hotplates, Signal/ Triad Cable, Medical Centrifuge, Shaker Incubator, Handloom Cotton Bed Sheets (V2) as per IS 745</p> <p>Searched String: Plywood 4' x 6' x 6mm (Termite</p>

Bid Details/As per	Resistant & BWR) Cofirming to IS 1328-1996 (Make : Supreme/ Assam/ Green ply/Kit Ply/ISI Mark)
	<p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Synthetic Paint enamelled OG confirming to IS 5-2004 (Make : Berger/Asian/Nerolac)</p> <p>Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V3) Confirming to IS 2932</p> <p>Searched String: Synthetic Paint enamelled Black confirming to IS 5-2004 (Make : Berger/Asian/Nerolac)</p> <p>Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V3) Confirming to IS 2932</p> <p>Searched String: Synthetic Paint enamelled White confirming to IS 5-2004 (Make : Berger/Asian/Nerolac)</p> <p>Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V3) Confirming to IS 2932</p> <p>Searched String: Bed Switch 5 Amps (Make : Bajaj/Havells/Anchor)</p> <p>Fume Hood (FSSAI), Electrical Box Extension (V3), Cellophane paper, Bomb Blanket (MHA)</p> <p>Searched String: LED Blub 12W (Make : Bajaj/Crompton/Havells/Philips)</p> <p>White - LED Based Solar Street Lighting System</p> <p>Searched String: LED Blub 10W (Make : Bajaj/Crompton/Havells/Philips)</p> <p>LED Batten</p> <p>Searched String: White Cement confirming to IS 8042/1989 (Make: ACC/Birla White /Ambuja)</p> <p>Writing and Printing Papers Conforming to IS 1848 (Part 1), Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V3) Confirming to IS 2932, Plastic Chairs for General Purposes confirming to IS 13713 (V3)</p> <p>Searched String: Switch Piano 5 Amp 230 Volts Flush type one way (snow white) (Make : Anchor/ SSK/CONA)</p> <p>Bomb Blanket (MHA)</p> <p>Searched String: MCB SPN 240 Volts 32 Amps (Make : Havells/ L&T/ Standard)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: MCB SP 6 to 32 Amps (Make : Havells/ L&T/ Standard)</p> <p>Bomb Blanket (MHA)</p> <p>Searched String: LED Blub 15W (Make : Bajaj/Crompton/Havells/Philips)</p> <p>LED Diving Torch Light (Diving Instruments or Accessories)</p>

Bid Details/As per	Searched String
	<p>PVC switch board (snow white) size 7" x 4" for sockets and switches (Make : Supreme/ Polycab/ Finolex)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: PVC switch board (snow white) size 8" x 10" for main switches / DB (Make : Supreme/Polycab/ Finolex)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Bib Cock long spout brass chromium plated 15 mm weight not less than 330 gm (Make:-Ess Ess/Prayag/ Johnson Suisse)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Stop Cock angular type Chromium plated Brass 15 mm weight not less than 330 gm (Make:-Ess Ess/Prayag/ Johnson Suisse)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Gate valve 25 mm (Make:- SFMC/Finolex/Supreme)</p> <p>Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Commercial PPR Pipes Fittings as per IS 15801, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Commercial CPVC Pipe Fittings, CS Gate Valve As Per API 602, General Purpose Ball Valves (V2)</p> <p>Searched String: Angle Holder (Make: Anchor/SSK/CONA)</p> <p>Bomb Blanket (MHA), Badge Holders - I Card, Cellophane paper, Laminators</p> <p>Searched String: Welding machine for PPR pipe, single phase with Dia set (Make:-SFMC/ Venus /JK)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Service cable PVC insulated aluminium conductor, 1100 volt grade Heavy duty served with inner sheathing of PVC tap and overall PVC sheathed in service connection 10 Sqmm 2 core (Make : Havells/ Finolex/ Plaza)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: HDPE sand bag of size 15" x 30"</p> <p>HDPE / PP Woven Sacks for Filling Sand as per IS 14252, Garbage Bags, Polyethylene Bags for General Purposes, Cleaning Duster (V3), Floating Pellet Fish Feed as per IS 16150, Parcel Bag Labels of 'CBD / CED' Series, Quick Lime Burnt, Low Cement Castable LC - 70 for Snorkels as per IS 15541</p> <p>Searched String: LED Tube light fittings 8/9W 230V box</p>

Bid Details/As per	type 2 feets with CRCA body Pre coated white and Prewired for LED tube complete (Make :
	<p>HAVELLS/BAJAJ/PHILIPS/CROMPTON)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Distribution box 6 way SPN, 240 volts copper bus bar and neutral link earthing stud conforming to IS-13032 & IS – 8623 double door type. (Make : Havells/Legrand/ L&T)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Bulk Head fitting Model No LHKL01160099 of Havells or Equivalent (make: in Bajaj / Philips with CFL 08 watt .</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Switch socket combination(snow white) multipurpose 2 in 1, 15 Amp 230 Volts (Make : Anchor/ SSK/CONA)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Switch socket combination (snow white) 5 Amp 230 Volts (Make : Anchor/ SSK/CONA)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Water Dispenser of 230 V 500 Watts without refrigerator with normal cold and heating capacity of 5 lts/hour with storage compartment and auto shut off facility. (Make : VOLTAS/LG/USHA)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Ceiling Rose three terminal (snow white) (Make : Anchor/ SSK/CONA)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Peg set of six fitted with galvanised screws along the internal surface of the walls in the rooms (Make:-Ess Ess/Prayag/ Johnson Suisse)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Soap Dish S/S, flat back complete with screw (Make:-Ess Ess /Prayag/ Johnson Suisse)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Door hinges 75 mm Make ISI Marked</p> <p>Fire Retardant Door Curtains (V2) ISI Marked to IS 15741, Electric Ceiling Fan with BLDC Motor (V3) ISI Marked to IS 374, Tower Bolts (Ferrous Metals) as per IS 204, Electric Ceiling Type Fan (V3) ISI Marked to IS 374, Bomb Blanket</p>

Bid Details	(MHA) High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Plain Copier Paper (V3) ISI Marked to IS 14490, Roti Making Machine
	<p>Searched String: Bow (Door) handle 4 inch , Make : Standred</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Aldrop door complete set , ISI Marked</p> <p>Fire Retardant Door Curtains (V2) ISI Marked to IS 15741, Synthetic Web Equipment Improved Version (MHA), Shot Firing Cables (for use other than in Shafts) ISI Marked to IS 5950</p> <p>Searched String: Tower Bolt complete set, ISI Marked</p> <p>Hexagonal Head Bolts ISI marked to IS 1364 (Part 1), Tower Bolts (Ferrous Metals) as per IS 204, Hexagonal Head Bolts (V2) ISI marked to IS 1363 (Part 1)</p> <p>Searched String: Cable PVC insulated electric cables (heavy duty) 1100 volts grade multi stranded copper conductor of size 1.5 Sqmm single core (FRLS) confirming to IS 1554 (part-1) 1988 (Make : (Havells/Finolex/Polycab)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Mattress 6' x 3.5' Make : Kurlon/Sleepwell/Corform,</p> <p>patient care mattresses, Bed Mattress (V2) Conforming to IS 13489, Corrugated Boxes, Cotton Bandage Cloth (V2), Minifuge, Cotton Cloth Bag for Seed Packing - Capacity From 0.75 Kg to 12 Kg, IV Cannula Fixator Dressing, Big Crash Mattresses - Gymnastic, Synthetic Cast Bandage (V2), Non Sparking Double Open Ended Spanner (V2)</p> <p>Searched String: Plywood 6' x 3' x 12mm (Termite Resistant & BWR) Cofirming to IS 1328-1996 (Make : Supreme/ Assam/ Green ply/Kit Ply/ISI Mark)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Water Storage tank triple layer 1000 Ltrs confirming to IS 12701-1996 (Make Sintex /Ultrapure Aqua /Polywell)</p> <p>Rotational Moulded Polyethylene Water Storage Tanks (V2) conforming to IS 12701</p> <p>Searched String: IWC of vitreous china squatting Pan Orissa pattern of size 580mmx440mm, dark coloured with 'P' or 'S' trap (Make: Parryware/Hindware/Cera complete in all respects.</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Brass CP Jet water spray for EWC. (Make- Ess Ess/PRAYAG/JOHNSON SUISSE)</p> <p>Category not available on GeM for the text string uploaded</p>

Bid Details/बिड विवरण	by the buyer
	<p>Searched String: Stainless steel Connection pipe 45 cm long 15 mm (Make:-Supreme/Johnson Suisse/Famingo).</p> <p>Connection Pipe with Nuts (V2)</p> <p>Searched String: PPR Elbow 20mm dia (Make : SFMC/FINOLEX/SUPREME)</p> <p>Commercial CPVC Pipe Fittings, Commercial PPR Pipes Fittings as per IS 15801, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985</p> <p>Searched String: PPR Socket 20 mm dia. Make: SFMC/ FINOLEX/ SUPREME.</p> <p>Commercial PPR Pipes Fittings as per IS 15801, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Commercial CPVC Pipe Fittings</p> <p>Searched String: PPR Plain T 20 mm dia Make: SFMC/ FINOLEX/ SUPREME.</p> <p>Commercial PPR Pipes Fittings as per IS 15801, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985</p> <p>Searched String: HDPE Water Proof cover 15'x15', Make Shalimar</p> <p>Laminated High Density Polyethylene (HDPE) Woven Geomembrane for Water Proof Lining (V2) as per IS 15351, Water proof HDPE/PP Woven Sack (for packing) - OFB, Bituminous Compound for Water - Proofing and Caulking Purposes as per IS 1580</p> <p>Searched String: Stop Cock T Type Chromium plated Brass 15 mm weight not less than 330 gm (Make:-Ess Ess/Prayag/ Johnson Suisse)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Gate valve 20 mm dia (Make : SFMC/Finolex /Supreme)</p> <p>Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Commercial PPR Pipes Fittings as per IS 15801, Commercial CPVC Pipe Fittings</p> <p>Searched String: PPGI roofing sheet 16' x 3' long and thickness 0.63 mm with grard film. The PPGI sheet shall have minium coating of 4-5 micron epoxy primer and 18-20 micon polyester top coat. The top of 30-40 micon on the finished surface only for protection. The pre coated GI sheet confirm to IS -14246-1995 Make : Unifix/Jindal Mectec or euinalent brand with IS specification.</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Wire flexible multi strand copper conductor multi stranded 0.0023/76 (Make : Havells/Finolex/ Paragon)</p> <p>PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694,</p>

Bid Details/As per	PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694
	<p>Searched String: MCB single pole 32 Amp capacity B Series confirming to IS 8828 of 1996 (Make : Havells/ L&T/ Standard)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Change over switch 100 Amps, 4 pole, TPN confirming to IS 13947 (Part 3) 2607 (Make :- Havells/ Standard/L&T)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Welding Machine Portable (Make : Wldstar/Technotronics)</p> <p>Portable Welding Machine (V2), Portable Billing Machine, DARK GLASS FOR WELDER'S SCREEN, gmaw welding machine with accessories, Portable Pipe Threading Machine, Portable Ultrasound Machine (V2), Portable Suction Machine (V2), Resistance Welding Equipment / Rocker Arm Spot Welding Machine as per IS 4804, Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Portable Pulling & Lifting Machine (BHEL)</p> <p>Searched String: Iron welding rod confirming to IS 814-2002 (ISI Marked) 3.15mm Thick : 100 Nos Pkt</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Hand gloves leather best quality ISI marked</p> <p>Live Working Gloves of Insulating Material (V2) ISI marked to IS 13774, Leather Products from Tirupathur - ODOP, Welder Gloves or Gauntlets as per IS 2573, Leather Products from Vellore - ODOP</p> <p>Searched String: Sun Glasses for welding</p> <p>Welding Cap, Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, WELDING ELECTRODE - Solid wire for TIG welding (BEML) -as per C4012 BEML Welding Electrode, WELDING ELECTRODE - Solid wire for submerged arc welding (BEML) -as per C4011 BEML Welding Electrode, Welding Goggles for Eye Protector as per IS 5983, DARK GLASS FOR WELDER'S SCREEN, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Carry Oven for Welding Electrodes, Phototherapy Machine for (SNCU), Blow Pipe for Welding and Cutting as per IS 7653 (V2)</p> <p>Searched String: M Seal 150 GM Pkt (Make:- Pidilite/Fevicol/M Seal)</p> <p>M - Seal as per IS 9197, Spinal Support, Laminated Poly Pouches</p> <p>Searched String: Taflon Tape Roll (ISI Marked) (Make :- Supreme/Omega/Asbestos)</p>

Bid Details/तल्लतल	Bomb Blanket (MHA)
	<p>Searched String: Solvent Cement 150 GM Tube (Make:- Finolex/Fit Well/Jindal)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Brass CP Wall Mixer for mixing hot and cold water screwed down for PPR pipe of dia 20mm (Make : Cera / Hindware / Parryware)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: MCB four pole 63 Amp (Make : Havells/Equivalent)</p> <p>Bomb Blanket (MHA)</p> <p>Searched String: PVC Tape Insulation 25 mm wide 5 Mtr long (Make : Steelgrip/Anchor/Kinjal)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: LED Blub 9W (Make : Bajaj/Crompton/Havells/Philips)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Distribution box 4 way double door SPN, 240 volts copper bus bar and neutral link earthing stud conforming to IS-13032 & IS – 8623 double door type. (Make : Havells/Legrand/L&T)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Cable PVC insulated electric cables (heavy duty) 1100 volts grade multi stranded copper conductor of size 4.0 Sqmm single core (FRLS) confirming to IS 1554 (part-1) 1988 (Make : (Havells/Finolex/Polycab)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: PVC cable 6 Sqmm 2 core aluminium conductor multi stranded confirming to IS 1554-1988 (Make : Havells/Finolex/Polycab)</p> <p>PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Aluminium Cable 1 Core and Multi Core Circular Sheathed Cable with Rigid Conductor as per IS 694</p> <p>Searched String: Cable PVC insulated electric cables (heavy duty) 1100 volts grade served multi stranded copper conductor of size 6 Sqmm single core (FRLS) confirming to IS 1554 (part-1) 1988 (Make : Havells/Finolex/Polycab)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Wall Mounted Fan 230V 300mm Make : Usha/Khaitan/Bajaj</p>

Bid Details/IS Marked	Table Fan / Wall Mount Fan / Ceiling Mount Fan as per IS 555, Air Circulator Type Electric Fan as per IS 2997
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>Searched String: Plywood 6' x 4' x 12mm thick (Termite Resistant & BWR) confirming to IS 1328-1996 (Make : Supreme/Green ply/ Kit Ply)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Silicon gel with gun Make: Standard</p> <p>Digital Handheld Transceiver Set (HANDHELD RADIO)</p> <p>Searched String: GI binding wire (TATA / SAIL / JSW)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: PVC casing capping of size' 1" Medium Grade (snow white) (Make:-Presto/Polycab/Finolex)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: PPR Pipe 20 mm dia Make: SFMC/ FINOLEX/ SUPREME.</p> <p>Commercial CPVC Pipe Fittings, Commercial PPR Pipes Fittings as per IS 15801, Swing (Preschool Kit), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985</p> <p>Searched String: Chromium plated Piller cock swan neck with aerator and butter fly handle weight not less than 450 gm (Make:-Ess Ess/Prayag/ Johnson Suisse)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Nails 1" ISI Marked</p> <p>A.C. Motor Capacitors ISI Marked to IS 2993 (Part 1), Hexagonal Head Bolts ISI marked to IS 1364 (Part 1), Bomb Blanket (MHA), Hexagonal Head Bolts (V2) ISI marked to IS 1363 (Part 1), Electric Ceiling Fan with BLDC Motor (V3) ISI Marked to IS 374, Sports Footwear (General Purpose)(V2) ISI Marked to IS 15844 (Part 1), Welder Gloves or Gauntlets as per IS 2573, Bayonet Lampholders (V2) ISI Marked to IS 1258, Marking Cones, Electrical Plugs (V2) ISI Marked to IS 1293</p> <p>Searched String: Nails 2" ISI Marked</p> <p>Hexagonal Head Screws ISI marked to IS 1364 (Part 2), Performance Footwear Sports (V2) ISI marked to IS 15844 (Part 2), Bomb Blanket (MHA), Hexagonal Head Screws (V2) ISI marked to IS 1363 (Part 2), Electric Ceiling Fan with BLDC Motor (V3) ISI Marked to IS 374, Bayonet Lampholders (V2) ISI Marked to IS 1258, Stainless Steel (IS 15997) Utensils - Tumbler - IS 14756, Electrical Plugs (V2) ISI Marked to IS 1293, Plain Copier Paper (V3) ISI Marked to IS 14490, PVC Insulated (Heavy Duty) Electric Cables (V2) ISI Marked to IS 1554 (Part 2)</p> <p>Searched String: Nails 4" ISI Marked</p> <p>Bayonet Lampholders (V2) ISI Marked to IS 1258, Electrical Plugs (V2) ISI Marked to IS 1293, Bomb Blanket (MHA), Plain</p>

Bid Details	ISI Marked to IS 14490, Electric Ceiling Fan with BLDC Motor (V3) ISI Marked to IS 374, Multipurpose Dry Batteries (V2) ISI Marked to IS 8144, Thermocouple Compensating Cables (V2) ISI Marked To IS 8784, Electric Ceiling Type Fan (V3) ISI Marked to IS 374, Welder Gloves or Gauntlets as per IS 2573, Fire Retardant Door Curtains (V2) ISI Marked to IS 15741
	<p>Searched String: Nails 5" ISI Marked</p> <p>Bayonet Lampholders (V2) ISI Marked to IS 1258, Electrical Plugs (V2) ISI Marked to IS 1293, Plain Copier Paper (V3) ISI Marked to IS 14490, Electric Ceiling Fan with BLDC Motor (V3) ISI Marked to IS 374, Multipurpose Dry Batteries (V2) ISI Marked to IS 8144, Welder Gloves or Gauntlets as per IS 2573, Thermocouple Compensating Cables (V2) ISI Marked To IS 8784, Electric Ceiling Type Fan (V3) ISI Marked to IS 374, Microscopes - Pathological and Research as per IS 4381, IS 5204, IS 4381, IS 5204, Fire Retardant Door Curtains (V2) ISI Marked to IS 15741</p> <p>Searched String: Nails 6" ISI Marked</p> <p>Bayonet Lampholders (V2) ISI Marked to IS 1258, Electrical Plugs (V2) ISI Marked to IS 1293, Bomb Blanket (MHA), Plain Copier Paper (V3) ISI Marked to IS 14490, Electric Ceiling Fan with BLDC Motor (V3) ISI Marked to IS 374, Multipurpose Dry Batteries (V2) ISI Marked to IS 8144, Thermocouple Compensating Cables (V2) ISI Marked To IS 8784, Electric Ceiling Type Fan (V3) ISI Marked to IS 374, Welder Gloves or Gauntlets as per IS 2573, Fire Retardant Door Curtains (V2) ISI Marked to IS 15741</p> <p>Searched String: Self driving 2.5" screw for PPGI sheet (100 Nos/Pkt)</p> <p>Laminators</p> <p>Searched String: PVC Pipe 110 mm dia each 3 mtr length (Make:Prince/Finolex/Supreme)</p> <p>Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985</p> <p>Searched String: PVC tape 19mm wide 5 m long (Make : Steelgrip/Anchor/ Kinjal)</p> <p>Pressure Sensitive Adhesive Plasticized PVC Tapes with Nonthermosetting Adhesive as per IS 7809 (Part 3 / Section 1)</p> <p>Searched String: Self driving 1.5" screw for PPGI sheet (100 Nos/Pkt)</p> <p>Software for Advance Network command and control system, Polyethylene Containers for The Transport of Materials (V2) as per IS 6312, Laminators</p> <p>Searched String: PUF Revit 75mm ISI Marked</p> <p>Bayonet Lampholders (V2) ISI Marked to IS 1258, Electrical Plugs (V2) ISI Marked to IS 1293, Tower Bolts (Ferrous Metals) as per IS 204, Plain Copier Paper (V3) ISI Marked to IS 14490, Electric Ceiling Fan with BLDC Motor (V3) ISI Marked to IS 374, Multipurpose Dry Batteries (V2) ISI Marked to IS 8144, Thermocouple Compensating Cables (V2) ISI Marked To IS 8784, Electric Ceiling Type Fan (V3) ISI</p>

Bid Details/As per	<p>Marked to IS 374, Fire Retardant Door Curtains (V2) ISI Marked to IS 15741, A.C. Motor Capacitors ISI Marked to IS 2993 (Part 1)</p> <p>Searched String: Wash Hand Basin 580 mm x 450 mm with assy and with pedestal confirming to IS 2556-2004 (Make : Parryware/Cera/Hindware)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Chromium plated Waste coupling 32 mm dia (Make:-Supreme/Johnson Suisse/Famingo).</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: PVC Waste Pipe 32 mm and 1m long (Make:-Supreme/Johnson Suisse/Famingo).</p> <p>Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 13592, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Waste Fittings for Washbasin and Sinks as per IS 2963, Waste Pipe</p> <p>Searched String: PVC Connection 45 cm long 15 mm (Make:-Supreme/Johnson Suisse/Famingo).</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Looking mirror of size 600 x 450 mm with 4mm thick glass and 4 mm thick back ply (Make : Prayag/Saint Gobain/ Modigaurd)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: MCB single pole 16 Amp capacity B Series confirming to IS 8828 of 1996 (Make : Havells/ L&T/ Standard)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Brass Chromium plated Shower rose 100 mm dia with bend (Make:-Ess Ess/Prayag/ Johnson Suisse)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Curtain Arrangement Drapery and rod made of 25 mm dia and 1600 mm long, pre coated MS pipe with fancy type ends. Suitable fixing arrangement for the curtain rod, shall be made and supplied to hold the curtain rods alongwith fixing arrangement complete. (ISI Marked)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Ceiling Fan 1200mm sweep with regulator and incl clamps, hooks, holdfast and complete fittings (Make : Usha/Khaitan/Bajaj)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: CGI sheet 12'x3' x 0.63mm (Make :</p>
--------------------	---

Bid Details/As per	SAIL/TATA/Jindal)
	<p>Corrugated Boxes, Mild Steel Sheet, Aluminium Composite Panel Sheet, Sheet Cellular Defence or Foam Rubber Sheet as per IS 8255, Pulp Board as per IS 4664</p> <p>Searched String: Plywood 8' x 4' x 12mm thick (Termite Resistant & BWR) confirming to IS 1328-1996 (Make : Supreme/Green ply/ Kit Ply)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: MCB SPN 240 Volts 63 Amps (Make : HAVELLS/STANDARD/L&T)</p> <p>Bomb Blanket (MHA)</p> <p>Searched String: Electric Geyser 5 star of capacity 25 ltr. (Make : V-GUARD/ RACOLD /BAJAJ /CROMPTON)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: PPGI roofing sheet 10' x 3' long and thickness 0.63 mm with grard film. The PPGI sheet shall have minium coating of 4-5 micron epoxy primer and 18-20 micon polyester top coat. The top of 30-40 micon on the finished surface only for protection. The pre coated GI sheet confirm to IS -14246-1995 Make : Unifix/Jindal Mectec or euinalent brand with IS specification.</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Fire extinguisher of one kilogram capacity, dry power type conforming to IS-13849 along with its accessories (Make: Cease fire/Omex/Alfa Fire)</p> <p>Water Tender Type B for Fire Brigade Use conforming to IS 950</p> <p>Searched String: Steel screw 1/2" size full thread(ISI Marked)(100 Nos/Pkt)</p> <p>Hexagonal Head Screws ISI marked to IS 1364 (Part 2), General Purpose Ball Valves (V2), Hexagonal Head Screws (V2) ISI marked to IS 1363 (Part 2), Drill Pipes(Pertroleum Industry), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Full-jet Cone Spray Nozzle</p> <p>Searched String: Steel screw size 3" full thread with Rawl plug (ISI Marked) (100 Nos/Pkt)</p> <p>Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014</p> <p>Searched String: Steel screw full thread with rawl plug of 1 1/2" size (ISI Marked) (100 Nos/Pkt)</p> <p>Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Modular Toilet</p> <p>Searched String: PPR Socket 32 mm (Make:- SFMC/Finolex/Supreme)</p>

Bid Details/As per	Commercial PPR Pipes Fittings as per IS 15801, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985
	<p>Searched String: PPR Socket 25 mm (Make:- SFMC/Finolex/Supreme)</p> <p>Commercial PPR Pipes Fittings as per IS 15801, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Commercial CPVC Pipe Fittings</p> <p>Searched String: PPR Elbow 90° 25 mm (Make:- SFMC/Finolex/Supreme)</p> <p>Commercial CPVC Pipe Fittings, Commercial PPR Pipes Fittings as per IS 15801</p> <p>Searched String: PPR Plain T 25 mm (Make:- SFMC/Finolex/Supreme)</p> <p>Commercial PPR Pipes Fittings as per IS 15801, Cast Iron Bench, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Endotracheal Tubes (V2), Commercial CPVC Pipe Fittings, PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694</p> <p>Searched String: PVC Float valve 20 mm dia (Make : SFMC/ Finolex/Supreme)</p> <p>Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Commercial PPR Pipes Fittings as per IS 15801, Commercial CPVC Pipe Fittings</p> <p>Searched String: Non skid Ceramic tiles of size 300mmx300mm on the floor. Minimum thickness shall be between 6-8 mm tiles of Make: Johnson/ Kajaria/ Orient (1st quality) conforming to IS : 15622-2006)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Chequered Ceramic tiles of size 300mmx300mm on the floor. Minimum thickness shall be between 6-8 mm tiles of Make: Johnson/ Kajaria/ Orient (1st quality) conforming to IS : 15622-2006)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Casing caping 25mm x 12mm confirming to IS 3419 (Part3) 1988 (Make: Plaza/Polycab/Finolex)</p> <p>Computer Paper (V3) Conforming to IS 12766, Welding Cable (V2) as per IS 9857, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2)</p> <p>Searched String: Glass Putty confirming to IS 419-1967(ISI Marked)</p> <p>Putty for use on Window Frames as per IS 419, Bayonet Lampholders (V2) ISI Marked to IS 1258, Steel Bookcases confirming to IS 7761 (V2), Electrical Plugs (V2) ISI Marked to IS 1293, Composite Office Tables confirming to IS 8126 (V2), Glass Rods and Tubing for Laboratory Glassware</p>

Bid Details/As per	confirming to IS 7374 (V2), Plain Copier Paper (V3) ISI Marked to IS 14490, Multipurpose Dry Batteries (V2) ISI Marked to IS 8144, Thermocouple Compensating Cables (V2) ISI Marked To IS 8784, Fire Retardant Door Curtains (V2) ISI Marked to IS 15741
	<p>Searched String: MCB SPN 240 Volts 40 Amps (Make : HAVELLS/STANDARD/L&T)</p> <p>Bomb Blanket (MHA), Disconnectors (Isolators) for working voltage up to and including 1 KV</p> <p>Searched String: Plywood 4' x 8' x 6mm (Termite Resistant & BWR) Cofirming to IS 1328-1996 (Make : Supreme/ Assam/ Green ply/Kit Ply/ISI Mark)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Switch piano 15 AMP 230 Volt (snow white) Make: Anchor/SSR/ Cona.</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Wooden Beading 1st class wood of size 0.5" to 1" .</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Wooden Scantling 3" x 2" x 16' long</p> <p>Scantling teak wood, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), Crematoria bed, Big Crash Mattresses - Gymnastic, Aerial Bunched Cables as per IS 14255, Cardiopulmonary Bypass Connectors (V2)</p> <p>Searched String: Tarpaulin (30' x 30') Make: Standard</p> <p>300mA X - Ray Machine (V2), Bio - Medical Waste Collection Bags (Biohazard Bags), Prefab Toilet Block With PUF Panel of Size : 6.120 M X 8.051 M (30 Men) (As Per GeM Drawing), Reciprocal Shakers - Mechanical Shaker Machine with Timer, Safes (V2) as per IS 550, Disposable Single Use Towels, Cloth Dryer Stand, Cleaning Duster (V3), Standard Storage Container or Cargo or Container Ships (V2), X - Ray Detectable Absorbent Cotton Gauze</p> <p>Searched String: Nylon rope 1" dia (Make:-Samson /Cajun/New England)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Thinner (Make- Nerolac/Berger/Asian)</p> <p>Conformal Coating Compound and Thinner, Washable Distemper-IS:428, Thinner For Epoxy Paints (BHEL), Combat T - Shirt (Improved Version) (Defence), THINNER FOR CELLULOSE NITRATE BASED PAINTS AND LACQUERS, DARK GLASS FOR WELDER'S SCREEN, Sodium Hypochlorite Solution for Water Maker - ONGC, POLYELECTROLYTE FOR WATER MAKER - ONGC, Roti Making Machine, Toaster</p> <p>Searched String: Taparia screw Driver set multipurpose</p> <p>Bit Driver Set with Screw driver Bits, Screw Drivers as per IS</p>

Bid Details/As per	844. Miniature Screwdriver Set, Screw driver Bits, Cordless screw driver, Driving Cum Mechanics Tool Kit, Non-Sparking
	<p>Screw Driver-IS:4595, WRENCHES and DRIVERS TOOL SET (ONGC), Stud Remover & Installer with Screwdriver tool Set(ONGC)</p> <p>Searched String: Cutting Pliers (Make - (Make:Taparia/Venus/Miranda)</p> <p>Pliers, Pincers and Nippers as per IS 2615, IS 11526, Roti Making Machine, DARK GLASS FOR WELDER'S SCREEN, Multiple Slip Joint Pliers - IS 6118, Sodium Hypochlorite Solution for Water Maker - ONGC, Ice Flake Making Machine, POLYELECTROLYTE FOR WATER MAKER - ONGC, Polypropylene Ropes as per IS 5175, Toaster, Digital Handheld Transceiver Set (HANDHELD RADIO)</p> <p>Searched String: Top Plug , 15 Amp 230 Volts (Make : Anchor/ SSK/CONA)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Synthetic Paint enamelled Red confirming to IS 5-2004 (Make : Berger/Asian/Nerolac)</p> <p>Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V3) Confirming to IS 2932</p> <p>Searched String: Synthetic Paint enamelled Yellow confirming to IS 5-2004 (Make : Berger/Asian/Nerolac)</p> <p>Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V3) Confirming to IS 2932</p> <p>Searched String: Battery 12 V 92 AH Make : Exide</p> <p>Stationary Lead Acid Batteries (with Tubular Positive Plates) in Monobloc Containers as per IS 13369, Battery Secondary Lead Acid MT Type (Defence), Small Sized Valve Regulated Lead Acid Batteries as per IS Jisc 8702 - 1, White LED Based Solar Street Lighting System for Model (I, II, III And IV), Solar Lamps (Solar Based Home Systems - Solar Power Packs - AC Models)</p> <p>Searched String: Angle Iron 75 x 75 x 6mm thick (Make : TATA/SAIL/JSW)</p> <p>modular electrical enclosure switch board boxes for modular type accessories, Wild - Life Cages, Wooden Lab Stools, Portable Toilet, Equipment Camouflage Nets (Jute), Reinforced concrete fence posts Bend Type-II (Cement or concrete posts)</p> <p>Searched String: CGI Sheet 6' x 3' x 0.63mm (Make : SAIL/TATA/Jindal)</p> <p>Corrugated Boxes, Aluminium Composite Panel Sheet</p> <p>Searched String: CGI Sheet 8' x 3' x 0.63mm (Make : SAIL/TATA/Jindal)</p> <p>Corrugated Boxes, Aluminium Composite Panel Sheet</p> <p>Searched String: Plywood 8' x 3' x 12mm thick (Termite Resistant & BWR) Confirming to IS 1328-1996 (Make : Supreme/Green ply/ Kit Ply)</p>

Bid Details/Part	Category not available on GeM for the text string uploaded by the buyer
	<p>Searched String: Plywood 6' x 4' x 8mm thick (Tremite Resistan & BWR) confirming to IS 1328-1996 (Make : Supreme/Green ply/ Kit Ply)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: PPR Tank Connector 20 mm dia. Make: SFMC/ FINOLEX/ SUPREME.</p> <p>Commercial PPR Pipes Fittings as per IS 15801, Commercial CPVC Pipe Fittings</p> <p>Searched String: M Seal 1 KG (Make:- Pidilite/Fevicol/M Seal)</p> <p>M - Seal as per IS 9197, BOD Incubator, Portable sealed rechargeable single cells - Nickel-Cadmium (Rechargeable batteries) as per IS:16048 (Part 1)/IEC:61951-1, Laboratory Condenser, cleaning or janitorial cart, Cotton Cloth Bag for Seed Packing - Capacity From 0.75 Kg to 12 Kg, Screw Drivers as per IS 844, Chilly as per IS 2322, Muffle Furnace, Chemical Splash Proof Goggle</p> <p>Searched String: Corner Sheet Glass Shelf with two shelf assembly consisting of 5.5mm thick sheet glass shelf with cromium plated brass bracket guard and railing.(Make- Supreme/Neelkamal/Prayag)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: PVC Flexible wire copper conductor multi stranded 0.0016/76 (Make: Havells/Finolex/ Plaza)</p> <p>PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Multi Core Circular Sheathed Cables with Flexible Conductor as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694</p> <p>Searched String: LED Blub 20W (Make : Bajaj/Crompton/Havells/Philips)</p> <p>LED Batten, LED Tube Light (Retrofit Type), LED Batten with Battery / Invertor</p> <p>Searched String: LED Blub 30W (Make : Bajaj/Crompton/Havells/Philips)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Painting Brush 4" (ISI Marked)</p> <p>Bayonet Lampholders (V2) ISI Marked to IS 1258, Electrical Plugs (V2) ISI Marked to IS 1293, Laminators, Plain Copier Paper (V3) ISI Marked to IS 14490, Multipurpose Dry Batteries (V2) ISI Marked to IS 8144, Madhubhani Painting - ODOP, Thermocouple Compensating Cables (V2) ISI Marked</p>

Bid Details/As Per	To IS 8784, Electric Ceiling Type Fan (V3) ISI Marked to IS 374, Fire Retardant Door Curtains (V2) ISI Marked to IS 15741, Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V3) Confirming to IS 2932
	<p>Searched String: Painting Brush 3" (ISI Marked)</p> <p>Hexagon Nuts (V2) ISI marked to IS 1363 (Part 3), Bayonet Lampholders (V2) ISI Marked to IS 1258, Laminators, Electrical Plugs (V2) ISI Marked to IS 1293, Plain Copier Paper (V3) ISI Marked to IS 14490, Multipurpose Dry Batteries (V2) ISI Marked to IS 8144, Thermocouple Compensating Cables (V2) ISI Marked To IS 8784, Electric Ceiling Type Fan (V3) ISI Marked to IS 374, Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V3) Confirming to IS 2932, Fire Retardant Door Curtains (V2) ISI Marked to IS 15741</p> <p>Searched String: Synthetic Paint enamelled Green confirming to IS 5-2004 (Make : Berger/Asian/Nerolac)</p> <p>Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V3) Confirming to IS 2932</p> <p>Searched String: Synthetic Paint enamelled Brown confirming to IS 5-2004 (Make : Berger/Asian/Nerolac)</p> <p>Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V3) Confirming to IS 2932</p> <p>Searched String: Nails 3" ISI Marked</p> <p>Hexagon Nuts (V2) ISI marked to IS 1363 (Part 3), Bayonet Lampholders (V2) ISI Marked to IS 1258, Rigid Plain Conduits of Insulating Materials as per IS 9537 (Part 3), Electrical Plugs (V2) ISI Marked to IS 1293, Electric Ceiling Fan with BLDC Motor (V3) ISI Marked to IS 374, Plain Copier Paper (V3) ISI Marked to IS 14490, Bomb Blanket (MHA), Multipurpose Dry Batteries (V2) ISI Marked to IS 8144, Thermocouple Compensating Cables (V2) ISI Marked To IS 8784, Electric Ceiling Type Fan (V3) ISI Marked to IS 374</p> <p>Searched String: Top Plug , 5 Amp 230 Volts (Make : Anchor/ SSK/CONA)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: UG Cable XLPE insulated screened PVC bedded, galvanised steel strip or wire armored electric power cable (heavy duty) 1100 volts grade with multi stranded aluminum conductor of size 16 sqmm 4 core, FRLS, confirming to IS 7098 (part-1) 1998 (Make : Havells/Finolex/Polycab)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: PPR Pipe 32 mm dia (Make:- SFMC/Finolex/ Supreme)</p> <p>Commercial PPR Pipes Fittings as per IS 15801, Commercial CPVC Pipe Fittings, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985</p> <p>Searched String: LED ceiling light 36 Watt, (Size 2'x2') Make:Philips, SYSKA, Crompton.</p>

	Self Ballasted LED Lamps for General Lighting Services (V2) Conforming to IS 16102, Laboratory Condenser
	<p>Searched String: Pre painted galvatume aluminium zinc coating GI based corrugated steel sheet 0.50 mm thick an colour having a tensile strength 550 Mpa of size 8'x3' (Make-Uniix/Jindal mectec or Eqv Brand)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: J Hook 6" thickness not less than 8mm.</p> <p>Automatic Fire Ball for Fire - Extinguishing</p> <p>Searched String: Synthetic enamelled paint alluminium confirming to IS : 2932-1971 : Berger/Nerolac/Asian Paints</p> <p>Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V3) Confirming to IS 2932</p> <p>Searched String: MCB single pole 10 Ampere capacity B Series confirming to IS 8828 of 1996 (Make : Havells/ L&T/ Standard)</p> <p>Category not available on GeM for the text string uploaded by the buyer</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<p>LED Tube Light (Retrofit Type)</p> <ul style="list-style-type: none"> Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V3) Confirming to IS 2932
BOQ Title/बीओक्यू शीर्षक	AS PER STORE LIST
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	25 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	2 Year (s)
MSE Exemption for Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	<p>Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Compliance of BoQ specification and supporting document</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Past Performance/विगत प्रदर्शन	40 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	Yes

Bid Details/बिड विवरण	
RA Qualification Rule	H1-Highest Priced Bid Elimination
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Cement OPC 43 Grade packed in HDPE bag each 50 Kg wt conforming to IS 8112-1989 as per store list under job No 2629
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Arbitration Clause	No
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	158000

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	3.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	14

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

Commanding Officer
108 Engr Regt, Department of Military Affairs, Indian Army, Ministry of Defence
(Avinash Deshmukh)

Reserved for Make In India products

Reserved for Make In India products	Yes
-------------------------------------	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.
6. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents

submitted.

7. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

8. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 40% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

9. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- If number of technically qualified bidders are only 2 or 3.
- If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Cement OPC 43 Grade Packed In HDPE Bag Each 50 Kg Wt Conforming To IS 8112-1989 As Per Store List Under Job No 2629

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	832	30

Portabel Collapsible Protective Wall Baskets, Galvanised Welded Mesh Frame 2 Cells Per Set Of Size 1.232 X 0.616 X 0.769 Mtr As Per Store List

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	108	30

CGI Sheet 10feetx3feet X 0.63mm Make-SAIL,TATA,Jindal

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	348	30

LED Tube Light Fittings 15 W Box Type 4 Feets With CRCA Body Pre Coated White And Prewired For LED Tube Complete Make- HAVELLS,BAJAJ,PHILIPS,CROMPTON

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	214	30

Water Storage Tank Triple Layer 500 Ltrs Confirming To IS 12701-1996 Make-Sintex,Ultrapure Aqua,Polywell

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	22	30

Exhaust Fan 230 Volts 300 Mm Sweep Plastic Body Alongwith Louvers And Complete

Fittings Make-Bajaj,Havells,Crompton

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	9	30

Cable PVC Insulated Electric Cables Heavy Duty 1100 Volts Grade Multi Stranded Copper Conductor Of Size 2.5 Sqmm Single Core As Per Store List

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	1340	30

Acrylic Sheet 8feet X 4feet X 3mm Make-Acrylic,Prakash

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	18	30

Wooden Planks 12inch X 5inch X 12feet Make-Standard

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	4	30

Plywood 4feet X 6feet X 6mm Termite Resistant And BWR Cofirming To IS 1328-1996 Make-Supreme,Assam,Green Ply,Kit Ply,ISI Mark

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	66	30

Synthetic Paint Enamelled OG Confirming To IS 5-2004 Make- Berger,Asian,Nerolac

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	80	30

Synthetic Paint Enamelled Black Confirming To IS 5-2004 Make- Berger,Asian,Nerolac
(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	29	30

Synthetic Paint Enamelled White Confirming To IS 5-2004 Make- Berger,Asian,Nerolac
(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	86	30

Bed Switch 5 Amps Make-Bajaj,Havells,Anchor**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	26	30

LED Blub 12W Make-Bajaj,Crompton,Havells,Philips**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	31	30

LED Blub 10W Make-Bajaj,Crompton,Havells,Philips**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	57	30

White Cement Confirming To IS 8042,1989 Make-ACC,Birla White ,Ambuja**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	19	30

Switch Piano 5 Amp 230 Volts Flush Type One Way Snow White Make-Anchor,SSK,CONA

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	88	30

MCB SPN 240 Volts 32 Amps Make-Havells,L And T,Standard

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	30	30

MCB SP 6 To 32 Amps Make-Havells,L And T, Standard

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	39	30

LED Blub 15W Make-Bajaj,Crompton,Havells,Philips

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	15	30

PVC Switch Board Snow White Size 7inchx4inch For Sockets And Switches Make-Supreme,Polycab,Finolex

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	32	30

PVC Switch Board Snow White Size 8inch X 10inch For Main Switches, DB Make-Supreme,Polycab,Finolex

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	20	30

Bib Cock Long Spout Brass Chromium Plated 15 Mm Weight Not Less Than 330 Gm Make-Ess Ess,Prayag,Johnson Suisse

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	66	30

Stop Cock Angular Type Chromium Plated Brass 15 Mm Weight Not Less Than 330 Gm Make-Ess Ess,Prayag,Johnson Suisse

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	8	30

Gate Valve 25 Mm Make-SFMC,Finolex,Supreme

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	6	30

Window Fibre Glass 3 Mm Thick Confirming To IS - 2835-1987 ISI Marked

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	38	30

Angle Holder Make-Anchor,SSK,CONA

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	56	30

Welding Machine For PPR Pipe, Single Phase With Dia Set Make-SFMC, Venus,JK
(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	1	30

Service Cable PVC Insulated Aluminium Conductor, 1100 Volt Grade Heavy Duty 10 Sqmm 2 Core Make-Havells, Finolex, Plaza As Per Store List

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	1200	30

HDPE Sand Bag Of Size15inch X 30inch

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	6000	30

LED Tube Light Fittings 8, 9W 230V Box Type 2 Feets With CRCA Body Pre Coated White And Prewired For LED Tube Complete As Per Store List

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	105	30

Distribution Box 6 Way SPN, 240 Volts Copper Bus Bar And Neutral Link Earthing Stud Conforming To IS-13032 And IS-8623 Double Door Type As Per Store List

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	18	30

Bulk Head Fitting Model No LHKL01160099 Of Havells Or Equivalent Make-Bajaj, Philips With CFL 08 Watt

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	18	30

Switch Socket Combination Snow White Multipurpose 2 In 1, 15 Amp 230 Volts Make-Anchor,SSK,CONA

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	126	30

Switch Socket Combination Snow White 5 Amp 230 Volts Make-Anchor, SSK,CONA

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	133	30

Water Dispenser Of 230 V 500 Watts Without Refrigerator With Normal Cold And Heating Capacity Of 5 Ltrs As Per Store List

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	2	30

Ceiling Rose Three Terminal Snow White Make-Anchor,SSK,CONA

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	20	30

Peg Set Of Six Fitted With Galvanised Screws Along The Internal Surface Of The Walls In The Rooms Make-Ess Ess,Prayag,Johnson Suisse

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	10	30

Soap Dish S,S, Flat Back Complete With Screw Make-Ess Ess,Prayag, Johnson Suisse

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	10	30

Door Hinges 75 Mm Make ISI Marked

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	80	30

Bow Door Handle 4 Inch, Make-Standard

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	30	30

Aldrop Door Complete Set , ISI Marked

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	15	30

Tower Bolt Complete Set, ISI Marked

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	30	30

Cable PVC Insulated Electric Cables Heavy Duty 1100 Volts Grade Multi Stranded Copper Conductor Of Size 1.5 Sqmm Single Core As Per Store List

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	1940	30

Mattress 6feet X 3.5feet Make-Kurlon,Sleepwell,Corform

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	20	30

Plywood 6feet X 3feet X 12mm Termite Resistant And BWR Confirming To IS 1328-1996 Make-Supreme,Assam,Green Ply,Kit Ply,ISI Mark

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	20	30

Water Storage Tank Triple Layer 1000 Ltrs Confirming To IS 12701-1996 Make-

Sintex,Ultrapure Aqua,Polywell**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	8	30

IWC Of Vitreous China Squatting Pan Orissa Pattern Of Size 580mmx440mm, Dark Coloured With P Or S Trap As Per Store List**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	1	30

Brass CP Jet Water Spray For EWC Make-Ess Ess,PRAYAG,JOHNSON SUISSE

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	10	30

Stainless Steel Connection Pipe 45 Cm Long 15 Mm Make-Supreme,Johnson Suisse,Famingo

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	10	30

PPR Elbow 20mm Dia Make-SFMC,FINOLEX,SUPREME**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	15	30

PPR Socket 20 Mm Dia Make-SFMC,FINOLEX,SUPREME**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	45	30

PPR Plain T 20 Mm Dia Make-SFMC,FINOLEX,SUPREME**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	15	30

HDPE Water Proof Cover 15feetx15feet, Make-Shalimar**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	49	30

Stop Cock T Type Chromium Plated Brass 15 Mm Weight Not Less Than 330 Gm Make-Ess Ess,Prayag,Johnson Suisse

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	11	30

Gate Valve 20 Mm Dia Make-SFMC,Finolex,Supreme

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	2	30

PPGI Roofing Sheet 16feet X 3feet Long And Thickness 0.63 Mm With Grard Film As Per Store List

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	10	30

Wire Flexible Multi Strand Copper Conductor Multi Stranded 0.0023,76 Make-Havells,Finolex,Paragon

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	13	30

MCB Single Pole 32 Amp Capacity B Series Confirming To IS 8828 Of 1996 Make-Havells,L And T, Standard

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	12	30

Change Over Switch 100 Amps, 4 Pole, TPN Confirming To IS 13947 Part 3 2607 Make-Havells,Standard,L And T

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	3	30

Welding Machine Portable Make-Wldstar, Technotronics

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	1	30

Iron Welding Rod Confirming To IS 814-2002 ISI Marked 3.15mm Thick 100 Nos Pkt

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	5	30

Hand Gloves Leather Best Quality ISI Marked

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	3	30

Sun Glasses For Welding

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	2	30

M Seal 150 GM Pkt Make-Pidilite,Fevicol,M Seal

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	103	30

Taflon Tape Roll ISI Marked Make-Supreme,Omega,Asbestos

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	58	30

Solvent Cement 150 GM Tube Make-Finolex,Fit Well,Jindal

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	20	30

Brass CP Wall Mixer For Mixing Hot And Cold Water Screwed Down For PPR Pipe Of Dia 20mm Make-Cera,Hindware,Parryware

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	2	30

MCB Four Pole 63 Amp Make-Havells,Equivalent

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	4	30

PVC Tape Insulation 25 Mm Wide 5 Mtr Long Make- Steelgrip,Anchor,Kinjal

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	58	30

LED Blub 9W Make-Bajaj,Crompton,Havells,Philips

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	60	30

Distribution Box 4 Way Double Door SPN, 240 Volts Copper Bus Bar And Neutral Link Earthing Stud As Per Store List

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	18	30

Cable PVC Insulated Electric Cables Heavy Duty 1100 Volts Grade Multi Stranded Copper Conductor Of Size 4.0 Sqmm Single Core As Per Store List

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	110	30

PVC Cable 6 Sqmm 2 Core Aluminium Conductor Multi Stranded Confirming To IS 1554-1988 Make-Havells,Finolex,Polycab

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	3	30

Cable PVC Insulated Electric Cables Heavy Duty 1100 Volts Grade Served Multi Stranded Copper Conductor Of Size 6 Sqmm Single Core As Per Store List

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	115	30

Wall Mounted Fan 230V 300mm Make-Usha,Khaitan,Bajaj

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	10	30

Plywood 6feet X 4feet X 12mm Thick Termite Resistant And BWR As Per Store List

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	32	30

Silicon Gel With Gun Make-Standard

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	15	30

GI Binding Wire TATA,SAIL,JSW

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	45	30

PVC Casing Capping Of Size 1inch Medium Grade Snow White Make- Presto,Polycab,Finolex

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	50	30

PPR Pipe 20 Mm Dia Make-SFMC,FINOLEX,SUPREME

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	90	30

Chromium Plated Piller Cock Swan Neck With Aerator And Butter Fly Handle Weight Not Less Than 450 Gm As Per Store List

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	13	30

Nails 1inch ISI Marked

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	2	30

Nails 2inch ISI Marked

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	2	30

Nails 4inch ISI Marked

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	2	30

Nails 5inch ISI Marked

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	4	30

Nails 6inch ISI Marked

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	2	30

Self Driving 2.5inch Screw For PPGI Sheet 100 Nos,Pkt

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	2	30

PVC Pipe 110 Mm Dia Each 3 Mtr Length Make-Prince,Finolex,Supreme**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	30	30

PVC Tape 19mm Wide 5 M Long Make-Steelgrip,Anchor,Kinjal**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	130	30

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	-----------------	------------------------------

Self Driving 1.5inch Screw For PPGI Sheet 100 Nos,Pkt

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	3	30

PUF Revit 75mm ISI Marked

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	3000	30

Wash Hand Basin 580 Mm X 450 Mm With Assy And With Pedestal Confirming To IS 2556-2004 As Per Store List

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	3	30

Chromium Plated Waste Coupling 32 Mm Dia Make-Supreme,Johnson Suisse,Famingo

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	3	30

PVC Waste Pipe 32 Mm And 1m Long Make-Supreme,Johnson Suisse,Famingo**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	19	30

PVC Connection 45 Cm Long 15 Mm Make-Supreme,Johnson Suisse,Famingo**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	14	30

Looking Mirror Of Size 600 X 450 Mm With 4mm Thick Glass And 4 Mm Thick Back Ply Make-Prayag,Saint Gobain,Modigaurd

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	2	30

MCB Single Pole 16 Amp Capacity B Series Confirming To IS 8828 Of 1996 Make-Havells,L And T, Standard

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	19	30

Brass Chromium Plated Shower Rose 100 Mm Dia With Bend Make-Ess Ess,Prayag,Johnson Suisse

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	2	30

Curtain Arrangement Drapery And Rod Made Of 25 Mm Dia And 1600 Mm Long, Pre Coated MS Pipe With Fancy Type Ends As Per Store List

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	15	30

Ceiling Fan 1200mm Sweep With Regulator And Incl Clamps, Hooks, Holdfast And Complete Fittings Make-Usha,Khaitan,Bajaj

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	21	30

CGI Sheet 12feetx3feet X 0.63mm Make-SAIL,TATA,Jindal

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	38	30

Plywood 8feet X 4feet X 12mm Thick Termite Resistant And BWR Confirming To IS 1328-1996 Make-Supreme,Green Ply,Kit Ply

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	21	30

MCB SPN 240 Volts 63 Amps Make-HAVELLS,STANDARD,L And T

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	2	30

Electric Geyser 5 Star Of Capacity 25 Ltr Make-V-GUARD,RACOLD ,BAJAJ,CROMPTON
(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	2	30

PPGI Roofing Sheet 10feet X 3feet Long And Thickness 0.63 Mm With Grard Film As Per Store List Attached

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	35	30

Fire Extinguisher Of One Kilogram Capacity, Dry Power Type Conforming To IS-13849 Along With Its Accessories As Per Store List

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	2	30

Steel Screw 15mm Size Full Thread ISI Marked, 100 Nos,Pkt

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	5	30

Steel Screw Size 3inch Full Thread With Rawl Plug ISI Marked 100 Nos,Pkt

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	5	30

Steel Screw Full Thread With Rawl Plug Of 1.5inch Size ISI Marked 100 Nos,Pkt
(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	4	30

PPR Socket 32 Mm Make-SFMC,Finolex,Supreme

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	10	30

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

PPR Socket 25 Mm Make-SFMC,Finolex,Supreme

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	5	30

PPR Elbow 90 Degree 25 Mm Make-SFMC,Finolex,Supreme

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	5	30

PPR Plain T 25 Mm Make-SFMC,Finolex,Supreme

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	5	30

PVC Float Valve 20 Mm Dia Make-SFMC,Finolex,Supreme

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	7	30

Non Skid Ceramic Tiles Of Size 300mmx300mm On The Floor. Minimum Thickness Shall Be Between 6-8 Mm Tiles As Per Store List

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	600	30

Chequered Ceramic Tiles Of Size 300mmx300mm On The Floor. Minimum Thickness Shall Be Between 6-8 Mm Tiles As Per Store List

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	300	30

Casing Caping 25mm X 12mm Confirming To IS 3419 Part3 1988 Make- Plaza, Polycab, Finolex**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	22	30

Glass Putty Confirming To IS 419-1967 ISI Marked**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परिषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परिषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	10	30

MCB SPN 240 Volts 40 Amps Make-HAVELLS,STANDARD,L And T

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परिषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परिषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	17	30

Plywood 4feet X 8feet X 6mm Termite Resistant And BWR Confirming To IS 1328-1996 Make-Supreme,Assam,Green Ply,Kit Ply,ISI Mark

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	37	30

Switch Piano 15 AMP 230 Volt Snow White Make-Anchor,SSR,Cona

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	26	30

Wooden Beading Ist Class Wood Of Size 0.5inch To 1inch

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	64	30

Wooden Scantling 3inch X 2inch X 16feet Long

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	1	30

Tarpaulin 30feet X 30feet Make-Standard

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	4	30

Nylon Rope 1inch Dia Make-Samson,Cajun,New England

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	10	30

Thinner Make-Nerolac,Berger,Asian

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	25	30

Taparia Screw Driver Set Multipurpose

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	2	30

Cutting Pliers Make-Taparia,Venus,Miranda

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	2	30

Top Plug , 15 Amp 230 Volts Make-Anchor,SSK,CONA

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	7	30

Synthetic Paint Enamelled Red Confirming To IS 5-2004 Make- Berger,Asian,Nerolac

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	26	30

Synthetic Paint Enamelled Yellow Confirming To IS 5-2004 Make- Berger,Asian,Nerolac
(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	25	30

Battery 12 V 92 AH Make-Exide

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	2	30

Angle Iron 75 X 75 X 6mm Thick Make-TATA,SAIL,JSW

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	400	30

CGI Sheet 6feet X 3feet X 0.63mm Make-SAIL,TATA,Jindal

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	20	30

CGI Sheet 8feet X 3feet X 0.63mm Make-SAIL,TATA,Jindal

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	40	30

Plywood 8feet X 3feet X 12mm Thick Termite Resistant And BWR Confirming To IS 1328-1996 Make-Supreme,Green Ply,Kit Ply

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	15	30

Plywood 6feet X 4feet X 8mm Thick Tremite Resistan And BWR Confirming To IS 1328-1996 Make-Supreme,Green Ply,Kit Ply

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	20	30

PPR Tank Connector 20 Mm Dia Make-SFMC,FINOLEX,SUPREME

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	5	30

M Seal 1 KG Make-Pidilite,Fevicol,M Seal

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	3	30

Corner Sheet Glass Shelf With Two Shelf Assembly Consisting Of 5.5mm Thick Sheet Glass Shelf As Per Store List

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	6	30

PVC Flexible Wire Copper Conductor Multi Stranded 0.0016,76 Make-Havells,Finolex,Plaza

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	90	30

LED Blub 20W Make-Bajaj,Crompton,Havells,Philips**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	17	30

LED Blub 30W Make-Bajaj,Crompton,Havells,Philips**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	5	30

Painting Brush 4inch ISI Marked**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	5	30

Painting Brush 3inch ISI Marked**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	5	30

Synthetic Paint Enamelled Green Confirming To IS 5-2004 Make -Berger,Asian,Nerolac
(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	12	30

Synthetic Paint Enamelled Brown Confirming To IS 5-2004 Make- Berger,Asian,Nerolac
(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	10	30

Nails 3inch ISI Marked

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	10	30

Top Plug, 5 Amp 230 Volts Make-Anchor,SSK,CONA

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	5	30

UG Cable XLPE Insualted Screened PVC Bedded, Galvanised Steel Strip Or Wire Armored Electric Power Cable 16 Sqmm 4 Core As Per Store List

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	200	30

PPR Pipe 32 Mm Dia Make-SFMC,Finolex,Supreme

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	30	30

LED Ceiling Light 36 Watt, Size 2feetx2feet Make-Philips, SYSKA, Crompton.

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	4	30

Pre Painted Galvatum Aluminium Zinc Coating GI Based Corrugated Steel Sheet 0.50 Mm Thick Of Size 8feetx3feet As Per Store List

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	91	30

J Hook 6inch Thickness Not Less Than 8mm

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	200	30

Synthetic Enamelled Paint Aluminium Confirming To IS-2932-1971 Berger,Nerolac,Asian Paints

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	4	30

MCB Single Pole 10 Ampere Capacity B Series Confirming To IS 8828 Of 1996 Make-Havells,L And T,Standard

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	20	30

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

2. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 50% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

3. Inspection

Nominated Inspection Agency: On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance:

Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

NA

Post Receipt Inspection at consignee site before acceptance of stores:
BY BOARD OF OFFICER

4. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any

Category item bunched with it.

4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

---Thank You/धन्यवाद---