



Bid Number/बोली क्रमांक (बिड संख्या)[:] GEM/2025/B/5970266 Dated/दिनांक : 08-03-2025

Bid Document/ बिड दस्तावेज़

Bid [Details/बिड विवरण
Bid End Date/Time/बिड बंद होने की तारीख/समय	29-03-2025 12:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	29-03-2025 12:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Defence
Department Name/विभाग का नाम	Department Of Military Affairs
Organisation Name/संगठन का नाम	Indian Army
Office Name/कार्यालय का नाम	*****
क्रेता ईमेल/Buyer Email	shivanandhip.707l@gov.in
Total Quantity/कुल मात्रा	998
	Processor AMD 5000 series Ryzen 9 5950x desktop processor 16 core and 32 thread processor with 3 Point40 , RAM RAM 32 GB FURY Beast RGB DDR 4 Speed upto 3733 MT by s , SSD M Point2 2280 512GB PCIe NVMe SSD MZ V7P512BW , Hard Disk Drive HDD 2TB Comma7200 RPM SATA , Graphics Card NVIDIA GEFORCE RTX 2080Ti by GTX 3070 with minimum 4 ports 3x Display and and 1x HDMI , Mother Board MSI by ASUS MPG B550 gaming plus AMD AM4 M Point3 x USB 2 Point0 Comma 2 x 3 Point2 , SMPS ASUS ROG Strix 850 watt Gold PSU 24 Pin CommaInput Voltage Range 220V AC CommaFrequency , Computer Chasis Master Box K501L RGB e compatible to the motherboard , Computer cooling Fan Cooler master is to Master liquid ML240ZR RGB or higher compatible with mother board a , Mouse with mouse pad Logitech by DELL USB Mouse optical with mouse pad , Keyboard Logitech by DELL Keyboard USB Keyboard 104 Keys CommaComfortable Comma quiet typing Comma , 18 Point5 inches LED monitor Display Screen Size 46 Point99cm 18 Point5 , TPLINK AC 1900 , Bluetooth Tower Speaker set 2 Point0 channel output model SPA9120B 80W RMS 40 HZ 20 KHZ Frequency , USB Bluetooth adapter for speaker , 4 port USB Hub USB 3 Point0 with 2 ft extended cable , Output Power Capacity 3500 Watts by 5000 VA Nominal Out , Support USB Specification Revision 2 Point0 Comma 40 times faster transfer rate than that of USB 1 Point1 , Print speed black normal Comma A4 Up to 14 ppm CommaPrint speed footnote Comma Speed specification , Recordable DVD 4 Point7 GB with Jewel Case , Recordable DVD 8 Point5 GB with Jewel Case , Projectors NP P554U 5500 lumens Or higher CommaNative WUXGA

Bid Details/les lady aspect ratio suport 16 is to9 , WebCam C2/0HD with adjustable Mounting stand , High quality USB

Extender Cable 2 Point0 15 Mtr Dyeton, IR Filter for 830nm Laser with mouning clamps for fitting in front of web cam C270HD, Auto calibration set complete with 30x IR, New port Comma Model F IRC1 S Infrared Sensor Card Comma Sensitivity area 4x3 cms, Display Port to HDMI Convertor, HDMI Cable extra guard multi conductor with both end M by F moulded connectors Point , Operating System Win 10 Pro 64 Bit OS latest version, Microsoft Office Microsoft Office 2010 64 bit with MS Access and License , IR LASER 830nm with Specification Operating volt 3 Point5V DC Wavelength 830nm Beam Divergence 0 Point8m, Weapon Board Details of Weapon Board is to 1 Atmel SMART SAM D21 32 bit micro controller, Wireless Recoil Board Details of Recoil Board is to 1 SAMD21G1832 bit Microcontroller , Wpn harness Wpn harness incl Wiring Comma Sleeve and Connector, Hall Sensors Hall sensor, Magnets Magnets for hall sensor, Hall Sensors Dual Hall Sensor , Aluminium rod 50 mm dia ft 50mm dia, Delrin rod black 2 inches dia ft 2 inches dia black, Stainless Steel Pipe 1 inches Dia stainless steel pipe length 17 inches both side threaded, Brass reducer Brass reducer 1 inches x 1 by 2 inches , Pressure regulator Air pressure regulator 30 bar with guage, Elbow Stainless steel Elbow 1 internal Dia with threaded, Stainless Steel Pipe Stainless Steel pipe1 inches 10 ft both sided threaded, Hose pipe Hose pipe flexible PH 253 1 by 2 inches length 1 Point5 mtr with flowing capacity 160 bar, Stainless steel pipe 1 inches dia stainless steel pipe length 5 feet both side threaded, Elbow 1 by 2 inches internal Dia stainless steel Elbow 1 by 2 inches, Dummy Socket 1 inches Dia Dummy Socket SS internal thread, U Type clamp MS Angle T stand with U Type clamp with nut bolt steel both sidethreaded 12 mm length, Flow control valve Flow control valve SS 1 by 2 inches, Nipple Stainless steel Nipple 1 by 2 inches both side threaded, Nut and Bolt Nut and bolt 11mm length 3 Point5 inches with washer, Shavo Regulator Shavo air regulator 30 kg load presure with guage, Compressor Industrial Air Compressor 30 bar Model is to ELGI TS 15 LB PET with 25 mtr 4 core 15 Amp , PU pipe PU pipe Janatics pneumatics 12mm 30 Bar WH00B06 B22 B06S1 LG 30 Mtr , T Joint 6mm T Joint Model WP2300606 PU 6 Black T , Elbow Joint 6mm Ellbow Joint Model WP2200606 Pu 6 Black L Type, Brass adapter PU 6 Brass adapter 1 by 2 inches external thread and 6mm internal thread , Brass adapter PU 6 Brass adapter 1 by 4 inches external thread and 6mm internal thread, Solenoid Valve Solenoid Valve 30 bar 12V DC with relay Mercury , Brass adapter Brass adapter 1 by 2 inches with Nut PU 12, Brass adapter PU 12 Brass Reducer 1 by 2 inches into 1 by 8 inches , Coupler Stainless Steel Flange Coupler 1 inches internal Dia , SS Coupler Nut and Bolts for Flange Coupler 1 inches internal Dia length 2 inches X 19mm Nut with Washer, Thread sealent Thread Sealent Jointing paste Loctite 243 400 ml , Teflon Tape Teflon Tape for sealent Roll, Thread Bundle Thread Bundle for pipe threads 1 Bundle, Tag and tie Tag and Tie universal Type Pack, Cap and Casing 6mm Dia Cap and casing, Wooden Screw 3mm Wooden Screw Length 1 by 4 inches, Wooden Screw 2mm Wooden Screw Length 1 by 2 inches, Wooden Block Wooden Block Universal Type, Soft Wood Soft wood pieces 18x14x20mm for giving gap between firing table and 50mm casing, Paint White enamel Type 1 ltr, Lubricant Compressor Lubricant oil ELGI Part no 000998052 3 Ltr , Lubricant Air Lube ELGI Part No 000998044 1 Ltr,

Item Category/मद केटेगरी

Pneumatic cylinder Pneumatic cylinde SS 25mm bore x Place of the Pneumatic cylinde SS 25mm bore x 70mm stroke OD 30mm Comma port size , SS Pipe SS Pipe

Industrial 1 by 2 inches dia x length 4 inches one side thread , Flange Gasket Coupler Flange Gasket Rubber 3mm thickness Type is toLarge, Legris blue pipe Legris blue pipe nylon semi rugged 6mm outer dia x 4 mm internal dia 10 bar pressure, Reducer Brass Reducer 1 inches x 3 by 4 inches dia , Silencer Silencer Wire mesh 1 by 2 dia external thread, SS union SS Union 1 inches internal dia with thread , SS pipe Stainless Stell pipe 2 feet and one side thread , Welding Rod Welding Rod Stainless Steel 308 L size 3 Point15 x 3 Point50 mm Batch No Point M77804, 10 core cable unshielded m Type YY 6 Point3mm dia strength 8 Point1 kg, 3 core power cable 15 A m H07 RNF 1 Point5 sq mm dia, 3 core power cable Comma 5A m H07 RNF 1 Point5 sqmm dia, 3 pin plugs 5A Anchor ISI Standard, 5A Socket Anchor, Computer power cord 230 V AC Comma 5 A Comma 3 mtr length Nos with 3 pin pluge H07 RNF 1, Power Extension board Spike Buster 15 by 5 Amp multipin 6 Socket with 15 Mtr cable , Power Extension board Spike Buster 6 Socket with 5 Mtr cable , Teflon wire multi strand black m 1mm Multistrand , Teflon wire multi strand red m 1mm Multistrand , Teflon wire multi strand White m 1mm Multistrand, Teflon wire multi strand yellow m 1mm Multistrand , Teflon wire multi strand Green m 1mm Multistrand , Teflon wire multi strand Brown m 1mm Multistrand , Teflon wire multi strand Violet m 1mm Multistrand , Teflon wire multi strand Blue m 1mm Multistrand , Teflon wire multi strand purple m 1mm Multistrand , Teflon wire multi strand Orange m 1mm Multistrand, Adhesive 20ml tube Loctite HVHT, Solder soft 100 gm roll Solder soft with core of non corrosive flux for std electronic work and wax 50 gm, Adhesive Loctite AA324 and Adhesive Loctite 7075 Adhesive Loctite AA324 and Adhesive Loctite 7075, Industrial grade Adhesive Fevikwik FeviKwik 5ml tube, Heat Shrink Sleeve Heat shrink Sleeve 6mm black Model is to E203950, Heat Shrink Sleeve I Heat shrink Sleeve 3mm black Model is to E203950 II Heat shrink Sleeve 2mm black Model is to E203950, Insulation tape roll Wonder tape 10 mtr roll PVC, Transparent Tape 2 inches Transparent Tape 2 inches, Instrument cooling fan AC 230V , Universal adapter for 3 pin plug for 6 Amps , Modular Firing Platform for kneeling Commastanding and Lying position Modular Friring Platform for kneeling, Firing mat with padding 6x3 with padding , Firing pillows 12 x big and 12 x small 1x2x2 feet and 1x2x4 feet , Instructor keyboard rack Rack Monitor rack cooling fan and the following items as per specification, Instructor chair ISI Standard, Manufacturer s lable plate 515 Army Base Wksp manufacturer plate Comma as per sample, Projection Stand Adjustable with screen modified for IWTS 10x30 feet adjustable height Comma two side, Mounting stand video projector Projector mounting stand with 10 mm thick metal top plate Size is to500mm Length x 400 mm width Comma Height 400mm, Ruggedized enclosure for projector LxBxH 24x22x8 Point5 with 5x5 Air Ventilation sliding cover 12V DC 1 1 by 2, White velcro Adhesive Velcro 5m 2 inch , Fasteners a Screw Slotted Cheese head M2x20 IS no 1366 Nos 200 b Screw Slotted Cheese head M2x25 IS no 1366 Nos 100, Cable ties and tie bases 25mm packet of 100 as per sample Standard cabel Ties Comma white nylon with a non, Cable ties and tie bases 50mm packet of 100 as per sample Standard cabel Ties Comma white nylon with a non, Spiral Pipe 1 Point5 inches Dia Flexible Conduct Mtrls is to Nylon PA6 Comma

thread is to PG36 Comma , Allen key 2 Comma3 Comma4 Details/las lagrul Comma5 Comma6 Comma7 Comma8 Comma9 Set of 8 ISI

Standard , Nose plier ISI Standard , Screw driver set ISI Brand , Spanner open jaw 13 by 17 ISI Standard , Spanner open jaw 24 by 27 ISI Standard , Spanner open jaw 17 by 19 ISI Standard , Taparia Adjustable 12 inch Spanner open jaw ISI Standard, Corrugated sheet m Corrugated sheet m 2 mtr width, Bubble sheet m Bubble sheet 2 mtr width, Cotton waste kg Cotton waste kg , Hessian cloth m Hessain Cloth 2 mtr width, FRP container 3 1 by 2 L x 2 W x 2 H Feet with double toggle latches and Handles, Lock 5 lever with keys Godrej 50mm, LDPE Strech wrap roll 1200 mtr 23 micro 5inch 12 inch streched film roll, Nails 1 inches kg Nails 1 KG 1 ISI standard, Silica gel 5gm pack of 80 pcs, Wooden Crates for Packing Chir wood packing crates for packing sml dimension and qty as follows is to a 25 inches x 26 inches x14 inches 02 Nos, Binding wire Size 2061 Point02 1 by 26 Comma92 mtr roll, Double sided Tape Double Sided Foam tape 2 inch width 48mmX5 Mtr , Log book To be printed as per the requirement of SMD, Technical manual To be printed and spiral binded softcopy of Techincal manual will be provided by SMD, User hand book To be printed and spiral binded softcopy of User

Pronussorial 14 19 19 1000 in Section & SME n 9 5950x desktop processor 16 core and 32 thread processor with 3.40 to 4.90 GHz clock speed or higher version, RAM RAM 32 GB FURY Beast RGB DDR-4 Speed upto 3733 MT/s, SSD M.2 2280 512GB PCIe NVMe SSD MZ-V7P512BW. Hard Disk Drive HDD-2TB.7200 RPM SATA, Graphics Card NVIDIA GEFORCE RTX 2080Ti /GTX 3070 with minimum 4 ports (3x Display and and 1x HDMI). Mother Board MSI / ASUS MPG B550 gaming plus AMD AM4 M.3 x USB 2.0 , 2 x 3.2 Gen 2xHDMI ATX motherboard compatible with processor or higher. SMPS ASUS ROG Strix 850 watt Gold PSU (24 Pin).Input Voltage Range 220V AC, Frequency 50Hz±5%Current 4A, D.C Output Voltage: +5V; Current: 40A, Voltage: +12V; Current: 20A, Voltage: +3.3V;Current: 28A,Voltage: -5V; Current: 0.5A, Voltage: -12V; Current: 0.5A, Voltage: +5V SB; Current: 2A 450W, Computer Chasis Master Box K501L RGB e compatible to the motherboard, Computer cooling Fan Cooler master: Master liquid ML240ZR RGB or higher compatible with mother board and processor, Mouse with mouse pad Logitech /DELL USB Mouse optical with mouse pad, Keyboard Logitech /DELL Keyboard USB Keyboard 104 Keys, Comfortable, quiet typing, Spill-resistant design, Durable keys, Sturdy, adjustable tilt legs, Plug-andplay lenght -45cms, width -15cms, 18.5" LED monitor Display Screen Size 46.99cm (18.5) Brightness (Typical) 250cd/m²,Contrast Ratio (Typical) DC 50,000:1 (Typ. 1,000:1),Resolution 1366 x 768,Response Time (Typical) 5ms Viewing Angle(Horizontal/Vertical) 170°/160° (CR>10), Color Supported 16.7M, Signal Input Video Signal Analog RGB Sync. Signal Separate H/V, Composite, SOG, Connector 15pin D-SUB, Power Power Consumption 20Watts Stand By Power (DPMS) < 0.3Watt, Type Builtin, Features Plug & Play DDC 2B, USB powered hub option No Mac compatibility Yes, Multimedia Speakers No, Wall-Mount 75 x 75mm,TCO No,Cabinet Color High Glossy Black Optional Accessories - Special Features MagicBright3, MagicEco, MagicAngle, Off timer, Image Size Colour Effect, Customised key, Windows Vista Basic Dimension Product Dimension(With stand, WxHxD) 455.6 x 375.0 x 178.0mm, Product Dimension (Without Stand, WxHxD) 455.6 x 309.4 x 63.1mm Shipment Dimension(WxHxD) 521 x 382

Bid Details/lds ldg/vi 4.65Kg,Stand Type Simple,Function Tilt, Router TPLINK AC

1900, Speaker set Bluetooth Tower Speaker set 2.0 channel output model SPA9120B 80W RMS 40 HZ-20 KHZ Frequency, Bluetooth adapter USB Bluetooth adapter for speaker, 4 port USB Hub 4 port USB Hub USB 3.0 with 2 ft extended cable4 port USB Hub 4 port USB Hub USB 3.0 with 2 ft extended cable, UPS 5 KVA line interactive Output Power Capacity 3500 Watts / 5000 VA Max Configurable Power 3500 Watts / 5000 VA Nominal Output Voltage 230V Output Voltage Note Configurable for 220: 230 or 240 nominal output voltage Efficiency at Full Load 92% Output Voltage Distortion Less than 3% Output Frequency (sync to mains) 50/60 Hz +/- 3 Hz user adjustable +/- 0.1 Crest Factor 3: 1 Waveform Type Sine wave Output Connections (8) IEC 320 C13 (2) IEC 320 C19 (6) IEC Jumpers Bypass Internal Bypass (Automatic and Manual) Input Nominal Input Voltage 230V Input Frequency 50/60 Hz +/- 5 Hz (auto sensing) Input Connections Hard Wire 3-wire Input voltage range for main operations 160 - 280V Input voltage adjustable range for mains operation 100 - 280V Other Input Voltages 220,240 PowerChute Personal Edition v2.0 for Windows 2000 & XP (Multi Language Support) with power card. With 3 Pin Indian Sockets, 52 X External DVD R/W drive # Support USB Specification Revision 2.0, 40 times faster transfer rate than that of USB 1.1, Lightweight, Pocket size, Elegant aluminum cabinet, Hot swapping capability # Support USB2.0 transfer rates up to 480Mbps,# USB 2.0/IDE compliant:,Intergrated USB tranceiver,High speed (480Mbit) and full speed (12Mbit) support USb suspend/resume, remote wake up support,# Metal:Aluminum & Plastic with power cable and data cable, Laser printer Print speed black (normal, A4) Up to 14 ppm, Print speed footnote, Speed specification per industry standard testing methodsStandard memory, 2 MB embedded in SIP package, 16k bit NVRAM; Maximum memory, 2 MB embedded in SIP package, 16 Kb NVRAM, Processor speed 266 MHz, Print quality black (best), Up to 600 x 600 dpi (1200 dpi effective output); Print technology, Laser Duty cycle (monthly, A4), Up to 5000 pages, DVD Recordable DVD 4.7 GB with Jewel Case, DVD Recordable DVD 8.5 GB with Jewel Case, Projector Projectors NP-P554U 5500 lumens Or higher, Native WUXGA(1920x1200) with aspect ratio suport 16:9, LCD projector, Web Cam WebCam C270HD with adjustable Mounting stand, USB Cable High quality USB Extender Cable 2.0 15 Mtr Dyeton, IR Filter IR Filter (for 830nm Laser) with mouning clamps for fitting in front of web cam C270HD, Auto Calibration set Auto calibration set complete with 30x IR LEDs with 02x12VAC/DC Adapter, 2 Amps, 24 Wmax. 5mm LED Socket for IR LED attachment Nos-10, Infra red detection card New port, Model F-IRC1-S Infrared Sensor Card, Sensitivity area 4x3 cms, Display Port to HDMI Convertor Display Port to HDMI Convertor, HDMI cable (15 Mtr length) HDMI Cable extra guard multi conductor with both end M/F moulded connectors., Operating System Win 10 Pro 64 Bit OS latest version, Microsoft Office Microsoft Office 2010 64 bit with MS-Access and License, Laser Diode IR LASER 830nm with Specification Operating volt-3.5V DC Wavelength -830nm Beam Divergence < 0.8 mrad Beam Dia - 2-3 mm collimating lens 3 element glass lens with laser mounting, laser mounting design and drawing details held with 515 ABW, Weapon Board Weapon Board Details of Weapon Board: (1) Atmel SMART SAM D21 32 bit micro-controller (2) Wi-Fi enabled

Bid Details (3) 14 Pin Female Connector. (4) Gerber Data Held with 515 ABW (5) 5V 1 Amp AC to DC charger (6) Re-chargable

battery with holder (7) Aluminium/ PVC Wpn Card enclosure box with dimensions: 102.5mm(L) x 38mm(W) x 18.5mm(H)., Recoil Board Wireless Recoil Board Details of Recoil Board: (1) SAMD21G1832 bit Microcontroller (2) Wi-F enabled PCB (3) DB9 Male connector (4) Gerber Data Held with 515 ABW (5) 12 V 1 Amp AC to DC adaptor (6) Aluminium/ PVC Card enclosure box with dimensions : 113mm(L) x 54.5mm(W) x 29mm(H)., Wpn harness Wpn harness incl Wiring, Sleeve & Connector, Hall Sensors Hall sensor, Magnets Magnets for hall sensor, Hall Sensors Dual Hall Sensor, Aluminium rod 50 mm dia (ft) 50mm dia, Delrin rod black 2" dia (ft) 2" dia black, Stainless Steel Pipe 1" Dia stainless steel pipe -length 17" both side threaded, Brass reducer Brass reducer 1" x 1/2", Pressure regulator Air pressure regulator 30 bar with guage, Elbow Stainless steel Elbow 1" internal Dia with threaded, Stainless Steel Pipe Stainless Steel pipe1" 10 ft both sided threaded, Hose pipe Hose pipe flexible PH 253 1/2" length 1.5 mtr with flowing capacity 160 bar, Stainless steel pipe 1" dia stainless steel pipe -length 5 feet both side threaded, Elbow 1/2" internal Dia stainless steel Elbow 1/2", Dummy Socket 1" Dia Dummy Socket SS internal thread, U' Type clamp MS Angle T stand with 'U' Type clamp with nut bolt steel both sidethreaded 12 mm length 5.5", Flow control valve Flow control valve SS 1/2", Nipple Stainless steel Nipple 1/2 " both side threaded, Nut & Bolt Nut & bolt 11mm length-3.5" (with washer), Shavo Regulator Shavo air regulator 30 kg load presure with guage, Compressor Industrial Air Compressor 30 bar Model: ELGI TS 15 LB PET with 25 mtr 4 core 15 Amp current rating power cable, PU pipe PU pipe Janatics pneumatics 12mm 30 Bar WH00B06 B22 B06S1 LG 30 Mtr, T Joint 6mm 'T' Joint Model WP2300606(PU 6 Black T), Elbow Joint 6mm Ellbow Joint Model WP2200606(Pu 6 Black 'L' Type), Brass adapter PU 6 Brass adapter 1/2 " external thread & 6mm internal thread, Brass adapter PU 6 Brass adapter 1/4 " external thread & 6mm internal thread, Solenoid Valve Solenoid Valve 30 bar 12V DC with relay (Mercury), Brass adapter Brass adapter 1/2" with Nut PU-12, Brass adapter PU 12 Brass Reducer 1/2" into 1/8", Coupler Stainless Steel Flange Coupler 1" internal Dia, SS Coupler Nut & Bolts for Flange Coupler 1" internal Dia length 2" X 19mm Nut with Washer, Thread sealent Thread Sealent Jointing paste Loctite-243 400 ml, Teflon Tape Teflon Tape for sealent Roll, Thread Bundle Thread Bundle for pipe threads 1 Bundle, Tag & tie Tag and Tie universal Type Pack, Cap & Casing 6mm Dia Cap & casing, Wooden Screw 3mm Wooden Screw Length 1/4", Wooden Screw 2mm Wooden Screw Length 1/2", Wooden Block Wooden Block Universal Type, Soft Wood Soft wood pieces 18x14x20mm for giving gap between firing table and 50mm casing - Nos 1500 (All black color powder coated), Paint White enamel Type 1 ltr, Lubricant Compressor Lubricant oil ELGI Part no 000998052 3 Ltr, Lubricant Air Lube ELGI Part No 000998044 1 Ltr, Pneumatic cylinder Pneumatic cylinde SS (25mm bore x 70mm stroke) OD 30mm, port size 1/8" As ped DRG No: A3 515 SMP 56443, SS Pipe SS Pipe Industrial 1/2 " dia x length 4" one side thread, Flange Gasket Coupler Flange Gasket Rubber 3mm thickness Type:Large, Legris blue pipe Legris blue pipe nylon semi rugged 6mm outer dia x 4 mm internal dia 10 bar pressure, Reducer Brass Reducer 1 " x 3/4 " dia, Silencer Silencer Wire mesh 1/2' dia external

thread, SS union SS Union 1 " internal dia with thread, SS

GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS pipe Stainless Stell pipe 2 feet and one side thread, Welding Rod Welding Rod Stainless Steel 308 L size 3.15 x 3.50 mm

Batch No. M77804, 10 core cable unshielded (m) Type YY 6.3mm dia strength 8.1 kg, 3 core power cable 15 A (m) H07-RNF-1.5 sq mm dia, 3 core power cable, 5A (m) H07-RNF-1.5 sqmm dia, 3-pin plugs 5A Anchor ISI Standard, 5A Socket Anchor, Computer power cord 230 V AC, 5 A, 3 mtr length (Nos) with 3 pin pluge H07-RNF-1.5mm dia BEST Quality, Power Extension board Spike Buster 15/5 Amp multipin (6 Socket) with 15 Mtr cable, Power Extension board Spike Buster (6 Socket) with 5 Mtr cable, Teflon wire multi-strand black (m) 1mm Multistrand, Teflon wire multistrand red (m) 1mm Multistrand, Teflon wire multi-strand White (m) 1mm Multistrand, Teflon wire multi-strand yellow (m) 1mm Multistrand, Teflon wire multi-strand Green(m) 1mm Multistrand, Teflon wire multi-strand Brown(m) 1mm Multistrand, Teflon wire multi-strand Violet(m) 1mm Multistrand, Teflon wire multi-strand Blue(m) 1mm Multistrand, Teflon wire multi-strand purple(m) 1mm Multistrand, Teflon wire multi-strand Orange(m) 1mm Multistrand, Adhesive 20ml tube Loctite HVHT, Solder soft (100 gm roll) Solder soft with core of non corrosive flux for std electronic work and wax 50 gm, Adhesive Loctite AA324 and Adhesive Loctite 7075 Adhesive Loctite AA324 and Adhesive Loctite 7075, Industrial grade Adhesive Fevikwik FeviKwik 5ml tube, Heat Shrink Sleeve Heat shrink Sleeve 6mm black Model:E203950, Heat Shrink Sleeve (I)Heat shrink Sleeve 3mm black Model:E203950 (II)Heat shrink Sleeve 2mm black Model:E203950, Insulation tape (roll) Wonder tape 10 mtr roll PVC, Transparent Tape 2" Transparent Tape 2", Instrument cooling fan AC 230V, Universal adapter for 3 pin plug for 6 Amps, Modular Firing Platform for kneeling, standing & Lying position Modular Friring Platform for kneeling, standing & Lying position with base and stand 4, Firing mat with padding 6x3 with padding, Firing pillows (12 x big & 12 x small) 1x2x2 feet and 1x2x4 feet, Instructor Station Consisting of MS with black powder coating with 2xInstrument cooling fans and lock & keys -Power cable and sockets fitted, mounting brackets for Qty one 18.5" monitor, UPS, (as per Drg No A0-515-IWTS-0001(1-65) & A0-515-Drona-0001(1-65)), Instructor chair ISI Standard, Manufacturer's lable plate 515 Army Base Wksp manufacturer plate, as per sample, Projection Stand Adjustable with screen modified for IWTS 10x30 feet adjustable height, two side stands all support complete with Firing Screen, tying Rope, bolt and nuts lock facility., Mounting stand video projector Projector mounting stand with 10 mm thick metal top plate Size:500mm Length x 400 mm width, Height 400mm, Ruggedized enclosure for projector LxBxH 24x22x8.5" with 5x5" Air Ventilation sliding cover 12V DC 1½ " Fan handle, Rubber bush, White velcro Adhesive Velcro 5m (2 inch), Fasteners a) Screw Slotted Cheese head M2x20 IS no-1366 - Nos-200 b) Screw Slotted Cheese head M2x25 IS no-1366 - Nos - 100 c) Flat Washer M2 - Nos - 300 d) Hex Nut M2 IS no-1366 - Nos - 300 e) Screw Slotted Cheese head M3x40 IS no-1366 - Nos - 500 f) Screw Slotted Cheese head M5x30 IS no-1366 - Nos - 500 g) Flat Washer M5 - Nos - 500 Hex Nut M5 IS no-1364 - Nos -500 h) Hex Socket head caps j) screwHT-9 M4x20 IS no-2269-Nos-500 k) Wooden screw M5x50mm -Nos -600 l) Wooden screw M4x40mm - Nos - 1000 m) Wooden screw M4x25mm - Nos - 550 n) Wooden screw M3x15mm - Nos -550 p) Fine cheese head screw M4x12mm - Nos - 600, Cable ties and tie bases (25mm packet of 100) as per

sample Standard cabel Ties, white nylon with a non-release ratchet lock action suitabel for binding cable or componets,

Size-99x2.5 stock no.543-428 & Self Adhesive Fixing Clips (RB fixing clips, Type: RB8 (W-25mm), Stock No-170-5346, Cable ties and tie bases (50mm packet of 100) as per sample Standard cabel Ties, white nylon with a non-release ratchet lock action suitabel for binding cable or componets, Size-99x2.5 stock no.543-428 & Self Adhesive Fixing Clips (RB fixing clips, Type: RB8 (W-50mm), Stock No-170-5346, Spiral Pipe 1.5" Dia (Flexible Conduct) Mtrls: Nylon PA6, thread: PG36, Temp: -40 deg to 120 deg,, Allen key (2,3,4,5,6,7,8,9 Set of 8) ISI Standard, Nose plier ISI Standard, Screw driver set ISI Brand, Spanner open-jaw 13/17 ISI Standard, Spanner open-jaw 24/27 ISI Standard, Spanner open-jaw 17/19 ISI Standard, Taparia Adjustable 12 inch Spanner open-jaw ISI Standard, Corrugated sheet (m) Corrugated sheet(m)-2 mtr width, Bubble sheet (m) Bubble sheet 2 mtr width, Cotton waste (kg) Cotton waste(kg), Hessian cloth (m) Hessain Cloth 2 mtr width, FRP container 3- $1/2(L) \times 2(W) \times 2(H)$ Feet with double toggle latches and Handles, Lock 5 lever with keys Godrej 50mm, LDPE Strech wrap roll 1200 mtr 23 micro 5inch-12 inch streched film roll, Nails 1" (kg) Nails 1 KG-1 ISI standard, Silica gel 5gm pack of 80 pcs, Wooden Crates for Packing Chir wood packing crates for packing sml dimension and qty as follows:- a) 25" x 26" x14"-02 Nos b) 29"x24" x15"-01 Nos c) 23" x 15'x11"-02 Nos d) 21" x 14" x 5" -01 Nos e) 16"10'X12"-01 Nos f) 18"x15"x8"-03 Nos g) 49" x 34" x55"-01 Nos h) 48" x 24"x48"-01 Nos j) 48" x15"x15"-02 Nos k) 27" x24" x20"-02 Nos I) 125" 6" x 4"-01 Nos m)125"x 40" x2"-03 Nos n) 12" x 12" x 25"-01 os, Binding wire Size(2061.02) 1/26,92 mtr roll, Double sided Tape Double Sided Foam tape 2 inch width 48mmX5 Mtr, Log book To be printed as per the requirement of SMD, Technical manual To be printed and spiral binded (softcopy of Techincal manual will be

provided by SMD), User hand book To be printed and spiral bearethes fitting of User hand book To be printed and spiral bearethes fitting of User hand will be spickled by SMD) 5950x desktop processor 16 core and 32 thread processor with 3.40 to 4.90 GHz clock speed or higher version

Category not available on GeM for the text string uploaded by the buyer

Searched String: RAM RAM 32 GB FURY Beast RGB DDR-4 Speed upto 3733 MT/s

Category not available on GeM for the text string uploaded by the buyer

Searched String: SSD M.2 2280 512GB PCIe NVMe SSD MZ-V7P512BW

Portable Voice Recorder

Searched String: Hard Disk Drive HDD-2TB,7200 RPM SATA

USB Type External Hard Disk Drive (V2), Internal Storage Device (SSD/HDD)

Searched String: Graphics Card NVIDIA GEFORCE RTX 2080Ti /GTX 3070 with minimum 4 ports (3x Display and and 1x HDMI)

Category not available on GeM for the text string uploaded by the buyer

Bid Details/बिङ्ग विवरण gaming plus AMD AM4 M.3 x USB 2.0 , 2 x 3.2 Gen 2xHDMI

ATX motherboard compatible with processor or higher

Category not available on GeM for the text string uploaded by the buyer

Searched String: SMPS ASUS ROG Strix 850 watt Gold PSU (24 Pin),Input Voltage Range 220V AC,Frequency 50Hz±5%Current 4A,D.C Output Voltage: +5V; Current: 40A, Voltage: +12V; Current: 20A, Voltage: +3.3V;Current: 28A,Voltage: -5V; Current: 0.5A,Voltage: -12V; Current: 0.5A,Voltage: +5V SB; Current: 2A 450W

Category not available on GeM for the text string uploaded by the buyer

Searched String: Computer Chasis Master Box K501L RGB e compatible to the motherboard

Category not available on GeM for the text string uploaded by the buyer

Searched String: Computer cooling Fan Cooler master: Master liquid ML240ZR RGB or higher compatible with mother board and processor

Category not available on GeM for the text string uploaded by the buyer

Searched String: Mouse with mouse pad Logitech /DELL USB Mouse optical with mouse pad

Mouse Pad, Keyboard and Mouse Combo, Mouse Trap (V2)

Searched String: Keyboard Logitech /DELL Keyboard USB Keyboard 104 Keys,Comfortable, quiet typing,Spill-resistant design,Durable keys,Sturdy, adjustable tilt legs,Plug-and-play lenght -45cms, width -15cms

Category not available on GeM for the text string uploaded by the buyer

Searched String: 18.5" LED monitor Display Screen Size 46.99cm (18.5) Brightness (Typical) 250cd/m²,Contrast Ratio (Typical) DC 50,000:1 (Typ. 1,000:1), Resolution 1366 x 768, Response Time (Typical) 5ms Viewing Angle(Horizontal/Vertical) 170°/160° (CR>10),Color Supported 16.7M. Signal Input Video Signal Analog RGB Sync. Signal Separate H/V, Composite, SOG, Connector 15pin D-SUB, Power Power Consumption 20Watts Stand By Power (DPMS) < 0.3Watt, Type Built-in, Features Plug & Play DDC 2B,USB powered hub option No Mac compatibility Yes, Multimedia Speakers No, Wall-Mount 75 x 75mm, TCO No, Cabinet Color High Glossy Black Optional Accessories Special Features MagicBright3, MagicEco, MagicAngle, Off timer, Image Size Colour Effect, Customised key, Windows Vista Basic Dimension Product Dimension(With stand, WxHxD) 455.6 x 375.0 x 178.0mm, Product Dimension(Without Stand, WxHxD) 455.6 x 309.4 x 63.1mm Shipment Dimension(WxHxD) 521 x 382 x 132mm, Weight Product Weight 3.55Kg, Shipment Weight 4.65Kg, Stand Type Simple, Function Tilt

Category not available on GeM for the text string uploaded by the buyer

Searched String: Router TPLINK AC 1900 Bid Details/बिंड विवरण

Layer - 3 Distribution Switch

Searched String: Speaker set Bluetooth Tower Speaker set 2.0 channel output model SPA9120B 80W RMS 40 HZ-20 KHZ Frequency

Category not available on GeM for the text string uploaded by the buyer

Searched String: Bluetooth adapter USB Bluetooth adapter for speaker

Bluetooth Speakers (V2), SPARE / Add On Bluetooth earphone Device For Transreceiver-Handheld, Commercial CPVC Pipe Fittings

Searched String: 4 port USB Hub 4 port USB Hub USB 3.0 with 2 ft extended cable4 port USB Hub 4 port USB Hub USB 3.0 with 2 ft extended cable

Car Charger, Pipe Clamps (V2)

Searched String: UPS 5 KVA line interactive Output Power Capacity 3500 Watts / 5000 VA Max Configurable Power 3500 Watts / 5000 VA Nominal Output Voltage 230V Output Voltage Note Configurable for 220: 230 or 240 nominal output voltage Efficiency at Full Load 92% Output Voltage Distortion Less than 3% Output Frequency (sync to mains) 50/60 Hz +/- 3 Hz user adjustable +/- 0.1 Crest Factor 3:1 Waveform Type Sine wave Output Connections (8) IEC 320 C13 (2) IEC 320 C19 (6) IEC Jumpers Bypass Internal Bypass (Automatic and Manual) Input Nominal Input Voltage 230V Input Frequency 50/60 Hz +/- 5 Hz (auto sensing) Input Connections Hard Wire 3-wire Input voltage range for main operations 160 - 280V Input voltage adjustable range for mains operation 100 - 280V Other Input Voltages 220,240 PowerChute Personal Edition v2.0 for Windows 2000 & XP (Multi Language Support) with power card. With 3 Pin Indian Sockets

Category not available on GeM for the text string uploaded by the buyer

Searched String: 52 X External DVD R/W drive # Support USB Specification Revision 2.0, 40 times faster transfer rate than that of USB 1.1, Lightweight, Pocket size, Elegant aluminum cabinet, Hot swapping capability # Support USB2.0 transfer rates up to 480Mbps,# USB 2.0/IDE compliant:,Intergrated USB tranceiver,High speed (480Mbit) and full speed (12Mbit) support USb suspend/resume, remote wake up support,# Metal:Aluminum & Plastic with power cable and data cable

Category not available on GeM for the text string uploaded by the buyer

Searched String: Laser printer Print speed black (normal, A4) Up to 14 ppm,Print speed footnote, Speed specification per industry standard testing methodsStandard memory, 2 MB embedded in SIP package, 16k bit NVRAM; Maximum memory, 2 MB embedded in SIP package, 16 Kb NVRAM,Processor speed 266 MHz,Print quality black (best), Up to 600 x 600 dpi (1200 dpi effective output); Print technology, Laser Duty cycle (monthly, A4), Up to 5000 pages

Bid Details/las laavailable on GeM for the text string uploaded by the buyer

Searched String: DVD Recordable DVD 4.7 GB with Jewel Case

read only digital versatile disc dvd

Searched String: DVD Recordable DVD 8.5 GB with Jewel Case

read only digital versatile disc dvd, EMG NCV EP Machine

Searched String: Projector Projectors NP-P554U 5500 lumens Or higher, Native WUXGA(1920x1200) with aspect ratio suport 16:9, LCD projector

Category not available on GeM for the text string uploaded by the buyer

Searched String: Web Cam WebCam C270HD with adjustable Mounting stand

Category not available on GeM for the text string uploaded by the buyer

Searched String: USB Cable High quality USB Extender Cable 2.0 15 Mtr Dyeton

Category not available on GeM for the text string uploaded by the buyer

Searched String: IR Filter IR Filter (for 830nm Laser) with mouning clamps for fitting in front of web cam C270HD

Category not available on GeM for the text string uploaded by the buyer

Searched String: Auto Calibration set Auto calibration set complete with 30x IR LEDs with 02x12VAC/DC Adapter, 2 Amps, 24 Wmax. 5mm LED Socket for IR LED attachment Nos-10

Category not available on GeM for the text string uploaded by the buyer

Searched String: Infra red detection card New port, Model F-IRC1-S Infrared Sensor Card, Sensitivity area 4x3 cms

Category not available on GeM for the text string uploaded by the buyer

Searched String: Display Port to HDMI Convertor Display Port to HDMI Convertor

Refraction Tomography Software, Pipe Clamps (V2)

Searched String: HDMI cable (15 Mtr length) HDMI Cable extra guard multi conductor with both end M/F moulded connectors.

Category not available on GeM for the text string uploaded by the buyer

Searched String: Operating System Win 10 Pro 64 Bit OS latest version

Category not available on GeM for the text string uploaded by the buyer

Bid Details/lag lagoul Microsoft Office Microsoft Office 2010 64 bit with MS-Access and License

Category not available on GeM for the text string uploaded by the buyer

Searched String: Laser Diode IR LASER 830nm with Specification Operating volt-3.5V DC Wavelength -830nm Beam Divergence<0.8mrad Beam Dia -2-3mm collimating lens 3 element glass lens with laser mounting, laser mounting design and drawing details held with 515 ABW

Category not available on GeM for the text string uploaded by the buyer

Searched String: Weapon Board Weapon Board Details of Weapon Board: (1) Atmel SMART SAM D21 32 bit microcontroller (2) Wi-Fi enabled PCB (3) 14 Pin Female Connector. (4) Gerber Data Held with 515 ABW (5) 5V 1 Amp AC to DC charger (6) Re-chargable battery with holder (7) Aluminium/ PVC Wpn Card enclosure box with dimensions: 102.5mm(L) x 38mm(W) x 18.5mm(H).

Category not available on GeM for the text string uploaded by the buyer

Searched String: Recoil Board Wireless Recoil Board Details of Recoil Board: (1) SAMD21G1832 bit Microcontroller (2) Wi-F enabled PCB (3) DB9 Male connector (4) Gerber Data Held with 515 ABW (5) 12 V 1 Amp AC to DC adaptor (6) Aluminium/ PVC Card enclosure box with dimensions: 113mm(L) x 54.5mm(W) x 29mm(H).

Category not available on GeM for the text string uploaded by the buyer

Searched String: Wpn harness Wpn harness incl Wiring, Sleeve & Connector

Category not available on GeM for the text string uploaded by the buyer

Searched String: Hall Sensors Hall sensor

Modular Seat and Desk Combo (for classroom / lecture hall), Sensors for Continuous cardiac output monitor, Modular Table (V2), Temperature controlled soldering station, Package No. 1 - ATAL TINKERING LAB OF NITI AAYOG ELECTRONICS DEVELOPMENT, ROBOTICS, INTERNET OF THINGS AND SENSORS, Inductive Proximity Sensor, Occupancy sensor, Temperature & Humidity Sensor, Multi Gas Detector (V1), Temperature sensor

Searched String: Magnets Magnets for hall sensor

Horse shoe magnets for experimental use in schools, magnetic stirrers, Alnico Bar magnets for experimental use in schools, Force Sensor, Dry Erase Writing Boards (V3), Modular Seat and Desk Combo (for classroom / lecture hall), Sensors for Continuous cardiac output monitor, Assistive Tech, MCCB with Thermal Magnetic / Microprocessor Based Trip Unit, Spirit level

Searched String: Hall Sensors Dual Hall Sensor

Modular Seat and Desk Combo (for classroom / lecture hall), Single and dual beam IR sensor, Sensors for Continuous

Bid Details/las lagour monitor, Temperature controlled soldering station, Modular Table (V2), Inductive Proximity Sensor,

Package No. 1 - ATAL TINKERING LAB OF NITI AAYOG ELECTRONICS DEVELOPMENT, ROBOTICS, INTERNET OF THINGS AND SENSORS, Occupancy sensor, Temperature & Humidity Sensor, Multi Gas Detector (V1)

Searched String: Aluminium rod 50 mm dia (ft) 50mm dia

Steel Rod 30.1mm Diameter (OFB (Defence)), Commercial CPVC Pipe Fittings, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Commercial PPR Pipes Fittings as per IS 15801, Swing (Preschool Kit), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1)

Searched String: Delrin rod black 2" dia (ft) 2" dia black

PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Steel Tubes, Tubulars as per IS 1239, Disinfectant Fluids, Phenolic Type (V3) conforming to IS 1061, Carrommen and Striker, Coating Thickness Gauge, Steel Trunk confirming to IS 7257 (V3), Markers for White Board (V2), Weightlifting Discs

Searched String: Stainless Steel Pipe 1" Dia stainless steel pipe -length 17" both side threaded

Curtain Pipe, Sider and mounting bracket, Tee Pipe Fittings, Seamless, Welded and Heavy Cold worked Austenitic Stainless Steel Pipes, Hand Operated Hydraulic Pipe Bender, Forged or Rolled Alloy And Stainless Steel Pipe Fitting

Searched String: Brass reducer Brass reducer 1" x 1/2"

Commercial CPVC Pipe Fittings, Pad Lock Various (As Per Defence Specification), Parliament Hinges-IS:362, CPVC Industrial Pipe Fittings, Schedule 80, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Piano Type Non Modular Domestic Electrical sockets - IS 1293, Modular Piano Type Domestic Electrical Switches as per IS 3854, Brass Sieve, Piano Type Modular Domestic Electrical sockets - IS 1293, Hex Reducing Nipple

Searched String: Pressure regulator Air pressure regulator 30 bar with guage

Acetylene Pressure Regulator as per IS 6901, Pressure Regulator For Gases, Natural Gas Pressure Regulator, Filter cum Pressure Regulater, Filter Regulator Lubricator, High Pressure Breathing Air Compressor Motor Driven as per IS 15879, Element Filter Compressor, High Pressure Breathing Air Compressor Petrol Engine Driven

Searched String: Elbow Stainless steel Elbow 1" internal Dia with threaded

Commercial CPVC Pipe Fittings, Forged or Rolled Alloy And Stainless Steel Pipe Fitting, Wrought carbon Steel And Alloy Steel Pipe Fitting for Moderate And High Temperature Service, Fume Exhaust System with Scrubber or Fume Hood with Scrubber, medical stools or chairs, Commercial PPR Pipes Fittings as per IS 15801

Searched String: Stainless Steel Pipe Stainless Steel pipe1" 10 ft both sided threaded

Bid Details/बिङ्ग विवर्ण Fasteners as per IS 1367(Part 14), Tee Pipe Fittings, Forged

or Rolled Alloy And Stainless Steel Pipe Fitting, Electric Kettles and Jugs for Household as per IS 367, Seamless, Welded and Heavy Cold worked Austenitic Stainless Steel Pipes, Connection Pipe with Nuts (V2), Napkin Dispenser, Queue manager, Wet Grinder

Searched String: Hose pipe Hose pipe flexible PH 253 1/2" length 1.5 mtr with flowing capacity 160 bar

Modular Toilet

Searched String: Stainless steel pipe 1" dia stainless steel pipe -length 5 feet both side threaded

Duplex Stainless Steel Pipes, Curtain Pipe, Sider and mounting bracket, Forged or Rolled Alloy And Stainless Steel Pipe Fitting, Seamless, Welded and Heavy Cold worked Austenitic Stainless Steel Pipes, Tee Pipe Fittings, Hand Operated Hydraulic Pipe Bender

Searched String: Elbow 1/2" internal Dia stainless steel Elbow 1/2"

BCAA 2:1:1 Powder, Multipara Monitor - Low End, Heat Elbow Wrap, Elbow Pipe Fitting, Waste Containers and Accessories - Domestic (V2), Elbow and forearm CPM, Nitrile Coated Hand Gloves, Tactical Knee and Elbow Pad, Laminar air flow cabinets or stations, 2-2-BIPYRIDYL

Searched String: Dummy Socket 1" Dia Dummy Socket SS internal thread

Commercial PPR Pipes Fittings as per IS 15801

Searched String: U' Type clamp MS Angle T stand with 'U' Type clamp with nut bolt steel both sidethreaded 12 mm length 5.5"

Category not available on GeM for the text string uploaded by the buyer

Searched String: Flow control valve Flow control valve SS 1/2"

Control Valve Pneumatic, Mass Flow Controllers, Directional Control Valve, Laminar air flow cabinets or stations, Control valve Hydraulic Oils, Universal Power Flow Controller

Searched String: Nipple Stainless steel Nipple 1/2 " both side threaded

Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Hex Reducing Nipple, Commercial CPVC Pipe Fittings, Stainless Steel Threaded Fasteners as per IS 1367(Part 14), Thread Pitch Gauge Set, Swage Nipple, Junction Box for Lighting

Searched String: Nut & Bolt Nut & bolt 11mm length-3.5" (with washer)

Span Bolt and Nut, Hexagonal Head Bolts, Screws and Nuts of Product Grades A and B as per IS 1364, Splice Closure for Optical Fiber Cables, Hardwares (Hex Bolt & Spring Channel Nut, Anchor Fastener, Washer, Spring Washer) - BHEL, Studs-IS:1862, Galvanised Foundation Bolt including Nuts

and Washers (BHEL), Eye Bolts with Collars - IS 4190, petalls/las lagvi Hardened and tempered washers for high strength

structural bolts and nuts - IS 6649, Connection Pipe with Nuts (V2), Prevailing Torque Type Hexagon Nuts (With Non-Metallic Insert), Style 1 - IS 7002

Searched String: Shavo Regulator Shavo air regulator 30 kg load presure with guage

Filter cum Pressure Regulater

Searched String: Compressor Industrial Air Compressor 30 bar Model: ELGI TS 15 LB PET with 25 mtr 4 core 15 Amp current rating power cable

Category not available on GeM for the text string uploaded by the buyer

Searched String: PU pipe PU pipe Janatics pneumatics 12mm 30 Bar WH00B06 B22 B06S1 LG 30 Mtr

High Pressure Fire Fighting Hose - IS 14933

Searched String: T Joint 6mm 'T' Joint Model WP2300606(PU 6 Black T)

ETO Sterilizer, Locking Compression Plates (V2), Steel Tubes, Tubulars as per IS 1239, Power Contactors as per IS 13947 - 4 - 1. Anodized Aluminium Frame

Searched String: Elbow Joint 6mm Ellbow Joint Model WP2200606(Pu 6 Black 'L' Type)

Industrial Safety Gloves - Leather and Cotton

Searched String: Brass adapter PU 6 Brass adapter 1/2 " external thread & 6mm internal thread

Commercial CPVC Pipe Fittings, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781

Searched String: Brass adapter PU 6 Brass adapter 1/4 " external thread & 6mm internal thread

Commercial CPVC Pipe Fittings, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781

Searched String: Solenoid Valve Solenoid Valve 30 bar 12V DC with relay (Mercury)

Solenoid Valve with Spring Return In/Exhaust, Small Sized Valve Regulated Lead Acid Batteries as per IS Jisc 8702 - 1, Directional Control Valve, Auto Drain Trap Valve- Solenoid operated (To drain Water) for Oxygen Concentrator

Searched String: Brass adapter Brass adapter 1/2" with Nut PU-12

Commercial CPVC Pipe Fittings, Pad Lock Various (As Per Defence Specification), Brass Glands for PVC cables of Voltage Grade up to and including 3.3 kV as per IS:12943, Connection Pipe with Nuts (V2), Adapter, Stud with Nuts, Orificemeter Apparatus

Searched String: Brass adapter PU 12 Brass Reducer 1/2" into 1/8"

3.3 kV as per IS:12943, Gas Cutting Nozzles, Gas burners, Vicat Apparatus - IS 5513, Saxophone

Searched String: Coupler Stainless Steel Flange Coupler 1" internal Dia

Sprinkler Pipes (Part 2) Fitting, Quick Coupled Polyethylene Pipes Fittings as per IS 14151, Queue manager, Stainless Steel ANSI B16.5 Flange, Blind flange

Searched String: SS Coupler Nut & Bolts for Flange Coupler 1" internal Dia length 2" X 19mm Nut with Washer

Category not available on GeM for the text string uploaded by the buyer

Searched String: Thread sealent Thread Sealent Jointing paste Loctite-243 400 ml

Category not available on GeM for the text string uploaded by the buyer

Searched String: Teflon Tape Teflon Tape for sealent Roll

PTFE Teflon tape used in self closing valves of LPG cylinders, Correction Tape, Bird Repellent Tape, HT Tape, Glass fiber woven tape for electrical purpose - IS 5352, Fastener for Consumer Goods - Synthetic Hook and Loop Tape as per IS 8156, Aluminum Tape, Tapered Bearings as per IS 12102, Shade Nets for Agriculture and Horticulture as per IS 16008 (Part 1) (Made from Tape Yarns), Ratchet Pipe Threader for Taper Pipe Threads as per IS 16176

Searched String: Thread Bundle Thread Bundle for pipe threads 1 Bundle

Firewall - NGFW, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Ratchet Pipe Threader for Taper Pipe Threads as per IS 16176, Steel wire ropes for cranes(RINL), Drill Pipe Thread Compound for (ONGC) (Rajahmundry), Commercial CPVC Pipe Fittings, SCREWED GLANDS (PG THREADS) FOR CABLES AND LEADS(BHEL), Connection Pipe with Nuts (V2), Cotton Sewing Threads for Aerospace Purposes- as per IS: 1376, Circular Screwing Dies For ISO Metric Threads - IS 12321

Searched String: Tag & tie Tag and Tie universal Type Pack

Biometric(Fingerprint) & UHF Tag based Weapon Mangement System as Per MHA QRs, Dental Impression Trays - RBSK

Searched String: Cap & Casing 6mm Dia Cap & casing

Large Outer Diameter Casing Pipes (Petroleum Industry), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Diamond Casing Bit and Shoe Bits of Different Sizes (CMPDI), Hand, and Short Machine Screwing Taps for ISO Metric Screw Threads - IS 6175, Commercial CPVC Pipe Fittings, uniformbalaclava cap polyester

Searched String: Wooden Screw 3mm Wooden Screw Length 1/4"

Metric Scales (Wooden) for General Purposes as per IS 1480, Last Copper Alloy Screw Down Bib Taps and Stop Valves for

Water Services as per IS 781, Laboratory Glassware Bottles (Screw - Neck Bottles) as per IS 1388 (Part 1), Cordless screw driver, Steel Tubes, Tubulars and Other Wrought Steel Fittings (V2) as per IS 1239 Part 1, Wooden Book Case, Scissor Lift (V2), Wooden Lab Stools, Bone Screw (V2), Screw Drivers as per IS 844

Searched String: Wooden Screw 2mm Wooden Screw Length 1/2"

Karabiners Screw Type MK - 2 (Defence), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Laboratory Glassware Bottles (Screw - Neck Bottles) as per IS 1388 (Part 1), Hexagonal Head Screws conforming to IS 1363 (Part 2), Wooden Lab Stools, Circular Screwing Dies For ISO Metric Threads - IS 12321, Steel Tubes, Tubulars and Other Wrought Steel Fittings (V2) as per IS 1239 Part 1, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Cordless screw driver, Scissor Lift (V2)

Searched String: Wooden Block Wooden Block Universal Type

Wooden block, Wooden Podium, Block Printing Tool Kit -ODOP UP Govt, Wooden Book Case, WOODEN FLUSH DOOR SHUTTERS (SOLID CORE TYPE), Root Trainers Tray / Germination Tray (Block Type), Wooden Flush Door Shutters (Cellular and Hollow Core Type) Particle Board and Hardboard Face Panels

Searched String: Soft Wood Soft wood pieces 18x14x20mm for giving gap between firing table and 50mm casing - Nos - 1500 (All black color powder coated)

Category not available on GeM for the text string uploaded by the buyer

Searched String: Paint White enamel Type 1 ltr

Writing and Printing Papers Conforming to IS 1848 (Part 1), Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V3) Confirming to IS 2932, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Piano Type Modular Domestic Electrical sockets - IS 1293, Disinfectant Fluids, Phenolic Type (V3) conforming to IS 1061, Hasps and Staples as per IS 363, Washable Distemper-IS:428

Searched String: Lubricant Compressor Lubricant oil ELGI Part no 000998052 3 Ltr

Category not available on GeM for the text string uploaded by the buyer

Searched String: Lubricant Air Lube ELGI Part No 000998044 1 Ltr

Category not available on GeM for the text string uploaded by the buyer

Searched String: Pneumatic cylinder Pneumatic cylinde SS (25mm bore x 70mm stroke) OD 30mm, port size 1/8" As ped DRG No: A3 515 SMP 56443

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS

Bid Details/las laavailable on GeM for the text string uploaded by the buyer

Searched String: SS Pipe SS Pipe Industrial 1/2 " dia x length 4" one side thread

Commercial CPVC Pipe Fittings, Elbow Pipe Fitting

Searched String: Flange Gasket Coupler Flange Gasket Rubber 3mm thickness Type:Large

Gasket Sheet-IS:11149

Searched String: Legris blue pipe Legris blue pipe nylon semi rugged 6mm outer dia x 4 mm internal dia 10 bar pressure

Category not available on GeM for the text string uploaded by the buyer

Searched String: Reducer Brass Reducer 1 " x 3/4 " dia

Commercial CPVC Pipe Fittings, CPVC Industrial Pipe Fittings, Schedule 80, Commercial PPR Pipes Fittings as per IS 15801, Hex Reducing Nipple, Forged or Rolled Alloy And Stainless Steel Pipe Fitting

Searched String: Silencer Silencer Wire mesh 1/2' dia external thread

Category not available on GeM for the text string uploaded by the buyer

Searched String: SS union SS Union 1 " internal dia with thread

Commercial CPVC Pipe Fittings

Searched String: SS pipe Stainless Stell pipe 2 feet and one side thread

Commercial CPVC Pipe Fittings, Hand Operated Hydraulic Pipe Bender, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Seamless, Welded and Heavy Cold worked Austenitic Stainless Steel Pipes, Forged or Rolled Alloy And Stainless Steel Pipe Fitting, Curtain Pipe, Sider and mounting bracket

Searched String: Welding Rod Welding Rod Stainless Steel 308 L size 3.15 x 3.50 mm Batch No. M77804

Seamless, Welded and Heavy Cold worked Austenitic Stainless Steel Pipes, Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML), Refraction Tomography Software

Searched String: 10 core cable unshielded (m) Type YY 6.3mm dia strength 8.1 kg

Category not available on GeM for the text string uploaded by the buyer

Searched String: 3 core power cable 15 A (m) H07-RNF-1.5 sq mm dia

XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor

Bid Details/lds Gazul (V2) as per IS 694, PVC Copper Cable Single Core and Multicore Circular Sheathed Cord with Flexible Conductor (V2) as

per IS 694

Searched String: 3 core power cable, 5A (m) H07-RNF-1.5 sqmm dia

XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Monitor power cables, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Cable Joint Kit (V2)

Searched String: 3-pin plugs 5A Anchor ISI Standard

Electrical Plugs (V2) ISI Marked to IS 1293, Connector Mounting Hardware - Multi Plug, Plain Copier Paper (V3) ISI Marked to IS 14490, Monitor power cables

Searched String: 5A Socket Anchor

Impact socket, Deep Socket, IC SOCKET, Sofas (V2), Insulated socket, Plug Socket(BHEL), Toilet Brush (V2), Insulated socket wrench, Entry and Mid Level Desktop Computer, PVC Reducer Socket

Searched String: Computer power cord 230 V AC, 5 A, 3 mtr length (Nos) with 3 pin pluge H07-RNF-1.5mm dia BEST Quality

Category not available on GeM for the text string uploaded by the buyer

Searched String: Power Extension board Spike Buster 15/5 Amp multipin (6 Socket) with 15 Mtr cable

Category not available on GeM for the text string uploaded by the buyer

Searched String: Power Extension board Spike Buster (6 Socket) with 5 Mtr cable

Electrical Box Extension (V3)

Searched String: Teflon wire multi-strand black (m) 1mm Multistrand

Steel Wire Ropes for General Engineering Purpose as per IS 2266:2019

Searched String: Teflon wire multi-strand red (m) 1mm Multistrand

Category not available on GeM for the text string uploaded by the buyer

Searched String: Teflon wire multi-strand White (m) 1mm Multistrand

Category not available on GeM for the text string uploaded by the buyer

Searched String: Teflon wire multi-strand yellow (m) 1mm Multistrand

Category not available on GeM for the text string uploaded

Bid Details/बिंड विवरण

Searched String: Teflon wire multi-strand Green(m) 1mm Multistrand

Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Lyophilizer, Tapered Bearings as per IS 12102

Searched String: Teflon wire multi-strand Brown(m) 1mm Multistrand

Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Lyophilizer, Tapered Bearings as per IS 12102

Searched String: Teflon wire multi-strand Violet(m) 1mm Multistrand

Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Lyophilizer, Tapered Bearings as per IS 12102

Searched String: Teflon wire multi-strand Blue(m) 1mm Multistrand

Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Lyophilizer, Tapered Bearings as per IS 12102

Searched String: Teflon wire multi-strand purple(m) 1mm Multistrand

Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Lyophilizer, Tapered Bearings as per IS 12102

Searched String: Teflon wire multi-strand Orange(m) 1mm Multistrand

Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Lyophilizer, Tapered Bearings as per IS 12102

Searched String: Adhesive 20ml tube Loctite HVHT

Blood Collection Tube, Cyanoacrylate Adhesive, LED Tube Light (Retrofit Type), Epoxy Adhesive 9323-2, Automotive Vehicles - Pneumatic Tyres for Commercial Vehicles - Diagonal and Radial Ply as per IS 15636, Gasket sealing Compound, Pressure Sensitive Adhesive Plasticized PVC Tapes with Nonthermosetting Adhesive as per IS 7809 (Part 3 / Section 1), Minifuge, Paper Adhesive, Liquid Gum and Office Paste Type as per IS 2257 (Rev), Copper Alloy Fancy Taps for Bathroom as per IS 8931 (Latest)

Bid D Searched String: Solder soft (100 gm roll) Solder soft with core of non corrosive flux for std electronic work and wax 50

gm

Category not available on GeM for the text string uploaded by the buyer

Searched String: Adhesive Loctite AA324 and Adhesive Loctite 7075 Adhesive Loctite AA324 and Adhesive Loctite 7075

Thread Locking Adhesive, Epoxy Adhesive 9323-2, Cyanoacrylate Adhesive

Searched String: Industrial grade Adhesive Fevikwik FeviKwik 5ml tube

Blood Collection Tube, Cyanoacrylate Adhesive, Elastic Surgical Adhesive Tapes (V2), Stable Bleaching Powder (V2) for Household and Industrial use conforming to IS 1065 (Part 1), Permeable Nonwoven Surgical Adhesive Tape

Searched String: Heat Shrink Sleeve Heat shrink Sleeve 6mm black Model:E203950

HEAT SHRINKABLE PVC SLEEVE FOR HIGH VOLTAGE BUSBARS AND CONNECTIONS(BHEL), Cable Joint Kit (V2), Cable Termination Kit (V2)

Searched String: Heat Shrink Sleeve (I)Heat shrink Sleeve 3mm black Model:E203950 (II)Heat shrink Sleeve 2mm black Model:E203950

HEAT SHRINKABLE PVC SLEEVE FOR HIGH VOLTAGE BUSBARS AND CONNECTIONS(BHEL), Cable Joint Kit (V2), Cable Termination Kit (V2)

Searched String: Insulation tape (roll) Wonder tape 10 mtr roll PVC

Correction Tape, Pressure Sensitive Adhesive Plasticized PVC Tapes with Nonthermosetting Adhesive as per IS 7809 (Part 3 / Section 1), Tapered Bearings as per IS 12102, HT Tape, Aluminum Tape, Ceramic Fiber Tape

Searched String: Transparent Tape 2" Transparent Tape 2"

Pressure Sensitive Adhesive Tapes with Plastic Base (V3) Conforming to IS 13262, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Elastic Surgical Adhesive Tapes (V2), Permeable Nonwoven Surgical Adhesive Tape, Taflon Tape as per IS 14635, Double sided tape

Searched String: Instrument cooling fan AC 230V

Measuring Instrument (BHEL), Fan Blades for Cooling Tower fan Rev 1, Electric Axial Flow Fans Conforming To IS 3588, Small Angle Grinders, Industrial Cooling Fan (Man Coolers) as per IS 6272, Active Cooling Blood Transportation Box, Split Air Conditioner Including Green AC, Wall Mount Type (V2), Propeller Type AC Ventilating Fans - Exhaust Fans (V2) as per IS 2312, PA Mixer, Fixed Capacitors (Fixed Capacitor for Single Phase AC Electric Fan) as per IS 1709:1984

Searched String: Universal adapter for 3 pin plug for 6

Bid Details/बिड विवरण

Kit for Special School Students (Intellectual Disability) - Kit 2 Age Group 3 to 6 Years, Cat 6 Cable for Indoor Use, Commercial CPVC Pipe Fittings, Fume Hood (FSSAI), Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, CAT 6 Cable for Outdoor, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Lithium - Ion Cells and Batteries for Portable Application (Rechargeable Batteries) as per IS 16047 / IEC 61960, Spring Rider, Portable Vein Viewing Device for Vascular Imaging

Searched String: Modular Firing Platform for kneeling, standing & Lying position Modular Friring Platform for kneeling, standing & Lying position with base and stand 4

Category not available on GeM for the text string uploaded by the buyer

Searched String: Firing mat with padding 6x3 with padding

hydraulic ramset with matching foot pump, Balance Beam with Layout mattresses for Balance Beam-Gymnastic, Abdominal Exercise Machine (Version 2), Lucknow Chikan Embrodiery - ODOP, Entry and Mid Level Desktop Computer, NQ PCD Core Bit with 13 MM Cutters and TSP Chips (Matrix Body) (CMPDI), Bucket Mop Wringer Trolley, NQ PCD Core Bit with 10 MM Cutters and TSP Chips - Matrix Body (CMPDI), Sofas (V2), High End Desktop Computer

Searched String: Firing pillows (12 x big & 12 x small) 1x2x2 feet and 1x2x4 feet

Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Medical Centrifuge, Laminar air flow cabinets or stations, External branding signage boards

Searched String: Instructor Station Consisting of MS with black powder coating with 2xInstrument cooling fans and lock & keys - Power cable and sockets fitted, mounting brackets for Qty one 18.5" monitor, UPS, (as per Drg No A0-515-IWTS-0001(1-65) & A0-515-Drona-0001(1-65))

Category not available on GeM for the text string uploaded by the buyer

Searched String: Instructor chair ISI Standard

Counter Chair (Bar / Pub), medical stools or chairs, Multipurpose Dry Batteries (V2) ISI Marked to IS 8144

Searched String: Manufacturer's lable plate 515 Army Base Wksp manufacturer plate, as per sample

Category not available on GeM for the text string uploaded by the buyer

Searched String: Projection Stand Adjustable with screen modified for IWTS 10x30 feet adjustable height, two side stands all support complete with Firing Screen, tying Rope, bolt and nuts lock facility.

Category not available on GeM for the text string uploaded by the buyer

Bid Details/lds ldq.vij mounting stand wideo projector Projector mounting stand with 10 mm thick metal top plate

Size:500mm Length x 400 mm width, Height 400mm

Category not available on GeM for the text string uploaded by the buyer

Searched String: Ruggedized enclosure for projector LxBxH 24x22x8.5" with 5x5" Air Ventilation sliding cover 12V DC 1½ " Fan handle, Rubber bush

Category not available on GeM for the text string uploaded by the buyer

Searched String: White velcro Adhesive Velcro 5m (2 inch)

Elastic Surgical Adhesive Tapes (V2), Horse Riding Helmet, Permeable Nonwoven Surgical Adhesive Tape, Tactical Knee and Elbow Pad, General Purpose Hand Gloves (V2), Non Sparking Adjustable Wrench (V2), Triple Purpose Nozzle as per IS 2871, Markers for White Board (V2), Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V3) Confirming to IS 2932

Searched String: Fasteners a) Screw Slotted Cheese head M2x20 IS no-1366 - Nos-200 b) Screw Slotted Cheese head M2x25 IS no-1366 - Nos - 100 c) Flat Washer M2 - Nos - 300 d) Hex Nut M2 IS no-1366 - Nos - 300 e) Screw Slotted Cheese head M3x40 IS no-1366 - Nos - 500 f) Screw Slotted Cheese head M5x30 IS no-1366 - Nos - 500 g) Flat Washer M5 - Nos - 500 Hex Nut M5 IS no-1364 - Nos - 500 h) Hex Socket head caps j) screwHT-9 M4x20 IS no-2269-Nos-500 k) Wooden screw M5x50mm -Nos -600 I) Wooden screw M4x40mm - Nos - 1000 m) Wooden screw M4x25mm - Nos - 550 n) Wooden screw M3x15mm - Nos - 550 p) Fine cheese head screw M4x12mm - Nos - 600

Category not available on GeM for the text string uploaded by the buyer

Searched String: Cable ties and tie bases (25mm packet of 100) as per sample Standard cabel Ties, white nylon with a non-release ratchet lock action suitabel for binding cable or componets, Size-99x2.5 stock no.543-428 & Self Adhesive Fixing Clips (RB fixing clips, Type: RB8 (W-25mm), Stock No-170-5346

Category not available on GeM for the text string uploaded by the buyer

Searched String: Cable ties and tie bases (50mm packet of 100) as per sample Standard cabel Ties, white nylon with a non-release ratchet lock action suitabel for binding cable or componets, Size-99x2.5 stock no.543-428 & Self Adhesive Fixing Clips (RB fixing clips, Type: RB8 (W-50mm), Stock No-170-5346

Category not available on GeM for the text string uploaded by the buyer

Searched String: Spiral Pipe 1.5" Dia (Flexible Conduct) Mtrls: Nylon PA6, thread: PG36, Temp: -40 deg to 120 deg,

Category not available on GeM for the text string uploaded by the buyer

Bid Details/। बेंड विवरण Standard

Sofa Set (Steel Tube), Glue Stick (V2), High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786

Searched String: Nose plier ISI Standard

Orthopedic Instruments - Nose Pliers, Pliers, Pincers and Nippers as per IS 2615, IS 11526

Searched String: Screw driver set ISI Brand

Bit Driver Set with Screw driver Bits, Screw Drivers as per IS 844, Miniature Screwdriver Set, Screw driver Bits, Cordless screw driver, Non-Sparking Screw Driver-IS:4595, Driving Cum Mechanics Tool Kit, WRENCHES and DRIVERS TOOL SET (ONGC), Stud Remover & Installer with Screwdriver tool Set(ONGC)

Searched String: Spanner open-jaw 13/17 ISI Standard

Open Jaw Wrenches (Spanners) as per IS 2028, Adjustable Single Ended Open Jaw Wrench as per IS 6131, Non Sparking Double Open Ended Spanner (V2), Non Sparking Open end Slugging Spanners (V2), Open Ended Slugging Wrenches (Spanners) as per IS 4508, Drums, Large open top as per IS 13997, Live Working Gloves of Insulating Material (V2) ISI marked to IS 13774, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Hexagon Nuts conforming to IS 1363 (Part 3), Skimmed Milk Powder (V2) as per IS 13334 Part 1 Standard Grade

Searched String: Spanner open-jaw 24/27 ISI Standard

Open Jaw Wrenches (Spanners) as per IS 2028, Adjustable Single Ended Open Jaw Wrench as per IS 6131, Non Sparking Double Open Ended Spanner (V2), Non Sparking Open end Slugging Spanners (V2), Open Ended Slugging Wrenches (Spanners) as per IS 4508

Searched String: Spanner open-jaw 17/19 ISI Standard

Open Jaw Wrenches (Spanners) as per IS 2028, Adjustable Single Ended Open Jaw Wrench as per IS 6131, Non Sparking Double Open Ended Spanner (V2), Non Sparking Open end Slugging Spanners (V2), Open Ended Slugging Wrenches (Spanners) as per IS 4508, Copper (In the Form of Refinery Shapes) ISI marked to IS 191, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Electric cables for photovoltaic (PV) systems for rated voltage 1500 Volt d.c. ISI Marked to IS 17293

Searched String: Taparia Adjustable 12 inch Spanner open-jaw ISI Standard

Open Jaw Wrenches (Spanners) as per IS 2028, Adjustable Single Ended Open Jaw Wrench as per IS 6131, Adjustable Spanner

Searched String: Corrugated sheet (m) Corrugated sheet(m)-2 mtr width

Corrugated Drainage Sheet as per IS 13485, Corrugated

Bid D Boxes Corrugated Aluminium Sheet as per IS 1254, Plastic et al. Sheet (4 x 50 m) for NDRF, Inflatable Tent, M S Sheet as per

IS 1079 (Unit - Mass), Double sided tape, MS Sheet as per IS 1079, Galvanized Steel Sheets (Plain and Corrugated) (V2) as per IS 277

Searched String: Bubble sheet (m) Bubble sheet 2 mtr width

Lead Sheets And Strips For Other Than Chemical Purposes-IS:405 (Part 2), Steel Trunk confirming to IS 7257 (V3), Ferritic Steel sheet /coil RDSO

Searched String: Cotton waste (kg) Cotton waste(kg)

Cotton Stockinette as per IS 3326, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Cotton Yarn Waste (V2) as per IS 5485, Cotton Cloth Bag for Seed Packing - Capacity From 0.75 Kg to 12 Kg, 20 Kg Capacity Cotton Cloth Bags for Seed Packing, Waste Pipe, Waste Containers and Accessories - Domestic (V2), Medical Waste Incinerator, Cotton Towelling and Towels (V2) as per IS 7056, Cotton Saree

Searched String: Hessian cloth (m) Hessain Cloth 2 mtr width

Cotton Bandage Cloth (V2), Cotton Cloth Bag for Seed Packing - Capacity From 0.75 Kg to 12 Kg

Searched String: FRP container 3- $1/2(L) \times 2(W) \times 2(H)$ Feet with double toggle latches and Handles

Portable Toilet, External branding signage boards, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Non Sparking Double Open Ended Spanner (V2), Server, Non Sparking Double Ended Ring Spanner (V2), Modular Toilet, Scantling teak wood

Searched String: Lock 5 lever with keys Godrej 50mm

Online UPS (V2), Pad Lock Various (As Per Defence Specification), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Electric Ceiling Fan with BLDC Motor (V3) ISI Marked to IS 374, Padlock (General Use), Locking Compression Plates (V2), Theft Proof Rifle Racks, Emergency lighting and accessories (PORTABLE EMERGENCY LIGHTING SYSTEM Tower type With AC Genset), Non Sparking Ring Slugging Spanners (V2)

Searched String: LDPE Strech wrap roll 1200 mtr 23 micro 5inch-12 inch streched film roll

Category not available on GeM for the text string uploaded by the buyer

Searched String: Nails 1" (kg) Nails 1 KG-1 ISI standard

Distribution Transformer, 1 Phase, Up to and including 100 kVA ISI marked to IS 1180 (Part 1), A.C. Motor Capacitors ISI Marked to IS 2993 (Part 1), Potassium Permanganate as per IS 333, Set of Used Light Weight Jute Sacking Bags for Packing 50 Kg Food Grain (1 Set = 100 Bags), Automatic

Fire Ball for Fire - Extinguishing, Skimmed Milk Powder (V2) et alls/las laggy as per IS 13334 Part 1 Standard Grade, Chilly as per IS

2322, Keyboard for Personal Computers (V2) as per IS 14441, Spices And Condiments - Coriander, Whole And Ground as per IS 2443, Black Tea as per IS 3633

Searched String: Silica gel 5gm pack of 80 pcs

Outdoor Twin Waste Bin, Lambda Cyhalothrin 5% EC, Test Tube Rack, Vasti Yanthram (Niruha) with Disposable Accessories - Kit For Panchakarma, Online UPS (V2), Pretilachlor Emulsifiable Concentrate Conforming to IS 15160, Propiconazole 25% EC, Screw driver Bits, Sulphur Powder as per IS:3383, read only digital versatile disc dvd

Searched String: Wooden Crates for Packing Chir wood packing crates for packing sml dimension and qty as follows:- a) 25" x 26" x14"-02 Nos b) 29"x24" x15"-01 Nos c) 23" x 15'x11"-02 Nos d) 21" x 14" x 5" -01 Nos e) 16"10'X12"-01 Nos f) 18"x15"x8"-03 Nos g) 49" x 34" x55"-01 Nos h) 48" x 24"x48"-01 Nos j) 48" x15"x15"-02 Nos k) 27" x24" x20"-02 Nos l) 125" 6" x 4"-01 Nos m)125"x 40" x2"-03 Nos n) 12" x 12" x 25"-01 os

Category not available on GeM for the text string uploaded by the buyer

Searched String: Binding wire Size(2061.02) 1/26,92 mtr roll

Tapered Bearings as per IS 12102, High Pressure Fire Fighting Hose - IS 14933, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Taekwondo Mats, HT Tape, Forged or Rolled Alloy And Stainless Steel Pipe Fitting, MIG WELDING WIRE

Searched String: Double sided Tape Double Sided Foam tape 2 inch width 48mmX5 Mtr

Double sided tape, Foam Tape, Polytetrafluoroethylene (PTFE) Thread Sealing Tape, Theft Proof Rifle Racks

Searched String: Log book To be printed as per the requirement of SMD

FRP Shelters - Barrel Type Cabin (Five Men), Manganese Sulphate, Monohydrate - IS 10535, Staplers (V2), Sodium Hypochlorite Solution for Bulk Supply (V2) as per IS 11673 (Part 1)

Searched String: Technical manual To be printed and spiral binded (softcopy of Techincal manual will be provided by SMD)

Category not available on GeM for the text string uploaded by the buyer

Searched String: User hand book To be printed and spiral binded (softcopy of User manual will be provided by SMD)

Category not available on GeM for the text string uploaded by the buyer

अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification

• High End Desktop Computer

Bid Details/बिड विवरण		
BOQ Title/बीओक्यू शीर्षक	DRONA MK III Wireless SML Qty 01	
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes	
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes	
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer	
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No	
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	Yes	
RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders	
Type of Bid/बिंड का प्रकार	Two Packet Bid	
Primary product category	Processor AMD 5000 series Ryzen 9 5950x desktop processor 16 core and 32 thread processor with 3 Point40	
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days	
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No	
Evaluation Method/मूल्यांकन पद्धति	Group wise evaluation	
Arbitration Clause	No	
Mediation Clause	No	

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%)/ईपीबीजी प्रतिशत (%)	3.00

अपेक्षित अविध (महीने).	Duration of ePBG required (Months)/ईपीबीजी की अपेक्षित अविध (महीने).	14
------------------------	---	----

(a). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी:

PCDA BENGALURU PCDA BANGALORE, Ministry of Defence (Pcda Bengaluru)

Reserved for Make In India products

Reserved for Make In India products	Yes

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes

- 1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
- 2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer. 3. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.
- 4. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are

advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

- 5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
- 6. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

Evaluation Method (Group Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluati on Schedul es	Item/Category	Consigne e/Reporti ng Officer	Consignee Address	Q u a nt it y
	Processor Amd 5000 Series Ryzen 9 5950x Desktop Processor 16 Core And 32 Thread Processor With 3 Point40	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
	Ram Ram 32 Gb Fury Beast Rgb Ddr 4 Speed Upto 3733 Mt By S	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
	Ssd M Point2 2280 512gb Pcie Nvme Ssd Mz V7p512bw	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
	Hard Disk Drive Hdd 2tb Comma7200 Rpm Sata	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
	Graphics Card Nvidia Geforce Rtx 2080ti By Gtx 3070 With Minimum 4 Ports 3x Display And And 1x Hdmi	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1

Mother Board Msi By Asus Mpg B550 Gaming Plus Amd Am4 M Point3 X Usb 2 Point0 Comma 2 X 3 Point2	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
Smps Asus Rog Strix 850 Watt Gold Psu 24 Pin Commainput Voltage Range 220v Ac Commafrequency	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
Computer Chasis Master Box K501l Rgb E Compatible To The Motherboard	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
Computer Cooling Fan Cooler Master Is To Master Liquid MI240zr Rgb Or Higher Compatible With Mother Board A	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
Mouse With Mouse Pad Logitech By Dell Usb Mouse Optical With Mouse Pad	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
Keyboard Logitech By Dell Keyboard Usb Keyboard 104 Keys Commacomfortable Comma Quiet Typing Comma	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
18 Point5 Inches Led Monitor Display Screen Size 46 Point99cm 18 Point5	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
Tplink Ac 1900	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
Bluetooth Tower Speaker Set 2 Point0 Channel Output Model Spa9120b 80w Rms 40 Hz 20 Khz Frequency	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
Usb Bluetooth Adapter For Speaker	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
4 Port Usb Hub Usb 3 Point0 With 2 Ft Extended Cable	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
Output Power Capacity 3500 Watts By 5000 Va Max Configurable Power 3500 Watts By 5000 Va Nominal Out	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
Support Usb Specification Revision 2 Point0 Comma 40 Times Faster Transfer Rate Than That Of Usb 1 Point1	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008	1
	Am4 M Point3 X Usb 2 Point0 Comma 2 X 3 Point2 Smps Asus Rog Strix 850 Watt Gold Psu 24 Pin Commainput Voltage Range 220v Ac Commafrequency Computer Chasis Master Box K501l Rgb E Compatible To The Motherboard Computer Cooling Fan Cooler Master Is To Master Liquid MI240zr Rgb Or Higher Compatible With Mother Board A Mouse With Mouse Pad Logitech By Dell Usb Mouse Optical With Mouse Pad Keyboard Logitech By Dell Keyboard Usb Keyboard 104 Keys Commacomfortable Comma Quiet Typing Comma 18 Point5 Inches Led Monitor Display Screen Size 46 Point99cm 18 Point5 Tplink Ac 1900 Bluetooth Tower Speaker Set 2 Point0 Channel Output Model Spa9120b 80w Rms 40 Hz 20 Khz Frequency Usb Bluetooth Adapter For Speaker 4 Port Usb Hub Usb 3 Point0 With 2 Ft Extended Cable Output Power Capacity 3500 Watts By 5000 Va Max Configurable Power 3500 Watts By 5000 Va Nominal Out Support Usb Specification Revision 2 Point0 Comma 40	Am4 M Point3 X Usb 2 Point0 Comma 2 X 3 Point2 Hipparagi Smps Asus Rog Strix 850 Watt Gold Psu 24 Pin Commainput Voltage Range 220v Ac Commafrequency Hipparagi Computer Chasis Master Box K501l Rgb E Compatible To The Motherboard Shivanand Hipparagi Computer Cooling Fan Cooler Master Is To Master Liquid MI240zr Rgb Or Higher Compatible With Mother Board A Hipparagi Mouse With Mouse Pad Logitech By Dell Usb Mouse Optical With Mouse Pad Hipparagi Keyboard Logitech By Dell Keyboard Usb Keyboard 104 Keys Commacomfortable Comma Quiet Typing Comma Hipparagi 18 Point5 Inches Led Monitor Display Screen Size 46 Point99cm 18 Point5 Tplink Ac 1900 Shivanand Hipparagi Bluetooth Tower Speaker Set 2 Point0 Channel Output Model Spa9120b 80w Rms 40 Hz 20 Khz Frequency Shivanand Hipparagi Usb Bluetooth Adapter For Speaker Shivanand Hipparagi 4 Port Usb Hub Usb 3 Point0 With 2 Ft Extended Cable Shivanand Hipparagi Output Power Capacity 3500 Watts By 5000 Va Max Configurable Power 3500 Watts By 5000 Va Nominal Out Shivanand Hipparagi	Am4 M Point3 X Usb 2 Point0 Comma 2 X 3 Point2 Smps Asus Rog Strix 850 Watt Gold Psu 24 Pin Commainput Voltage Range 220v Ac Commafrequency Computer Chasis Master Box K501l Rgb E Compatible To The Motherboard Computer Cooling Fan Cooler Master Is To Master Liquid MI240zr Rgb Or Higher Compatible With Mother Board A Hipparagi Mouse With Mouse Pad Logitech By Dell Usb Mouse Optical With Mouse Pad Logitech By Dell Usb Mouse With Mouse Pad Logitech By Dell Usb Mouse Hipparagi Reyboard Logitech By Dell Keyboard 104 Keys Commacomfortable Comma Quiet Typing Comma May 18 Point5 Inches Led Monitor Display Screen Size 46 Point9 Fm 18 Point5 Tplink Ac 1900 Bluetooth Tower Speaker Set 2 Point0 Channel Output Model Spa9120b 80w Rms 40 Hz 20 Khz Frequency Usb Bluetooth Adapter For Speaker 4 Port Usb Hub Usb 3 Point0 With 2 Ft Extended Cable Output Power Capacity 3500 Watts By 5000 Va Max Configurable Power 3500 Watts By 5000 Va Max Support Usb Specification Revision 2 Point0 Comma 40 Shivanand Hipparagi

		·	
Print Speed Black Normal Comma A4 Up To 14 Ppm Commaprint Speed Footnote Comma Speed Specification	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
Recordable Dvd 4 Point7 Gb With Jewel Case	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	5
Recordable Dvd 8 Point5 Gb With Jewel Case	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	5
Projectors Np P554u 5500 Lumens Or Higher Commanative Wuxga 1920x1200 With Aspect Ratio Suport 16 Is To9	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
Webcam C270hd With Adjustable Mounting Stand	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	2
High Quality Usb Extender Cable 2 Point0 15 Mtr Dyeton	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	2
Ir Filter For 830nm Laser With Mouning Clamps For Fitting In Front Of Web Cam C270hd	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	2
Auto Calibration Set Complete With 30x Ir	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
New Port Comma Model F Irc1 S Infrared Sensor Card Comma Sensitivity Area 4x3 Cms	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
Display Port To Hdmi Convertor	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	2
Hdmi Cable Extra Guard Multi Conductor With Both End M By F Moulded Connectors Point	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	2
Operating System Win 10 Pro 64 Bit Os Latest Version	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
Microsoft Office Microsoft Office 2010 64 Bit With Ms Access And License	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1

	Ir Laser 830nm With Specification Operating Volt 3 Point5v Dc Wavelength 830nm Beam Divergence 0 Point8m	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	5
	Weapon Board Details Of Weapon Board Is To 1 Atmel Smart Sam D21 32 Bit Micro Controller	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	5
	Wireless Recoil Board Details Of Recoil Board Is To 1 Samd21g1832 Bit Microcontroller	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	2
	Wpn Harness Wpn Harness Incl Wiring Comma Sleeve And Connector	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	5
Weapon Modificati on	Hall Sensors Hall Sensor	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	10
	Magnets Magnets For Hall Sensor	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	35
	Hall Sensors Dual Hall Sensor	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	8
	Aluminium Rod 50 Mm Dia Ft 50mm Dia	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
	Delrin Rod Black 2 Inches Dia Ft 2 Inches Dia Black	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
	Stainless Steel Pipe 1 Inches Dia Stainless Steel Pipe Length 17 Inches Both Side Threaded	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
	Brass Reducer Brass Reducer 1 Inches X 1 By 2 Inches	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
	Pressure Regulator Air Pressure Regulator 30 Bar With Guage	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
	Elbow Stainless Steel Elbow 1 Internal Dia With Threaded	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	2

Stainless Steel Pipe Stainless Steel Pipe1 Inches 10 Ft Both Sided Threaded	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	2
Hose Pipe Hose Pipe Flexible Ph 253 1 By 2 Inches Length 1 Point5 Mtr With Flowing Capacity 160 Bar	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	5
Stainless Steel Pipe 1 Inches Dia Stainless Steel Pipe Length 5 Feet Both Side Threaded	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
Elbow 1 By 2 Inches Internal Dia Stainless Steel Elbow 1 By 2 Inches	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	2
Dummy Socket 1 Inches Dia Dummy Socket Ss Internal Thread	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	2
U Type Clamp Ms Angle T Stand With U Type Clamp With Nut Bolt Steel Both Sidethreaded 12 Mm Length	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	2
Flow Control Valve Flow Control Valve Ss 1 By 2 Inches	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	5
Nipple Stainless Steel Nipple 1 By 2 Inches Both Side Threaded	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	12
Nut And Bolt Nut And Bolt 11mm Length 3 Point5 Inches With Washer	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	12
Shavo Regulator Shavo Air Regulator 30 Kg Load Presure With Guage	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
Compressor Industrial Air Compressor 30 Bar Model Is To Elgi Ts 15 Lb Pet With 25 Mtr 4 Core 15 Amp	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
Pu Pipe Pu Pipe Janatics Pneumatics 12mm 30 Bar Wh00b06 B22 B06s1 Lg 30 Mtr	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
T Joint 6mm T Joint Model Wp2300606 Pu 6 Black T	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	2

Elbow Joint 6mm Ellbow Joint Model Wp2200606 Pu 6 Black L Type	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR	2
		BANGALORE - 560008 560008	
Brass Adapter Pu 6 Brass Adapter 1 By 2 Inches External Thread And 6mm Internal Thread	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	2
Brass Adapter Pu 6 Brass Adapter 1 By 4 Inches External Thread And 6mm Internal Thread	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	2
Solenoid Valve Solenoid Valve 30 Bar 12v Dc With Relay Mercury	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	5
Brass Adapter Brass Adapter 1 By 2 Inches With Nut Pu 12	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	9
Brass Adapter Pu 12 Brass Reducer 1 By 2 Inches Into 1 By 8 Inches	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	5
Coupler Stainless Steel Flange Coupler 1 Inches Internal Dia	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	4
Ss Coupler Nut And Bolts For Flange Coupler 1 Inches Internal Dia Length 2 Inches X 19mm Nut With Washer	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	9
Thread Sealent Thread Sealent Jointing Paste Loctite 243 400 MI	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
Teflon Tape Teflon Tape For Sealent Roll	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	5
Thread Bundle Thread Bundle For Pipe Threads 1 Bundle	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	2
Tag And Tie Tag And Tie Universal Type Pack	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
Cap And Casing 6mm Dia Cap And Casing	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	2
	Solenoid Valve Solenoid Valve 30 Bar 12v Dc With Relay Mercury Brass Adapter Brass Adapter 1 By 2 Inches With Nut Pu 1.2 Brass Adapter Pu 12 Brass Reducer 1 By 2 Inches Into 1 By 8 Inches Coupler Stainless Steel Flange Coupler 1 Inches Internal Dia Bis Coupler Nut And Bolts For Flange Coupler 1 Inches Internal Dia Length 2 Inches X 19mm Nut With Washer Thread Sealent Thread Sealent Jointing Paste Loctite 1.243 400 MI Teflon Tape Teflon Tape For Sealent Roll Thread Bundle Thread Bundle For Pipe Threads 1 Bundle Tag And Tie Tag And Tie Universal Type Pack	Solenoid Valve Solenoid Valve 30 Bar 12v Dc With Relay Mercury Brass Adapter Brass Adapter 1 By 2 Inches With Nut Pu Hipparagi Brass Adapter Pu 12 Brass Reducer 1 By 2 Inches Into 1 Shivanand Hipparagi Coupler Stainless Steel Flange Coupler 1 Inches Internal Dia Sis Coupler Nut And Bolts For Flange Coupler 1 Inches Internal Dia Length 2 Inches X 19mm Nut With Washer Chread Sealent Thread Sealent Jointing Paste Loctite Shivanand Hipparagi Chread Sealent Thread Sealent Roll Chread Bundle Thread Bundle For Pipe Threads 1 Chread Bundle Thread Bundle Thread Shivanand Hipparagi	Rass Adapter Pu 6 Brass Adapter 1 By 4 Inches External Thread And 6mm Internal Thread And 6mm Internal Thread And 6mm Internal Thread Solenoid Valve Solenoid Valve 30 Bar 12v Dc With Relay Solenoid Valve Solenoid Valve 30 Bar 12v Dc With Relay Solenoid Valve Solenoid Valve 30 Bar 12v Dc With Relay Shivanand Mercury Solenoid Valve Solenoid Valve 30 Bar 12v Dc With Relay Shivanand Mercury Shivanand Pands Solono So

Wooden Screw 3mm Wooden Screw Length 1 By 4 Inches	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	20
Wooden Screw 2mm Wooden Screw Length 1 By 2 Inches	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	35
Wooden Block Wooden Block Universal Type	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	13
Soft Wood Soft Wood Pieces 18x14x20mm For Giving Gap Between Firing Table And 50mm Casing	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
Paint White Enamel Type 1 Ltr	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
Lubricant Compressor Lubricant Oil Elgi Part No 000998052 3 Ltr	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
Lubricant Air Lube Elgi Part No 000998044 1 Ltr	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
Pneumatic Cylinder Pneumatic Cylinde Ss 25mm Bore X 70mm Stroke Od 30mm Comma Port Size	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	5
Ss Pipe Ss Pipe Industrial 1 By 2 Inches Dia X Length 4 Inches One Side Thread	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	5
Flange Gasket Coupler Flange Gasket Rubber 3mm Thickness Type Is Tolarge	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	2
Legris Blue Pipe Legris Blue Pipe Nylon Semi Rugged 6mm Outer Dia X 4 Mm Internal Dia 10 Bar Pressure	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	6
Reducer Brass Reducer 1 Inches X 3 By 4 Inches Dia	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
Silencer Silencer Wire Mesh 1 By 2 Dia External Thread	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	5

Ss Union Ss Union 1 Inches Internal Dia With Thread	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
Ss Pipe Stainless Stell Pipe 2 Feet And One Side Thread	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
Welding Rod Welding Rod Stainless Steel 308 L Size 3 Point15 X 3 Point50 Mm Batch No Point M77804	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
10 Core Cable Unshielded M Type Yy 6 Point3mm Dia Strength 8 Point1 Kg	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	10
3 Core Power Cable 15 A M H07 Rnf 1 Point5 Sq Mm Dia	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	15
3 Core Power Cable Comma 5a M H07 Rnf 1 Point5 Sqmm Dia	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	5
3 Pin Plugs 5a Anchor Isi Standard	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	2
5a Socket Anchor	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
Computer Power Cord 230 V Ac Comma 5 A Comma 3 Mtr Length Nos With 3 Pin Pluge H07 Rnf 1	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	3
Power Extension Board Spike Buster 15 By 5 Amp Multipin 6 Socket With 15 Mtr Cable	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	3
Power Extension Board Spike Buster 6 Socket With 5 Mtr Cable	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	3
Teflon Wire Multi Strand Black M 1mm Multistrand	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	50
Teflon Wire Multi Strand Red M 1mm Multistrand	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	50

Teflon Wire Multi Strand White M 1mm Multistrand	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	50
Teflon Wire Multi Strand Yellow M 1mm Multistrand	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	50
Teflon Wire Multi Strand Green M 1mm Multistrand	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	50
Teflon Wire Multi Strand Brown M 1mm Multistrand	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	50
Teflon Wire Multi Strand Violet M 1mm Multistrand	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	50
Teflon Wire Multi Strand Blue M 1mm Multistrand	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	50
Teflon Wire Multi Strand Purple M 1mm Multistrand	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	50
Teflon Wire Multi Strand Orange M 1mm Multistrand	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	50
Adhesive 20ml Tube Loctite Hvht	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	3
Solder Soft 100 Gm Roll Solder Soft With Core Of Non Corrosive Flux For Std Electronic Work And Wax 50 Gm	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
Adhesive Loctite Aa324 And Adhesive Loctite 7075 Adhesive Loctite Aa324 And Adhesive Loctite 7075	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
Industrial Grade Adhesive Fevikwik Fevikwik 5ml Tube	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	3
Heat Shrink Sleeve Heat Shrink Sleeve 6mm Black Model Is Toe203950	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	3
	Teflon Wire Multi Strand Green M 1mm Multistrand Teflon Wire Multi Strand Brown M 1mm Multistrand Teflon Wire Multi Strand Brown M 1mm Multistrand Teflon Wire Multi Strand Violet M 1mm Multistrand Teflon Wire Multi Strand Blue M 1mm Multistrand Teflon Wire Multi Strand Purple M 1mm Multistrand Teflon Wire Multi Strand Orange M 1mm Multistrand Adhesive 20ml Tube Loctite Hvht Solder Soft 100 Gm Roll Solder Soft With Core Of Non Corrosive Flux For Std Electronic Work And Wax 50 Gm Adhesive Loctite Aa324 And Adhesive Loctite 7075 Adhesive Loctite Aa324 And Adhesive Loctite 7075 Industrial Grade Adhesive Fevikwik Fevikwik 5ml Tube Heat Shrink Sleeve Heat Shrink Sleeve 6mm Black	Teflon Wire Multi Strand Yellow M 1mm Multistrand Teflon Wire Multi Strand Green M 1mm Multistrand Teflon Wire Multi Strand Green M 1mm Multistrand Teflon Wire Multi Strand Brown M 1mm Multistrand Teflon Wire Multi Strand Violet M 1mm Multistrand Teflon Wire Multi Strand Blue M 1mm Multistrand Teflon Wire Multi Strand Blue M 1mm Multistrand Teflon Wire Multi Strand Purple M 1mm Multistrand Teflon Wire Multi Strand Purple M 1mm Multistrand Teflon Wire Multi Strand Orange M 1mm Multistrand Shivanand Hipparagi Adhesive 20ml Tube Loctite Hvht Solder Soft 100 Gm Roll Solder Soft With Core Of Non Corrosive Flux For Std Electronic Work And Wax 50 Gm Adhesive Loctite Aa324 And Adhesive Loctite 7075 Adhesive Loctite Aa324 And Adhesive Loctite 7075 Adhesive Loctite Aa324 And Adhesive Loctite 7075 Industrial Grade Adhesive Fevikwik Fevikwik 5ml Tube Heat Shrink Sleeve Heat Shrink Sleeve 6mm Black Shivanand Hipparagi	Teflon Wire Multi Strand Yellow M 1mm Multistrand Teflon Wire Multi Strand Yellow M 1mm Multistrand Teflon Wire Multi Strand Green M 1mm Multistrand Teflon Wire Multi Strand Green M 1mm Multistrand Teflon Wire Multi Strand Brown M 1mm Multistrand Teflon Wire Multi Strand Brown M 1mm Multistrand Teflon Wire Multi Strand Violet M 1mm Multistrand Teflon Wire Multi Strand Violet M 1mm Multistrand Teflon Wire Multi Strand Blue M 1mm Multistrand Teflon Wire Multi Strand Blue M 1mm Multistrand Teflon Wire Multi Strand Blue M 1mm Multistrand Teflon Wire Multi Strand Purple M 1mm Multistrand Teflon Wire Multi Strand Orange M 1mm Multistrand Teflon Wire Multi Strand Orange M 1mm Multistrand Shivanand Hipparagi Shivanand Hipparagi

Heat Shrink Sleeve I Heat Shrink Sleeve 3mm Black Model Is Toe203950 Ii Heat Shrink Sleeve 2mm Black Model Is Toe203950	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	3
Insulation Tape Roll Wonder Tape 10 Mtr Roll Pvc	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	3
Transparent Tape 2 Inches Transparent Tape 2 Inches	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
Instrument Cooling Fan Ac 230v	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	4
Universal Adapter For 3 Pin Plug For 6 Amps	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	
Modular Firing Platform For Kneeling Commastanding And Lying Position Modular Friring Platform For Kneeling	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	
Firing Mat With Padding 6x3 With Padding	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	[7]
Firing Pillows 12 X Big And 12 X Small 1x2x2 Feet And 1x2x4 Feet	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	8
Instructor Keyboard Rack Rack Monitor Rack Cooling Fan And The Following Items As Per Specification	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
Instructor Chair Isi Standard	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
Manufacturer S Lable Plate 515 Army Base Wksp Manufacturer Plate Comma As Per Sample	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
Projection Stand Adjustable With Screen Modified For lwts 10x30 Feet Adjustable Height Comma Two Side	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
Mounting Stand Video Projector Projector Mounting Stand With 10 Mm Thick Metal Top Plate Size Is To500mm Length X 400 Mm Width Comma Height 400mm	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1

	Ruggedized Enclosure For Projector Lxbxh 24x22x8 Point5 With 5x5 Air Ventilation Sliding Cover 12v Dc 1 1 By 2	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
	White Velcro Adhesive Velcro 5m 2 Inch	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
Fabricatio n Items	Fasteners A Screw Slotted Cheese Head M2x20 Is No 1366 Nos 200 B Screw Slotted Cheese Head M2x25 Is No 1366 Nos 100	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
	Cable Ties And Tie Bases 25mm Packet Of 100 As Per Sample Standard Cabel Ties Comma White Nylon With A Non	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	2
	Cable Ties And Tie Bases 50mm Packet Of 100 As Per Sample Standard Cabel Ties Comma White Nylon With A Non	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
	Spiral Pipe 1 Point5 Inches Dia Flexible Conduct Mtrls Is To Nylon Pa6 Comma Thread Is To Pg36 Comma	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	5
	Allen Key 2 Comma3 Comma4 Comma5 Comma6 Comma7 Comma8 Comma9 Set Of 8 Isi Standard	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
	Nose Plier Isi Standard	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
	Screw Driver Set Isi Brand	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
	Spanner Open Jaw 13 By 17 Isi Standard	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
	Spanner Open Jaw 24 By 27 Isi Standard	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
	Spanner Open Jaw 17 By 19 Isi Standard	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
	Taparia Adjustable 12 Inch Spanner Open Jaw Isi Standard	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1

	Corrugated Sheet M Corrugated Sheet M 2 Mtr Width	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	20
	Bubble Sheet M Bubble Sheet 2 Mtr Width	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	20
	Cotton Waste Kg Cotton Waste Kg	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	2
	Hessian Cloth M Hessain Cloth 2 Mtr Width	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	20
	Frp Container 3 1 By 2 L X 2 W X 2 H Feet With Double Toggle Latches And Handles	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	2
	Lock 5 Lever With Keys Godrej 50mm	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	3
	Ldpe Strech Wrap Roll 1200 Mtr 23 Micro 5inch 12 Inch Streched Film Roll	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	2
MISC abd Packing Materials	Nails 1 Inches Kg Nails 1 Kg 1 Isi Standard	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
, raceriais	Silica Gel 5gm Pack Of 80 Pcs	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	2
	Wooden Crates For Packing Chir Wood Packing Crates For Packing Sml Dimension And Qty As Follows Is To A 25 Inches X 26 Inches X14 Inches 02 Nos	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
	Binding Wire Size 2061 Point02 1 By 26 Comma92 Mtr Roll	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
	Double Sided Tape Double Sided Foam Tape 2 Inch Width 48mmx5 Mtr	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	2
	Log Book To Be Printed As Per The Requirement Of Smd	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1

Technical Manual To Be Printed And Spiral Binded Softcopy Of Techincal Manual Will Be Provided By Smd	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1
User Hand Book To Be Printed And Spiral Binded Softcopy Of User Manual Will Be Provided By Smd	Shivanand Hipparagi	515 ARMY BASE WORKSHOP, ULSOOR BANGALORE - 560008 560008	1

Processor AMD 5000 Series Ryzen 9 5950x Desktop Processor 16 Core And 32 Thread Processor With 3 Point40

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	********BANGALORE	1	60

RAM RAM 32 GB FURY Beast RGB DDR 4 Speed Upto 3733 MT By S

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	1	60

SSD M Point2 2280 512GB PCIe NVMe SSD MZ V7P512BW

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	1	60

Hard Disk Drive HDD 2TB Comma7200 RPM SATA

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	1	60

Graphics Card NVIDIA GEFORCE RTX 2080Ti By GTX 3070 With Minimum 4 Ports 3x Display And And 1x HDMI

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	1	60

Mother Board MSI By ASUS MPG B550 Gaming Plus AMD AM4 M Point3 X USB 2 Point0 Comma 2 X 3 Point2

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Specification Document	View File	
BOQ Detail Document	<u>View File</u>	

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	1	60

SMPS ASUS ROG Strix 850 Watt Gold PSU 24 Pin CommaInput Voltage Range 220V AC CommaFrequency

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	********BANGALORE	1	60

Computer Chasis Master Box K501L RGB E Compatible To The Motherboard

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	1	60

Computer Cooling Fan Cooler Master Is To Master Liquid ML240ZR RGB Or Higher Compatible With Mother Board A

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	1	60

Mouse With Mouse Pad Logitech By DELL USB Mouse Optical With Mouse Pad

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	1	60

Keyboard Logitech By DELL Keyboard USB Keyboard 104 Keys CommaComfortable Comma Quiet Typing Comma

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Spe	ecification Document	View File
ВО	Q Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती /रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	1	60

18 Point5 Inches LED Monitor Display Screen Size 46 Point99cm 18 Point5

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती /रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	1	60

TPLINK AC 1900

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	1	60

Bluetooth Tower Speaker Set 2 Point0 Channel Output Model SPA9120B 80W RMS 40 HZ 20 KHZ Frequency

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती /रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	1	60

USB Bluetooth Adapter For Speaker

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	1	60

4 Port USB Hub USB 3 Point0 With 2 Ft Extended Cable

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	1	60

Output Power Capacity 3500 Watts By 5000 VA Max Configurable Power 3500 Watts By 5000 VA Nominal Out

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	1	60

Support USB Specification Revision 2 Point0 Comma 40 Times Faster Transfer Rate Than That Of USB 1 Point1

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	1	60

Print Speed Black Normal Comma A4 Up To 14 Ppm CommaPrint Speed Footnote Comma Speed Specification

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	1	60

Recordable DVD 4 Point7 GB With Jewel Case

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	5	60

Recordable DVD 8 Point5 GB With Jewel Case

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	5	60

Projectors NP P554U 5500 Lumens Or Higher CommaNative WUXGA 1920x1200 With Aspect Ratio Suport 16 Is To9

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	********BANGALORE	1	60

WebCam C270HD With Adjustable Mounting Stand

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	2	60

High Quality USB Extender Cable 2 Point0 15 Mtr Dyeton

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	2	60

IR Filter For 830nm Laser With Mouning Clamps For Fitting In Front Of Web Cam C270HD

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	2	60

Auto Calibration Set Complete With 30x IR

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	********BANGALORE	1	60

New Port Comma Model F IRC1 S Infrared Sensor Card Comma Sensitivity Area 4x3 Cms

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	1	60

Display Port To HDMI Convertor

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	2	60

HDMI Cable Extra Guard Multi Conductor With Both End M By F Moulded Connectors Point

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	2	60

Operating System Win 10 Pro 64 Bit OS Latest Version

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	1	60

Microsoft Office Microsoft Office 2010 64 Bit With MS Access And License

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Specification Document	View File
BOQ Detail Document	View File

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	1	60

IR LASER 830nm With Specification Operating Volt 3 Point5V DC Wavelength 830nm Beam Divergence 0 Point8m

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

S	pecification Document	<u>View File</u>
В	OQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	5	60

Weapon Board Details Of Weapon Board Is To 1 Atmel SMART SAM D21 32 Bit Micro Controller

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	5	60

Wireless Recoil Board Details Of Recoil Board Is To 1 SAMD21G1832 Bit Microcontroller

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	2	60

Wpn Harness Wpn Harness Incl Wiring Comma Sleeve And Connector

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	5	60

Hall Sensors Hall Sensor

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	10	60

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

Magnets Magnets For Hall Sensor

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

9	Specification Document	<u>View File</u>
E	BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./ऽ सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	******	******BANGALORE	35	60

Hall Sensors Dual Hall Sensor

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
l	*****	******BANGALORE	8	60

Aluminium Rod 50 Mm Dia Ft 50mm Dia

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	1	60

Delrin Rod Black 2 Inches Dia Ft 2 Inches Dia Black

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	1	60

Stainless Steel Pipe 1 Inches Dia Stainless Steel Pipe Length 17 Inches Both Side Threaded

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	1	60

Brass Reducer Brass Reducer 1 Inches X 1 By 2 Inches

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	1	60

Pressure Regulator Air Pressure Regulator 30 Bar With Guage

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	********BANGALORE	1	60

Elbow Stainless Steel Elbow 1 Internal Dia With Threaded

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	2	60

Stainless Steel Pipe Stainless Steel Pipe1 Inches 10 Ft Both Sided Threaded

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	2	60

Hose Pipe Hose Pipe Flexible PH 253 1 By 2 Inches Length 1 Point5 Mtr With Flowing Capacity 160 Bar

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	5	60

Stainless Steel Pipe 1 Inches Dia Stainless Steel Pipe Length 5 Feet Both Side Threaded

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	1	60

Elbow 1 By 2 Inches Internal Dia Stainless Steel Elbow 1 By 2 Inches

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	2	60

Dummy Socket 1 Inches Dia Dummy Socket SS Internal Thread

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	********BANGALORE	2	60

U Type Clamp MS Angle T Stand With U Type Clamp With Nut Bolt Steel Both Sidethreaded 12 Mm Length

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	2	60

Flow Control Valve Flow Control Valve SS 1 By 2 Inches

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	5	60

Nipple Stainless Steel Nipple 1 By 2 Inches Both Side Threaded

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

	Specification Document	<u>View File</u>
- 1		

BOQ Detail Document

View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	12	60

Nut And Bolt Nut And Bolt 11mm Length 3 Point5 Inches With Washer

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती /रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	12	60

Shavo Regulator Shavo Air Regulator 30 Kg Load Presure With Guage

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	1	60

Compressor Industrial Air Compressor 30 Bar Model Is To ELGI TS 15 LB PET With 25 Mtr 4 Core 15 Amp

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	1	60

PU Pipe PU Pipe Janatics Pneumatics 12mm 30 Bar WH00B06 B22 B06S1 LG 30 Mtr

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	1	60

T Joint 6mm T Joint Model WP2300606 PU 6 Black T

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती /रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	2	60

Elbow Joint 6mm Ellbow Joint Model WP2200606 Pu 6 Black L Type

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	2	60

Brass Adapter PU 6 Brass Adapter 1 By 2 Inches External Thread And 6mm Internal Thread

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	2	60

Brass Adapter PU 6 Brass Adapter 1 By 4 Inches External Thread And 6mm Internal Thread

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	2	60

Solenoid Valve Solenoid Valve 30 Bar 12V DC With Relay Mercury

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	5	60

Brass Adapter Brass Adapter 1 By 2 Inches With Nut PU 12

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	9	60

Brass Adapter PU 12 Brass Reducer 1 By 2 Inches Into 1 By 8 Inches

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	5	60

Coupler Stainless Steel Flange Coupler 1 Inches Internal Dia

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

s.	.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1		*****	*******BANGALORE	4	60

SS Coupler Nut And Bolts For Flange Coupler 1 Inches Internal Dia Length 2 Inches X 19mm Nut With Washer

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	9	60

Thread Sealent Thread Sealent Jointing Paste Loctite 243 400 MI

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	********BANGALORE	1	60

Teflon Tape Teflon Tape For Sealent Roll

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	5	60

Thread Bundle Thread Bundle For Pipe Threads 1 Bundle

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	2	60

Tag And Tie Tag And Tie Universal Type Pack

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	1	60

Cap And Casing 6mm Dia Cap And Casing

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	2	60

Wooden Screw 3mm Wooden Screw Length 1 By 4 Inches

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	20	60

Wooden Screw 2mm Wooden Screw Length 1 By 2 Inches

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	35	60

Wooden Block Wooden Block Universal Type

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Specification Document	View File
BOQ Detail Document	View File

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	13	60

Soft Wood Soft Wood Pieces 18x14x20mm For Giving Gap Between Firing Table And 50mm Casing

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	1	60

Paint White Enamel Type 1 Ltr

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती /रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	1	60

Lubricant Compressor Lubricant Oil ELGI Part No 000998052 3 Ltr

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	1	60

Lubricant Air Lube ELGI Part No 000998044 1 Ltr

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Specification Document	<u>View File</u>

BOQ Detail Document View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

5	5.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1		*****	******BANGALORE	1	60

Pneumatic Cylinder Pneumatic Cylinde SS 25mm Bore X 70mm Stroke OD 30mm Comma Port Size

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती /रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	5	60

SS Pipe SS Pipe Industrial 1 By 2 Inches Dia X Length 4 Inches One Side Thread

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	5	60

Flange Gasket Coupler Flange Gasket Rubber 3mm Thickness Type Is ToLarge

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	2	60

Legris Blue Pipe Legris Blue Pipe Nylon Semi Rugged 6mm Outer Dia X 4 Mm Internal Dia 10 Bar Pressure

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती /रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	6	60

Reducer Brass Reducer 1 Inches X 3 By 4 Inches Dia

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती /रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	1	60

Silencer Silencer Wire Mesh 1 By 2 Dia External Thread

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती /रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	5	60

SS Union SS Union 1 Inches Internal Dia With Thread

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	1	60

SS Pipe Stainless Stell Pipe 2 Feet And One Side Thread

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	1	60

Welding Rod Welding Rod Stainless Steel 308 L Size 3 Point15 X 3 Point50 Mm Batch No Point M77804

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	1	60

10 Core Cable Unshielded M Type YY 6 Point3mm Dia Strength 8 Point1 Kg

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	10	60

3 Core Power Cable 15 A M H07 RNF 1 Point5 Sq Mm Dia

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	15	60

3 Core Power Cable Comma 5A M H07 RNF 1 Point5 Sqmm Dia

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	5	60

3 Pin Plugs 5A Anchor ISI Standard

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	2	60

5A Socket Anchor

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	********BANGALORE	1	60

Computer Power Cord 230 V AC Comma 5 A Comma 3 Mtr Length Nos With 3 Pin Pluge H07 RNF 1

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	3	60

Power Extension Board Spike Buster 15 By 5 Amp Multipin 6 Socket With 15 Mtr Cable

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	3	60

Power Extension Board Spike Buster 6 Socket With 5 Mtr Cable

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	3	60

Teflon Wire Multi Strand Black M 1mm Multistrand

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	50	60

Teflon Wire Multi Strand Red M 1mm Multistrand

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Specification Document	View File
BOQ Detail Document	View File

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	50	60

Teflon Wire Multi Strand White M 1mm Multistrand

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती /रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	50	60

Teflon Wire Multi Strand Yellow M 1mm Multistrand

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	50	60

Teflon Wire Multi Strand Green M 1mm Multistrand

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	******	*******BANGALORE	50	60

Teflon Wire Multi Strand Brown M 1mm Multistrand

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	50	60

Teflon Wire Multi Strand Violet M 1mm Multistrand

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	50	60

Teflon Wire Multi Strand Blue M 1mm Multistrand

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Specification Document	<u>View File</u>

BOQ Detail Document

View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	******	******BANGALORE	50	60

Teflon Wire Multi Strand Purple M 1mm Multistrand

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती /रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	50	60

Teflon Wire Multi Strand Orange M 1mm Multistrand

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	50	60

Adhesive 20ml Tube Loctite HVHT

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	3	60

Solder Soft 100 Gm Roll Solder Soft With Core Of Non Corrosive Flux For Std Electronic Work And Wax 50 Gm

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती /रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	1	60

Adhesive Loctite AA324 And Adhesive Loctite 7075 Adhesive Loctite AA324 And Adhesive Loctite 7075

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	1	60

Industrial Grade Adhesive Fevikwik FeviKwik 5ml Tube

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती /रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	3	60

Heat Shrink Sleeve Heat Shrink Sleeve 6mm Black Model Is ToE203950

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No सं.	Consignee /क्र. Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	******	******BANGALORE	3	60

Heat Shrink Sleeve I Heat Shrink Sleeve 3mm Black Model Is ToE203950 II Heat Shrink Sleeve 2mm Black Model Is ToE203950

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specifi	cation Document	<u>View File</u>
BOQ D	etail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	3	60

Insulation Tape Roll Wonder Tape 10 Mtr Roll PVC

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	3	60

Transparent Tape 2 Inches Transparent Tape 2 Inches

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	1	60

Instrument Cooling Fan AC 230V

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	******	******BANGALORE	4	60

Universal Adapter For 3 Pin Plug For 6 Amps

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	********BANGALORE	3	60

Modular Firing Platform For Kneeling Commastanding And Lying Position Modular Friring Platform For Kneeling

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	1	60

Firing Mat With Padding 6x3 With Padding

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	******	******BANGALORE	3	60

Firing Pillows 12 X Big And 12 X Small 1x2x2 Feet And 1x2x4 Feet

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	8	60

Instructor Keyboard Rack Rack Monitor Rack Cooling Fan And The Following Items As Per Specification

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	********BANGALORE	1	60

Instructor Chair ISI Standard

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	1	60

Manufacturer S Lable Plate 515 Army Base Wksp Manufacturer Plate Comma As Per Sample

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	1	60

Projection Stand Adjustable With Screen Modified For IWTS 10x30 Feet Adjustable Height Comma Two Side

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	1	60

Mounting Stand Video Projector Projector Mounting Stand With 10 Mm Thick Metal Top Plate Size Is To500mm Length X 400 Mm Width Comma Height 400mm

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	1	60

Ruggedized Enclosure For Projector LxBxH 24x22x8 Point5 With 5x5 Air Ventilation Sliding Cover 12V DC 1 1 By 2

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	1	60

White Velcro Adhesive Velcro 5m 2 Inch

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती /रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	1	60

Fasteners A Screw Slotted Cheese Head M2x20 IS No 1366 Nos 200 B Screw Slotted Cheese Head M2x25 IS No 1366 Nos 100

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	1	60

Cable Ties And Tie Bases 25mm Packet Of 100 As Per Sample Standard Cabel Ties Comma White Nylon With A Non

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File	
BOQ Detail Document	<u>View File</u>	

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	2	60

Cable Ties And Tie Bases 50mm Packet Of 100 As Per Sample Standard Cabel Ties

Comma White Nylon With A Non

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	1	60

Spiral Pipe 1 Point5 Inches Dia Flexible Conduct Mtrls Is To Nylon PA6 Comma Thread Is To PG36 Comma

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	5	60

Allen Key 2 Comma3 Comma4 Comma5 Comma6 Comma7 Comma8 Comma9 Set Of 8 ISI Standard

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	1	60

Nose Plier ISI Standard

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	1	60

Screw Driver Set ISI Brand

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	********BANGALORE	1	60

Spanner Open Jaw 13 By 17 ISI Standard

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	1	60

Spanner Open Jaw 24 By 27 ISI Standard

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	******	******BANGALORE	1	60

Spanner Open Jaw 17 By 19 ISI Standard

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	1	60

Taparia Adjustable 12 Inch Spanner Open Jaw ISI Standard

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	1	60

Corrugated Sheet M Corrugated Sheet M 2 Mtr Width

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	20	60

Bubble Sheet M Bubble Sheet 2 Mtr Width

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	20	60

Cotton Waste Kg Cotton Waste Kg

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	2	60

Hessian Cloth M Hessain Cloth 2 Mtr Width

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	20	60

FRP Container 3 1 By 2 L X 2 W X 2 H Feet With Double Toggle Latches And Handles

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	2	60

Lock 5 Lever With Keys Godrej 50mm

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती /रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	3	60

LDPE Strech Wrap Roll 1200 Mtr 23 Micro 5inch 12 Inch Streched Film Roll

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	2	60

Nails 1 Inches Kg Nails 1 KG 1 ISI Standard

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	1	60

Silica Gel 5gm Pack Of 80 Pcs

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	2	60

Wooden Crates For Packing Chir Wood Packing Crates For Packing Sml Dimension And Qty As Follows Is To A 25 Inches X 26 Inches X14 Inches 02 Nos

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	1	60

Binding Wire Size 2061 Point02 1 By 26 Comma92 Mtr Roll

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	1	60

Double Sided Tape Double Sided Foam Tape 2 Inch Width 48mmX5 Mtr

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	2	60

Log Book To Be Printed As Per The Requirement Of SMD

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S	.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1		*****	******BANGALORE	1	60

Technical Manual To Be Printed And Spiral Binded Softcopy Of Techincal Manual Will Be Provided By SMD

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	1	60

User Hand Book To Be Printed And Spiral Binded Softcopy Of User Manual Will Be Provided By SMD

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती /रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	1	60

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity \div Original quantity) \times Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Generic

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

515 ARMY BASE WORKSHOP HALASUR, BENGALURU - 560008

3. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any

responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

4. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

5. Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

6. Generic

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

7. Generic

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

8. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

9. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

10. Buyer Added Bid Specific ATC

Buyer uploaded ATC document <u>Click here to view the file</u>.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and

conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

- 1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
- 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
- 4. Creating BoQ bid for single item.
- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
- 6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for <u>attached categories</u>, trials are allowed as per approved procurement policy of the buyer nodal Ministries)
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
- 11. Creating bid for items from irrelevant categories.
- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.
- 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---