

Bid Document/ बिड दस्तावेज़

| Bid Details/बिड विवरण | |
|--|---|
| Bid End Date/Time/बिड बंद होने की तारीख/समय | 31-05-2025 19:00:00 |
| Bid Opening Date/Time/बिड खुलने की तारीख/समय | 31-05-2025 19:30:00 |
| Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से) | 90 (Days) |
| Ministry/State Name/मंत्रालय/राज्य का नाम | Ministry Of Defence |
| Department Name/विभाग का नाम | Department Of Military Affairs |
| Organisation Name/संगठन का नाम | Indian Army |
| Office Name/कार्यालय का नाम | ***** |
| क्रेता ईमेल/Buyer Email | trijal-1426@nic.in |
| Total Quantity/कुल मात्रा | 2442 |
| | <p>Store shelter Size 10.44 m x 6.1 m x 4.75 m height with 1.5 m verandah as per technical specifications and store list attached under Job No 2513 , Distribution box 8 way SPN, 240 volts copper bus bar and neutral link earthing stud conforming to IS-13032 and IS-8623 double door type. Make-Havells, Finolex, Polycab, Natural white or equivalent , MCB SPN 240 Volts 32 Amps Make - Havells, Finolex, Polycab, Natural white or equivalent , MCB SP 6 to 32 Amps Make - Havells, Finolex, Polycab, Natural white or equivalent , PVC tape 19mm wide 5 m long Make - Havells, Finolex, Polycab, Natural white or equivalent , Cable PVC insulated electric cables heavy duty 1100 volts grade multi stranded copper conductor of size 1.5 Sqmm single core as per store list attached , Cable PVC insulated electric cables heavy duty 1100 volts grade multi stranded copper conductor of size 2.5 Sqmm single core as per store list attached , PVC casing capping of size 1 inch Medium Grade snow white Make - Make - Havells, Finolex, Polycab, Natural white or equivalent , PVC casing capping of size 3 by 4 inch Medium Grade snow white Make - Havells, Finolex, Polycab, Natural white or equivalent , Switch Piano 5 Amp 230 Volts Flush type one way snow white Make - Havells, Finolex, Polycab, Natural white or equivalent , LED Tube light fittings 20W rechargeable 230V box type 4 feet with CRCA body Pre coated white and Prewired for LED tube complete Make - HAVELLS, BAJAJ, PHILIPS, CROMPTON , Steel screw full thread with rawl plug 1 1 by 2 inch size - ISI Marked 100 Nos Pkt , PVC switch board snow white size 7 inch x4 inch for sockets and switches Make - Havells, Finolex, Polycab, Natural white or equivalent , PVC switch board snow white size 8 inch x 10 inch for main switches oblique DB Make -</p> |

| Item Category/मद केटेगरी | Bid Details/बिड डिटेल्स |
|--------------------------|---|
| | <p>Havells, Finolex, Polycab, Natural white or equivalent , PVC L bend and T junction joint for PVC casing and capping confirming to IS 3419 Part 3 Make - Havells, Finolex, Polycab, Natural white or equivalent , Switch socket combination snow white multipurpose 2 in 1, 15 Amp 230 Volts Make - Havells, Finolex, Polycab, Natural white or equivalent , Switch socket combination snow white 5 Amp 230 Volts Make - Havells, Finolex, Polycab, Natural white or equivalent , Service bracket 40mm dia GI Tubing medium grade 1.5 Mtr Long Make - Havells, Finolex, Polycab, Natural white or equivalent , Service cable PVC insulated aluminium conductor, 1100 volt grade Heavy duty served with inner sheathing of PVC tap and overall PVC sheathed as per store list attached , Ceiling Rose three terminal snow white Make - Anchor, SSK, CONA , LED Bulk head fitting high pressure die cast aluminum front cover with glass cover with specially design gasket with LED lamp 10 watts rechargeable Make - HAVELLS, BAJAJ, PHILIPS, CROMPTON , PVC Flexible wire copper conductor multi stranded 0.0016 by 76 Make - Havells, Finolex, Polycab, Natural white or equivalent , PVC Flexible Conduit pipe 15 mm dia Make - Havells, Finolex, Polycab, Natural white or equivalent , PVC Round oblique Squire Block Make - Havells, Finolex, Polycab, Natural white or equivalent , Fire extinguisher of one kilogram capacity, dry power type conforming to IS-13849 along with its accessories Make - Cease fire, Omex, Alfa Fire , Earthing plate 600 x 600 x 6 mm Galvanised steel suitable for GI strip fittings, drilled with 2 Nos holes for 6 mm dia near one side , CI earth pit cover of size 300 x 300 x 6 mm with Angle iron of size 20x20mm, 3 mm thick with MS frame , Funnel fitted with 20 mm diameter GI Pipe 1.5 m Long. Pipe Make -Jindal, Tata, Kalinga , GI wire 4 mm diameter For earthing , Charcoal , Salt normal , Air termination single pointed aluminium rod 12 mm dia and 300 mm long , Testing point terminal block make of gun metal and phosphorus bronze size 75 x 75 x 25 mm drilled and screwed as per store list attached , Aluminium strips 25 x 3.0 mm , Galvanised Iron strip 32 x 6 mm , Funnel fitted with 20 mm diameter GI Pipe 1.5 m Long. Pipe Make-Jindal, Tata, Kalinga , Insulating PVC block 75x75x30 mm with insulating clamp nut and bolt Make-Presto, Polycab, Finolex , Cement 43 Grade OPC packed in HDPE bag each 50 kg wt Conform to IS 8112-1989 Make - Birla Gold, Ambuja, Ultratech , Coarse Sand free from vegetation Qty- 0.3 Cum , Coarse aggregate 20mm graded Qty- 0.3 Cum , Coarse aggregate 40mm graded Qty-0.3 Cum , Study chair of size length 56 Cm, Height 82 Cm and Width 56 Cm, Type Lacquered finish with arm, seat and back cushion, velvet upholstery Make - Supreme or equivalent , Study Table of size 4 feet X 2 feet, Wooden top on round tube structure with three drawers on one side , Steel almirah of size 1855mm with 4 shelves. MS sheet doors and locker 1.00mm thick, lock material brass and steel finished and thickness of shelves 0.90mm , Mild Steel rack adjustable ,sheet 1.00mm thick, nuts and bolts are in hexagon blk steel, overall height 1.755m depth 0.410m and width 0.915m , Hand Held Trolley of size 1200 x 900 x 1200 mm of 2 mm thick MS plateform and size of wheel 127 mm with loading capacity minimum 200 kg and overall weight of trolleys 19 Kg</p> |
| | Store shelter Size 10.44 m x 6.1 m x 4.75 m height with 1.5 m verandah as per technical secifications and store list att under Job No 2513, Distribution box 8 way SPN, 240 volts copper bus bar and neutral link earthing stud conforming to |

| Bid Details/बिड विवरण | IS-13032 and IS-8623 double door type. Make-Havells, Finolex, Polycab, Natural white or equivalent, MCB SPN 240 |
|---|---|
| <p>GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS</p> | <p>Volts 32 Amps Make - Havells, Finolex, Polycab, Natural white or equivalent, MCB SP 6 to 32 Amps Make - Havells, Finolex, Polycab, Natural white or equivalent, PVC tape 19mm wide 5 m long Make - Havells, Finolex, Polycab, Natural white or equivalent, Cable PVC insulated electric cables heavy duty 1100 volts grade multi stranded copper conductor of size 1.5 Sqmm single core as per store list attached, Cable PVC insulated electric cables heavy duty 1100 volts grade multi stranded copper conductor of size 2.5 Sqmm single core as per store list attached, PVC casing capping of size 1 inch Medium Grade snow white Make - Make - Havells, Finolex, Polycab, Natural white or equivalent, PVC casing capping of size 3 by 4 inch Medium Grade snow white Make - Havells, Finolex, Polycab, Natural white or equivalent, Switch Piano 5 Amp 230 Volts Flush type one way snow white Make - Havells, Finolex, Polycab, Natural white or equivalent, LED Tube light fittings 20W rechargeable 230V box type 4 feet with CRCA body Pre coated white and Prewired for LED tube complete Make - HAVELLS, BAJAJ, PHILIPS, CROMPTON, Steel screw full thread with rawl plug 1 1 by 2 inch size - ISI Marked 100 Nos Pkt, PVC switch board snow white size 7 inch x4 inch for sockets and switches Make - Havells, Finolex, Polycab, Natural white or equivalent, PVC switch board snow white size 8 inch x 10 inch for main switches oblique DB Make - Havells, Finolex, Polycab, Natural white or equivalent, PVC L bend and T junction joint for PVC casing and capping confirming to IS 3419 Part 3 Make - Havells, Finolex, Polycab, Natural white or equivalent, Switch socket combination snow white multipurpose 2 in 1, 15 Amp 230 Volts Make - Havells, Finolex, Polycab, Natural white or equivalent, Switch socket combination snow white 5 Amp 230 Volts Make - Havells, Finolex, Polycab, Natural white or equivalent, Service bracket 40mm dia GI Tubing medium grade 1.5 Mtr Long Make - Havells, Finolex, Polycab, Natural white or equivalent, Service cable PVC insulated aluminium conductor, 1100 volt grade Heavy duty served with inner sheathing of PVC tap and overall PVC sheathed as per store list attached, Ceiling Rose three terminal snow white Make - Anchor, SSK, CONA, LED Bulk head fitting high pressure die cast aluminum front cover with glass cover with specially design gasket with LED lamp 10 watts rechargeable Make - HAVELLS, BAJAJ, PHILIPS, CROMPTON, PVC Flexible wire copper conductor multi stranded 0.0016 by 76 Make - Havells, Finolex, Polycab, Natural white or equivalent, PVC Flexible Conduit pipe 15 mm dia Make - Havells, Finolex, Polycab, Natural white or equivalent, PVC Round oblique Squire Block Make - Havells, Finolex, Polycab, Natural white or equivalent, Fire extinguisher of one kilogram capacity, dry power type conforming to IS-13849 along with its accessories Make - Cease fire, Omex, Alfa Fire, Earthing plate 600 x 600 x 6 mm Galvanised steel suitable for GI strip fittings, drilled with 2 Nos holes for 6 mm dia near one side, CI earth pit cover of size 300 x 300 x 6 mm with Angle iron of size 20x20mm, 3 mm thick with MS frame, Funnel fitted with 20 mm diameter GI Pipe 1.5 m Long. Pipe Make - Jindal, Tata, Kalinga, GI wire 4 mm diameter For earthing, Charcoal, Salt normal, Air termination single pointed aluminium rod 12 mm dia and 300 mm long, Testing point terminal block make of gun metal and phosphorus bronze size 75 x 75 x 25 mm drilled and screwed as per store list attached, Aluminium strips 25 x 3.0 mm, Galvanised Iron</p> |

| Bid Details/As per | <p>strip 32 x 6 mm. Funnel fitted with 20 mm diameter GI Pipe 1.5 m Long. Pipe Make-Jindal, Tata, Kalinga, Earthing plate 600 x 600 x 6 mm Galvanised steel suitable for GI strip fittings, drilled with 2 Nos holes for 6 mm dia near one side, CI earth pit cover of size 300 x 300 x 6 mm with Angle iron of size 20x20mm, 3 mm thick with MS frame, Insulating PVC block 75x75x30 mm with insulating clamp nut and bolt Make-Presto, Polycab, Finolex, Cement 43 Grade OPC packed in HDPE bag each 50 kg wt Conform to IS 8112-1989 Make - Birla Gold, Ambuja, Ultratech, Coarse Sand free from vegetation Qty- 0.3 Cum, Coarse aggregate 20mm graded Qty- 0.3 Cum, Coarse aggregate 40mm graded Qty-0.3 Cum, Study chair of size length 56 Cm, Height 82 Cm and Width 56 Cm, Type Lacquered finish with arm, seat and back cushion, velvet upholstery Make - Supreme or equivalent, Study Table of size 4 feet X 2 feet, Wooden top on round tube structure with three drawers on one side, Steel almirah of size 1855mm with 4 shelves. MS sheet doors and and locker 1.00mm thick, lock material brass and steel finished and thickness of shelves 0.90mm, Mild Steel rack adjustable ,sheet 1.00mm thick, nuts and bolts are in hexagon blk steel, overall height 1.755m depth 0.410m and width 0.915m, Hand Held Trolley of size 1200 x 900 x 1200 mm of 2 mm thick MS platform and size of wheel 127 mm with loading capacity minimum 200 kg and overall weight of trolleys 19 Kg</p> |
|--------------------|--|
| | <p>Searched String: Store shelter Size 10.44 m x 6.1 m x 4.75 m height with 1.5 m verandah as per technical secifications and store list att under Job No 2513</p> <p>Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Prefab Shelters With PUF Panel of Size 7.620 M X 10.661 (As Per GeM Drawing)</p> <p>Searched String: Distribution box 8 way SPN, 240 volts copper bus bar and neutral link earthing stud conforming to IS-13032 and IS-8623 double door type. Make-Havells, Finolex, Polycab, Natural white or equivalent</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: MCB SPN 240 Volts 32 Amps Make - Havells, Finolex, Polycab, Natural white or equivalent</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: MCB SP 6 to 32 Amps Make - Havells, Finolex, Polycab, Natural white or equivalent</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: PVC tape 19mm wide 5 m long Make - Havells, Finolex, Polycab, Natural white or equivalent</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Cable PVC insulated electric cables heavy duty 1100 volts grade multi stranded copper conductor of size 1.5 Sqmm single core as per store list attached</p> |

| Bid Details/As per | PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694 |
|--------------------|--|
| | <p>Searched String: Cable PVC insulated electric cables heavy duty 1100 volts grade multi stranded copper conductor of size 2.5 Sqmm single core as per store list attached</p> <p>PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Flat Cable, Copper Conductor with PVC Insulation and Sheath as per IS 694</p> <p>Searched String: PVC casing capping of size 1 inch Medium Grade snow white Make - Havells, Finolex, Polycab, Natural white or equivalent</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: PVC casing capping of size 3 by 4 inch Medium Grade snow white Make - Havells, Finolex, Polycab, Natural white or equivalent</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Switch Piano 5 Amp 230 Volts Flush type one way snow white Make - Havells, Finolex, Polycab, Natural white or equivalent</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: LED Tube light fittings 20W rechargeble 230V box type 4 feet with CRCA body Pre coated white and Prewired for LED tube complete Make - HAVELLS, BAJAJ, PHILIPS, CROMPTON</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Steel screw full thread with rawl plug 1 1 by 2 inch size - ISI Marked 100 Nos Pkt</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: PVC switch board snow white size 7 inch x4 inch for sockets and switches Make - Havells, Finolex, Polycab, Natural white or equivalent</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: PVC switch board snow white size 8 inch x 10 inch for main switches oblique DB Make - Havells, Finolex, Polycab, Natural white or equivalent</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: PVC L bend and T junction joint for PVC casing and capping confirming to IS 3419 Part 3 Make - Havells, Finolex, Polycab, Natural white or equivalent</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> |

| Bid Details/As per | Searched String: Switch socket combination snow white multipurpose 2 in 1, 15 Amp 230 Volts Make - Havells, Finolex, Polycab, Natural white or equivalent |
|--------------------|--|
| | <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Switch socket combination snow white 5 Amp 230 Volts Make - Havells, Finolex, Polycab, Natural white or equivalent</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Service bracket 40mm dia GI Tubing medium grade 1.5 Mtr Long Make - Havells, Finolex, Polycab, Natural white or equivalent</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Service cable PVC insulated aluminium conductor, 1100 volt grade Heavy duty served with inner sheathing of PVC tap and overall PVC sheathed as per store list attached</p> <p>PVC Flat Cable, Copper Conductor with PVC Insulation and Sheath as per IS 694</p> <p>Searched String: Ceiling Rose three terminal snow white Make - Anchor, SSK, CONA</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: LED Bulk head fitting high pressure die cast aluminum front cover with glass cover with specially design gasket with LED lamp 10 watts rechargeable Make - HAVELLS, BAJAJ, PHILIPS, CROMPTON</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: PVC Flexible wire copper conductor multi stranded 0.0016 by 76 Make - Havells, Finolex, Polycab, Natural white or equivalent</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: PVC Flexible Conduit pipe 15 mm dia Make - Havells, Finolex, Polycab, Natural white or equivalent</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: PVC Round oblique Squire Block Make - Havells, Finolex, Polycab, Natural white or equivalent</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Fire extinguisher of one kilogram capacity, dry power type conforming to IS-13849 along with its accessories Make - Cease fire, Omex, Alfa Fire</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> |

| GeMARPTS में खोजा गया परिणाम / Searched Bid Details/As per Result generated in GeMARPTS | Searched String: Earthing plate 600 x 600 x 6 mm Galvanised steel suitable for GI strip fittings, drilled with 2 Nos holes for 6 mm dia near one side |
|---|--|
| | <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: CI earth pit cover of size 300 x 300 x 6 mm with Angle iron of size 20x20mm, 3 mm thick with MS frame</p> <p>Cellophane paper, Corrugated Boxes, Modular Toilet, Prefab Shelters with PUF Panel of Size 7.620 M X 5.441 M (as per GeM Drawing)</p> <p>Searched String: Funnel fitted with 20 mm diameter GI Pipe 1.5 m Long. Pipe Make -Jindal, Tata, Kalinga</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: GI wire 4 mm diameter For earthing</p> <p>G.I. Pipes for Earthing as per IS 1239 (Part 1), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266, Polyethylene Pipes for Water Supply, Parallel Bar - Outdoor Gym Equipment, Mild Steel Wire for General Engineering Purpose as per IS 280, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Staplers (V2), Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818</p> <p>Searched String: Charcoal</p> <p>Charcoal, Activated Charcoal Tablets, Activated Charcoal Powder, Barbecues / Tandoor, Modified Charcoal Cefoperazone Deoxycholate Agar (MCCD), Dhobi Tool Kit</p> <p>Searched String: Salt normal</p> <p>Black Salt, Human Normal Immunoglobulin Injection, Electronic Milk Analyser with adulteration testing equipment, EDTA disodium salt, ORAL REHYDRATION SALT, Iron Fortified Iodized Salt Or Double Fortified Salt as per IS: 16232, Iodized Salt (Defence), Sodium Oxalate Salt, Salt Spray Chamber, Mannitol Salt Agar</p> <p>Searched String: Air termination single pointed aluminium rod 12 mm dia and 300 mm long</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Testing point terminal block make of gun metal and phosphorus bronze size 75 x 75 x 25 mm drilled and screwed as per store list attached</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Aluminium strips 25 x 3.0 mm</p> <p>Mild Steel Sheet, Sofa Set (Steel Tube), Hemoglobin Test Strips, Parallel Bar - Outdoor Gym Equipment, Aluminium Composite Panel Sheet, XLPE Cable for Working Voltages up</p> |

| Bid Details/As Per | to and Including 1.1 KV as per IS 7098 (Part 1), Cast Iron Bench, Sterile Hypodermic Needles for Single use (V2), Aerial Bunched Cables as per IS 14255, Laminators |
|--------------------|--|
| | <p>Searched String: Galvanised Iron strip 32 x 6 mm</p> <p>Sofa Set (Steel Tube), Prong or Tine Cultivator (Hand Cultivator), Plastic Moulded Table - Preschool Kit, Cast Iron Bench, rubber bands, General Purpose Ball Valves (V2), Picket Steel as per DGS&D Drawing, General Purpose Pipe Wrench as per IS 4003, IS 1570, IS 14329, Prefab Hut / House of Size 6.10 M X 7.32 M (as per GeM Drawing), Sterile Hypodermic Needles for Single use (V2)</p> <p>Searched String: Funnel fitted with 20 mm diameter GI Pipe 1.5 m Long. Pipe Make-Jindal, Tata, Kalinga</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Earthing plate 600 x 600 x 6 mm Galvanised steel suitable for GI strip fittings, drilled with 2 Nos holes for 6 mm dia near one side</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: CI earth pit cover of size 300 x 300 x 6 mm with Angle iron of size 20x20mm, 3 mm thick with MS frame</p> <p>Cellophane paper, Corrugated Boxes, Modular Toilet, Prefab Shelters with PUF Panel of Size 7.620 M X 5.441 M (as per GeM Drawing)</p> <p>Searched String: Insulating PVC block 75x75x30 mm with insulating clamp nut and bolt Make-Presto, Polycab, Finolex</p> <p>Prefab Toilet Block with PUF Panel of Size 6.120 M X 5.441 M (10 Men) (as per GeM Drawing)</p> <p>Searched String: Cement 43 Grade OPC packed in HDPE bag each 50 kg wt Conform to IS 8112-1989 Make - Birla Gold, Ambuja, Ultratech</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Coarse Sand free from vegetation Qty- 0.3 Cum</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Coarse aggregate 20mm graded Qty- 0.3 Cum</p> <p>Coarse Aggregate (V2) Conforming to IS 383, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Solar Powered Drinking Water Cooler, Granite Surface Plate as per IS 7327, Laboratory Glassware - Burettes (V2) as per IS 1997, Full Body Sanitizer Spray Chamber, Medium Density Fiber Boards (MDF Boards) for General Purpose</p> <p>Searched String: Coarse aggregate 40mm graded Qty-0.3 Cum</p> |

| | |
|---|--|
| Bid Details/बिड विवरण | Coarse Aggregate (V2) Conforming to IS 383, Solar Powered Drinking Water Cooler, Granite Surface Plate as per IS 7327, Full Body Sanitizer Spray Chamber, Medium Density Fiber Boards (MDF Boards) for General Purpose Searched String: Study chair of size length 56 Cm, Height 82 Cm and Width 56 Cm, Type Lacquered finish with arm, seat and back cushion, velvet upholstery Make - Supreme or equivalent Category not available on GeM for the text string uploaded by the buyer Searched String: Study Table of size 4 feet X 2 feet, Wooden top on round tube structure with three drawers on one side Category not available on GeM for the text string uploaded by the buyer Searched String: Steel almirah of size 1855mm with 4 shelves. MS sheet doors and locker 1.00mm thick, lock material brass and steel finished and thickness of shelves 0.90mm Swing (Preschool Kit), MS Sheet as per IS 1079 Searched String: Mild Steel rack adjustable ,sheet 1.00mm thick, nuts and bolts are in hexagon blk steel, overall height 1.755m depth 0.410m and width 0.915m Category not available on GeM for the text string uploaded by the buyer Searched String: Hand Held Trolley of size 1200 x 900 x 1200 mm of 2 mm thick MS plateform and size of wheel 127 mm with loading capacity minimum 200 kg and overall weight of trolleys 19 Kg Category not available on GeM for the text string uploaded by the buyer |
| अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification | <ul style="list-style-type: none"> • Prefab Shelters With PUF Panel of Size 7.620 M X 10.661 (As Per GeM Drawing) |
| BOQ Title/बीओक्यू शीर्षक | AS PER STORE LIST |
| Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) | 10 Lakh (s) |
| OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का) | 10 Lakh (s) |
| Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष | 2 Year (s) |
| MSE Exemption for Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है | Yes |

| Bid Details/बिड विवरण | |
|--|---|
| Startup Exemption for Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है | Yes |
| Document required from seller/विक्रेता से मांगे गए दस्तावेज़ | Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| Do you want to show documents uploaded by bidders to all bidders participated in bid?/ | No |
| Past Performance/विगत प्रदर्शन | 40 % |
| Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया | Yes |
| RA Qualification Rule | H1-Highest Priced Bid Elimination |
| Type of Bid/बिड का प्रकार | Two Packet Bid |
| Primary product category | Store shelter Size 10.44 m x 6.1 m x 4.75 m height with 1.5 m verandah as per technical specifications and store list att under Job No 2513 |
| Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय | 2 Days |
| Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM) | No |
| Evaluation Method/मूल्यांकन पद्धति | Total value wise evaluation |
| Arbitration Clause | No |
| Mediation Clause | No |

EMD Detail/ईएमडी विवरण

| | |
|-----------------------------|---------------------|
| Advisory Bank/एडवाइजरी बैंक | State Bank of India |
| EMD Amount/ईएमडी राशि | 60365 |

ePBG Detail/ईपीबीजी विवरण

| | |
|--|---------------------|
| Advisory Bank/एडवाइजरी बैंक | State Bank of India |
| ePBG Percentage(%) / ईपीबीजी प्रतिशत (%) | 3.00 |

Duration of ePBG required (Months)/ईपीबीजी की अपेक्षित अवधि (महीने).

14

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

Commanding Officer

108 Engr Regt, Department of Military Affairs, Indian Army, Ministry of Defence

(Avinash Deshmukh)

Reserved for Make In India products

Reserved for Make In India products

Yes

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता

Yes

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old,

the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

6. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

7. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 40% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

10. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Store Shelter Size 10.44 M X 6.1 M X 4.75 M Height With 1.5 M Verandah As Per Technical Specifications And Store List Att Under Job No 2513

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document

[View File](#)

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|-------------|-----------------|------------------------------|
| 1 | ***** | *****Tawang | 3 | 45 |

Distribution Box 8 Way SPN, 240 Volts Copper Bus Bar And Neutral Link Earthing Stud Conforming To IS-13032 And IS-8623 Double Door Type. Make-Havells, Finolex, Polycab, Natural White Or Equivalent

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|-------------|-----------------|------------------------------|
| 1 | ***** | *****Tawang | 3 | 45 |

MCB SPN 240 Volts 32 Amps Make - Havells, Finolex, Polycab, Natural White Or Equivalent

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--------------------|------------------------|-------------------------------------|
| 1 | ***** | *****Tawang | 3 | 45 |

MCB SP 6 To 32 Amps Make - Havells, Finolex, Polycab, Natural White Or Equivalent

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--------------------|------------------------|-------------------------------------|
| 1 | ***** | *****Tawang | 18 | 45 |

PVC Tape 19mm Wide 5 M Long Make - Havells, Finolex, Polycab, Natural White Or Equivalent

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--------------------|------------------------|-------------------------------------|
| 1 | ***** | *****Tawang | 6 | 45 |

Cable PVC Insulated Electric Cables Heavy Duty 1100 Volts Grade Multi Stranded Copper Conductor Of Size 1.5 Sqmm Single Core As Per Store List Attached

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|-------------|-----------------|------------------------------|
| 1 | ***** | *****Tawang | 720 | 45 |

Cable PVC Insulated Electric Cables Heavy Duty 1100 Volts Grade Multi Stranded Copper Conductor Of Size 2.5 Sqmm Single Core As Per Store List Attached

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|-------------|-----------------|------------------------------|
| 1 | ***** | *****Tawang | 270 | 45 |

PVC Casing Capping Of Size 1 Inch Medium Grade Snow White Make - Make - Havells, Finolex, Polycab, Natural White Or Equivalent

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|-------------|-----------------|------------------------------|
| 1 | ***** | *****Tawang | 90 | 45 |

PVC Casing Capping Of Size 3 By 4 Inch Medium Grade Snow White Make - Havells, Finolex, Polycab, Natural White Or Equivalent**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|-------------|-----------------|------------------------------|
| 1 | ***** | *****Tawang | 180 | 45 |

Switch Piano 5 Amp 230 Volts Flush Type One Way Snow White Make - Havells, Finolex, Polycab, Natural White Or Equivalent**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|-------------|-----------------|------------------------------|
| 1 | ***** | *****Tawang | 39 | 45 |

LED Tube Light Fittings 20W Rechargeble 230V Box Type 4 Feet With CRCA Body Pre Coated White And Prewired For LED Tube Complete Make - HAVELLS, BAJAJ, PHILIPS, CROMPTON

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|-------------|-----------------|------------------------------|
| 1 | ***** | *****Tawang | 30 | 45 |

Steel Screw Full Thread With Rawl Plug 1 1 By 2 Inch Size - ISI Marked 100 Nos Pkt

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|-------------|-----------------|------------------------------|
| 1 | ***** | *****Tawang | 12 | 45 |

PVC Switch Board Snow White Size 7 Inch X4 Inch For Sockets And Switches Make - Havells, Finolex, Polycab, Natural White Or Equivalent

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|-------------|-----------------|------------------------------|
| 1 | ***** | *****Tawang | 15 | 45 |

PVC Switch Board Snow White Size 8 Inch X 10 Inch For Main Switches Oblique DB Make - Havells, Finolex, Polycab, Natural White Or Equivalent

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
|-------------------------------|---------------------------|

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|-------------|-----------------|------------------------------|
| 1 | ***** | *****Tawang | 3 | 45 |

PVC L Bend And T Junction Joint For PVC Casing And Capping Confirming To IS 3419 Part 3 Make - Havells, Finolex, Polycab, Natural White Or Equivalent

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|-------------|-----------------|------------------------------|
| 1 | ***** | *****Tawang | 60 | 45 |

Switch Socket Combination Snow White Multipurpose 2 In 1, 15 Amp 230 Volts Make - Havells, Finolex, Polycab, Natural White Or Equivalent

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--------------------|------------------------|-------------------------------------|
| 1 | ***** | *****Tawang | 6 | 45 |

Switch Socket Combination Snow White 5 Amp 230 Volts Make - Havells, Finolex, Polycab, Natural White Or Equivalent

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--------------------|------------------------|-------------------------------------|
| 1 | ***** | *****Tawang | 6 | 45 |

Service Bracket 40mm Dia GI Tubing Medium Grade 1.5 Mtr Long Make - Havells, Finolex, Polycab, Natural White Or Equivalent

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--------------------|------------------------|-------------------------------------|
| 1 | ***** | *****Tawang | 3 | 45 |

Service Cable PVC Insulated Aluminium Conductor, 1100 Volt Grade Heavy Duty Served With Inner Sheathing Of PVC Tap And Overall PVC Sheathed As Per Store List Attached

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--------------------|------------------------|-------------------------------------|
| | | | | |

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|-------------|-----------------|------------------------------|
| 1 | ***** | *****Tawang | 120 | 45 |

Ceiling Rose Three Terminal Snow White Make - Anchor, SSK, CONA

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|-------------|-----------------|------------------------------|
| 1 | ***** | *****Tawang | 39 | 45 |

LED Bulk Head Fitting High Pressure Die Cast Aluminum Front Cover With Glass Cover With Specially Design Gasket With LED Lamp 10 Watts Rechargeable Make - HAVELLS, BAJAJ, PHILIPS, CROMPTON

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|-------------|-----------------|------------------------------|
| 1 | ***** | *****Tawang | 9 | 45 |

PVC Flexible Wire Copper Conductor Multi Stranded 0.0016 By 76 Make - Havells, Finolex, Polycab, Natural White Or Equivalent**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|-------------|-----------------|------------------------------|
| 1 | ***** | *****Tawang | 15 | 45 |

PVC Flexible Conduit Pipe 15 Mm Dia Make - Havells, Finolex, Polycab, Natural White Or Equivalent**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|-------------|-----------------|------------------------------|
| 1 | ***** | *****Tawang | 12 | 45 |

PVC Round Oblique Squire Block Make - Havells, Finolex, Polycab, Natural White Or Equivalent

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|-------------|-----------------|------------------------------|
| 1 | ***** | *****Tawang | 39 | 45 |

Fire Extinguisher Of One Kilogram Capacity, Dry Power Type Conforming To IS-13849 Along With Its Accessories Make - Cease Fire, Omex, Alfa Fire

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|-------------|-----------------|------------------------------|
| 1 | ***** | *****Tawang | 6 | 45 |

Earthing Plate 600 X 600 X 6 Mm Galvanised Steel Suitable For GI Strip Fittings, Drilled With 2 Nos Holes For 6 Mm Dia Near One Side

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|-------------|-----------------|------------------------------|
| 1 | ***** | *****Tawang | 3 | 45 |

CI Earth Pit Cover Of Size 300 X 300 X 6 Mm With Angle Iron Of Size 20x20mm, 3 Mm Thick With MS Frame

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
|-------------------------------|---------------------------|

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|-------------|-----------------|------------------------------|
| 1 | ***** | *****Tawang | 3 | 45 |

Funnel Fitted With 20 Mm Diameter GI Pipe 1.5 M Long. Pipe Make -Jindal, Tata, Kalinga

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|-------------|-----------------|------------------------------|
| 1 | ***** | *****Tawang | 3 | 45 |

GI Wire 4 Mm Diameter For Earthing

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--------------------|------------------------|-------------------------------------|
| 1 | ***** | *****Tawang | 45 | 45 |

Charcoal

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--------------------|------------------------|-------------------------------------|
| 1 | ***** | *****Tawang | 225 | 45 |

Salt Normal

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--------------------|------------------------|-------------------------------------|
| 1 | ***** | *****Tawang | 225 | 45 |

Air Termination Single Pointed Aluminium Rod 12 Mm Dia And 300 Mm Long

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--------------------|------------------------|-------------------------------------|
| 1 | ***** | *****Tawang | 6 | 45 |

Testing Point Terminal Block Make Of Gun Metal And Phosphorus Bronze Size 75 X 75 X 25 Mm Drilled And Screwed As Per Store List Attached

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--------------------|------------------------|-------------------------------------|
| 1 | ***** | *****Tawang | 6 | 45 |

Aluminium Strips 25 X 3.0 Mm

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--------------------|------------------------|-------------------------------------|
| 1 | ***** | *****Tawang | 60 | 45 |

Galvanised Iron Strip 32 X 6 Mm

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|-------------|-----------------|------------------------------|
| 1 | ***** | *****Tawang | 45 | 45 |

Funnel Fitted With 20 Mm Diameter GI Pipe 1.5 M Long. Pipe Make-Jindal, Tata, Kalinga

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|-------------|-----------------|------------------------------|
| 1 | ***** | *****Tawang | 6 | 45 |

Earthing Plate 600 X 600 X 6 Mm Galvanised Steel Suitable For GI Strip Fittings, Drilled With 2 Nos Holes For 6 Mm Dia Near One Side

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|-------------|-----------------|------------------------------|
| 1 | ***** | *****Tawang | 6 | 45 |

CI Earth Pit Cover Of Size 300 X 300 X 6 Mm With Angle Iron Of Size 20x20mm, 3 Mm Thick With MS Frame

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|-------------|-----------------|------------------------------|
| 1 | ***** | *****Tawang | 6 | 45 |

Insulating PVC Block 75x75x30 Mm With Insulating Clamp Nut And Bolt Make-Presto, Polycab, Finolex**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|-------------|-----------------|------------------------------|
| 1 | ***** | *****Tawang | 60 | 45 |

Cement 43 Grade OPC Packed In HDPE Bag Each 50 Kg Wt Conform To IS 8112-1989 Make - Birla Gold, Ambuja, Ultratech**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|-------------|-----------------|------------------------------|
| 1 | ***** | *****Tawang | 3 | 45 |

Coarse Sand Free From Vegetation Qty- 0.3 Cum**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|-------------|-----------------|------------------------------|
| 1 | ***** | *****Tawang | 1 | 45 |

Coarse Aggregate 20mm Graded Qty- 0.3 Cum**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परिषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परिषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|-------------|-----------------|------------------------------|
| 1 | ***** | *****Tawang | 1 | 45 |

Coarse Aggregate 40mm Graded Qty-0.3 Cum

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परिषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परिषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|-------------|-----------------|------------------------------|
| 1 | ***** | *****Tawang | 1 | 45 |

Study Chair Of Size Length 56 Cm, Height 82 Cm And Width 56 Cm, Type Lacquered Finish With Arm, Seat And Back Cushion, Velvet Upholstery Make - Supreme Or Equivalent

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|-------------|-----------------|------------------------------|
| 1 | ***** | *****Tawang | 3 | 45 |

Study Table Of Size 4 Feet X 2 Feet, Wooden Top On Round Tube Structure With Three Drawers On One Side

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|-------------|-----------------|------------------------------|
| 1 | ***** | *****Tawang | 3 | 45 |

Steel Almirah Of Size 1855mm With 4 Shelves. MS Sheet Doors And And Locker 1.00mm Thick, Lock Material Brass And Steel Finished And Thickness Of Shelves 0.90mm

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|-------------|-----------------|------------------------------|
| 1 | ***** | *****Tawang | 6 | 45 |

Mild Steel Rack Adjustable ,sheet 1.00mm Thick, Nuts And Bolts Are In Hexagon Bck Steel, Overall Height 1.755m Depth 0.410m And Width 0.915m

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|-------------|-----------------|------------------------------|
| 1 | ***** | *****Tawang | 12 | 45 |

Hand Held Trolley Of Size 1200 X 900 X 1200 Mm Of 2 Mm Thick MS Plateform And Size Of Wheel 127 Mm With Loading Capacity Minimum 200 Kg And Overall Weight Of Trolleys 19 Kg

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--------------------|------------------------|-------------------------------------|
| 1 | ***** | *****Tawang | 6 | 45 |

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- Copy of PAN Card.
- Copy of GSTIN.
- Copy of Cancelled Cheque.
- Copy of EFT Mandate duly certified by Bank.

2. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 50% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

3. Inspection

Nominated Inspection Agency: On behalf of the Buyer organization, any one of the following

Inspection Agency would be conducting inspection of stores before acceptance:
Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

NA

Post Receipt Inspection at consignee site before acceptance of stores:
BY BOARD OF OFFICER

4. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Note:- Profile Sheet of roof and Walls as applicable for the Shelter/Bkr to be of Camouflage pattern as per direction of Eastern Command.

5. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional

terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

---Thank You/धन्यवाद---