

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	20-05-2025 12:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	20-05-2025 12:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	90 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Power
Department Name/विभाग का नाम	Na
Organisation Name/संगठन का नाम	Ntpc Limited
Office Name/कार्यालय का नाम	Barh Super Thermal Power Project
क्रेता ईमेल/Buyer Email	buycon15.ntpc.patna@gembuyer.in
Total Quantity/कुल मात्रा	208
Item Category/मद केटेगरी	Hydraulic Hose (Q3)
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Compliance of BoQ specification and supporting d *In case any bidder is seeking exemption from Ex the supporting documents to prove his eligibility f uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	Yes
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Hydraulic Hose
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No

Bid Details/बिड विवरण	
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Arbitration Clause	No
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is offering products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility must be uploaded for evaluation by the buyer.

2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

3. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated on the Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 18.05.2023. Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If a bidder avails themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product or service. If the bidder is not the manufacturer / OEM, the bidder must be the Service provider. Resellers offering products / services are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product / service. The bidder shall decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in the bid, the MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) price. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) and Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated after evaluation of documents submitted.

Hydraulic Hose (24 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (AI
Certification and Standard	Certifications	ISO, EN, SAE, JIS, NA
Technical Specification	Media	Chemical Fluids, Fuels, Hydraulic Hoses, C Paint Solvent
	Hose Size (in inch)	1, 1.1/2
	Working Pressure (Max)	1 - 1000 (bar)
Material Specification	Tube	Oil resistant, synthetic rubber, Neoprene
	Cover	Thermoplastic, Synthetic rubber, Composit outstanding abrasion resistance, Oil
	Material Of Construction	Brass, Carbon Steel, Nickel-Plated Brass, P Synthetic Rubber, Nylon, Polyester Elaston
Size and Dimensions	Thickness	1 - 50 (millimeter)
	Inner Diameter	2 - 100 (millimeter)
	Outer Diameter	11.5 - 115 (millimeter)

Additional Specification Parameters - Hydraulic Hose (24 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Hose Specification	HOSE 1" BORE X 2MTR. LONG CONFORMING TO SAE 100 R2 WITH SWIV FOR WAGON TIPPLER STAGE-II MAKE:PARKER, PSI 2400

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र.सं.	Consignee Reporting/Officer/परेषिती /रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Del
1	Manish Bharti	803213,BARH STPP, NTPC LTD, DIST- PATNA, BIHAR 803213	24	15

Hydraulic Hose (24 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (AI
Technical Specification	Hose Size (in inch)	3/4

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (AI
	Working Pressure (Max)	1 - 1000 (bar)
Material Specification	Material Of Construction	Brass, Carbon Steel, Nickel-Plated Brass, P Synthetic Rubber, Nylon, Polyester Elaston
Size and Dimensions	Thickness	1 - 50 (millimeter)
	Inner Diameter	2 - 100 (millimeter)
	Outer Diameter	11.5 - 115 (millimeter)

Additional Specification Parameters - Hydraulic Hose (24 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Hose specification	HOSE 3/4" BORE X 2MTR. LONG CONFORMING TO SAE 100 R2 WITH SW END FOR WAGON TIPPLER STAGE-II MAKE:PARKER,PSI 3120

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र.सं.	Consignee Reporting/Officer/परेषिती /रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Del
1	Manish Bharti	803213,BARH STPP, NTPC LTD, DIST-PATNA, BIHAR 803213	24	30

Hydraulic Hose (8 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (AI
Technical Specification	Hose Size (in inch)	1/2
	Working Pressure (Max)	1 - 1000 (bar)
Material Specification	Material Of Construction	Brass, Carbon Steel, Nickel-Plated Brass, P Synthetic Rubber, Nylon, Polyester Elaston
Size and Dimensions	Thickness	1 - 50 (millimeter)
	Inner Diameter	2 - 100 (millimeter)
	Outer Diameter	11.5 - 115 (millimeter)

Additional Specification Parameters - Hydraulic Hose (8 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Hose specification	HOSE 1/2" BORE X 2MTR. LONG CONFORMING TO SAE 100 R2 WITH SW END FOR WAGON TIPPLER STAGE-II MAKE:PARKER, PSI 400

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र.सं.	Consignee Reporting/Officer/परेषिती /रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Del
1	Manish Bharti	803213,BARH STPP, NTPC LTD, DIST-PATNA, BIHAR 803213	8	30

Hydraulic Hose (36 pieces)**Technical Specifications/तकनीकी विशिष्टियाँ**

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (AI
Technical Specification	Hose Size (in inch)	3/8
	Working Pressure (Max)	1 - 1000 (bar)
Material Specification	Material Of Construction	Brass, Carbon Steel, Nickel-Plated Brass, P Synthetic Rubber, Nylon, Polyester Elaston
Size and Dimensions	Thickness	1 - 50 (millimeter)
	Inner Diameter	2 - 100 (millimeter)
	Outer Diameter	11.5 - 115 (millimeter)

Additional Specification Parameters - Hydraulic Hose (36 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Hydraulic hoses	HOSE 3/8" BOREX1.5MTR LONG CONFORMING TO SAE 100 R2 SWIVEL N AND OTHER 90DEGREE,MAKE:PARKER, PSI 4800

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र.सं.	Consignee Reporting/Officer/परेषिती /रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Del
1	Manish Bharti	803213,BARH STPP, NTPC LTD, DIST-PATNA, BIHAR 803213	36	30

Hydraulic Hose (36 pieces)**Technical Specifications/तकनीकी विशिष्टियाँ**

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (AI
Technical Specification	Hose Size (in inch)	1
	Working Pressure (Max)	1 - 1000 (bar)
Material Specification	Material Of Construction	Brass, Carbon Steel, Nickel-Plated Brass, P Synthetic Rubber, Nylon, Polyester Elaston
Size and Dimensions	Thickness	1 - 50 (millimeter)
	Inner Diameter	2 - 100 (millimeter)
	Outer Diameter	11.5 - 115 (millimeter)

Additional Specification Parameters - Hydraulic Hose (36 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Hydraulic hoses	HOSE 1" BOREX1.5MTR LONG CONFORMING TO SAE 100 R2 SWIVEL NU OTHER 90DEGREE,MAKE:PARKER,2400 PSI

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र.सं.	Consignee Reporting/Officer/परेषिती /रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Del
1	Manish Bharti	803213,BARH STPP, NTPC LTD, DIST-PATNA, BIHAR 803213	36	30

Hydraulic Hose (12 pieces)**Technical Specifications/तकनीकी विशिष्टियाँ**

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (AI
Technical Specification	Hose Size (in inch)	3/4
	Working Pressure (Max)	1 - 1000 (bar)
Material Specification	Material Of Construction	Brass, Carbon Steel, Nickel-Plated Brass, P Synthetic Rubber, Nylon, Polyester Elaston
Size and Dimensions	Thickness	1 - 50 (millimeter)
	Inner Diameter	2 - 100 (millimeter)
	Outer Diameter	11.5 - 115 (millimeter)

Additional Specification Parameters - Hydraulic Hose (12 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Hydraulic hoses	HOSE 5/4" BOREX1.4 MTR LONG CONFORMING TO SAE 100 R13 C-clamp 90degree size-5/4" and other side C-Clamp straight and size 3/2"

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र.सं.	Consignee Reporting/Officer/परेषिती /रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Del
1	Manish Bharti	803213,BARH STPP, NTPC LTD, DIST- PATNA, BIHAR 803213	12	30

Hydraulic Hose (12 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (AI
Technical Specification	Working Pressure (Max)	1 - 1000 (bar)
Material Specification	Material Of Construction	Brass, Carbon Steel, Nickel-Plated Brass, P Synthetic Rubber, Nylon, Polyester Elaston
Size and Dimensions	Thickness	1 - 50 (millimeter)
	Inner Diameter	2 - 100 (millimeter)
	Outer Diameter	11.5 - 115 (millimeter)

Additional Specification Parameters - Hydraulic Hose (12 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Hydraulic hoses	HOSE 5/16" BOREX600MM LONG CONFORMING TO SAE 100 R2 SWIVEL STARIGHT,MAKE:PARKER,5100 PSI

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र.सं.	Consignee Reporting/Officer/परेषिती /रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Del
1	Manish Bharti	803213,BARH STPP, NTPC LTD, DIST-PATNA, BIHAR 803213	12	30

Hydraulic Hose (12 pieces)**Technical Specifications/तकनीकी विशिष्टियाँ**

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (AI
Technical Specification	Hose Size (in inch)	1
	Working Pressure (Max)	1 - 1000 (bar)
Material Specification	Material Of Construction	Brass, Carbon Steel, Nickel-Plated Brass, P Synthetic Rubber, Nylon, Polyester Elaston
Size and Dimensions	Thickness	1 - 50 (millimeter)
	Inner Diameter	2 - 100 (millimeter)
	Outer Diameter	11.5 - 115 (millimeter)

Additional Specification Parameters - Hydraulic Hose (12 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Hydraulic hoses	HOSE 1" BOREX1.2MTR LONG CONFORMING TO SAE 100 R2 One end 90 end swivel nut straight,BOTH END STARIGHT,MAKE:PARKER,5500 PSI

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र.सं.	Consignee Reporting/Officer/परेषिती /रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Del
1	Manish Bharti	803213,BARH STPP, NTPC LTD, DIST- PATNA, BIHAR 803213	12	30

Hydraulic Hose (12 pieces)**Technical Specifications/तकनीकी विशिष्टियाँ**

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Al
Technical Specification	Hose Size (in inch)	5/8
	Working Pressure (Max)	1 - 1000 (bar)
Material Specification	Material Of Construction	Brass, Carbon Steel, Nickel-Plated Brass, P Synthetic Rubber, Nylon, Polyester Elaston
Size and Dimensions	Thickness	1 - 50 (millimeter)
	Inner Diameter	2 - 100 (millimeter)
	Outer Diameter	11.5 - 115 (millimeter)

Additional Specification Parameters - Hydraulic Hose (12 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Hydraulic hoses	HOSE 5/8" BOREX1MTR LONG CONFORMING TO SAE 100 R2 SWIVEL NU 90DEGREE AND OTHET END STRAIGHT,MAKE:PARKER/GATES 250 PSI

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र.सं.	Consignee Reporting/Officer/परेषिती /रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Del
1	Manish Bharti	803213,BARH STPP, NTPC LTD, DIST- PATNA, BIHAR 803213	12	30

Hydraulic Hose (12 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (AI
Technical Specification	Hose Size (in inch)	3/4
	Working Pressure (Max)	1 - 1000 (bar)
Material Specification	Material Of Construction	Brass, Carbon Steel, Nickel-Plated Brass, P Synthetic Rubber, Nylon, Polyester Elaston
Size and Dimensions	Thickness	1 - 50 (millimeter)
	Inner Diameter	2 - 100 (millimeter)
	Outer Diameter	11.5 - 115 (millimeter)

Additional Specification Parameters - Hydraulic Hose (12 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Hydraulic hoses	HOSE 5/8" BOREX850mm LONG CONFORMING TO SAE 100 R2 SWIVEL STRAIGHT,MAKE:PARKER, 3625 PSI

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र.सं.	Consignee Reporting/Officer/परेषिती /रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Del
1	Manish Bharti	803213,BARH STPP, NTPC LTD, DIST-PATNA, BIHAR 803213	12	30

Hydraulic Hose (20 pieces)**Technical Specifications/तकनीकी विशिष्टियाँ**

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (AI
Technical Specification	Hose Size (in inch)	3/4
	Working Pressure (Max)	1 - 1000 (bar)
Material Specification	Material Of Construction	Brass, Carbon Steel, Nickel-Plated Brass, P Synthetic Rubber, Nylon, Polyester Elaston
Size and Dimensions	Thickness	1 - 50 (millimeter)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (AI
	Inner Diameter	2 - 100 (millimeter)
	Outer Diameter	11.5 - 115 (millimeter)

Additional Specification Parameters - Hydraulic Hose (20 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Hydraulic hoses	HOSE 3/8" BOREX1 MTR LONG CONFORMING TO SAE 100 R2 SWIVEL N STRAIGHT,MAKE:PARKER, PSI 4000

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र.सं.	Consignee Reporting/Officer/परेषिती /रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Del
1	Manish Bharti	803213,BARH STPP, NTPC LTD, DIST- PATNA, BIHAR 803213	20	30

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25% of the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the original delivery order and in cases where option clause is exercised during the extended delivery period the commencement from the last date of extended delivery period. The additional delivery time shall be (Increased quantity / Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional delivery time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period by exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

All hoses will be of Parker make and as per the description mentioned below.

SL NO Description

HOSE 1" BORE X 2MTR. LONG CONFORMING TO SAE 100 R2 WITH SWIVEL NUT 1" BSP BOTH END F
1 TIPPLER STAGE-II
MAKE:PARKER/GATES PSI 2400 (Location WT-Hand Frame)

HOSE 3/4" BORE X 2MTR. LONG CONFORMING TO SAE 100 R2 WITH SWIVEL NUT 3/4" BSP BOTH EN
2 GON TIPPLER STAGE-II
MAKE:PARKER/GATES PSI 3120 (Location WT-Hand Frame)

HOSE 1/2" BORE X 2MTR. LONG CONFORMING TO SAE 100 R2 WITH SWIVEL NUT 1/2" BSP BOTH EN
3 ON TIPPLER STAGE-II
MAKE:PARKER/GATES PSI 400 (Location WT-Hand Frame)

HOSE 3/8" BOREX1.5MTR LONG CONFORMING TO SAE 100 R2 SWIVEL NUT,ONE END STRAIGHT AN
4 DEGREE,MAKE:PARKER/GATES PSI 4800(Location-Clamp manifold block)Pr,Pc,and Drain line

HOSE 1" BOREX1.5MTR LONG CONFORMING TO SAE 100 R2 SWIVEL NUT,ONE END STRAIGHT AND
5 EGREE,MAKE:PARKER/GATES 2400 PSI (Location-Clamp manifold block) A&B line

HOSE 5/4" BOREX1.4 MTR LONG CONFORMING TO SAE 100 R13 C-clamp at both side,ONE END C-cl
free size-5/4" and other side C-Clamp straight and size 3/2".MAKE:PARKER/GATES 5000 PSI (Location
pler power pack) A&B line

HOSE 5/16" BOREX600MM LONG CONFORMING TO SAE 100 R2 SWIVEL NUT,BOTH END STARIGHT,
7 R/GATES 5100 PSI (Location-MAIN PUMP DISCHARGE)

HOSE 1" BOREX1.2MTR LONG CONFORMING TO SAE 100 R2 One end 90 degree and C-Clamp other
8 nut straight,BOTH END STARIGHT,MAKE:PARKER/GATES 5500 PSI (Location-Hydro motor A&B line)

HOSE 5/8" BOREX1MTR LONG CONFORMING TO SAE 100 R2 SWIVEL NUT BOTH END,ONE END 90DI
9 OTHET END STRAIGHT,MAKE:PARKER/GATES 250 PSI (Location-Inlet line and outlet of brake)

HOSE 5/8" BOREX850mm LONG CONFORMING TO SAE 100 R2 SWIVEL NUT BOTH END,BOTH END S
10 AKE:PARKER/GATES 3625 PSI (Location-Brake lifting)

HOSE 3/8" BOREX1 MTR LONG CONFORMING TO SAE 100 R2 SWIVEL NUT,BOTH END STRAIGHT,MA
11 GATES PSI 4000(Location-Hydro motor drain line)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of te or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, th shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without an

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by the Government of India.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to extant rules and regulations of the Government of India and suppliers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category / Item Code.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attachers](#), samples are not allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying the same in the Bid Details section.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience only.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid terms and conditions in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, under Additional Terms and Conditions of the bid, under GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions in the Bid Details section. If buyer needs more items along with the main item, the same must be added through bundling custom catalogs or bundling a BoQ with the main category based item, the same must not be done in a single item bid.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / and not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1937 Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance with the above mentioned laws shall be considered as a breach of contract and Buyer may take suitable actions as per GeM Contract.

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which share bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के स के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने अनुरोध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।