



Bid Number/बोली क्रमांक (बिड संख्या)[:] GEM/2025/B/6189847 Dated/दिनांक : 01-05-2025

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	22-05-2025 18:00:00
Bid Opening Date/Time/बिंड खुलने की तारीख/समय	22-05-2025 18:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	120 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Defence
Department Name/विभाग का नाम	Department Of Defence
Organisation Name/संगठन का नाम	Border Road Organisation
Office Name/कार्यालय का नाम	******
क्रेता ईमेल/Buyer Email	dnd.2501@bro.gov.in
Total Quantity/कुल मात्रा	39739

Bid Details/बिड विवरण

MS shuttering plate of size 1.00 Mtr x 1.20 Mtr made with 3.15 mm thick MS sheet with angle iron of size 50x50x 6mm having properly welded, uniform finish Weight not less than 59.34 Kgs as per Drg 1 , MS shuttering plate of size 1.00 Mtr x 1.00 Mtr made with 3.15 mm thick MS sheet with angle iron of size 50x50x 6mm having properly welded uniform finish weight not less than 51.70 Kgs as per Drg 2, MS shuttering plate of size 1.00 Mtr x 0.80 Mtr made with 3.15mm thick MS sheet with angle iron of size 50x50x6mm having properly welded uniform finish weight not less than 39.56 Kgs as per Drg 3, MS shuttering plate of size 1.00 Mtr x 0.75 Mtr made with 3.15 mm thick MS sheet with angle iron of size 50x50 x6mm having properly welded uniform finishWeight not less than 37.65 Kgs as per Drg 4, MS shuttering plate of size 1.00 Mtr x 0.60 Mtr made with 3.15 mm thick MS sheet with angle iron of size 50x50x 6mm having properly welded uniform finish weight not less than 31.92 Kgs as per Drg 5, MS shuttering plate of size 1.00 Mtr x 0.50 Mtr made with 3.15 mm thick MS sheet with angle iron of size 50x50x 6mm having properly welded uniform finish Weight not less than 28.10 Kgs as per Drg 6, MS shuttering plate of size 1.00 Mtr x 0.45 Mtr made with 3.15 mm thick MS sheet with angle iron of size 50x50x 6mm having properly welded uniform finish Weight not less than 26.19 Kgs as per Drg 7, MS shuttering plate of size 1.00 Mtr x 0.30 Mtr made with 3.15 mm thick MS sheet with angle iron of size 50x50x6mm having properly welded uniform finish weight not less than 20.46 Kgs as per Drg 8, MS shuttering plate of size 1.00 Mtr x 0.20 Mtr made with 3.15 mm thick MS sheet with angle iron of size 50x50x6mm having properly welded uniform finish Weight not less than 16.64 Kgs as per Drg 9, Adjustable Base Plate screw length of 400 mm with captive nut OD 80 mm and ID 36 mm and Ht 50 mm welded to 300x300mm, 8mm thick plate to allow adjustment of bottom or top of scaffolding as per Drg 10, Adjustable Strip Head Jack dia 36.00 mm having threaded screw on 450 mm length with circular solid disc104 mm dia as adjustable collar Appx weight 9.47 Kg each as per Drg 11., MS Pipe 6.00 Mtr long of NB 40 Heavy ISI Mark with outer dia 48.3 mm having shell thickness 4.00 mm for structural purpose, Weight 4.37 Kg per mtr, Total weight 26.22 Kg per unit., Swivel coupler 40 NB medium MS pipe forge type on galvanized finish conforming to BIS1139 and should bear main slip load of 12.5 KN and distortion load of 30.00 KN approximate weight 1 Kg each, Right Angular Coupler 40 NB medium MS pipe forge type on galvanised finish confirming to BIS1139 and should bear main slip load of 12.5 KN and distortionload of 30.00 KN approximate weight 750 grams. , Joint piece of NB 40 medium with outer dia 48.4 mm having shell thickness 4.05 mm as per specification of IRC 87 1984 for ms pipe 48.4 mm dia. approximate weight 0.76 kg, MS Bolt and Nut with double washer for shuttering plate 12 mm dia 50 mm long fully threaded, Grade 8.8.

Item Category/मद केटेगरी

Bid Details/बिड विवरण

3.15 mm thick MS sheet with angle iron of size 50x50x 6mm having properly welded, uniform finish Weight not less than 59.34 Kgs as per Drg 1, MS shuttering plate of size 1.00 Mtr x 1.00 Mtr made with 3.15 mm thick MS sheet with angle iron of size 50x50x 6mm having properly welded, uniform finish Weight not less than 51.70 Kgs as per Drg 2, MS shuttering plate of size 1.00 Mtr x 0.80 Mtr made with 3.15 mm thick MS sheet with angle iron of size 50 x50 x6mm having properly welded, uniform finishWeight not less than 39.56 Kgs as per Drg 3, MS shuttering plate of size 1.00 Mtr x 0.75 Mtr made with 3.15 mm thick MS sheet with angle iron of size 50 x50 x6mm having properly welded, uniform finishWeight not less than 37.65 Kgs as per Drg 4, MS shuttering plate of size 1.00 Mtr x 0.60 Mtr made with 3.15 mm thick MS sheet with angle iron of size 50x50x 6mm having properly welded, uniform finish Weight not less than 31.92 Kgs as per Drg No 5. MS shuttering plate of size 1.00 Mtr x 0.50 Mtr made with 3.15 mm thick MS sheet with angle iron of size 50x50x 6mm having properly welded. uniform finish Weight not less than 28.10 Kgs as per Drg No 6, MS shuttering plate of size 1.00 Mtr x 0.45 Mtr made with 3.15 mm thick MS sheet with angle iron of size 50x50 x 6mm having properly welded, uniform finish Weight not less than 26.19 Kgs as per Drg 7, MS shuttering plate of size 1.00 Mtr x 0.30 Mtr made with 3.15 mm thick MS sheet with angle iron of size 50x50x 6mm having properly welded, uniform finish Weight not less than 20.46 Kgs as per Drg 8, MS shuttering plate of size 1.00 Mtr x 0.20 Mtr made with 3.15 mm thick MS sheet with angle iron of size 50x50x 6mm having properly welded, uniform finish Weight not less than 16.64 Kgs as per Drg No 9, Adjustable Base Plate screw length of 400 mm with captive nut OD 80 mm and ID 36 mm and Ht 50 mm welded to 300x300mm, 8mm thick plate to allow adjustment of bottom or top of scaffolding as per Drg 10, Adjustable Strip Head Jack dia 36.00 mm having threaded screw on 450 mm length with circular solid disc104 mm dia as adjustable collar Appx weight 9.47 Kg each as per Drg 11., MS Pipe 6.00 Mtr long of NB 40 Heavy ISI Mark with outer dia 48.3 mm having shell thickness 4.00 mm for structural purpose, Weight 4.37 Kg per mtr, Total weight 26.22 Kg per unit., Swivel coupler 40 NB medium MS pipe forge type on galvanized finish conforming to BIS: 1139 and should bear main slip load of 12.5 KN and distortion load of 30.00 KN approximate weight 1 Kg/each, Right Angular Coupler 40 NB medium MS pipe forge type on galvanised finish confirming to BIS 1139and should bear main slip load of 12.5 KN and distortionload of 30.00 KN approximate weight 750 grams., Joint piece of NB 40 (medium) with outer dia 48.4 mm having shell thickness 4.05 mm as per specification of IRC 87-1984 for ms pipe 48.4 mm dia. approximate weight 0.76 kg, MS Bolt and Nut with double washer for shuttering plate 12 mm dia 50 mm long fully threaded, Grade 8.8.

MS shuttering plate of size 1.00 Mtr x 1.20 Mtr made with

GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS

Searched String: MS shuttering plate of size 1.00 Mtr x 1.20 Mtr made with 3.15 mm thick MS sheet with angle iron of size 50x50x 6mm having properly welded, uniform finish Weight not less than 59.34 Kgs as per Drg 1

Category not available on GeM for the text string uploaded by the buyer

Bid Details las factor MS shuttering plate of size 1.00 Mtr x 1.00 Mtr made with 3.15 mm thick MS sheet with angle iron

of size 50x50x 6mm having properly welded, uniform finish Weight not less than 51.70 Kgs as per Drg 2

Category not available on GeM for the text string uploaded by the buyer

Searched String: MS shuttering plate of size 1.00 Mtr x 0.80 Mtr made with 3.15 mm thick MS sheet with angle iron of size 50 x50 x6mm having properly welded, uniform finishWeight not less than 39.56 Kgs as per Drg 3

Category not available on GeM for the text string uploaded by the buyer

Searched String: MS shuttering plate of size 1.00 Mtr x 0.75 Mtr made with 3.15 mm thick MS sheet with angle iron of size 50 x50 x6mm having properly welded, uniform finishWeight not less than 37.65 Kgs as per Drg 4

Category not available on GeM for the text string uploaded by the buyer

Searched String: MS shuttering plate of size 1.00 Mtr x 0.60 Mtr made with 3.15 mm thick MS sheet with angle iron of size 50x50x 6mm having properly welded, uniform finish Weight not less than 31.92 Kgs as per Drg No 5

Category not available on GeM for the text string uploaded by the buyer

Searched String: MS shuttering plate of size 1.00 Mtr x 0.50 Mtr made with 3.15 mm thick MS sheet with angle iron of size 50x50x 6mm having properly welded, uniform finish Weight not less than 28.10 Kgs as per Drg No 6

Category not available on GeM for the text string uploaded by the buyer

Searched String: MS shuttering plate of size 1.00 Mtr x 0.45 Mtr made with 3.15 mm thick MS sheet with angle iron of size 50x50 x 6mm having properly welded, uniform finish Weight not less than 26.19 Kgs as per Drg 7

Category not available on GeM for the text string uploaded by the buyer

Searched String: MS shuttering plate of size 1.00 Mtr x 0.30 Mtr made with 3.15 mm thick MS sheet with angle iron of size 50x50x 6mm having properly welded, uniform finish Weight not less than 20.46 Kgs as per Drg 8

Category not available on GeM for the text string uploaded

by the buyer

Searched String: MS shuttering plate of size 1.00 Mtr x 0.20 Mtr made with 3.15 mm thick MS sheet with angle iron of size 50x50x 6mm having properly welded, uniform finish Weight not less than 16.64 Kgs as per Drg No 9

Category not available on GeM for the text string uploaded by the buyer

Searched String: Adjustable Base Plate screw length of 400 mm with captive nut OD 80 mm and ID 36 mm and Ht 50 mm welded to 300x300mm, 8mm thick plate to allow

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS

Bid C	adjustment of bottom or top of scaffolding as per Drg 10 etails/बिंड विवरण
	Category not available on GeM for the text string uploaded by the buyer
	Searched String : Adjustable Strip Head Jack dia 36.00 mm having threaded screw on 450 mm length with circular solid disc104 mm dia as adjustable collar Appx weight 9.47 Kg each as per Drg 11.
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: MS Pipe 6.00 Mtr long of NB 40 Heavy ISI Mark with outer dia 48.3 mm having shell thickness 4.00 mm for structural purpose, Weight 4.37 Kg per mtr, Total weight 26.22 Kg per unit.
	Category not available on GeM for the text string uploaded by the buyer
	Searched String : Swivel coupler 40 NB medium MS pipe forge type on galvanized finish conforming to BIS: 1139 and should bear main slip load of 12.5 KN and distortion load of 30.00 KN approximate weight 1 Kg/each
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: Right Angular Coupler 40 NB medium MS pipe forge type on galvanised finish confirming to BIS 1139and should bear main slip load of 12.5 KN and distortionload of 30.00 KN approximate weight 750 grams.
	Category not available on GeM for the text string uploaded by the buyer
	Searched String : Joint piece of NB 40 (medium) with outer dia 48.4 mm having shell thickness 4.05 mm as per specification of IRC 87-1984 for ms pipe 48.4 mm dia. approximate weight 0.76 kg
	Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985
	Searched String : MS Bolt and Nut with double washer for shuttering plate 12 mm dia 50 mm long fully threaded, Grade 8.8.
	Category not available on GeM for the text string uploaded by the buyer
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	MS Structural Plate as per IS 2062 (Unit - Quantity)
BOQ Title/बीओक्यू शीर्षक	Shuttering Items
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	104 Lakh (s)
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	417 Lakh (s)

Bid Details/बिड विवरण		
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	2 Year (s)	
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No	
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No	
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria, Past Performance, Bidder Turnover, Certificate (Requested in ATC), OEM Authorization Certificate, OEM Annual Turnover, Additional Doc 1 (Requested in ATC), Additional Doc 2 (Requested in ATC), Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer	
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No	
Past Performance/विगत प्रदर्शन	80 %	
Bid to RA enabled/बिंड से रिवर्स नीलामी सक्रिय किया	Yes	
RA Qualification Rule	H1-Highest Priced Bid Elimination	
Type of Bid/बिंड का प्रकार	Two Packet Bid	
Primary product category MS shuttering plate of size 1.00 Mtr x 1.00 Mtr mandal should be shoul		
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days	
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No	
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation	
Arbitration Clause	No	
Mediation Clause	No	

EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाईजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	835874

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%)/ईपीबीजी प्रतिशत (%)	3.00
Duration of ePBG required (Months)/ईपीबीजी की अपेक्षित अवधि (महीने).	14

- (a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।
- (b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी:

Chief Engineer HQ PROJECT UDAYAK, C/o 99 APO (Chief Engineer P Udayak)

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes

- 1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
- 2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
- 3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into

account for this criteria.

- 4. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.
- OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
- 5. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
- 6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
- 7. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.
- 8. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:
 - i. If number of technically qualified bidders are only 2 or 3.
 - ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
 - iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
 - iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
 - v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

MS Shuttering Plate Of Size 1.00 Mtr X 1.20 Mtr Made With 3.15 Mm Thick MS Sheet With Angle Iron Of Size 50x50x 6mm Having Properly Welded, Uniform Finish Weight Not Less Than 59.34 Kgs As Per Drg 1

(Minimum 100% and 70% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	***********Lohit	100	90

MS Shuttering Plate Of Size 1.00 Mtr X 1.00 Mtr Made With 3.15 Mm Thick MS Sheet With Angle Iron Of Size 50x50x 6mm Having Properly Welded Uniform Finish Weight Not Less Than 51.70 Kgs As Per Drg 2

(Minimum 100% and 70% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अईता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Sį	pecification Document	View File
В	OQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	***********Lohit	552	90

MS Shuttering Plate Of Size 1.00 Mtr X 0.80 Mtr Made With 3.15mm Thick MS Sheet With Angle Iron Of Size 50x50x6mm Having Properly Welded Uniform Finish Weight Not Less Than 39.56 Kgs As Per Drg 3

(Minimum 100% and 70% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	******	*********Lohit	30	90

MS Shuttering Plate Of Size 1.00 Mtr X 0.75 Mtr Made With 3.15 Mm Thick MS Sheet With Angle Iron Of Size 50x50 X6mm Having Properly Welded Uniform FinishWeight Not Less Than 37.65 Kgs As Per Drg 4

(Minimum 100% and 70% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अईता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	**********Lohit	20	90

MS Shuttering Plate Of Size 1.00 Mtr X 0.60 Mtr Made With 3.15 Mm Thick MS Sheet With Angle Iron Of Size 50x50x 6mm Having Properly Welded Uniform Finish Weight Not Less Than 31.92 Kgs As Per Drg 5

(Minimum 100% and 70% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	**********Lohit	152	90

MS Shuttering Plate Of Size 1.00 Mtr X 0.50 Mtr Made With 3.15 Mm Thick MS Sheet With Angle Iron Of Size 50x50x 6mm Having Properly Welded Uniform Finish Weight Not Less Than 28.10 Kgs As Per Drg 6

(Minimum 100% and 70% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अईता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./ब्र सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	******	**********Lohit	250	90

MS Shuttering Plate Of Size 1.00 Mtr X 0.45 Mtr Made With 3.15 Mm Thick MS Sheet With Angle Iron Of Size 50x50x 6mm Having Properly Welded Uniform Finish Weight Not Less Than 26.19 Kgs As Per Drg 7

(Minimum 100% and 70% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अईता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*********Lohit	40	90

MS Shuttering Plate Of Size 1.00 Mtr X 0.30 Mtr Made With 3.15 Mm Thick MS Sheet With Angle Iron Of Size 50x50x6mm Having Properly Welded Uniform Finish Weight Not Less Than 20.46 Kgs As Per Drg 8

(Minimum 100% and 70% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document View File	Consideration Decomposit	VCEII
	Specification Document	<u>View File</u>

BOQ Detail Document	<u>View File</u>
---------------------	------------------

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती /रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	**********Lohit	165	90

MS Shuttering Plate Of Size 1.00 Mtr X 0.20 Mtr Made With 3.15 Mm Thick MS Sheet With Angle Iron Of Size 50x50x6mm Having Properly Welded Uniform Finish Weight Not Less Than 16.64 Kgs As Per Drg 9

(Minimum 100% and 70% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अईता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	**********Lohit	240	90

Adjustable Base Plate Screw Length Of 400 Mm With Captive Nut OD 80 Mm And ID 36 Mm And Ht 50 Mm Welded To 300x300mm, 8mm Thick Plate To Allow Adjustment Of Bottom Or Top Of Scaffolding As Per Drg 10

(Minimum 100% and 70% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*********Lohit	1500	90

Adjustable Strip Head Jack Dia 36.00 Mm Having Threaded Screw On 450 Mm Length With Circular Solid Disc104 Mm Dia As Adjustable Collar Appx Weight 9.47 Kg Each As Per Drg 11.

(Minimum 100% and 70% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	**********Lohit	1500	90

MS Pipe 6.00 Mtr Long Of NB 40 Heavy ISI Mark With Outer Dia 48.3 Mm Having Shell Thickness 4.00 Mm For Structural Purpose, Weight 4.37 Kg Per Mtr, Total Weight 26.22 Kg Per Unit.

(Minimum 100% and 70% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	**********Lohit	6110	90

Swivel Coupler 40 NB Medium MS Pipe Forge Type On Galvanized Finish Conforming To BIS1139 And Should Bear Main Slip Load Of 12.5 KN And Distortion Load Of 30.00 KN Approximate Weight 1 Kg Each

(Minimum 100% and 70% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अईता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	******	**********Lohit	6280	90

Right Angular Coupler 40 NB Medium MS Pipe Forge Type On Galvanised Finish Confirming To BIS1139 And Should Bear Main Slip Load Of 12.5 KN And Distortionload Of 30.00 KN Approximate Weight 750 Grams.

(Minimum 100% and 70% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*********Lohit	20700	90

Joint Piece Of NB 40 Medium With Outer Dia 48.4 Mm Having Shell Thickness 4.05 Mm As Per Specification Of IRC 87 1984 For Ms Pipe 48.4 Mm Dia. Approximate Weight 0.76 Kg

(Minimum 100% and 70% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Consideration Decomment	V(1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-
Specification Document	<u>View File</u>

BOQ Detail Document View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती /रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	**********Lohit	500	90

MS Bolt And Nut With Double Washer For Shuttering Plate 12 Mm Dia 50 Mm Long Fully Threaded, Grade 8.8.

(Minimum 100% and 70% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>	
BOQ Detail Document	View File	

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती /रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	***********Lohit	1600	90

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 50% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity \div Original quantity) \times Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

- **1. SCOPE OF SUPPLY:** It consist of fabrication and supply of various size of steel shuttering plates m ade of MS sheet 3.15mm thick supported on 50x50x6 mm MS slotted angle, MS pipes, Couplers, Joint Piec e, Adj Base plate, Strip Head and nut & bolts as per drawings and specifications as mentioned in Schedule -'A' in accordance with the requirement of specification.
- 2. **QUOTING OF RATE:** Bidder /Seller should be quote their rates including GST, all expenditure s uch as Material cost, fabrication cost, Labour cost, transportation cost for delivery etc. No extra cost is pay able to bidder/Seller in this regard.
- 3. **PRODUCT OFFERED**: The brands preferably offered in the BOQ sheet for Shuttering Plates, MS A ngle & MS Pipes as TATA, JINDAL, SAIL, ESSAR STEEL, RINL, JSW only.

4. **DELIVERY SCHEDULE**

- 4.1 All the stores as listed above shall be delivered within 90 days.
- 4.2 The stores will be delivered at Demwe, Arunachal Pradesh in proper condition.
- 4.3 The responsibility for any loss/damage during the transit, loading and unloading of stores shall rest with the contractor. No claim on this account will be entertained by the client.

5. TECHNICAL SPECIFICATIONS

(Schedule-'A')

S/No	Item Description	A U	Qty
5.1	MS shuttering plate of size 1.00 Mtr x 1.20 Mtr \mathbf{m} ade with 3.15 mm thick MS sheet with angle iron of size $50x50x$ 6mm having properly welded, uniform f inish Weight not less than 59.34 Kgs as per Drg 1	No s	100
5.2	MS shuttering plate of size 1.00 Mtr \times 1.00 Mtr made with 3.15 mm thick MS sheet with angle iron of size 50x50x 6mm having properly welded, uniform f inish Weight not less than 51.70 Kgs as per Drg 2	No s	552
5.3	MS shuttering plate of size 1.00 Mtr \times 0.80 Mtr made with 3.15 mm thick MS sheet with angle iron of size 50 \times 50 \times 6mm having properly welded, uniform finishWeight not less than 39.56 Kgs as per Drg 3	No s	30

5.4	MS shuttering plate of size 1.00 Mtr x 0.75 Mtr made with 3.15 mm thick MS sheet with angle iron of size 50 x50 x6mm having properly welded, uniform finishWeight not less than 37.65 Kgs $$ as per Drg 4	No s	20
5.5	MS shuttering plate of size 1.00 Mtr \times 0.60 Mtr made with 3.15 mm thick M S sheet with angle iron of size 50x50x 6mm having properly welded, unifor m finish Weight not less than 31.92 Kgs as per Drg No 5	No s	152
5.6	MS shuttering plate of size 1.00 Mtr x 0.50 Mtr made with 3.15 mm thick M S sheet with angle iron of size $50x50x$ 6mm having properly welded, unifor m finish Weight not less than 28.10 Kgs as per Drg No 6	No s	250
5.7	MS shuttering plate of size 1.00 Mtr x 0.45 Mtr made with 3.15 mm thick M S sheet with angle iron of size $50x50\ x$ 6mm having properly welded, unifor m finish Weight not less than 26.19 Kgs as per Drg 7	No s	40
5.8	MS shuttering plate of size 1.00 Mtr x 0.30 Mtr made with 3.15 mm thick M S sheet with angle iron of size $50x50x$ 6mm having properly welded, unifor m finish Weight not less than 20.46 Kgs as per Drg 8	No s	165
5.9	MS shuttering plate of size 1.00 Mtr \times 0.20 Mtr made with 3.15 mm thick M S sheet with angle iron of size 50x50x 6mm having properly welded, unifor m finish Weight not less than 16.64 Kgs as per Drg No 9	No s	240
5.10	Adjustable Base Plate screw length of 400 mm with captive nut OD 80 mm a nd ID 36 mm and Ht 50 mm welded to 300x300mm, 8mm thick plate to allo w adjustment of bottom or top of scaffolding as per Drg 10	No s	1500
5.11	Adjustable Strip Head Jack dia 36.00 mm having threaded screw on 450 mm length with circular solid disc104 mm dia as adjustable collar Appx weight 9 .47 Kg each as per Drg 11.	No s	1500
5.12	MS Pipe 6.00 Mtr long of NB 40 Heavy ISI Mark with outer dia 48.3 mm havi ng shell thickness 4.00 mm for structural purpose, Weight 4.37 Kg per mtr, Total weight 26.22 Kg per unit.	No s	6110
5.13	Swivel coupler 40 NB medium MS pipe forge type on galvanized finish conforming to BIS: 1139 and should bear main slip load of 12.5 KN and distortion load of 30.00 KN approximate weight 1 Kg/each	No s	6280
5.14	Right Angular Coupler 40 NB medium MS pipe forge type on galvanized finis h confirming to BIS 1139and should bear main slip load of 12.5 KN and distortion load of 30.00 KN approximate weight 750 grams.	No s	20700
5.15	Joint piece of NB 40 (medium) with outer dia 48.4 mm having shell thickness 4.05 mm as per specification of IRC 87-1984 for MS pipe 48.4 mm dia. appr oximate weight 0.76 kg	No s	500
5.16	MS Bolt and Nut with double washer for shuttering plate 12 mm dia 50 mm l ong fully threaded, Grade 8.8.	Kg s	1600

6) DRAWINGS: As mentioned in specification document

7. SPECIFICATION OF ITEMS

- 7.1. <u>Steel Shuttering Plates:</u> The plates should be made of 3.15mm thick MS Sheet having prope rly welded (Machine Finished) bracing/support with MS slotted angle of size 50x50x6mm as per drawings a nd specifications. All Steel Shuttering Plates and MS angle required as specified in standard drawing shall conform to schedule "A". The product Brand should be TATA, JINDAL, SAIL, ESSAR STEEL, RINL ,TVS, JSW o nly.
- 7.2 **Hole for Nut & Bolts:** The proper arrangement should be made in the side frame of the shuttering plates for nut and bolts (12 mm dia & 50 mm length) fully threaded Grade 8.8 for their proper fastening.
- 7.3 **Welding;** The workmanship of all welding shall be uniform finish and conform to the specifications of **IS-823** or other relevant Indian Standard as appropriate. The welding will be full run welds at all joints, both internally and externally. All slag shall be cleared with wire brushes. Before the final assembly of Shut tering plates, all dust, welding rod ends, slags and scales shall be removed from inside as well as outside the plate.
- 7.4 In multi-layer welding, each layer of weld metal shall be thoroughly cleaned of slag and other depo sits before the next layer run is applied. All completed welds shall be de-slugged, brushed and thoroughly cleaned before the final inspection.
- 7.5.2 E-6013 High Tetra Potassium Covering.
- 7.5.3 Welding Electrodes shall be of any of following manufacturers:-
 - (a) ESAB India Ltd
 - (b) Advani Orlekon
 - (c) ADOR
 - (d) D&H India Ltd.
 - (e) Honavar Electrodes
 - (f) Mailan Metallurgical
 - (g) Royal Arc Electrodes Pvt Ltd or Eqvt.

7.6 **PERMISSIBLE VARIATION**.

7.6.1 Permissible variation in overall dimensions of shuttering plates and MS angle mentioned in tender document shall not be more than \pm 5mm.

ADDITIONAL TERMS & CONDITIONS

- (a) MATERIAL MAKE USED IN FABRICATION: -The firm shall submit a certificate that the supplied it ems confirm to the product/ brand used/offered mentioned at Para 7.1 and relevant IS codes as mentioned in scheduled "A". The same brand should be mentioned at Make on GeM portal during bid submission. Also submit the OEM authorization certificate and purchase vouchers/certificates of steel products used in fabrication works for this bid.
- (b) WARRANTY: The bidder/seller will have to give unconditional warranty of 1 (one) year for shuttering /staging items. In case of reporting of any defective in products within the warranty the bidder will en sure that the same will be attended within 24 hours from the time of intimation. All type of defective s huttering /staging items will be repaired /changed on free of cost within 36 hours during warranty peri od.
- **(c) EXPERIENCE CRITERIA:** The firm should have an experience in same nature of work. An experience certificate / Supply orders/competition report/CRAC should be attached along with the bid documents. Otherwise firm shall be disqualified in T Bid.
- (d) <u>ADVANCE SAMPLE:</u> Successful bidder should produce the each one sample shuttering & staging it em at consignee within 5 days for approval of the same before bulk suppy.
- (e) OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be order

ed up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 50% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

- (f) PERFORMANCE UNDERTAKING: The bidder shall submit undertaking that:-
 - (i) There is no poor/slow progress in running works. (If yes, he will submit details and reaso ns of delay to check that these are not attributable to him or are beyond his control).
 - (ii) There are no serious defects observed in works which stand un-rectified (If yes, he will s ubmit details and reasons).
 - (iii) There are no cancelled/abandoned contracts in which Govt unrealized recoveries exist (I f yes, he will submit details and reasons).
 - (iv) He/They have not been blacklisted by any Govt Deptt (If yes, he will submit details and r easons).
 - (v) There are no Govt dues outstanding against the firm (If yes, he will submit details and r easons).
 - (vi) Bidder should not be habitual litigant i.e. having more than 3 unsuccessful arbitration/co urt cases during last 5 years in which his views/claims substantially rejected.
 - (vii) Proprietor/partners/directors of firm are not involved in anti national/social activities and have neither been convicted nor are any proceedings pending in court for such activities (I f yes, he will submit details).

Disqualification: Bidders should meet the above criteria; they are liable to be disqualified if they have made misleading or false information in bidding documents submitted.

- **g) Technical Evaluation Criteria**: The seller should submit the following documents along with T Bid f or qualifying in T Bid evaluation:-
- i) Offered specification document & Drawings duly signed and stamped by Bidder.
 - ii) Manufacturing certificate for which Product make of MS Sheets/MS Angle used in shuttering plat es with OEM authorization certificate of steel products.
 - iii) EMD as applicable.
 - iv) Bidder /OEM ISO 9001 certificate for steel products.
 - v) Bidder Annual Turnover certificate duly verified by CA.
 - vi) Bidder past performance certificate (GeM CRAC, completion report issued by Buyer etc)
 - vii) Bidder experience documents with CRAC for same or similar items.
 - viii) Performance undertaking certificate.
 - ix) Proof of holding of fabrication unit certificate duly mentioning address.
 - x) ATC certificate duly accepting all terms and conditions mentioned in bid and duly mentioning sp ecific bid number
- h) <u>DELIVERY PERIOD</u>: Supply of supply of shuttering/staging items would be **90 days** from date of pla cing GeM contract.
- **j) REJECTED STORES**: All rejected stores are liable to be back loaded/lifted by the Supplier from the consignee location at the own cost of the supplier/firm within 7 days (in case stores rejected by Board of Officers).
- **k) PAYMENT TERMS**: -No advance payment is made. Payment shall be made as per the GeM terms and conditions.

I) PAYING AUTHORITY: PCDA (BR), NEW DELHI.

m) <u>CANCELLATION OF BID</u>: Competent Authority will have the right to cancel the bid at any stage of pr ocurement process including after opening of financial bid and Reverse Auction without assigning any reason to seller. No representation will be entertained in this regards.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

- 1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
- 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
- 4. Creating BoQ bid for single item.
- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
- 6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for <u>attached categories</u>, trials are allowed as per approved procurement policy of the buyer nodal Ministries)
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
- 11. Creating bid for items from irrelevant categories.
- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.
- 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which

shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---