

**Bid Document/ बिड दस्तावेज़**

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	05-05-2025 14:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	05-05-2025 14:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	90 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Defence
Department Name/विभाग का नाम	Department Of Military Affairs
Organisation Name/संगठन का नाम	Indian Army
Office Name/कार्यालय का नाम	*****
क्रेता ईमेल/Buyer Email	akarshsharma.861f@gov.in
Total Quantity/कुल मात्रा	686
Item Category/मद केटेगरी	Foot Valve PVC 50 MM , Gate Valve GI Brasso 2 inch , PVC Pipe End Cap Male and Female 1 2 3 4 1 1 1 2 and 2 inch , GI Pipe End Cap Male and Female 1 2 3 4 1 1 1 2 and 2 inch , Water Test Strip , Fuel Filling Pipe , Super Fix PVC Solvent , Dosing Pump Pipe , Sand Media , Activated Carbon , Star Screw Bit , Rubber Gloves , 1 Sq mm Electric Cable , Insulation Tape , SP MCB 6Amp , SP MCB 16Amp , DP MCB 32Amp , Salt LC , PVC L Bend 4 inch , PVC T 4 inch , PVC Socket 4 inch , Fevicol , GI Nipple 1 2 inch , UPVC 1 2 inch Socket , UPVC T 1 2 inch , UPVC L Bend 1 2 inch , UPVC Union 1 2 inch , Taflon Tape , UPVC Solvent , M Seal , S S Jally Round , Tile Cutter Blade , Iron Cutter Blade , Nails 1 2 inch , Nails 3 4 inch , Self Thread Screw 1 2 inch , self thread screw 1 inch , Self Thread Screw 1 1 2 inch , Self Thread Screw 2 inch , Drilling Socket 18mm , Hinges Medium , Head Light Assy RH and LH , Air Filter , Auto Tensioner Water Pump , Auto Tensioner Steering Pump , Auto Tensioner Alternator Pump , Clutch Master Cyl Assy , Concertic Sleeve Cyl , Clutch Bundy Tube , Clutch Flexible Hose Joint , Hand Brake Cable , Hand Brake Lever Arms , Brake Caliper Pad , Kit Ball Joint Front , Hand Brake Assy , Pitman arm bush L and S , Igination Switch , Fuel Lifting Pump

Bid Details/बिड विवरण	
GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS	<p>Foot Valve PVC 50 MM, Gate Valve GI Brasso 2", PVC Pipe End Cap Male &amp; Female 1/2", 3/4", 1" , 1 1/2", 2" , GI Pipe End Cap Male &amp; Female 1/2", 3/4", 1" , 1 1/2", 2" , Water Test Strip, Fuel Filling Pipe , Super Fix PVC Solvent , Dosing Pump Pipe, Sand Media, Activated Carbon, Star Screw Bit, Rubber Gloves, 1 Sq mm Electric Cable, Insulation Tape, SP MCB 6Amp, SP MCB 16Amp, DP MCB 32Amp, Salt (LC), PVC L Bend 4", PVC T 4", PVC Socket 4", Fevicol , GI Nipple 1/2", UPVC 1/2" Socket , UPVC T 1/2", UPVC L Bend 1/2", UPVC Union 1/2", Taflon Tape , UPVC Solvent , M Seal, S/S Jally (Round), Tile Cutter Blade, Iron Cutter Blade, Nails 1/2", Nails 3/4", Self Thread Screw 1/2", self thread screw 1", Self Thread Screw 1 1/2", Self Thread Screw 2", Drilling Socket 18mm, Hinges Medium, Head Light Assy RH &amp; LH, Air Filter , Auto Tensioner Water Pump, Auto Tensioner Steering Pump, Auto Tensioner Alternator Pump, Clutch Master Cyl Assy, Concertic Sleeve Cyl, Clutch Bundy Tube, Clutch Flexible Hose Joint, Hand Brake Cable, Hand Brake Lever Arms, Brake Caliper Pad , Kit Ball Joint Front, Hand Brake Assy , Pitman arm bush L/S, Ignition Switch , Fuel Lifting Pump</p>
	<p><b>Searched String:</b> Foot Valve PVC 50 MM</p> <p>Foot Valve (V2), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, FOOT VALVE STRAINER, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Foot Operated Water Valve, Speed Breaker (V2), PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), Foot Valves for Water Works Purpose as per IS 4038 (Latest), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, modular electrical enclosure switch board boxes for modular type accessories</p> <p><b>Searched String:</b> Gate Valve GI Brasso 2"</p> <p>Knife Edge Gate Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Gun Metal Gate Valves - BHEL, CS Gate Valve As Per API 602, Portable Toilet, High Pressure Mud Gate valves as per API 6A( ONGC), General Purpose Ball Valves (V2), Industrial Bellows-Seal Wedge Gate Valves-IS:11733, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Gate, Globe And Check Valves For Water Work Purposes-IS:778</p> <p><b>Searched String:</b> PVC Pipe End Cap Male &amp; Female 1/2", 3/4", 1" , 1 1/2", 2"</p> <p>BCAA 2:1:1 Powder, Gear Box Conveyor no. SRC- 2 ,FOC-1 (SAIL), Hand Operated Hydraulic Pipe Bender, Fluorescent Lamps (Fluorescent Tubular Lamps) as per IS 2418 (Part 1, 2, 3 and 4), Disposable Surgical Rubber Gloves - Prepowdered as per IS 13422, TERA Package 2 - Programmable Robotics Manipulator with 1 and 2 Degrees of Freedom (ASoSE), Shovel Belcha as per IS 274 (Part 1, Part 2 and Part 3), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Elastomer Insulated, Unkinkable Flexible Cords (Workshop Type) - IS 9968 (Part 1), Line Interactive UPS with AVR (V2)</p> <p><b>Searched String:</b> GI Pipe End Cap Male &amp; Female 1/2",</p>

Bid Details/As per	3/4" 1" 1 1/2" 2"
	<p>BCAA 2:1:1 Powder, Gear Box Conveyor no. SRC- 2 ,FOC-1 (SAIL), Hand Operated Hydraulic Pipe Bender, Fluorescent Lamps (Fluorescent Tubular Lamps) as per IS 2418 (Part 1, 2, 3 and 4), Disposable Surgical Rubber Gloves - Prepowdered as per IS 13422, TERA Package 2 - Programmable Robotics Manipulator with 1 and 2 Degrees of Freedom (ASoSE), Shovel Belcha as per IS 274 (Part 1, Part 2 and Part 3), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Elastomer Insulated, Unkinkable Flexible Cords (Workshop Type) - IS 9968 (Part 1), Line Interactive UPS with AVR (V2)</p> <p><b>Searched String:</b> Water Test Strip</p> <p>Urine Test Strip, water baths, Blood Glucose Test Strips (V2), Point of Care Diagnostic Test Kit - Syphilis Rapid Test Kits, Fully Automated Urine Analyzer, RO Water Treatment System Above 50 LPH Filtration Capacity, Semi Automated Urine Analyzer, Hemoglobin Test Strips, Environmental Chamber, Corrosion Coupons</p> <p><b>Searched String:</b> Fuel Filling Pipe</p> <p>Root Canal Filling Material, Fuel Water Separator, Composite Filling Dental Instruments Kit (V2) - RBSK, Fuel Dispensing Units, Collapsible Fuel Storage Tanks (Defence), Restorative Filling and Carving Dental Instruments Set (V2) - RBSK, Fuel Injection Pump Assembly, Commercial CPVC Pipe Fittings, Microbial Fuel Test Kit, Fuel Containers (Version 2)</p> <p><b>Searched String:</b> Super Fix PVC Solvent</p> <p>Solvent Cement, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985</p> <p><b>Searched String:</b> Dosing Pump Pipe</p> <p>Dosing pump, Chemical Dosing System (V2), Descaling Pump, Cooler Pump, Commercial CPVC Pipe Fittings, Drainage Pump, Polyethylene Pipes for Water Supply, Vacuum Pump, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Air pump</p> <p><b>Searched String:</b> Sand Media</p> <p>Media Player, Fiber Media converter, Filter Sand, Sand Art, Dehydrated Culture Media, Novel Coronavirus (COVID - 19) Sample Collection Kit, Sand Paper (Defense), Sand Pouring Cylinder, Digital Media Evaluation Educational Kit, Add on GATEWAYS and Accessories for PABX System</p> <p><b>Searched String:</b> Activated Carbon</p> <p>Activated Carbon (Pellet), Revolving Chair (V4), Activated Carbons Granular as per IS 2752, Activated Charcoal Tablets, Portable Fire Extinguishers (V2) as per IS 15683:2018, Activated Charcoal Powder, Rescue Kit / Disaster Management Kit or Accessories, Activated Clotting Time (ACT) Tubes, non carbonated beverage dispenser, Activated Clotting Time (ACT) Test Cartridge</p> <p><b>Searched String:</b> Star Screw Bit</p> <p>Bit Driver Set with Screw driver Bits, Cast Copper Alloy</p>

Bid Details/As per	Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Screw driver Bits, Star Delta Starter (V2), centrifuge tubes, Lathe Bit, Screw Drivers as per IS 844, Screw Compressor, Self Ballasted LED Lamps for General Lighting Service as per IS 16102, Compression Screw
	<p><b>Searched String:</b> Rubber Gloves</p> <p>Surgical Rubber Gloves, Nitrile Coated Hand Gloves, Surgical Rubber Gloves (V2), Disposable Surgical Rubber Gloves, Disposable Surgical Rubber Gloves (V2), Surgical Gloves as per IS 4148, Disposable Surgical Rubber Gloves - Prepowdered as per IS 13422, Single use Rubber Examination Gloves, Nitrile Coated/Nitrile Hand Gloves (V2), Single use Rubber Examination Gloves (V2)</p> <p><b>Searched String:</b> 1 Sq mm Electric Cable</p> <p>Electric Potters Wheel as per IS 302 - 1, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated (Heavy Duty) Electric Cables (V2 ) ISI Marked to IS 1554 ( Part 2), PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), Battery Operated /Electric Road Sweeper-REV 1, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Insulated (Heavy Duty) Electric Cables, Suitable for use in Mines as per IS 1554 (Part 2), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Sofa Set (Steel Tube), Electric cables for photovoltaic (PV) systems for rated voltage 1500 Volt d.c. ISI Marked to IS 17293</p> <p><b>Searched String:</b> Insulation Tape</p> <p>Glass Mica Tape-IS :7809, Environmental Chamber, HT Tape, synthetic web equipment improved version, Polyimide Tapes, Insulation Tester, Acoustical insulation, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Insulation Sheet (BHEL), Tape Library</p> <p><b>Searched String:</b> SP MCB 6Amp</p> <p>Acetamiprid 20% SP, Acephate SP as per IS:12916, Endpoint Detection and Response (EDR) Appliance / Software, Circuit Breakers for DC Operation, Electrical Box Extension (V2), MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Miniature Circuit breaker distribution boards - IS 13032, Surgical Speculum, water baths, High Speed Drill System for Neurosurgery &amp; Spinal Surgery</p> <p><b>Searched String:</b> SP MCB 16Amp</p> <p>Acetamiprid 20% SP, Desktop Computers, Acephate SP as per IS:12916, Circuit Breakers for DC Operation, Cleaning Duster (V2), MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Polypropylene Ropes as per IS 5175, Miniature Circuit breaker distribution boards - IS 13032, Cleaning Duster (V3), Surgical Speculum</p> <p><b>Searched String:</b> DP MCB 32Amp</p> <p>Chlorpyrifos 1.5% DP, Desktop Computers, Malathion 5 % DP as per IS 2568, Polypropylene Ropes as per IS 5175, Fenvalerate DP (V2) - Conforming to IS 15341, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Circuit Breakers for DC Operation, D and C</p>

Bid Details/As per	Set, Football, RELAY FRAME ASSY., MCC FRAME ASSY., D.P. LATCH FRAME ASSY (203BS43) (BHEL)
	<p><b>Searched String:</b> Salt (LC)</p> <p>Low Cement Castable LC - 90, Fiber Optic Patch Cord, Black Salt, Electronic Milk Analyser with adulteration testing equipment, Iodized Salt, Fiber Optic Patch Panels, Rack Mountable, EDTA disodium salt, Iron Fortified Iodized Salt Or Double Fortified Salt as per IS: 16232, ORAL REHYDRATION SALT, Iodized Salt (Defence)</p> <p><b>Searched String:</b> PVC L Bend 4"</p> <p>Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Tool Kit of Beauty and Wellness Skill for L - 4 - Level - RM, PVC Copper Cable Single and Multi Core Circular Sheathed Cable with Flexible Conductor as per IS 694, Tool Kit Of Agriculture Skill For L4 Rm (HSSPP, Haryana), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Tool Kit Of Apparel Skill For L4 For Rm (HSSPP, Haryana), Bomb Blanket (MHA), Power Contactors as per IS 13947 - 4 - 1, Cricket gloves</p> <p><b>Searched String:</b> PVC T 4"</p> <p>T Bulb, 4-Aminoantipyrine, Switch Fuse Unit, PVC Channel, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC gitti, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Recycled T - Shirt, Laminar air flow cabinets or stations, T - Shirt (V2)</p> <p><b>Searched String:</b> PVC Socket 4"</p> <p>PVC Reducer Socket, Impact socket, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Deep Socket, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Insulated socket, Electrical Box Extension (V3), IC SOCKET, Laminar air flow cabinets or stations, Flameproof Switch Socket</p> <p><b>Searched String:</b> Fevicol</p> <p>Glue Stick (V2)</p> <p><b>Searched String:</b> GI Nipple 1/2"</p> <p>BCAA 2:1:1 Powder, Gear Box Conveyor no. SRC- 2 ,FOC-1 (SAIL), Hex Reducing Nipple, TERA Package 2 - Programmable Robotics Manipulator with 1 and 2 Degrees of Freedom (ASoSE), Disposable Surgical Rubber Gloves - Prepowdered as per IS 13422, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Isoprothiolane, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Test Sieves as per IS 460 (Part 1 and Part 2), Line Interactive UPS with AVR (V2)</p> <p><b>Searched String:</b> UPVC 1/2" Socket</p> <p>BCAA 2:1:1 Powder, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Self Watering Tree guard, Gear Box Conveyor no. SRC- 2 ,FOC-1 (SAIL), Disposable Surgical Rubber Gloves - Prepowdered as per IS 13422,</p>

Bid Details/As per	TERA Package 2 - Programmable Robotics Manipulator with 1 and 2 Degrees of Freedom (ASoSE), Electrical Box Extension (V3), Isoprothiolane, Test Sieves as per IS 460 (Part 1 and Part 2), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694
<p><b>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</b></p>	<p><b>Searched String:</b> UPVC T 1/2"</p>
	<p>BCAA 2:1:1 Powder, Survival Blanket MK 1, Self Watering Tree guard, Gear Box Conveyor no. SRC- 2 ,FOC-1 (SAIL), Disposable Surgical Rubber Gloves - Prepowdered as per IS 13422, TERA Package 2 - Programmable Robotics Manipulator with 1 and 2 Degrees of Freedom (ASoSE), Static Protective Relays, Isoprothiolane, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, UPVC (Unplasticized Polyvinyl Chloride) Window</p> <p><b>Searched String:</b> UPVC L Bend 1/2"</p>
	<p>BCAA 2:1:1 Powder, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Self Watering Tree guard, L 1 Fingerprint Registered Device Scanners for Bio - Metric Authentication (UIDAI), Disposable Surgical Rubber Gloves - Prepowdered as per IS 13422, Tool Kit of Beauty and Wellness Skill for L - 1 - RM, UPVC (Unplasticized Polyvinyl Chloride) Window, Gear Box Conveyor no. SRC- 2 ,FOC-1 (SAIL), TERA Package 2 - Programmable Robotics Manipulator with 1 and 2 Degrees of Freedom (ASoSE), Static Protective Relays</p> <p><b>Searched String:</b> UPVC Union 1/2"</p>
	<p>BCAA 2:1:1 Powder, Gear Box Conveyor no. SRC- 2 ,FOC-1 (SAIL), Self Watering Tree guard, TERA Package 2 - Programmable Robotics Manipulator with 1 and 2 Degrees of Freedom (ASoSE), Disposable Surgical Rubber Gloves - Prepowdered as per IS 13422, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), UPVC (Unplasticized Polyvinyl Chloride) Window, Isoprothiolane, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Test Sieves as per IS 460 (Part 1 and Part 2)</p> <p><b>Searched String:</b> Taflon Tape</p>
	<p>Taflon Tape as per IS 14635, Elastic Surgical Adhesive Tapes (V2), Tape Library, Tape Drive, Pressure Sensitive Adhesive Plasticized PVC Tapes with Nonthermosetting Adhesive as per IS 7809 (Part 3 / Section 1), Measuring Tape, Aluminum Tape, Permeable Nonwoven Surgical Adhesive Tape, Empire Tape, Automotive Vehicles - Retro - Reflective Sheets and Tapes (Traffic Safety) as per IS 14221</p> <p><b>Searched String:</b> UPVC Solvent</p> <p>Commercial UPVC Fittings, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Commercial UPVC Pipes, UPVC (Unplasticized Polyvinyl Chloride) Window, Solvent Cleaner, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Solvent Cement, Solvent Removable Penetrant, Solvent Based Developer, Mustard Oil-IS: 546</p> <p><b>Searched String:</b> M Seal</p> <p>M - Seal as per IS 9197, Foot Operated Pedal Bin or Bucket</p>

Bid Details/As per	for Bio-Medical Waste Collection, Puf Seal, Oil seal, Waste Containers and Accessories - Domestic (V2), Bolt / Bullet Seal, Plastic Grip Seal, Bucket Mop Wringer Trolley, D Seal (Rubber), Inflatable Tent
	<p><b>Searched String:</b> S/S Jally (Round)</p> <p>S type load Cell, S-Curve Urethral Dilator Set, Stainless Steel Dining Table With Fixed Chair, 2,4,6-Tris(2-pyridyl)-s-triazine, Clerk Maxwell Apparatus, Classroom Stools, M S Casing For Pulverised Fuel Mill (BHEL), M S Angle (V2) As Per Is 808, M S Structural Plate as per IS 2062, M S Sheet as per IS 1079 (Unit - Mass)</p> <p><b>Searched String:</b> Tile Cutter Blade</p> <p>Ampoule Cutter With Blade, knife blades, Tile adhesive, Battery Operated Combtool, Angle Cutter (Electric), Hand Held Brush Cutter (V2), Tile Adhesive (V2), Pliers, Pincers and Nippers as per IS 2615, IS 11526, JigSaw Blade, Carbide Chain Saw</p> <p><b>Searched String:</b> Iron Cutter Blade</p> <p>Ampoule Cutter With Blade, Garden Bench, Angle Cutter (Electric), Battery Operated Combtool, JigSaw Blade, knife blades, Blade Tip Clearance, Hand Held Brush Cutter (V2), Band saw blade, Pliers, Pincers and Nippers as per IS 2615, IS 11526</p> <p><b>Searched String:</b> Nails 1/2"</p> <p>Coiled Nails, Multipara Monitor - Low End, wire nails, BCAA 2:1:1 Powder, Laminar air flow cabinets or stations, 2-2-BIPYRIDYL, Electrical Box Extension (V3), Gear Box Conveyor no. SRC- 2 ,FOC-1 (SAIL), Waste Containers and Accessories - Domestic (V2), 1, 1, 3 - Triethoxybutane</p> <p><b>Searched String:</b> Nails 3/4"</p> <p>Coiled Nails, wire nails, Methyl 4 Hydroxybenoate (Methylparaben), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), 4-Aminoantipyrine, Desk and Bench Set for Classroom/Training Area, Stromatolyser - 4 DL, Entry and Mid Level Desktop Computer, Metanil Yellow, Bucket Mop Wringer Trolley</p> <p><b>Searched String:</b> Self Thread Screw 1/2"</p> <p>Self Drilling Screw, BCAA 2:1:1 Powder, Laboratory Vials (V2), Parafilm (Version 2), Disposable Surgical Rubber Gloves - Prepowdered as per IS 13422, Karabiners Screw Type MK - 2 (Defence), Carboys-IS 5715, IS 6312, Automatic and Semi Automatic Welding Equipment with Self Adjusting Arcs MIG / MAG as per IS 7931 (Part 1, Part 2 and Part 3), Safety Cap for Self Closing Valves of LPG Cylinders (V2), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694</p> <p><b>Searched String:</b> self thread screw 1"</p> <p>Self Drilling Screw, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Safety Cap for Self Closing Valves of LPG Cylinders (V2), Laboratory Vials (V2), Laboratory Glassware Bottles (Screw - Neck Bottles) as per IS 1388 (Part 1), Hand, and Short Machine Screwing Taps for ISO Metric Screw Threads - IS 6175,</p>

Bid Details/As per	Carboys-IS 5715, IS 6312, Shunt Power Capacitors of the Self - Healing Type for AC Systems as per IS 13340 (Part 1), General Purpose Ball Valves (V2), SCREWED GLANDS (PG THREADS) FOR CABLES AND LEADS(BHEL)
	<p><b>Searched String:</b> Self Thread Screw 1 1/2"</p> <p>BCAA 2:1:1 Powder, Gear Box Conveyor no. SRC- 2 ,FOC-1 (SAIL), Laboratory Vials (V2), Safety Cap for Self Closing Valves of LPG Cylinders (V2), Disposable Surgical Rubber Gloves - Prepowdered as per IS 13422, Laboratory Glassware Bottles (Screw - Neck Bottles) as per IS 1388 (Part 1), Prevailing Torque Type Hexagon Nuts (With Non-Metallic Insert), Style 1 - IS 7002, TERA Package 2 - Programmable Robotics Manipulator with 1 and 2 Degrees of Freedom (ASoSE), Test Sieves as per IS 460 (Part 1 and Part 2), Thread Pitch Gauge Set</p> <p><b>Searched String:</b> Self Thread Screw 2"</p> <p>Self Drilling Screw, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Parafilm (Version 2), Laboratory Vials (V2), Karabiners Screw Type MK - 2 (Defence), Bone Screws, Hand, and Short Machine Screwing Taps for ISO Metric Screw Threads - IS 6175, Carboys-IS 5715, IS 6312, Hexagonal Head Screws ISI marked to IS 1364 (Part 2), Self Ballasted LED Lamps for General Lighting Services (V2) Conforming to IS 16102</p> <p><b>Searched String:</b> Drilling Socket 18mm</p> <p>Impact socket, Deep Socket, Self Drilling Screw, Insulated socket, IC SOCKET, Biocide / Bactericide for Drilling Fluids (ONGC), Drilling Polymer, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Drilling Rigs, PVC Reducer Socket</p> <p><b>Searched String:</b> Hinges Medium</p> <p>Stainless Steel Butt Hinges as per IS 12817, Nitrile Coated/Nitrile Hand Gloves (V2), Steel Butt Hinges as per IS 1341, Parliament Hinges-IS:362, Steam Sterlizer (V2), Steel Back Flap Hinges-IS:3843, Single use Rubber Examination Gloves (V2), Non - Ferrous Metal Butt Hinges as per IS 205, T - Shirt (V2), Calcium carbonate (Medium)</p> <p><b>Searched String:</b> Head Light Assy RH &amp; LH</p> <p>ENT Head Light (V2), ENT Head Light - Ear, Surgical Xenon Headlight (V2), Wilfit Spares, LED General Examination Light - Medical Exam or Surgical Headlight or Headlamp, Digital Physiograph System, Surgical LED Headlight (V2), Light Baton</p> <p><b>Searched String:</b> Air Filter</p> <p>Air Pre Filter, Hot air oven, Vehicle Mounted Air Filter, Angle Air Filter and Filter Element (BHEL), Laminar air flow cabinets or stations, Element Filter Compressor, Air Freshener Liquid, Air Sampler, Air Freshener Solid and Gel, Respiratory Filter - Full Face Masks</p> <p><b>Searched String:</b> Auto Tensioner Water Pump</p> <p>Water Pump Seals, Belt Drive Water Pump, High Pressure Washer, Insulated water pump plier, Hydrogen Generator, Centrifugal Compressor Pump (IOCL), Centrifugal Tempered</p>



Bid Details/As per	Water Pump (IOCL), Submersible Sewerage Pump, Centrifugal Cooling Water Pump (IOCL), Water tender Type B or Fire or Rescue trucks as per IS 950
	<p><b>Searched String:</b> Auto Tensioner Steering Pump</p> <p>Intra Aortic Balon Pump (IABP)</p> <p><b>Searched String:</b> Auto Tensioner Alternator Pump</p> <p>Intra Aortic Balon Pump (IABP)</p> <p><b>Searched String:</b> Clutch Master Cyl Assy</p> <p>Wilfit Spares, Digital Physiograph System</p> <p><b>Searched String:</b> Concertic Sleeve Cyl</p> <p>Protective Sleeve, MEDICAL GOWNS - DISPOSABLE, Drill Sleeve, Ball Bearings as per IS 6455, Speedi sleeve, PT Uniform (T - Shirt Half Sleeve) (Defence), Sleeve Tubes (BHEL), Wilfit Spares, Leather Hand Sleeve - BHEL, Shirts Plain Weave Polyester and Cotton Full Sleeve</p> <p><b>Searched String:</b> Clutch Bundy Tube</p> <p>Clutch (BHEL), Blood Sample Collection Tubes, Pressure Plate, Wilfit Spares, Polyurethane Tube, Fusion Tube, chest tube, centrifuge tubes, Tracheostomy Tube, Laboratory Condenser</p> <p><b>Searched String:</b> Clutch Flexible Hose Joint</p> <p>Cryogenic Flexible Hose, Black Flexible Rubber Hose Pipe, Laboratory Glass Adapters</p> <p><b>Searched String:</b> Hand Brake Cable</p> <p>Brake Blocks, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Brake Liners, Brake Rectifier, Nitrile Coated Hand Gloves, Hydraulic Press Brake Machine, Automotive Hydraulic Brake Fluid as per IS 8654, Hand Lamp, Nitrile Coated/Nitrile Hand Gloves (V2), Hand saw</p> <p><b>Searched String:</b> Hand Brake Lever Arms</p> <p>Bush Set for lever &amp; Armature for DCEM Brakes (SAIL), Hand Operated Shearing Machine, Wilfit Spares, Grease Gun as per IS 7794</p> <p><b>Searched String:</b> Brake Caliper Pad</p> <p>Skinfold Caliper, Dak Pad (V2), Skinfold Caliper (V2), Laboratory Condenser, Chest Depth Caliper (V2), CALIPERS, Brake Blocks, Brake Liners, Desk Pads - Writing, Brake Rectifier</p> <p><b>Searched String:</b> Kit Ball Joint Front</p> <p>Cable Joint Kit (V2), Cold Shrink Cable Joint Kit, Tennis ball (Preschool Kit), Eva Ball Soft (Preschool Kit), Football (Preschool Kit), Plastic Cricket Set (Preschool Kit) (V2), Bouncing Ball With Elastic String And Wrist Band (Preschool Kit) (V2)-Toys, Polymer Ball with Jhanjari / Polymer Rubber Ring (Preschool Kit), Tool Kit for Cricket Ball - O.D.O.P UP Gov.(Meerut), Bouncing Ball With Elastic String And Wrist Band (Preschool Kit)</p>

Bid Details/बिड विवरण	Searched String: Hand Brake Assy
	<p>RELAY FRAME ASSY., MCC FRAME ASSY., D.P.LATCH FRAME ASSY (203BS43) (BHEL), Nitrile Coated Hand Gloves, Brake Blocks, Wilfit Spares, Brake Liners, Nitrile Coated/Nitrile Hand Gloves (V2), Brake Rectifier, Hydraulic Press Brake Machine, Hand Held Search Light, Bulk Packing of TSM Assy (BSF)</p> <p><b>Searched String:</b> Pitman arm bush L/S</p> <p>Bush Set for lever &amp; Armature for DCEM Brakes (SAIL), coat combat disruptive detachable lining, Spirometer, Rain Coat &amp; Suit, M.S Stopper for Traffic Control (Portable Barrier), Light Weight Folding Chairs, Modular Work Stations (V2), Octagonal Pole with Single Arm or Double Arm Brackets (V2)</p> <p><b>Searched String:</b> Ignition Switch</p> <p>Isolator switch, Layer 2 Access Switch (V2), Limit Switch, Cartridge Check Valve, Reed Switch, modular electrical switches and accessories, Rotary Switch, Fume Hood (FSSAI), Time Switch, modular electrical enclosure switch board boxes for modular type accessories</p> <p><b>Searched String:</b> Fuel Lifting Pump</p> <p>Fuel Injection Pump Assembly, Advanced Dental Chair, Lifting Handle (BHEL), Lifting Eye (BHEL), Styling Chair / Salon Chair / Swiveling Barber Chair, Fuel Water Separator, Self Priming Centrifugal Pump as per IS 5120 , Fuel Dispensing Units, Submersible Sewerage Pump, Weight Lifting Set (V2)</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / <b>Relevant Categories selected for notification</b>	<ul style="list-style-type: none"> <li>• Foot Valve (V2)</li> </ul>
<b>BOQ Title/बीओक्यू शीर्षक</b>	BOQTE02
<b>Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)</b>	1 Lakh (s)
<b>OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)</b>	8 Lakh (s)
<b>Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष</b>	3 Year (s)
<b>MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट</b>	No
<b>Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट</b>	No
<b>Document required from seller/विक्रेता से मांगे गए दस्तावेज़</b>	<p>Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>

Bid Details/बिड विवरण	
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Past Performance/विगत प्रदर्शन	80 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Foot Valve PVC 50 MM
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Arbitration Clause	No
Mediation Clause	No

#### EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

#### ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

#### MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

#### MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or

through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

6. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

## Foot Valve PVC 50 MM

### Technical Specifications/तकनीकी विशिष्टियाँ

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	6	15

### Gate Valve GI Brasso 2 Inch

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	2	15

### PVC Pipe End Cap Male And Female 1 2 3 4 1 1 1 2 And 2 Inch

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	6	15

## GI Pipe End Cap Male And Female 1 2 3 4 1 1 1 2 And 2 Inch

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	6	15

## Water Test Strip

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	4	15

## Fuel Filling Pipe

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	100	15

## Super Fix PVC Solvent

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	10	15

## Dosing Pump Pipe

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	30	15

## Sand Media

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा



S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	40	15

## Activated Carbon

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	40	15

## Star Screw Bit

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	2	15

## Rubber Gloves

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	4	15

## 1 Sq Mm Electric Cable

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	1	15

## Insulation Tape

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	51	15

## SP MCB 6Amp

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	10	15

## SP MCB 16Amp

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	5	15

## DP MCB 32Amp

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	10	15

## Salt LC

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	100	15

## PVC L Bend 4 Inch

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	10	15

## PVC T 4 Inch

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	10	15

## PVC Socket 4 Inch

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	10	15

## Fevicol

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	10	15

## GI Nipple 1 2 Inch

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	10	15

## UPVC 1 2 Inch Socket

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	10	15

## UPVC T 1 2 Inch

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा



S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	10	15

## UPVC L Bend 1 2 Inch

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	10	15

## UPVC Union 1 2 Inch

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	10	15

## Taflon Tape

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	10	15

## UPVC Solvent

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	5	15

## M Seal

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	20	15

## S S Jally Round

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	20	15

## Tile Cutter Blade

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	10	15

## Iron Cutter Blade

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	20	15

## Nails 1 2 Inch

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	5	15

## Nails 3 4 Inch

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	5	15

### Self Thread Screw 1 2 Inch

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	5	15

### Self Thread Screw 1 Inch

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	5	15

### Self Thread Screw 1 1 2 Inch

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	5	15

### Self Thread Screw 2 Inch

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	5	15

## Drilling Socket 18mm

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	15	15

## Hinges Medium

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा



S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	10	15

## Head Light Assy RH And LH

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	1	15

## Air Filter

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	2	15

### Auto Tensioner Water Pump

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	2	15

### Auto Tensioner Steering Pump

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	1	15

## Auto Tensioner Alternator Pump

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	1	15

## Clutch Master Cyl Assy

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	1	15

## Concertic Sleeve Cyl

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	1	15

## Clutch Bundy Tube

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	2	15

## Clutch Flexible Hose Joint

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	2	15

## Hand Brake Cable

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	2	15

## Hand Brake Lever Arms

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	1	15

## Brake Caliper Pad

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	1	15

## Kit Ball Joint Front

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	1	15

## Hand Brake Assy

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	1	15

## Pitman Arm Bush L And S

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	6	15

## Igination Switch

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा



S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	2	15

## Fuel Lifting Pump

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Delhi	2	15

## Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

### 1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

## Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses

on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.**

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action

in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

**---Thank You/धन्यवाद---**