

Bid Document/ बिड दस्तावेज़

| Bid Details/बिड विवरण | |
|--|---|
| Bid End Date/Time/बिड बंद होने की तारीख/समय | 11-06-2025 10:00:00 |
| Bid Opening Date/Time/बिड खुलने की तारीख/समय | 11-06-2025 10:30:00 |
| Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से) | 180 (Days) |
| Ministry/State Name/मंत्रालय/राज्य का नाम | Ministry Of Defence |
| Department Name/विभाग का नाम | Department Of Military Affairs |
| Organisation Name/संगठन का नाम | Indian Air Force |
| Office Name/कार्यालय का नाम | ***** |
| क्रेता ईमेल/Buyer Email | buycon154.iaf.pb@gembuyer.in |
| Total Quantity/कुल मात्रा | 21 |
| Item Category/मद केटेगरी | Leg Press - Outdoor Gym Equipments (Q3) , Twister - Outdoor Gym Equipment (Q3) , Sit Up Board - Outdoor Gym Equipment (Q3) , Surf Board - Outdoor Gym Equipment (Q3) , Shoulder Builder / Arm Wheel - Outdoor Gym Equipment (Q3) , Chest Press - Outdoor Gym Equipments (Q3) , Air Walker / Stroller - Outdoor Gym Equipment (Q3) |
| MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है | Yes |
| Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है | Yes |
| Document required from seller/विक्रेता से मांगे गए दस्तावेज़ | Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| Do you want to show documents uploaded by bidders to all bidders participated in bid?/ | No |
| Past Performance/विगत प्रदर्शन | 10 % |

| Bid Details/बिड विवरण | |
|--|---|
| Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया | Yes |
| RA Qualification Rule | 50% Lowest Priced Technically Qualified Bidders |
| Type of Bid/बिड का प्रकार | Two Packet Bid |
| Primary product category | Leg Press - Outdoor Gym Equipments |
| Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय | 2 Days |
| Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM) | Yes |
| Inspection to be carried out by Buyers own empanelled agency | Yes |
| Type Of Inspection | Post Dispatch |
| Name of the Empanelled Inspection Agency/ Authority | Board of Officers |
| Auto CRAC Days | 60 |
| Evaluation Method/मूल्यांकन पद्धति | Total value wise evaluation |
| Arbitration Clause | No |
| Mediation Clause | No |

EMD Detail/ईएमडी विवरण

| | |
|-----------------------------|---------------------|
| Advisory Bank/एडवाइजरी बैंक | State Bank of India |
| EMD Amount/ईएमडी राशि | 20000 |

ePBG Detail/ईपीबीजी विवरण

| | |
|--|---------------------|
| Advisory Bank/एडवाइजरी बैंक | State Bank of India |
| ePBG Percentage(%) / ईपीबीजी प्रतिशत (%) | 5.00 |
| Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने). | 26 |

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लभार्थी :

AOC 9 WING

AF Station Halwara Ludhiana Punjab Pin 141106, Department of Military Affairs, Indian Air Force, Ministry of Defence

(Air Force Public Fund)

Reserved for Make In India products

| | |
|-------------------------------------|-----|
| Reserved for Make In India products | Yes |
|-------------------------------------|-----|

MSE Purchase Preference/एमएसई खरीद वरीयता

| | |
|---|-----|
| MSE Purchase Preference/एमएसई खरीद वरीयता | Yes |
|---|-----|

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover, shall upload the supporting documents to prove his eligibility for exemption.
3. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.
4. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover shall upload the supporting documents to prove his eligibility for exemption.
5. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.
6. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1_4_2021_PPD_dated_18.05.2023](#) for

compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

7. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

8. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

9. Inspection of Stores by Nominated Inspection Authority / Agency of buyer or their authorized representatives

An independent third party Professional Inspection Body can help buyer in mitigating buyer's risk with pre-dispatch/post-dispatch inspection in order to ensure that equipment, components, solutions and documentation conform to contractual requirements. The buyer has a right to inspect goods in reasonable manner and within reasonable time at any reasonable place as indicated in contract. Inspection Fee/ Charges (as pre-greed between buyer and Inspection Agency) would be borne by the buyer as per their internal arrangement but may be recovered from the seller if the consignment failed to conform to contractual specification and got rejected by the Inspection Officer. If so requested and accepted by the seller, initially seller may pay for inspection charges as applicable and get the same reimbursed from buyer if consignment accepted by the Inspecting Officer. For reimbursement seller has to submit proof of payment to Inspection Agency.

Seller/OEM shall send a notice in writing / e-mail to the Inspecting officer / inspection agency specifying the place of inspection as per contract and the Inspecting officer shall on receipt of such notice notify to the seller the date and time when the stores would be inspected. The seller shall, at his own expenses, afford to the Inspecting officer, all reasonable facilities as may be necessary for satisfying himself that the stores are being and or have been manufactured in accordance with the technical particulars governing the supply. The decision of the purchaser representative / inspection authority regarding acceptance / rejection of consignment shall be final and binding on the seller.

The Seller shall provide, without any extra charge, all materials, tools, labour and assistance of every kind which the Inspecting officer may demand of him for any test, and examination, other than special or independent test, which he shall require to be made on the seller's premises and the seller shall bear and pay all costs attendant thereon.

The seller shall also provide and deliver store / sample from consignment under inspection free of charge at any such place other than his premises as the Inspecting officer may specify for acceptance tests for which seller/OEM does not have the facilities or for special/ independent tests.

In the event of rejection of stores or any part thereof by the Inspecting officer basis testing outside owing to lack of test facility at seller's premises, the seller shall, on demand, pay to the buyer the costs incurred in the inspection and/or test. Cost of test shall be assessed at the rate charged by the Laboratory to private persons for similar work.

Inspector shall have the right to put all the stores or materials forming part of the same or any part thereof to such tests as he may like fit and proper as per QAP/governing specification. The seller shall not be entitled to object on any ground whatsoever to the method of testing adopted by the Inspecting officer.

Unless otherwise provided for in the contract, the quantity of the stores or materials expended in test will be borne by seller.

Inspecting officer is the Final Authority to Certify Performance / accept the consignment. The Inspecting officer's decision as regards the rejection shall be final and binding on the seller.

The seller shall if so required at his own expense shall mark or permit the Inspecting officer to mark all the approved stores with a recognised Government or purchaser's mark.

10. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to

next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

Leg Press - Outdoor Gym Equipments (3 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|---|--|
| TYPE | Type | Leg Press Double |
| CAPACITY | Maximum User Weight (Kg) | 120.0 (kilogram) |
| MATERIAL | Governing Specification for GI Pipes | BIS specification No IS 1239 (Part 1)- 2004, latest |
| | All the GI Pipes are ISI marked | No |
| | Main Central Pipe | 100mm Nominal Bore G.I. Pipe |
| | Main Central Pipe, Class as per IS 1239 | Heavy |
| | Moving Frame Pipe | 32mm Nominal bore G.I. pipe |
| | Moving Frame Pipe, Class as per IS 1239 | Heavy |
| | Foot Rest Frame/ Foot Rest Hinging Pipe | 32mm Nominal Bore G.I. Pipe |
| | Foot Rest Frame Pipe, Class as per IS 1239 | Heavy |
| | Connecting Links | 32mm Nominal Bore G.I. Pipe |
| | Connecting Links Pipe, Class as per IS 1239 | Not applicable for M.S. Plates and Pipes as per IS 1161 |
| | MS Foundation Plate Thickness | 12.0 (millimeter) |
| | Foundation Pipes with anchoring | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |
| | Nominal Bore of Foundation Pipe | 100mm |
| | Foundation Pipe, Class as per IS 1239 | Heavy |
| | Bearings | Ball Bearing |

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|--------------------|--|---|
| | Seat and Back Rest | 3mm thick, HDPE with uniform bending radius to avoid sharp edges, 3mm thick, LLDPE with uniform bending radius to avoid sharp edges |
| OTHER REQUIREMENTS | Installation | Included |
| CERTIFICATION | Certification (Safety and Quality Requirements) | As per European Standard EN 16630 |
| WARRANTY | Warranty (years) | 2.0 (year) |

Additional Specification Parameters - Leg Press - Outdoor Gym Equipments (3 pieces)

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|---------------------------------|---|
| leg press | Size: 1650*650*1600 mm Main Post: 100 mm dia and 3.0 mm thick Other Pipes: 32 mm dia and 3 mm thick Material: Carbon Steel pipe and powder coated 80-120 micron thick using Akzo Nobel or equivalent.All welding joints of pipe shall be MIG welded with joint scalloped as necessary and dressed off removing sharp edges and burrs. Zinc primer paint to be applied at all welding points prior to finishing. |
| Leg press additional parameters | All open ends of pipe to be closed with GI/LLDPE caps, base plate cover shall be made of virgin LLDPE plastic by rotational moulding with minimum 8mm thickness, UV resistant and colour. High quality grip rubber should be used on handles. Foothold shall be made of nylon alloy with rounded edges to prevent impact on injury. Maintenance free bearing should be used in the equipment duly oil sealed and self-lubricated. |
| Leg press additional | The equipment shall be fitted with in built limiters. The equipment shall be fixed on ground with concrete of minimum strength M-25 and J shaped welded bolts and when concrete is set, fixing the equipment on to it and cover nuts and bolts with base plate cover. |

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--------------------|-----------------|------------------------------|
| 1 | ***** | *****LUDHIANA CITY | 3 | 20 |

Twister - Outdoor Gym Equipment (3 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|---|--|
| TYPE | Type | Triple Twister (Three standing) |
| CAPACITY | Maximum User Weight (Kg) | 100.0 (kilogram) |
| MATERIAL | Governing Specification for GI Pipes | BIS specification No IS 1161:2014, latest |
| | All the GI Pipes are ISI marked | Yes |
| | Main Central Pipe | 125 mm Nominal Bore G.I. Pipe |
| | Main Frame Pipe, Class as per IS 1239 | Medium, Heavy |
| | Main Central Pipe (As per Clause 3, of IS 1161) Nominal Bore & Wall Thickness | 125 mm NB with 4.5 mm Thickness |
| | Grade Material as per table 2 of IS 1161 | YSt 355 |
| | Standing/ Sitting Twister Frame Pipe | 40 mm Nominal Bore G.I. Pipe |
| | Standing/ Sitting Twister Frame Pipe, Class as per IS 1239 | Medium |
| | Standing/ Sitting Twister Frame Pipe (As per Clause 3, of IS 1161) Nominal Bore & Wall Thickness | 40 mm NB with 4 mm Thickness |
| | Grade Material as per table 2 IS 1161 | YSt 355 |
| | Rotating Disk Support Pipe at Bottom Pipe | 80 mm Nominal Bore G.I. Pipe, 125 mm Nominal Bore G.I. Pipe |
| | Rotating Disk Support Pipe, Class as per IS 1239 | Medium, Heavy |
| | Rotating Disk Support Pipe (as per IS 1161) as per Clause 3, Nominal Bore & Wall Thickness | 80 mm NB with 4 mm Thickness |
| | Grade Material (as per table 2 of IS 1161) | YSt 355 |
| | Handle Frame Pipe | 32mm Nominal bore G.I. pipe |
| | Handle Frame Pipe, Class as per IS 1239 | Medium, Heavy |

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|--------------------|---|--|
| | Handle Frame Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness | 32 mm NB with 4 mm Thickness |
| | Grade Material per table 2 of IS 1161 | YSt 355 |
| | Foundation Pipes with anchoring | 500mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |
| | Nominal Bore of Foundation Pipe | 150mm |
| | Foundation Pipe, Class as per IS 1239 | Medium |
| | Foundation Pipe Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness | 150 mm NB,165.1 mm OD & 4.5 mm Thickness |
| | Grade Material (as per table 2 of IS 1161) | YSt 355 |
| | M S Foundation Plate Thickness | 12.0 (millimeter) |
| | Bearings | Tapered Roller Bearing |
| | Foot Rest | Aluminum casting material |
| OTHER REQUIREMENTS | Installation | Included |
| CERTIFICATION | Certification (Safety and Quality Requirements) | As per European Standard EN 16630 |
| WARRANTY | Warranty (years) | 2.0 (year) |

Additional Specification Parameters - Twister - Outdoor Gym Equipment (3 pieces)

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|-------------------------------|--|
| Twister | Size: 1300*1300*1310 mm Main Post: 140 mm dia and 3.0 mm thick Other Pips: 33 mm dia 2.5 mm thick Material: Carbon steel pipe and powder coated 80-120 micron thick using. Akzo Nobel or equivalents. All welding joints of pipe shall be MIG welded with joint scalloped as necessary and dressed off removing sharp edges and burrs. Zinc primer paint to be applied at all welding points prior to finishing. |
| Twister additional parameters | All open ends of pipe to be closed with GI/LLDPE caps, base plate cover shall be made of virgin LLDPE plastic by rotational moulding with minimum 8mm thickness, UV resistant and colour. High quality grip rubber should be used on handles. Foothold shall be made of nylon alloy with rounded edges to prevent impact on injury. |

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|------------------------------|---|
| Twister additional | Maintenance free bearing should be used in the equipment duly oil sealed and self-lubricated. The equipment shall be fitted with in built limiters. The equipment shall be fixed on ground with concrete of minimum strength M-25 and J shaped welded bolts and when concrete is set, fixing the equipment on to it and cover nuts and bolts with base plate cover. |

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--------------------|-----------------|------------------------------|
| 1 | ***** | *****LUDHIANA CITY | 3 | 20 |

Sit Up Board - Outdoor Gym Equipment (3 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|---|--|
| TYPE | Type | Double Station |
| MATERIAL | Type of Back Rest | Set of Rectangular Flat Pipes |
| | Material of Back Rest | Mild Steel Plate |
| | Governing Specification for GI Pipes | BIS specification No IS 1161:2014, latest |
| | All the GI Pipes are ISI marked | Yes |
| | Main Frame/Central Pipe | 100 mm Nominal Bore G.I. Pipe |
| | Main Frame/Central Pipe, Class as per IS 1239 | Heavy |
| | Main Frame/Central Pipe (As per Clause 3, of IS 1161) Nominal Bore & Wall Thickness | 100 mm NB with 3.6 mm Thickness |
| | Grade of Material as per table 2 of IS 1161 | YSt 240 |
| | Foot Rest Pipe | 40mm Nominal Bore G.I. Pipe |
| | Foot Rest Pipe , Class as per IS 1239 | Heavy |

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|--------------------|--|--|
| | Foot Rest Pipe (As per as per Clause 3, of IS 1161) , Nominal Bore & Wall Thickness | 40 mm NB with 2.9 mm Thickness |
| | Grade of Material as per table 2 IS 1161 | YSt 310 |
| | Back Rest Frame Pipe and Connecting Links | 32 mm Nominal Bore G.I. Pipe |
| | Back Rest Frame Pipe and Connecting Links, Class as per IS 1239 | Heavy |
| | Back Rest Frame Pipe and Connecting Links (As per Clause 3, of IS 1161) Nominal Wall & Thickness | 32 mm NB with 2.6 mm Thickness |
| | Grade of Material (as per table 2 of IS 1161) | YSt 240 |
| | Leg Support Pipe | 40 mm Nominal bore G.I. pipe |
| | Leg Support Pipe , Class as per IS 1239 | Heavy |
| | Leg Support Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness | 32 mm NB with 4 mm Thickness |
| | Grade of Material per table 2 of IS 1161 | YSt 240 |
| | Foundation Pipes with anchoring | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |
| | Nominal Bore of Foundation Pipe | 125mm |
| | Foundation Pipe, Class as per IS 1239 | Heavy |
| | Foundation Pipe Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness | 125 mm NB with 4.5 mm Thickness |
| | Grade of Material (as per table 2 of IS 1161) | YSt 240 |
| | M S Foundation Plate Thickness | 10.0 (millimeter) |
| OTHER REQUIREMENTS | Installation | Included |
| CERTIFICATION | Certfication (Safety and Quality Requirements) | As per European Standard EN 16630, No |
| WARRANTY | Warranty (years) | 2.0 (year) |

Additional Specification Parameters - Sit Up Board - Outdoor Gym Equipment (3 pieces)

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|------------------------------------|---|
| Sit up board | Size: 1000*500*500 mm Main Post: 100 mm dia and 3.5 mm thick Other Pipes: 30 mm dia and 3.2 mm thick Material: Carbon steel pipe and powder coated 80-120 micron thick using. Akzo Nobel or equivalents. All welding joints of pipe shall be MIG welded with joint scalloped as necessary and dressed off removing sharp edges and burrs. Zinc primer paint to be applied at all welding points prior to finishing. |
| Sit up board additional parameters | . All open ends of pipe to be closed with GI/LLDPE caps, base plate cover shall be made of virgin LLDPE plastic by rotational moulding with minimum 8mm thickness, UV resistant and colour. High quality grip rubber should be used on handles. Foothold shall be made of nylon alloy with rounded edges to prevent impact on injury. |
| Sit up board additional | Maintenance free bearing should be used in the equipment duly oil sealed and self-lubricated. The equipment shall be fitted with in built limiters. The equipment shall be fixed on ground with concrete of minimum strength M-25 and J shaped welded bolts and when concrete is set, fixing the equipment on to it and cover nuts and bolts with base plate cover. |

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--------------------|-----------------|------------------------------|
| 1 | ***** | *****LUDHIANA CITY | 3 | 20 |

Surf Board - Outdoor Gym Equipment (3 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|--------------------------------------|--|
| TYPE | Type | Double |
| CAPACITY | Maximum User Weight (Kg) | 110.0 (kilogram) |
| MATERIAL | Governing Specification for GI Pipes | BIS specification No IS 1161:2014, latest |

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|---|--|
| | All the GI Pipes are ISI marked | Yes |
| | Main Central Pipe | 100mm Nominal Bore G.I. Pipe |
| | Main Frame Pipe, Class as per IS 1239 | Heavy |
| | Main Central Pipe (As per Clause 3, of IS 1161) Nominal Bore & Wall Thickness | 80 mm NB with 3.2 mm Thickness |
| | Grade Material as per table 2 of IS 1161 | YSt 210 |
| | Movement (Paddle) Frame | 32mm Nominal Bore G.I. Pipe |
| | Movement (Paddle) Frame Pipe, Class as per IS 1239 | Heavy |
| | Movement (Paddle) Frame Pipe (As per as per Clause 3, of IS 1161) , Nominal Bore & Wall Thickness | 32 mm NB with 2.6 mm Thickness |
| | Grade Material as per table 2 IS 1161 | YSt 210 |
| | Connecting Links | 25 mm Nominal Bore G.I. Pipe |
| | Connecting Links Pipe, Class as per IS 1239 | Heavy |
| | Connecting Link Pipe (As per Clause 3, of IS 1161) Nominal Wall & Thickness | 25 mm NB with 3.2 mm Thickness |
| | Grade Material (as per table 2 of IS 1161) | YSt 210 |
| | Handle Frame | 25mm Nominal bore G.I. pipe, 32mm Nominal bore G.I. pipe |
| | Handle Frame Pipe, Class as per IS 1239 | Heavy |
| | Handle Frame Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness | 25 mm NB with 3.2 mm Thickness |
| | Grade Material per table 2 of IS 1161 | YSt 210 |
| | Foundation Pipes with anchoring | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |
| | Nominal Bore of Foundation Pipe | 100mm |
| | Foundation Pipe, Class as per IS 1239 | Heavy |

| Specification | Specification Name/विशिष्ट का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|--------------------|--|--|
| | Foundation Pipe (as per IS 1161) as per clause 3, Nominal Wall & Thickness | 80 mm NB with 3.2 mm Thickness |
| | Grade Material (as per table 2 of IS 1161) | YSt 210 |
| | M S Foundation Plate Thickness | 10.0 (millimeter) |
| | Bearings | Ball Bearing |
| | Foot Rest | Aluminum casting material |
| OTHER REQUIREMENTS | Installation | Included |
| CERTIFICATION | Certification (Safety and Quality Requirements) | As per European Standard EN 16630 |
| WARRANTY | Warranty (years) | 2.0, 3.0 (year) |

Additional Specification Parameters - Surf Board - Outdoor Gym Equipment (3 pieces)

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|----------------------------------|---|
| Surf board | Size: 1100*730*1300 mm Main Post: 100 mm dia and 3.0 mm thick Other Pips: 32 mm dia 2.6 mm thick Material: Carbon steel pipe and powder coated 80-120 micron thick using. Akzo Nobel or equivalents. All welding joints of pipe shall be MIG welded with joint scalloped as necessary and dressed off removing sharp edges and burrs. Zinc primer paint to be applied at all welding points prior to finishing. |
| Surf board additional parameters | All open ends of pipe to be closed with GI/LLDPE caps, base plate cover shall be made of virgin LLDPE plastic by rotational moulding with minimum 8mm thickness, UV resistant and colour. High quality grip rubber should be used on handles. Foothold shall be made of nylon alloy with rounded edges to prevent impact on injury. |
| Surf board additional | Maintenance free bearing should be used in the equipment duly oil sealed and self-lubricated. The equipment shall be fitted with in built limiters. The equipment shall be fixed on ground with concrete of minimum strength M-25 and J shaped welded bolts and when concrete is set, fixing the equipment on to it and cover nuts and bolts with base plate cover. |

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/प्रेषित/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--------------------|-----------------|------------------------------|
| 1 | ***** | *****LUDHIANA CITY | 3 | 20 |

Shoulder Builder / Arm Wheel - Outdoor Gym Equipment (3 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|---|--|
| TYPE | Type | Three Wheel |
| MATERIAL | Governing Specification for GI Pipes | BIS specification No IS 1161:2014, latest |
| | All the GI Pipes are ISI marked | Yes |
| | Main Central Pipe construction | 80mm Nominal Bore G.I. Pipe |
| | Main Central Pipe, Class as per IS 1239 | Heavy |
| | Ring (Wheel) | 25mm Nominal Bore G.I. Pipe |
| | Ring (Wheel) Pipe, Class as per IS 1239 | Heavy |
| | Pipe of Spokes of Wheel | 15mm Nominal bore G.I. pipe |
| | Pipe of Spoke of Wheel , Class as per IS 1239 | Heavy |
| | Connector Pipe (between Main Central Pipe and Wheel) | 32 mm Nominal bore G.I. pipe |
| | Connector Pipe, Class as per IS 1239 | Heavy |
| | MS Foundation Plate Thickness | 10.0 (millimeter) |
| | Foundation Pipes with anchoring | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |
| | Nominal Bore of Foundation Pipe | 80mm |
| | Foundation Pipe, Class as per IS 1239 | Heavy |
| | Bearings | Tapered Roller Bearing |

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|--------------------|---|--|
| OTHER REQUIREMENTS | Installation | Included |
| CERTIFICATION | Certification (Safety and Quality Requirements) | As per European Standard EN 16630 |
| WARRANTY | Warranty (years) | 2.0 (year) |

Additional Specification Parameters - Shoulder Builder / Arm Wheel - Outdoor Gym Equipment (3 pieces)

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|---------------------------------|---|
| Arm wheel | Height: 1599 Outside diameter of first wheel and second wheel: 850mm Outside diameter of third wheel: 800mm Height of first wheel and second wheel from ground: 1200mm Height of third wheel from ground: 1100mm Material: Carbon steel pipe and powder coated 80-120 micron thick using. Akzo Nobel or equivalents. All welding joints of pipe shall be MIG welded with joint scalloped as necessary and dressed off removing sharp edges and burrs. |
| Arm Wheel additional parameters | Zinc primer paint to be applied at all welding points prior to finishing. All open ends of pipe to be closed with GI/LLDPE caps, base plate cover shall be made of virgin LLDPE plastic by rotational moulding with minimum 8mm thickness, UV resistant and colour. High quality grip rubber should be used on handles. Foothold shall be made of nylon alloy with rounded edges to prevent impact on injury. |
| Arm wheel additional | Maintenance free bearing should be used in the equipment duly oil sealed and self-lubricated. The equipment shall be fitted with in built limiters. The equipment shall be fixed on ground with concrete of minimum strength M-25 and J shaped welded bolts and when concrete is set, fixing the equipment on to it and cover nuts and bolts with base plate cover. |

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--------------------|-----------------|------------------------------|
| 1 | ***** | *****LUDHIANA CITY | 3 | 20 |

Chest Press - Outdoor Gym Equipments (3 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|--------------------|---|--|
| TYPE | Type | Chest Press Double |
| CAPACITY | Maximum User Weight (Kg) | 110.0, 100.0 (kilogram) |
| MATERIAL | Governing Specification for GI Pipes | BIS specification No IS 1161:2014, latest |
| | All the GI Pipes are ISI marked | Yes |
| | Main Central Pipe | 150mm Nominal Bore G.I. Pipe |
| | Main Central Pipe, Class as per IS 1239 | Heavy |
| | Handle Frame | 40mm Nominal bore G.I. pipe |
| | Handle Frame Pipe, Class as per IS 1239 | Heavy |
| | Seat Frame | 40mm Nominal Bore G.I. Pipe |
| | Seat Frame Pipe, Class as per IS 1239 | Medium, Heavy |
| | Connecting Links | 40mm Nominal Bore G.I. Pipe |
| | Connecting Links Pipe, Class as per IS 1239 | Medium, Heavy |
| | Foot Rest Pipe | 32mm Nominal Bore G.I. Pipe |
| | Foot Rest Pipe, Class as per IS 1239 | Medium, Heavy |
| | MS Foundation Plate Thickness | 12.0 (millimeter) |
| | Foundation Pipes with anchoring | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |
| | Nominal Bore of Foundation Pipe | 150mm |
| | Foundation Pipe, Class as per IS 1239 | Medium, Heavy |
| | Seat and Back Rest | 6mm thick, Fibre Reinforced plastic with uniform bending radius to avoid sharp edges |
| | Bearings | Ball Bearing |
| OTHER REQUIREMENTS | Installation | Included |
| CERTIFICATION | Certification (Safety and Quality Requirements) | As per European Standard EN 16630, No |
| WARRANTY | Warranty (years) | 2.0 (year) |

Additional Specification Parameters - Chest Press - Outdoor Gym Equipments (3 pieces)

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|-----------------------------------|--|
| Chest press | Size: 1980*800*2085 mm Main Post: 140 mm dia and 3.0 mm thick Other Pipes: 33 mm dia 2.5 mm thick Material: Carbon steel pipe and powder coated 80-120 micron thick using. Akzo Nobel or equivalents. All welding joints of pipe shall be MIG welded with joint scalloped as necessary and dressed off removing sharp edges and burrs. Zinc primer paint to be applied at all welding points prior to finishing. |
| Chest press additional parameters | All open ends of pipe to be closed with GI/LLDPE caps, base plate cover shall be made of virgin LLDPE plastic by rotational moulding with minimum 8mm thickness, UV resistant and colour. High quality grip rubber should be used on handles. Foothold shall be made of nylon alloy with rounded edges to prevent impact on injury. |
| Chest press additional | Maintenance free bearing should be used in the equipment duly oil sealed and self-lubricated. The equipment shall be fitted with in built limiters. The equipment shall be fixed on ground with concrete of minimum strength M-25 and J shaped welded bolts and when concrete is set, fixing the equipment on to it and cover nuts and bolts with base plate cover. |

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--------------------|-----------------|------------------------------|
| 1 | ***** | *****LUDHIANA CITY | 3 | 20 |

Air Walker / Stroller - Outdoor Gym Equipment (3 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|--------------------------------------|--|
| TYPE | Type | Double |
| CAPACITY | Maximum User Weight (Kg) | 100.0, 120.0 (kilogram) |
| MATERIAL | Governing Specification for GI Pipes | BIS specification No IS 1161:2014, latest |

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|--------------------|---|--|
| | All the GI Pipes are ISI marked | Yes |
| | Main Frame | 80mm Nominal Bore G.I. Pipe, 100mm Nominal Bore G.I. Pipe |
| | Main Frame Pipe, Class as per IS 1239 | Heavy |
| | leg movement frame | 32mm Nominal Bore G.I. Pipe |
| | Leg Movement Frame Pipe, Class as per IS 1239 | Heavy |
| | Handle Frame | 25mm Nominal bore G.I. pipe, 32mm Nominal bore G.I. pipe |
| | Handle Frame Pipe, Class as per IS 1239 | Heavy |
| | Bearings | Ball Bearing |
| | Foot Rest | Fibre Reinforced Plastic, Aluminum casting material |
| | MS Foundation Plate Thickness | 10.0 (millimeter) |
| | Foundation Pipes with anchoring | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |
| | Nominal Bore of Foundation Pipe | 80mm, 100mm |
| | Foundation Pipe, Class as per IS 1239 | Heavy |
| OTHER REQUIREMENTS | Installation | Included |
| CERTIFICATION | Certification (Safety and Quality Requirements) | As per European Standard EN 16630, No |
| WARRANTY | Warranty (years) | 2.0 (year) |

Additional Specification Parameters - Air Walker / Stroller - Outdoor Gym Equipment (3 pieces)

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|------------------------------|--|
| Air walker | Main Post: 140 mm dia and 3.0 mm thick Other Pips: 88 mm dia 2.5 mm thick Material: Carbon steel pipe and powder coated 80-120 micron thick using. Akzo Nobel or equivalents. All welding joints of pipe shall be MIG welded with joint scalloped as necessary and dressed off removing sharp edges and burrs. Zinc primer paint to be applied at all welding points prior to finishing. |

| Specification Parameter Name | Bid Requirement (Allowed Values) |
|----------------------------------|---|
| Air walker additional parameters | All open ends of pipe to be closed with GI/LLDPE caps, base plate cover shall be made of virgin LLDPE plastic by rotational moulding with minimum 8mm thickness, UV resistant and colour. High quality grip rubber should be used on handles. Foothold shall be made of nylon alloy with rounded edges to prevent impact on injury. |
| Air walker additional | Maintenance free bearing should be used in the equipment duly oil sealed and self-lubricated. The equipment shall be fitted with in built limiters. The equipment shall be fixed on ground with concrete of minimum strength M-25 and J shaped welded bolts and when concrete is set, fixing the equipment on to it and cover nuts and bolts with base plate cover. |

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परिषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परिषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--------------------|-----------------|------------------------------|
| 1 | ***** | *****LUDHIANA CITY | 3 | 20 |

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- Copy of PAN Card.
- Copy of GSTIN.
- Copy of Cancelled Cheque.
- Copy of EFT Mandate duly certified by Bank.

3. Generic

After award of contract – Successful Bidder shall have to get Detailed Design Drawings approved from buyer before starting fabrication. Successful Bidder shall submit Detailed Design Drawings for Buyer's

approval, within 5 days of award of contract. Buyer shall, either approve the drawings or will provide complete list of modification required in the drawings within 5 days. Seller shall be required to ensure supply as per approved Drawings with modifications as communicated by Buyer. If there is delay from buyer side in approval of drawing- the delivery period shall be refixed without LD for the period of delay in approval of Drawing.

4. **Generic**

The successful bidder has to supply all essential accessories required for the successful installation and commissioning of the goods supplied. Besides standard accessories as per normal industry practice, following accessories must be part of supply and cost should be included in bid price:

installation of equipment

.

5. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

6. **OEM**

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

7. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

8. **Warranty**

Warranty period of the supplied products shall be 2 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

9. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

Vendor shall be ISO Certified

.

10. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action

in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

---Thank You/धन्यवाद---