

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	29-05-2025 16:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	29-05-2025 16:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	90 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Defence
Department Name/विभाग का नाम	Department Of Military Affairs
Organisation Name/संगठन का नाम	Indian Navy
Office Name/कार्यालय का नाम	*****
क्रेता ईमेल/Buyer Email	sanil.k2051@navy.gov.in
Total Quantity/कुल मात्रा	3623
Item Category/मद केटेगरी	Sodium Hydroxide , Hydrochloric acid concentrated , Sodium Carbonate , Methyl Orange Indicator , Phenoiphtalein Indicator Solution , Methyl Red Indicator Solution , Sodium Thiosulphate , Potassium Iodide , Potassium Iodate , Starch Indicator Solution , Silicone Grease , Glycerol Anhydrous , Distilled Water , Standard Flask , Beaker , Pipette , Nitrile Examination Gloves
GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS	Sodium Hydroxide, Hydrochloric acid concentrated, Sodium Carbonate, Methyl Orange Indicator, Phenoiphtalein Indicator Solution, Methyl Red Indicator Solution, Sodium Thiosulphate, Potassium Iodide, Potassium Iodate, Starch Indicator Solution, Silicone Grease, Glycerol Anhydrous, Distilled Water, Standard Flask, Beaker, Pipette, Nitrile Examination Gloves
	Searched String: Sodium Hydroxide Barium Hydroxide, Blood Sample Collection Tubes, Calcium Hydroxide, D and C Set, Lithium Hydroxide Monohydrate (V2), Flame Photometer, Aluminium Hydroxide as per IS:10896, Regulators for Breathing Apparatus (Diving Instruments or Accessories), Potassium Hydroxide for Drilling Fluids (ONGC), Blood Collection Tube Searched String: Hydrochloric acid concentrated HYDROCHLORIC ACID PICKLING INHIBITOR, Disposable Surgical Rubber Gloves (V2), Hydrochloric Acid as per IS 265, Sulphuric Acid (V2) Conforming to IS 266, Hydrochloric Acid for Well Stimulation for (ONGC), Stationary Valve

Bid Details/As per	Regulated Lead Acid Batteries As Per IS 15549, Hydrochloric Acid In Tankers (V2) as per IS 265, Concentrated Solar Thermal System, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Veratric Acid (3,4-Dimethoxybenzoic Acid)
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>Searched String: Sodium Carbonate</p> <p>Sodium Carbonate Anhydrous as per IS 296, Portable Fire Extinguishers (V2) as per IS 15683:2018, general purpose cleaners and soda ash, Ammonium carbonate, Blood Sample Collection Tubes, Caesium carbonate, Flame Photometer, Strontium Carbonate, non carbonated beverage dispenser, Cadmium carbonate</p> <p>Searched String: Methyl Orange Indicator</p> <p>Methyl Orange, personal safety kit reflective luminous garments, Acid Orange, Orange Seeds, Spray Paint Orange, Indicator lights or Lamps, Methyl Benzoate, Silica Gel as per IS 3401, Methyl Iodide, Heat Seal Sterilization Roll With Chemical Indicator</p> <p>Searched String: Phenoiphtalein Indicator Solution</p> <p>Ferroin indicator solution, Ultra low temperature laboratory deep freezer, Phenolphthalein indicator, Medical Training kit with Human mannequins for medical education or training, Universal Indicator, Wheel Chairs (V2), Phase Indicator, THICKNESS MEASURING GAUGE, WEIGHT INDICATOR, Instrument Trolley for Hospitals (V2)</p> <p>Searched String: Methyl Red Indicator Solution</p> <p>Methyl Red, Digital Temperature Indicator, Cresol Red Indicator, Congo Red Indicator, Jumbo Process Indicator, Ferroin indicator solution</p> <p>Searched String: Sodium Thiosulphate</p> <p>Sodium Thiosulphate as per IS 14781, Blood Sample Collection Tubes, Ammonium thiosulphate, D and C Set, SODIUM ACETATE, Flame Photometer, Sodium Hydrosulfite, Regulators for Breathing Apparatus (Diving Instruments or Accessories), SODIUM COBALTINITRITE, Blood Collection Tube</p> <p>Searched String: Potassium Iodide</p> <p>Potassium Iodide as per IS 7163, Flame Photometer, Ammonium iodide, Methyl Iodide, Blood Sample Collection Tubes, Mercury Iodide, Potassium Dichromate, Potassium Persulfate (Potassium Peroxodisulfate), Blood Collection Tube, Mercury (II) Iodide Red</p> <p>Searched String: Potassium Iodate</p> <p>Potassium Iodate as per IS: 13057, Flame Photometer, Potassium Persulfate (Potassium Peroxodisulfate), Potassium metabisulfite, Blood Sample Collection Tubes, Potassium Dichromate, Potassium Iodide as per IS 7163, Potassium Tetraborate, Potassium BiSulphate, Blood Collection Tube</p> <p>Searched String: Starch Indicator Solution</p> <p>Ferroin indicator solution, Ultra low temperature laboratory</p>

Bid Details/As per	deep freezer, Pregelatinized Starch - ONGC, Starch as per IS 1005, Wheel Chairs (V2), Phenolphthalein indicator, Universal Indicator, Instrument Trolley for Hospitals (V2), Phase Indicator, WEIGHT INDICATOR
	<p>Searched String: Silicone Grease</p> <p>Silicone Grease as per IS 508, Muffle Furnace, Silicone Tubes, Silicone Oil, Lithium Base Grease for Industrial Purposes as per IS 7623, Silicone sealant, Aviation Grease, Grease Gun as per IS 7794, Lubricating Grease, Lithium Base Grease for Automotive Purposes as per IS 12203</p> <p>Searched String: Glycerol Anhydrous</p> <p>Glycerol triacetate, Sodium Carbonate Anhydrous as per IS 296, Caffeine Anhydrous, D and C Set, Formic acid Anhydrous, Ferric chloride Anhydrous, Sodium Bromide Anhydrous, Regulators for Breathing Apparatus (Diving Instruments or Accessories), Ammonia Anhydrous Liquid, Sodium Dichloroisocyanurate (NADCC) Tablets as per IS 15773</p> <p>Searched String: Distilled Water</p> <p>Reagent Grade Distilled water, water baths, Bi Double Distillation Water Unit (V2), Water Aerator/Water Automiser, RO Water Treatment System Above 50 LPH Filtration Capacity, Water Sprinkler, Environmental Chamber, Water Boiler, Aerated Water, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781</p> <p>Searched String: Standard Flask</p> <p>flask stand, Laboratory Glassware Volumetric Flask, Reciprocal Shakers - Mechanical Shaker Machine with Timer, Insulated Flask for Domestic use as per IS 17790, Network Attached Storage (NAS) Device, Iodine Flask with Stopper, Shaker Incubator, Domestic Vacuum Flasks (V2) conforming to IS 7708, Domestic Vacuum Flasks as per IS 7708, Calcium Standard</p> <p>Searched String: Beaker</p> <p>Teflon Beaker with Lid, Laboratory Beakers (V2) as per IS 2619, Stainless Steel Jugs (Defence)</p> <p>Searched String: Pipette</p> <p>universal pipette tips, Motorized Pipette Controller, Volumetric Pipettes as per IS 1117, Manual Single Channel Air Displacement Pipettors Or Micropipette (V2), Erythrocyte Sedimentation Rate (ESR) Pipette, Serological Pipettes and Graduated Pipettes as per IS 4364</p> <p>Searched String: Nitrile Examination Gloves</p> <p>Nitrile Coated/Nitrile Hand Gloves (V2), Nitrile Coated Hand Gloves, Single use Rubber Examination Gloves, Single use Rubber Examination Gloves (V2), Surgical Gloves as per IS 4148, Single Use Rubber Examination Gloves-IS 15354, Malono Nitrile, Disposable Surgical Rubber Gloves (V2), Nitrile Rubber Sheets, Disposable Surgical Rubber Gloves - Prepowdered as per IS 13422</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • Multipurpose or General Test Tubes as per IS 2618

Bid Details/बिड विवरण	
BOQ Title/बीओक्यू शीर्षक	CONSUMABLES FOR EXPLOSIVE LABORATORY
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	2 Year (s)
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	Yes
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	Yes
RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Sodium Hydroxide
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Arbitration Clause	No
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

3. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

4. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

5. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

Sodium Hydroxide

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH GOA	500	60

Hydrochloric Acid Concentrated**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH GOA	500	60

Sodium Carbonate**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH GOA	500	60

Methyl Orange Indicator

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH GOA	200	60

Phenoiphtalein Indicator Solution

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परिषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परिषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH GOA	200	60

Methyl Red Indicator Solution

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परिषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परिषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH GOA	200	60

Sodium Thiosulphate

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परिषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परिषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH GOA	500	60

Potassium Iodide

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परिषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परिषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH GOA	100	60

Potassium Iodate

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH GOA	250	60

Starch Indicator Solution

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH GOA	100	60

Silicone Grease

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH GOA	50	60

Glycerol Anhydrous

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH GOA	500	60

Distilled Water

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH GOA	10	60

Standard Flask**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH GOA	1	60

Beaker**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH GOA	1	60

Pipette**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH GOA	1	60

Nitrile Examination Gloves**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****SOUTH GOA	10	60

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**1. Generic**

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

Naval Armament Inspectorate
Chicalim PO
Vasco da Gama
Goa
Pin 403711

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.

14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---