

Bid Document/ बिड दस्तावेज़

| Bid Details/बिड विवरण | |
|---|--------------------------------|
| Bid End Date/Time/बिड बंद होने की तारीख/समय | 19-05-2025 11:00:00 |
| Bid Opening Date/Time/बिड खुलने की तारीख/समय | 19-05-2025 11:30:00 |
| Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से) | 60 (Days) |
| Ministry/State Name/मंत्रालय/राज्य का नाम | Ministry Of Defence |
| Department Name/विभाग का नाम | Department Of Military Affairs |
| Organisation Name/संगठन का नाम | Indian Army |
| Office Name/कार्यालय का नाम | ***** |
| क्रेता ईमेल/Buyer Email | ashwaj.589f@gov.in |
| Total Quantity/कुल मात्रा | 11225 |

Bid Details/बिड विवरण**Item Category/मद केटेगरी**

Lid with thread for PVC water tank 1000 ltr , Lid with thread for PVC water tank 500 ltr , Change over switch on load in sheet metal enclosure 415 volts with side handle operation 100 amps 4 pole , Change over switch on load in sheet metal enclosure 415 volts with side handle operation 200 amps 4 pole , Change over switch on load in sheet metal enclosure 415 volts with side handle operation 400 amps 4 pole , Decorative wall light 15 watt , Flexible wire 23 or 76 , Flexible wire 40 or 76 , Plug and socket boards enclosure with 3 pole and earth plug and socket with MCB TP 20 Amps , Plug and socket boards SPN enclosure with 2 pole and earth plug and socket with MCB SP 20 Amps , Power connector type ML 16 Amp , SS Combination multi pin piono type 15 or 16 amps , SS Combination multi pin piono type 6 or 16 amps , Socket flush P type 6 pin 15 or 16 amp modular , Socket flush P type 6 pin 6 or 16 amp modular , Strainghth through cable joint kit suitable for 1100 V cable epoxoy type of size 95 sqmm 3.5 core , Strainghth through cable joint kit suitable for 1100 V cable epoxoy type of size 120 to 150 sqmm 3.5 core , Strainghth through cable joint kit suitable for 1100 V cable epoxoy type of size 120 to 185 sqmm 3.0 core , Strainghth through cable joint kit suitable for 1100 V cable epoxoy type of size 185 to 240 sqmm 3.5 core , Strainghth through cable joint kit suitable for 1100 V cable epoxoy type of size 50 sqmm 3.5 core , Strainghth through cable joint kit suitable for 1100 V cable epoxoy type of size 70 sqmm 3.5 core , End termination cable joint kit suitable for 11000 V cable Heat Shrink type of size 70 to 95 Sqmm 3.0 Core , End termination cable joint kit suitable for 11000 V cable Heat Shrink type of size 95 to 140 Sqmm 3.0 Core , Switch board boxes Eight Moudules , Switch board boxes Eighteen Moudules , Switch board boxes four Modules , Switch board boxes one Moudules , Switch board boxes six Moudules , Switch board boxes three Modules , Switch board boxes Twelve Modules , Switch board boxes Two Modules , Switch one way 15 or 16 Amp Modular , Switch one way 5 or 6 Amp Modular , Switch piano type 5 or 6 Amp , LED Downlighter 12 watt , Socket one way 15 or 16 amp Modular , Socket one way 5 or 6 Amp Modular , Switch P Type 15 or 16 Amps , Pidilite URP 301 , Pidilite Pidifin 2K

| Bid Details/बिड विवरण | |
|---|--|
| GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS | <p>Lid with thread for PVC water tank 1000 ltr, Lid with thread for PVC water tank 500 ltr, Change over switch on load in sheet metal enclosure 415 volts with side handle operation 100 amps 4 pole, Change over switch on load in sheet metal enclosure 415 volts with side handle operation 200 amps 4 pole, Change over switch on load in sheet metal enclosure 415 volts with side handle operation 400 amps 4 pole, Decorative wall light 15 watt, Flexible wire 23/76, Flexible wire 40/76, Plug and socket boards enclosure with 3 pole and earth plug and socket with MCB TP 20 Amps, Plug and socket boards SPN enclosure with 2 pole and earth plug and socket with MCB SP 20 Amps, Power connector type ML 16 Amp, SS Combination multi pin piono type 15 or 16 amps, SS Combination multi pin piono type 6 or 16 amps, Socket flush P type 6 pin 15 or 16 amp modular, Socket flush P type 6 pin 6 or 16 amp modular, Strainghth through cable joint kit suitable for 1100 V cable epoxoy type of size 95 sqmm 3.5 core, Strainghth through cable joint kit suitable for 1100 V cable epoxoy type of size 120 to 150 sqmm 3.5 core, Strainghth through cable joint kit suitable for 1100 V cable epoxoy type of size 120 to 185 sqmm 3.0 core, Strainghth through cable joint kit suitable for 1100 V cable epoxoy type of size 185 to 240 sqmm 3.5 core, Strainghth through cable joint kit suitable for 1100 V cable epoxoy type of size 50 sqmm 3.5 core, Strainghth through cable joint kit suitable for 1100 V cable epoxoy type of size 70 sqmm 3.5 core, End termination cable joint kit suitable for 11000 V cable Heat Shrink type of size 70 to 95 Sqmm 3.0 Core, End termination cable joint kit suitable for 11000 V cable Heat Shrink type of size 95 to 140 Sqmm 3.0 Core, Switch board boxes Eight Moudules, Switch board boxes Eighteen Moudules, Switch board boxes four Modules, Switch board boxes one Moudules, Switch board boxes six Moudules, Switch board boxes three Module, Switch board boxes Twelve Modules, Switch board boxes Two Modules, Switch one way 15/16 Amp Modular, Switch one way 5/6 Amp Modular, Switch piano type 5/6 Amp, LED Downlighter 12 watt, Socket one way 15/16 amp Modular, Socket one way 5/6 Amp Modular, Switch P/Type 15/16 Amps</p> |
| | <p>Searched String: Lid with thread for PVC water tank 1000 ltr</p> <p>Water Bowser with Boom Tower for Fire Fighting, Water Jugs, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Rotational Moulded Polyethylene Water Storage Tanks (V2) conforming to IS 12701, Commercial CPVC Pipe Fittings</p> <p>Searched String: Lid with thread for PVC water tank 500 ltr</p> <p>Water Bowser with Boom Tower for Fire Fighting, Rotational Moulded Polyethylene Water Storage Tanks (V2) conforming to IS 12701, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Water Jugs, Commercial CPVC Pipe Fittings, Portable Toilet, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Water Tender Type B for Fire Brigade Use conforming to IS 950, FRP Storage Tank (V2)</p> <p>Searched String: Change over switch on load in sheet</p> |

| Bid Details/As per | metal enclosure 415 volts with side handle operation 100 amps 4 pole |
|--------------------|--|
| | <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Change over switch on load in sheet metal enclosure 415 volts with side handle operation 200 amps 4 pole</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Change over switch on load in sheet metal enclosure 415 volts with side handle operation 400 amps 4 pole</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Decorative wall light 15 watt</p> <p>Decorative Lightning Pole (V2), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Decorative Pendant Lights-Handicraft, Decorative Pendant Lights-Handicraft, Hand Held Search Light, Light Diesel Oil-IS:15770, Wooden Furniture from Hoshiarpur - ODOP, Curios, Souvenirs and Gift Items, LED Tube Light (Retrofit Type), Self Ballasted LED Lamps for General Lighting Services (V2) Conforming to IS 16102</p> <p>Searched String: Flexible wire 23/76</p> <p>Flexible Cystoscope, Customs Declaration Form (CN - 22 and CN - 23), Thimbles For Wire Ropes-IS:2315, Muffle Furnace, Cryogenic Flexible Hose, Flexible Jaw Coupling, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Flexible Heating Element, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Flexible Shaft Grinder</p> <p>Searched String: Flexible wire 40/76</p> <p>Dextran - 40 Injection, Muffle Furnace, 15w - 40 Diesel Engine Oil, Flexible Cystoscope, Triazophos 40%EC as per IS:14937, Cotton Towelling and Towels (V2) as per IS 7056, WELDING ELECTRODE - Solid wire for TIG welding (BEML) - as per C4012 BEML Welding Electrode, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Cryogenic Flexible Hose, Flexible Jaw Coupling</p> <p>Searched String: Plug and socket boards enclosure with 3 pole and earth plug and socket with MCB TP 20 Amps</p> <p>Fume Hood (FSSAI), Plug and Socket Distribution Board</p> <p>Searched String: Plug and socket boards SPN enclosure with 2 pole and earth plug and socket with MCB SP 20 Amps</p> <p>Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Plug and Socket Distribution Board</p> <p>Searched String: Power connector type ML 16 Amp</p> <p>Circuit Breakers with Integral Overcurrent Protection (RCBO) as per IS 12640 (Part 2) IEC 61009 - 1, Connector Mounting Hardware - Multi Plug, PVC Insulated Unsheathed Cable with</p> |

| Bid Details/बिड विवरण | Flexible Conductor as per IS 694 |
|--|---|
| <p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p> | <p>Searched String: SS Combination multi pin piono type 15 or 16 amps</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: SS Combination multi pin piono type 6 or 16 amps</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Socket flush P type 6 pin 15 or 16 amp modular</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Socket flush P type 6 pin 6 or 16 amp modular</p> <p>Saw Blades or Hacksaw Blades as per IS 2594</p> <p>Searched String: Strainghth through cable joint kit suitable for 1100 V cable epoxoy type of size 95 sqmm 3.5 core</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Strainghth through cable joint kit suitable for 1100 V cable epoxoy type of size 120 to 150 sqmm 3.5 core</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Strainghth through cable joint kit suitable for 1100 V cable epoxoy type of size 120 to 185 sqmm 3.0 core</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Strainghth through cable joint kit suitable for 1100 V cable epoxoy type of size 185 to 240 sqmm 3.5 core</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Strainghth through cable joint kit suitable for 1100 V cable epoxoy type of size 50 sqmm 3.5 core</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Strainghth through cable joint kit suitable for 1100 V cable epoxoy type of size 70 sqmm 3.5 core</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: End termination cable joint kit suitable</p> |

| Bid Details/As per | for 11000 V cable Heat Shrink type of size 70 to 95 Sqmm 3.0 Core |
|--------------------|--|
| | <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: End termination cable joint kit suitable for 11000 V cable Heat Shrink type of size 95 to 140 Sqmm 3.0 Core</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Switch board boxes Eight Moudules</p> <p>modular electrical enclosure switch board boxes for modular type accessories, Marshalling boxes For Switchyard of 66KV Substations (PSPCL), Wooden Furniture from Hoshiarpur - ODOP, Card Board Box for Bio - Medical Waste Collection, File/Folder (V3)</p> <p>Searched String: Switch board boxes Eighteen Moudules</p> <p>modular electrical enclosure switch board boxes for modular type accessories, Marshalling boxes For Switchyard of 66KV Substations (PSPCL), Wooden Furniture from Hoshiarpur - ODOP, Card Board Box for Bio - Medical Waste Collection, File/Folder (V3)</p> <p>Searched String: Switch board boxes four Modules</p> <p>modular electrical enclosure switch board boxes for modular type accessories, Marshalling boxes For Switchyard of 66KV Substations (PSPCL), Wooden Furniture from Hoshiarpur - ODOP, Card Board Box for Bio - Medical Waste Collection, File/Folder (V3), Wooden Podium, Out Board Motor for Rescue Boats (Marine propellers), Corrugated Boxes</p> <p>Searched String: Switch board boxes one Moudules</p> <p>modular electrical enclosure switch board boxes for modular type accessories, All In One Board Book (Preschool Kit), 12 In One Board Book (Preschool Kit), Card Board Box for Bio - Medical Waste Collection, Marshalling boxes For Switchyard of 66KV Substations (PSPCL), File/Folder (V3), Wooden Furniture from Hoshiarpur - ODOP, Modular Extendable Conference Table (V2), Porta Cabin (Cement Fiber Board), Corrugated Boxes</p> <p>Searched String: Switch board boxes six Moudules</p> <p>modular electrical enclosure switch board boxes for modular type accessories, Marshalling boxes For Switchyard of 66KV Substations (PSPCL), Wooden Furniture from Hoshiarpur - ODOP, Card Board Box for Bio - Medical Waste Collection, File/Folder (V3)</p> <p>Searched String: Switch board boxes three Module</p> <p>Single switch IGBT Module, modular electrical enclosure switch board boxes for modular type accessories, Marshalling boxes For Switchyard of 66KV Substations (PSPCL), Wooden Podium, Wooden Furniture from Hoshiarpur - ODOP, Card Board Box for Bio - Medical Waste Collection, Wooden Book Case, File/Folder (V3), Corrugated Boxes, Foot Rest</p> |

| Bid Details/As per | Searched String: Switch board boxes Twelve Modules |
|--------------------|--|
| | <p>modular electrical enclosure switch board boxes for modular type accessories, Marshalling boxes For Switchyard of 66KV Substations (PSPCL), Wooden Furniture from Hoshiarpur - ODOP, Card Board Box for Bio - Medical Waste Collection, File/Folder (V3)</p> <p>Searched String: Switch board boxes Two Modules</p> <p>modular electrical enclosure switch board boxes for modular type accessories, Marshalling boxes For Switchyard of 66KV Substations (PSPCL), Wooden Furniture from Hoshiarpur - ODOP, Card Board Box for Bio - Medical Waste Collection, File/Folder (V3), Corrugated Boxes, Out Board Motor for Rescue Boats (Marine propellers)</p> <p>Searched String: Switch one way 15/16 Amp Modular</p> <p>Modular Piano Type Domestic Electrical Switches as per IS 3854, Cellophane paper, Electrical Box Extension (V3), Switching Power Supply for Wireless Application</p> <p>Searched String: Switch one way 5/6 Amp Modular</p> <p>Modular Piano Type Domestic Electrical Switches as per IS 3854, Cellophane paper, Electrical Box Extension (V3)</p> <p>Searched String: Switch piano type 5/6 Amp</p> <p>Modular Piano Type Domestic Electrical Switches as per IS 3854, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Piano Type Modular Domestic Electrical sockets - IS 1293, modular electrical enclosure switch board boxes for modular type accessories, Non - Modular Piano Type Domestic Electrical Switches as per IS 3854, Piano Type Modular Domestic Fan Regulator as per IS 11037, Piano Type Non Modular Domestic Fan Regulator as per IS 11037, Piano Type Non Modular Domestic Electrical sockets - IS 1293, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Moderate Heat Duty Fireclay Refractories, Group A as per IS 6</p> <p>Searched String: LED Downlighter 12 watt</p> <p>Watt Meter - Analog (Panel Meter) as per IS 1248:2003, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), White - LED Based Solar Street Lighting System, Inspection Lamp, Hand Held Search Light, LED Luminaire (Recessed Luminaire) (V3) Conforming to IS 10322 (Part 5/Section 2), LED Batten, LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5), Desktop Calculator - Electronics, LED Tube Light (Retrofit Type)</p> <p>Searched String: Socket one way 15/16 amp Modular</p> <p>Electrical Box Extension (V3)</p> <p>Searched String: Socket one way 5/6 Amp Modular</p> <p>Electrical Box Extension (V3)</p> <p>Searched String: Switch P/Type 15/16 Amps</p> <p>limit switch(NPCIL), Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293,</p> |

| | |
|---|---|
| | Bid Details/बिड विवरण |
| | Fume Hood (ESSAI), modular electrical enclosure switch board boxes for modular type accessories, Hand Held Search Light, Modular Piano Type Domestic Electrical Switches as per IS 3854, Cellophane paper, Lead Acid Batteries - Plante Type as per IS 1652:1991, Recirculating chiller, Non - Modular Piano Type Domestic Electrical Switches as per IS 3854 |
| अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification | <ul style="list-style-type: none"> modular electrical enclosure switch board boxes for modular type accessories |
| BOQ Title/बीओक्यू शीर्षक | MISC ITEMS |
| Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) | 16 Lakh (s) |
| OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का) | 7 Lakh (s) |
| Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष | 3 Year (s) |
| MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है | Yes |
| Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है | Yes |
| Document required from seller/विक्रेता से मांगे गए दस्तावेज़ | Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| Do you want to show documents uploaded by bidders to all bidders participated in bid?/ | Yes |
| Past Performance/विगत प्रदर्शन | 50 % |
| Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया | Yes |
| RA Qualification Rule | H1-Highest Priced Bid Elimination |
| Type of Bid/बिड का प्रकार | Two Packet Bid |
| Primary product category | Power connector type ML 16 Amp |
| Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय | 2 Days |
| Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM) | No |

| Bid Details/बिड विवरण | |
|------------------------------------|-----------------------------|
| Evaluation Method/मूल्यांकन पद्धति | Total value wise evaluation |
| Arbitration Clause | No |
| Mediation Clause | No |

EMD Detail/ईएमडी विवरण

| | |
|-----------------------------|---------------------|
| Advisory Bank/एडवाइजरी बैंक | State Bank of India |
| EMD Amount/ईएमडी राशि | 108000 |

ePBG Detail/ईपीबीजी विवरण

| | |
|--|---------------------|
| Advisory Bank/एडवाइजरी बैंक | State Bank of India |
| ePBG Percentage(%) / ईपीबीजी प्रतिशत (%) | 5.00 |
| Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने). | 14 |

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

Chief Engineer
Chief Engineer AIR FORCE NAGPUR ZONE, Department of Military Affairs, Indian Army, Ministry of Defence
(Chief Engineer Af Nagpur)

MII Purchase Preference/एमआईआई खरीद वरीयता

| | |
|--|-----|
| MII Purchase Preference/एमआईआई खरीद वरीयता | Yes |
|--|-----|

MSE Purchase Preference/एमएसई खरीद वरीयता

| | |
|---|-----|
| MSE Purchase Preference/एमएसई खरीद वरीयता | Yes |
|---|-----|

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be

exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

6. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

7. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and

for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

10. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- If number of technically qualified bidders are only 2 or 3.
- If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Lid With Thread For PVC Water Tank 1000 Ltr

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--------------|-----------------|------------------------------|
| 1 | ***** | *****GURGAON | 140 | 15 |

Lid With Thread For PVC Water Tank 500 Ltr

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--------------------|------------------------|-------------------------------------|
| 1 | ***** | *****GURGAON | 130 | 15 |

Change Over Switch On Load In Sheet Metal Enclosure 415 Vots With Side Handle Opration 100 Amps 4 Pole

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--------------------|------------------------|-------------------------------------|
| 1 | ***** | *****GURGAON | 7 | 15 |

Change Over Switch On Load In Sheet Metal Enclosure 415 Vots With Side Handle Opration 200 Amps 4 Pole

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--------------------|------------------------|-------------------------------------|
| 1 | ***** | *****GURGAON | 5 | 15 |

**Change Over Switch On Load In Sheet Metal Enclosure 415 Vots With Side Handle
Operation 400 Amps 4 Pole**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--------------|-----------------|------------------------------|
| 1 | ***** | *****GURGAON | 3 | 15 |

Decorative Wall Light 15 Watt

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--------------|-----------------|------------------------------|
| 1 | ***** | *****GURGAON | 60 | 15 |

Flexible Wire 23 Or 76

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--------------|-----------------|------------------------------|
| 1 | ***** | *****GURGAON | 720 | 15 |

Flexible Wire 40 Or 76

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--------------|-----------------|------------------------------|
| 1 | ***** | *****GURGAON | 720 | 15 |

Plug And Socket Boards Enclosure With 3 Pole And Earth Plug And Socket With MCB TP 20 Amps

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--------------|-----------------|------------------------------|
| 1 | ***** | *****GURGAON | 15 | 15 |

Plug And Socket Boards SPN Enclosure With 2 Pole And Earth Plug And Socket With MCB SP 20 Amps

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--------------|-----------------|------------------------------|
| 1 | ***** | *****GURGAON | 35 | 15 |

Power Connector Type ML 16 Amp

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--------------|-----------------|------------------------------|
| 1 | ***** | *****GURGAON | 9 | 15 |

SS Combination Multi Pin Piono Type 15 Or 16 Amps

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--------------|-----------------|------------------------------|
| 1 | ***** | *****GURGAON | 134 | 15 |

SS Combination Multi Pin Piono Type 6 Or 16 Amps

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
|------------------------|---------------------------|

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--------------|-----------------|------------------------------|
| 1 | ***** | *****GURGAON | 98 | 15 |

Socket Flush P Type 6 Pin 15 Or 16 Amp Modular

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--------------|-----------------|------------------------------|
| 1 | ***** | *****GURGAON | 238 | 15 |

Socket Flush P Type 6 Pin 6 Or 16 Amp Modular

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--------------------|------------------------|-------------------------------------|
| 1 | ***** | *****GURGAON | 157 | 15 |

Strainghth Through Cable Joint Kit Suitable For 1100 V Cable Epoxy Type Of Size 95 Sqmm 3.5 Core

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--------------------|------------------------|-------------------------------------|
| 1 | ***** | *****GURGAON | 15 | 15 |

Strainghth Through Cable Joint Kit Suitable For 1100 V Cable Epoxy Type Of Size 120 To 150 Sqmm 3.5 Core

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--------------------|------------------------|-------------------------------------|
| 1 | ***** | *****GURGAON | 17 | 15 |

Strainghth Through Cable Joint Kit Suitable For 1100 V Cable Epoxy Type Of Size 120 To 185 Sqmm 3.0 Core

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--------------|-----------------|------------------------------|
| 1 | ***** | *****GURGAON | 18 | 15 |

Strainghth Through Cable Joint Kit Suitable For 1100 V Cable Epxoy Type Of Size 185 To 240 Sqmm 3.5 Core

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--------------|-----------------|------------------------------|
| 1 | ***** | *****GURGAON | 9 | 15 |

Strainghth Through Cable Joint Kit Suitable For 1100 V Cable Epxoy Type Of Size 50 Sqmm 3.5 Core

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--------------|-----------------|------------------------------|
| 1 | ***** | *****GURGAON | 15 | 15 |

Strainghth Through Cable Joint Kit Suitable For 1100 V Cable Epxoy Type Of Size 70 Sqmm 3.5 Core

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--------------|-----------------|------------------------------|
| 1 | ***** | *****GURGAON | 3 | 15 |

End Termination Cable Joint Kit Suitable For 11000 V Cable Heat Shrink Type Of Size 70 To 95 Sqmm 3.0 Core

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--------------|-----------------|------------------------------|
| 1 | ***** | *****GURGAON | 6 | 15 |

End Termination Cable Joint Kit Suitable For 11000 V Cable Heat Shrink Type Of Size 95 To 140 Sqmm 3.0 Core

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--------------|-----------------|------------------------------|
| 1 | ***** | *****GURGAON | 6 | 15 |

Switch Board Boxes Eight Moudules

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
|------------------------|---------------------------|

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--------------|-----------------|------------------------------|
| 1 | ***** | *****GURGAON | 124 | 15 |

Switch Board Boxes Eighteen Moudules

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--------------|-----------------|------------------------------|
| 1 | ***** | *****GURGAON | 150 | 15 |

Switch Board Boxes Four Modules

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--------------------|------------------------|-------------------------------------|
| 1 | ***** | *****GURGAON | 70 | 15 |

Switch Board Boxes One Moudules

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--------------------|------------------------|-------------------------------------|
| 1 | ***** | *****GURGAON | 100 | 15 |

Switch Board Boxes Six Moudules

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--------------------|------------------------|-------------------------------------|
| 1 | ***** | *****GURGAON | 150 | 15 |

Switch Board Boxes Three Modules

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--------------------|------------------------|-------------------------------------|
| 1 | ***** | *****GURGAON | 100 | 15 |

Switch Board Boxes Twelve Modules

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--------------------|------------------------|-------------------------------------|
| 1 | ***** | *****GURGAON | 100 | 15 |

Switch Board Boxes Two Modules

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|-----------------------|--|--------------------|------------------------|-------------------------------------|
| | | | | |

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--------------|-----------------|------------------------------|
| 1 | ***** | *****GURGAON | 100 | 15 |

Switch One Way 15 Or 16 Amp Modular

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--------------|-----------------|------------------------------|
| 1 | ***** | *****GURGAON | 300 | 15 |

Switch One Way 5 Or 6 Amp Modular

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--------------|-----------------|------------------------------|
| 1 | ***** | *****GURGAON | 100 | 15 |

Switch Piano Type 5 Or 6 Amp

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--------------|-----------------|------------------------------|
| 1 | ***** | *****GURGAON | 123 | 15 |

LED Downlighter 12 Watt

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--------------|-----------------|------------------------------|
| 1 | ***** | *****GURGAON | 40 | 15 |

Socket One Way 15 Or 16 Amp Modular

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--------------|-----------------|------------------------------|
| 1 | ***** | *****GURGAON | 314 | 15 |

Socket One Way 5 Or 6 Amp Modular

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--------------|-----------------|------------------------------|
| 1 | ***** | *****GURGAON | 385 | 15 |

Switch P Type 15 Or 16 Amps

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--------------|-----------------|------------------------------|
| 1 | ***** | *****GURGAON | 600 | 15 |

Pidilite URP 301

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--------------|-----------------|------------------------------|
| 1 | ***** | *****GURGAON | 909 | 15 |

Pidilite Pidifin 2K

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--------------|-----------------|------------------------------|
| 1 | ***** | *****GURGAON | 5000 | 15 |

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to

increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Generic

After award of contract – Successful Bidder shall have to get Detailed Design Drawings approved from buyer before starting fabrication. Successful Bidder shall submit Detailed Design Drawings for Buyer's approval, within 5 days of award of contract. Buyer shall, either approve the drawings or will provide complete list of modification required in the drawings within 5 days. Seller shall be required to ensure supply as per approved Drawings with modifications as communicated by Buyer. If there is delay from buyer side in approval of drawing– the delivery period shall be refixed without LD for the period of delay in approval of Drawing.

3. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

4. Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

5. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

6. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

7. Certificates

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

8. Certificates

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

9. Certificates

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

10. Sample Clause

After award of contract – Successful Bidder shall have to get advance sample approved from buyer before bulk manufacturing / starting bulk supplies. Successful Bidder shall submit

5

samples for Buyer's approval, within 5 days of award of contract. Buyer shall, as per contract specifications framework, either approve the advance sample or will provide complete list of modification required in the sample within 5 days of receipt of advance sample. Seller shall be required to ensure supply as per approved sample with modifications as communicated by Buyer. If there is delay from buyer side in approval of advance sample – the delivery period shall be refixed without LD for the period of delay in sample approval. In case, the sample is found to have major deviations / not conforming to the Contract specifications, the buyer at its discretion may call for fresh samples for approval before allowing bulk supplies or may terminate the contract after notifying the deviations to the seller.

Unless otherwise provided in the contract, all samples required for test shall be supplied by the contractor free of cost. Where under the contract, the contractor is required to submit an advance sample, any expenses incurred by the contractor on or in connection with the production of stores in bulk, before the sample has been approved unconditionally shall be borne by the Seller and he shall not claim any compensation in the event of such sample being found unacceptable by the Buyer / Consignee.

11. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard. 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC. 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it. 4. Creating BoQ bid for single item. 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name. 6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders. 7. Floating / creation of work contracts as Custom Bids in Services. 8. Seeking sample with bid or approval 43 / 45 of samples during bid evaluation process. (However, in bids for attached categories, trials are allowed as per approved procurement policy of the buyer nodal Ministries) 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards. 46 / 47 10. Seeking experience from specific organization / department / institute only or from foreign / export experience. 11. Creating bid for items from irrelevant categories. 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy. 13. Reference of conditions published on any external site or reference to external documents/clauses. 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be

.

12. **Forms of EMD and PBG**

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

HQ CHIEF ENGINEER (AF) NAGPUR

payable at

CHIEF ENGINEER (AF) NAGPUR

.

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

13. **Forms of EMD and PBG**

Bidders can also submit the EMD with Banker's Cheque in favour of

CHIEF ENGINEER (AF) NAGPUR

payable at

CHIEF ENGINEER (AF) NAGPUR

.

Bidder has to upload scanned copy / proof of the BC along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

14. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also

(besides PBG which is allowed as per GeM GTC). DD should be made in favour of

CHIEF ENGINEER (AF) NAGPUR

payable at

CHIEF ENGINEER (AF) NAGPUR

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action

in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

---Thank You/धन्यवाद---