

### Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	07-06-2025 13:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	07-06-2025 13:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	120 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Defence
Department Name/विभाग का नाम	Department Of Military Affairs
Organisation Name/संगठन का नाम	Indian Navy
Office Name/कार्यालय का नाम	*****
क्रेता ईमेल/Buyer Email	saksheegaur.112017@navy.gov.in
Total Quantity/कुल मात्रा	9
Item Category/मद केटेगरी	Mobile Storage Compactors (Q3)
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	10 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	2 Year (s)
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	Yes

Bid Details/बिड विवरण	
Past Performance/विगत प्रदर्शन	40 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Mobile Storage Compactors
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Arbitration Clause	No
Mediation Clause	No

#### EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	120000

#### ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	3.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	14

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

#### Beneficiary/लाभार्थी :

IDAS  
CDA IDAS New Delhi  
(Cda)

**MII Purchase Preference/एमआईआई खरीद वरीयता**

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

**MSE Purchase Preference/एमएसई खरीद वरीयता**

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover, shall upload the supporting documents to prove his eligibility for exemption.
3. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.
4. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover shall upload the supporting documents to prove his eligibility for exemption.
5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
7. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.  
[OM\\_No.1\\_4\\_2021\\_PPD\\_dated\\_18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
8. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and

its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

9. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

10. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 40% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

### **Mobile Storage Compactors ( 1 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

#### **Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	<b>Category Note</b>	Compactors i.e. Mobile / Movable Storage Systems of configuration as per detailed specifications. One quantity / piece of offered configuration include specified / offered number of Rows of Single Faced Fixed end unit, Single Faced Movable end Unit and double sided / double faced movable Dual unit covering all bays. Prices quoted are for the entire solution comprising of end units and specified numbers of movable units and the corresponding quantities of Rails, Drive Mechanisms and all other components necessary to make the Compactor / Mobile Storage System operational. The price includes the cost of installation and commissioning of the entire unit at consignee site (excluding the cost of Civil Work which would be got done by the Consignee at his own cost as per design and layout plan provided by the seller).

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Number of Bays (One bay represents one storage almirah / body in one row - Please see representative layout diagram for understanding) (=A)	1-Bay
	Type of Drive	Push Pull Type
	Number of Single Faced Fixed / Static Rows (=B) (Units / Cabinets open at one side (with or without doors) and closed on other side - covering all bays) - (Please see representative layout diagram for understanding)	1
	Number of Single Faced Movable Rows (=C) (Units / Cabinet open at one side (with or without doors) and closed on other side covering all bays) (Please see representative layout diagram for understanding)	1
	Number of Double Faced / Dual / Twin Movable Rows (= D) (open on both sides (with or without doors) covering all bays) (Total number of available Bodies /Almirahs = $A \times (B + C + 2D)$ )	3
	Number of Shelves in Each Almirah / Body of the single faced fixed / static bodies	4 Shelves/5 Compartments
	Number of Shelves in Each Almirah / Body of the double faced movable bodies	4 Shelves/5 Compartments
	Number of Shelves in Each Almirah / Body of the single faced movable bodies	4 Shelves/5 Compartments
	Load Carrying Capacity of Each Shelf of the single faced fixed / static bodies in Kg	80 kg
	Load Carrying Capacity of Each Shelf of the Movable bodies in Kg	60 kg
	Load bearing capacity of under structure and base frame	600 Kg

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Wheels / Bearings - Every Base frame fitted with (The bearing used should be heavy duty - self aligning</b>	Anti frictional ball bearing
	<b>Number of pairs of Wheels in Every Base frame</b>	1
	<b>Minimum number of pairs of Bearings in Every Base frame</b>	1
	<b>Drive cover included on Body</b>	NO
	<b>Stud</b>	N.A
GUIDE RAIL	<b>Number of guide rail rows</b>	2
	<b>Number of 915 mm Rail Pieces per Rail Row</b>	0
	<b>Number of 1830 mm Rails Pieces per Rail Row</b>	1
	<b>Number of 2745 mm Rails Pieces per Rail Row</b>	1
DOORS and LOCKING	<b>Separate door lock for each section</b>	NO
MATERIAL	<b>M S Sheet Thickness of the Cabinet Body (mm)</b>	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	<b>M S Sheet Thickness of the Shelf Panels (mm)</b>	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	<b>M S Sheet Thickness of the Door Panels (mm)</b>	N.A.
	<b>Height of base frame <math>\pm 2</math>(mm)</b>	65 mm
	<b>Height of track and moving clearance <math>\pm 2</math>(mm)</b>	35 mm
	<b>Material of Stud</b>	NA
	<b>Material of 'C' Channel</b>	H R Sheet 3.15MM thick confmg. to IS:1079/Latest
	<b>Drive cover material</b>	No Cover
	<b>Number of Folds in Shelf Panels</b>	10 Nos.
DIMENSION	<b>Overall Height of the Cabinet from the ground in mm <math>\pm 20</math> (mm)</b>	2080 mm
	<b>Depth of the single faced fixed / static bodies Cabinet <math>\pm 10</math>(mm)</b>	450 mm

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Depth of the single faced movable bodies Cabinet $\pm 10(\text{mm})$	450 mm
	Depth of the movable bodies Cabinet $\pm 10(\text{mm})$	915 mm
	Width of the single faced fixed / static bodies Cabinet in mm ( $\pm 5 \text{ mm}$ ) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays	915 mm
	Width of the movable bodies Cabinet in mm ( $\pm 5 \text{ mm}$ ) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays	915 mm
PAINT	Paint	Powder Coating
WARRANTY	Warranty Period IN NUMBER OF YEARS	1 - Year

#### Additional Specification Documents/अतिरिक्त विशिष्टि दस्तावेज़

Applicable Drawing Document	<a href="#">View</a>
-----------------------------	----------------------

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Andaman	1	45

#### Mobile Storage Compactors ( 4 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	<b>Category Note</b>	Compactors i.e. Mobile / Movable Storage Systems of configuration as per detailed specifications. One quantity / piece of offered configuration include specified / offered number of Rows of Single Faced Fixed end unit, Single Faced Movable end Unit and double sided / double faced movable Dual unit covering all bays. Prices quoted are for the entire solution comprising of end units and specified numbers of movable units and the corresponding quantities of Rails, Drive Mechanisms and all other components necessary to make the Compactor / Mobile Storage System operational. The price includes the cost of installation and commissioning of the entire unit at consignee site (excluding the cost of Civil Work which would be got done by the Consignee at his own cost as per design and layout plan provided by the seller).
	<b>Number of Bays (One bay represents one storage almirah / body in one row - Please see representative layout diagram for understanding) (=A)</b>	1-Bay
	<b>Type of Drive</b>	Mechanized Drive Type
	<b>Number of Single Faced Fixed / Static Rows (=B) (Units / Cabinets open at one side (with or without doors) and closed on other side - covering all bays) - (Please see representative layout diagram for understanding)</b>	1
	<b>Number of Single Faced Movable Rows (=C) (Units / Cabinet open at one side (with or without doors) and closed on other side covering all bays) (Please see representative layout diagram for understanding)</b>	1
	<b>Number of Double Faced / Dual / Twin Movable Rows (= D) (open on both sides (with or without doors) covering all bays) (Total number of available Bodies /Almirahs = A x (B + C + 2D)</b>	1
	<b>Number of Shelves in Each Almirah / Body of the single faced fixed / static bodies</b>	4 Shelves/5 Compartments



Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Number of Shelves in Each Almira / Body of the double faced movable bodies	4 Shelves/5 Compartments
	Number of Shelves in Each Almira / Body of the single faced movable bodies	4 Shelves/5 Compartments
	Load Carrying Capacity of Each Shelf of the single faced fixed / static bodies in Kg	80 kg
	Load Carrying Capacity of Each Shelf of the Movable bodies in Kg	80 kg
	Load bearing capacity of under structure and base frame	5000 Kg
	Wheels / Bearings - Every Base frame fitted with (The bearing used should be heavy duty - self aligning	MS wheels
	Number of pairs of Wheels in Every Base frame	2
	Minimum number of pairs of Bearings in Every Base frame	2
	Drive cover included on Body	YES
	Stud	Main and add on construction
GUIDE RAIL	Number of guide rail rows	2
	Number of 915 mm Rail Pieces per Rail Row	1
	Number of 1830 mm Rails Pieces per Rail Row	1
	Number of 2745 mm Rails Pieces per Rail Row	1
DOORS and LOCKING	Separate door lock for each section	YES
MATERIAL	M S Sheet Thickness of the Cabinet Body (mm)	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	M S Sheet Thickness of the Shelf Panels (mm)	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	M S Sheet Thickness of the Door Panels (mm)	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Height of base frame $\pm 2(\text{mm})$	100 mm
	Height of track and moving clearance $\pm 2(\text{mm})$	65 mm
	Material of Stud	Rubber stud between bodies
	Material of 'C' Channel	H R Sheet 3.15MM thick confmg. to IS:1079/Latest
	Drive cover material	0. 8 mm thick CRC sheet conforming to grade D of IS 513/2008 latest and box type construction
	Number of Folds in Shelf Panels	10 Nos.
DIMENSION	Overall Height of the Cabinet from the ground in mm $\pm 20 (\text{mm})$	2130 mm
	Depth of the single faced fixed / static bodies Cabinet $\pm 10(\text{mm})$	450 mm
	Depth of the single faced movable bodies Cabinet $\pm 10(\text{mm})$	450 mm
	Depth of the movable bodies Cabinet $\pm 10(\text{mm})$	450 mm
	Width of the single faced fixed / static bodies Cabinet in mm ( $\pm 5 \text{ mm}$ ) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays	905 mm
	Width of the movable bodies Cabinet in mm ( $\pm 5 \text{ mm}$ ) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays	905 mm
PAINT	Paint	Powder Coating
WARRANTY	Warranty Period IN NUMBER OF YEARS	2 - Years

**Additional Specification Documents/अतिरिक्त विशिष्टि दस्तावेज़**

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Andaman	4	45

**Mobile Storage Compactors ( 3 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम कटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	<b>Category Note</b>	Compactors i.e. Mobile / Movable Storage Systems of configuration as per detailed specifications. One quantity / piece of offered configuration include specified / offered number of Rows of Single Faced Fixed end unit, Single Faced Movable end Unit and double sided / double faced movable Dual unit covering all bays. Prices quoted are for the entire solution comprising of end units and specified numbers of movable units and the corresponding quantities of Rails, Drive Mechanisms and all other components necessary to make the Compactor / Mobile Storage System operational. The price includes the cost of installation and commissioning of the entire unit at consignee site (excluding the cost of Civil Work which would be got done by the Consignee at his own cost as per design and layout plan provided by the seller).
	<b>Number of Bays (One bay represents one storage almirah / body in one row - Please see representative layout diagram for understanding) (=A)</b>	1-Bay
	<b>Type of Drive</b>	Push Pull Type

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Number of Single Faced Fixed / Static Rows (=B) (Units / Cabinets open at one side (with or without doors) and closed on other side - covering all bays) - (Please see representative layout diagram for understanding)	1
	Number of Single Faced Movable Rows (=C) (Units / Cabinet open at one side (with or without doors) and closed on other side covering all bays) (Please see representative layout diagram for understanding)	1
	Number of Double Faced / Dual / Twin Movable Rows (= D) (open on both sides (with or without doors) covering all bays) (Total number of available Bodies /Almirahs = A x (B + C + 2D)	2
	Number of Shelves in Each Almirah / Body of the single faced fixed / static bodies	4 Shelves/5 Compartments
	Number of Shelves in Each Almirah / Body of the double faced movable bodies	4 Shelves/5 Compartments
	Number of Shelves in Each Almirah / Body of the single faced movable bodies	4 Shelves/5 Compartments
	Load Carrying Capacity of Each Shelf of the single faced fixed / static bodies in Kg	70 kg
	Load Carrying Capacity of Each Shelf of the Movable bodies in Kg	70 kg
	Load bearing capacity of under structure and base frame	3000 Kg
	Wheels / Bearings - Every Base frame fitted with (The bearing used should be heavy duty - self aligning	Anti frictional ball bearing
	Number of pairs of Wheels in Every Base frame	2

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Minimum number of pairs of Bearings in Every Base frame	2
	Drive cover included on Body	NO
	Stud	Main and add on construction
GUIDE RAIL	Number of guide rail rows	2
	Number of 915 mm Rail Pieces per Rail Row	2
	Number of 1830 mm Rails Pieces per Rail Row	1
	Number of 2745 mm Rails Pieces per Rail Row	0
DOORS and LOCKING	Separate door lock for each section	NO
MATERIAL	M S Sheet Thickness of the Cabinet Body (mm)	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	M S Sheet Thickness of the Shelf Panels (mm)	1.0 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	M S Sheet Thickness of the Door Panels (mm)	0.8 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146
	Height of base frame $\pm 2$ (mm)	75 mm
	Height of track and moving clearance $\pm 2$ (mm)	45 mm
	Material of Stud	Rubber stud between bodies
	Material of 'C' Channel	H R Sheet 3.15MM thick confmg. to IS:2062/Latest
	Drive cover material	No Cover
	Number of Folds in Shelf Panels	10 Nos.
DIMENSION	Overall Height of the Cabinet from the ground in mm $\pm 20$ (mm)	1725 mm
	Depth of the single faced fixed / static bodies Cabinet $\pm 10$ (mm)	450 mm
	Depth of the single faced movable bodies Cabinet $\pm 10$ (mm)	450 mm
	Depth of the movable bodies Cabinet $\pm 10$ (mm)	915 mm

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Width of the single faced fixed / static bodies Cabinet in mm ( $\pm 5$ mm) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays	915 mm
	Width of the movable bodies Cabinet in mm ( $\pm 5$ mm) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays	915 mm
PAINT	Paint	Powder Coating
WARRANTY	Warranty Period IN NUMBER OF YEARS	2 - Years

#### Additional Specification Documents/अतिरिक्त विशिष्टि दस्तावेज़

Applicable Drawing Document	<a href="#">View</a>
-----------------------------	----------------------

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Andaman	3	45

#### Mobile Storage Compactors ( 1 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	<b>Category Note</b>	Compactors i.e. Mobile / Movable Storage Systems of configuration as per detailed specifications. One quantity / piece of offered configuration include specified / offered number of Rows of Single Faced Fixed end unit, Single Faced Movable end Unit and double sided / double faced movable Dual unit covering all bays. Prices quoted are for the entire solution comprising of end units and specified numbers of movable units and the corresponding quantities of Rails, Drive Mechanisms and all other components necessary to make the Compactor / Mobile Storage System operational. The price includes the cost of installation and commissioning of the entire unit at consignee site (excluding the cost of Civil Work which would be got done by the Consignee at his own cost as per design and layout plan provided by the seller).
	<b>Number of Bays (One bay represents one storage almirah / body in one row - Please see representative layout diagram for understanding) (=A)</b>	1-Bay
	<b>Type of Drive</b>	Mechanized Drive Type
	<b>Number of Single Faced Fixed / Static Rows (=B) (Units / Cabinets open at one side (with or without doors) and closed on other side - covering all bays) - (Please see representative layout diagram for understanding)</b>	1
	<b>Number of Single Faced Movable Rows (=C) (Units / Cabinet open at one side (with or without doors) and closed on other side covering all bays) (Please see representative layout diagram for understanding)</b>	1
	<b>Number of Double Faced / Dual / Twin Movable Rows (= D) (open on both sides (with or without doors) covering all bays) (Total number of available Bodies /Almirahs = <math>A \times (B + C + 2D)</math>)</b>	1
	<b>Number of Shelves in Each Almirah / Body of the single faced fixed / static bodies</b>	5 Shelves/6 Compartments

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Number of Shelves in Each Almira / Body of the double faced movable bodies	5 Shelves/6 Compartments
	Number of Shelves in Each Almira / Body of the single faced movable bodies	5 Shelves/6 Compartments
	Load Carrying Capacity of Each Shelf of the single faced fixed / static bodies in Kg	60 kg
	Load Carrying Capacity of Each Shelf of the Movable bodies in Kg	60 kg
	Load bearing capacity of under structure and base frame	1200 Kg
	Wheels / Bearings - Every Base frame fitted with (The bearing used should be heavy duty - self aligning	MS wheels
	Number of pairs of Wheels in Every Base frame	1
	Minimum number of pairs of Bearings in Every Base frame	1
	Drive cover included on Body	YES
	Stud	Main only
GUIDE RAIL	Number of guide rail rows	2
	Number of 915 mm Rail Pieces per Rail Row	3
	Number of 1830 mm Rails Pieces per Rail Row	0
	Number of 2745 mm Rails Pieces per Rail Row	0
DOORS and LOCKING	Separate door lock for each section	YES
MATERIAL	M S Sheet Thickness of the Cabinet Body (mm)	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	M S Sheet Thickness of the Shelf Panels (mm)	1.0 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	M S Sheet Thickness of the Door Panels (mm)	1.0 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest



Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Height of base frame $\pm 2(\text{mm})$	100 mm
	Height of track and moving clearance $\pm 2(\text{mm})$	45 mm
	Material of Stud	PVC stud between bodies
	Material of 'C' Channel	H R Sheet 3.15MM thick confmg. to IS:1079/Latest
	Drive cover material	1MM thick CRCA confmg. to IS:513/Latest and box type construction
	Number of Folds in Shelf Panels	8 Nos.
DIMENSION	Overall Height of the Cabinet from the ground in mm $\pm 20 (\text{mm})$	2180 mm
	Depth of the single faced fixed / static bodies Cabinet $\pm 10(\text{mm})$	450 mm
	Depth of the single faced movable bodies Cabinet $\pm 10(\text{mm})$	450 mm
	Depth of the movable bodies Cabinet $\pm 10(\text{mm})$	915 mm
	Width of the single faced fixed / static bodies Cabinet in mm ( $\pm 5 \text{ mm}$ ) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays	905 mm
	Width of the movable bodies Cabinet in mm ( $\pm 5 \text{ mm}$ ) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays	905 mm
PAINT	Paint	Powder Coated with fire retardant epoxy polyester powder
WARRANTY	Warranty Period IN NUMBER OF YEARS	5 - Years

Additional Specification Documents/अतिरिक्त विशिष्टि दस्तावेज़

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****South Andaman	1	45

**Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें****1. Generic**

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

The Commanding Officer  
INS Utkrosh  
C/o Navy Office  
Sri Vijaya Puram 744112  
Andaman and Nicobar  
.

**2. Generic**

**Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

**3. Generic**

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 3 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

**4. Generic**

**NON DISCLOSURE DECLARATION CERTIFICATE (On Bidder Letter Head) to be uploaded with bid:**

1. I M/s.

Firm Name

hereby declare that I shall not disclose the contract or any provision, specification, plan, design, pattern, sample or information thereof to any third party during and after expiry of Contract.

2. If defying the norms as per the Contract a legal action may be taken against me as per the existing Rules.

**5. Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

**6. Service & Support**

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

## 7. Service & Support

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

## 8. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Bidder are required to upload technical specification as per buyer ATC.

Bidder must upload material quality of product.

.

## 9. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

## Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase

Preference sections of the bid, unless otherwise allowed by GeM GTC.

16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.**

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

**---Thank You/धन्यवाद---**