

**Bid Document/ बिड दस्तावेज़**

Bid Details/बिड विवरण	
<b>Bid End Date/Time/बिड बंद होने की तारीख/समय</b>	26-05-2025 14:00:00
<b>Bid Opening Date/Time/बिड खुलने की तारीख/समय</b>	26-05-2025 14:30:00
<b>Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)</b>	120 (Days)
<b>Ministry/State Name/मंत्रालय/राज्य का नाम</b>	Ministry Of Defence
<b>Department Name/विभाग का नाम</b>	Department Of Military Affairs
<b>Organisation Name/संगठन का नाम</b>	Indian Air Force
<b>Office Name/कार्यालय का नाम</b>	*****
<b>क्रेता ईमेल/Buyer Email</b>	buyer56.iaf.wb@gembuyer.in
<b>Total Quantity/कुल मात्रा</b>	495
<b>Item Category/मद केटेगरी</b>	Flaps for Automotive Vehicles Pneumatic Tyres and Tubes as per IS 9168 (Latest) (Q3) , Automotive Vehicles - Pneumatic Tyres for 2 and 3 Wheeled Motor Vehicles, Quadricycles and E-Rickshaw / E-Carts as per IS 15627 (Q2) , Automotive Vehicles - Pneumatic Tyres for Commercial Vehicles - Diagonal and Radial Ply as per IS 15636 (Q2) , Automotive Vehicles - Pneumatic Tyres for Passenger Car Vehicles - Diagonal and Radial Ply as per IS 15633 (Q2) , Automotive Vehicles - Tubes for Pneumatic Tyres (V2) as per IS 13098 (Q2)
<b>MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट</b>	No
<b>Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट</b>	No
<b>Document required from seller/विक्रेता से मांगे गए दस्तावेज़</b>	Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
<b>Do you want to show documents uploaded by bidders to all bidders participated in bid?/</b>	No
<b>Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया</b>	Yes
<b>RA Qualification Rule</b>	H1-Highest Priced Bid Elimination

Bid Details/बिड विवरण	
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Automotive Vehicles - Pneumatic Tyres for 2 and 3 Wheeled Motor Vehicles, Quadricycles and E-Rickshaw / E-Carts as per IS 15627
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Item wise evaluation/
Arbitration Clause	No
Mediation Clause	No

#### EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
Schedule 1 EMD Amount/ईएमडी राशि (In INR)	85
Schedule 2 EMD Amount/ईएमडी राशि (In INR)	30
Schedule 3 EMD Amount/ईएमडी राशि (In INR)	22
Schedule 4 EMD Amount/ईएमडी राशि (In INR)	240
Schedule 5 EMD Amount/ईएमडी राशि (In INR)	60
Schedule 6 EMD Amount/ईएमडी राशि (In INR)	170
Schedule 7 EMD Amount/ईएमडी राशि (In INR)	1280
Schedule 8 EMD Amount/ईएमडी राशि (In INR)	1360
Schedule 9 EMD Amount/ईएमडी राशि (In INR)	2475
Schedule 10 EMD Amount/ईएमडी राशि (In INR)	82
Schedule 11 EMD Amount/ईएमडी राशि (In INR)	1680
Schedule 12 EMD Amount/ईएमडी राशि (In INR)	142
Schedule 13 EMD Amount/ईएमडी राशि (In INR)	215
Schedule 14 EMD Amount/ईएमडी राशि (In INR)	590
Schedule 15 EMD Amount/ईएमडी राशि (In INR)	155
Schedule 16 EMD Amount/ईएमडी राशि (In INR)	220

Schedule 17 EMD Amount/ईएमडी राशि (In INR)	830
Schedule 18 EMD Amount/ईएमडी राशि (In INR)	4250
Schedule 19 EMD Amount/ईएमडी राशि (In INR)	26
Schedule 20 EMD Amount/ईएमडी राशि (In INR)	55
Schedule 21 EMD Amount/ईएमडी राशि (In INR)	645
Schedule 22 EMD Amount/ईएमडी राशि (In INR)	736
Schedule 23 EMD Amount/ईएमडी राशि (In INR)	305
Schedule 24 EMD Amount/ईएमडी राशि (In INR)	40
Schedule 25 EMD Amount/ईएमडी राशि (In INR)	520
Schedule 26 EMD Amount/ईएमडी राशि (In INR)	50
Schedule 27 EMD Amount/ईएमडी राशि (In INR)	5487
Schedule 28 EMD Amount/ईएमडी राशि (In INR)	720
Schedule 29 EMD Amount/ईएमडी राशि (In INR)	90
Schedule 30 EMD Amount/ईएमडी राशि (In INR)	43
Schedule 31 EMD Amount/ईएमडी राशि (In INR)	870
Schedule 32 EMD Amount/ईएमडी राशि (In INR)	400
Schedule 33 EMD Amount/ईएमडी राशि (In INR)	2770
Schedule 34 EMD Amount/ईएमडी राशि (In INR)	25
Schedule 35 EMD Amount/ईएमडी राशि (In INR)	62
Schedule 36 EMD Amount/ईएमडी राशि (In INR)	68

#### ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	3.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	26

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के

दायरे से बाहर रखा गया है।

(b). The EMD Amount will be applicable for each schedule/group selected during Bid creation.

(c). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

**Beneficiary/लाभार्थी :**

AOC 16 WING

Indian Air Force Station Hasimara 16wg, ALIPUR DUAR WEST BENGAL-735215

(Airforce Public Fund Account)

**MII Purchase Preference/एमआईआई खरीद वरीयता**

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

**MSE Purchase Preference/एमएसई खरीद वरीयता**

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

4. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

#### **Evaluation Method ( Item Wise Evaluation Method )**

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

<b>Evaluation Schedules</b>	<b>Item/Category</b>	<b>Quantity</b>
Schedule 1	Flaps For Automotive Vehicles Pneumatic Tyres And Tubes As Per Is 9168 (latest)	17
Schedule 2	Automotive Vehicles - Pneumatic Tyres For 2 And 3 Wheeled Motor Vehicles, Quadricycles And E-rickshaw / E-carts As Per Is 15627	1
Schedule 3	Automotive Vehicles - Pneumatic Tyres For 2 And 3 Wheeled Motor Vehicles, Quadricycles And E-rickshaw / E-carts As Per Is 15627	1
Schedule 4	Automotive Vehicles - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply As Per Is 15636	2
Schedule 5	Flaps For Automotive Vehicles Pneumatic Tyres And Tubes As Per Is 9168 (latest)	10
Schedule 6	Automotive Vehicles - Pneumatic Tyres For Passenger Car Vehicles - Diagonal And Radial Ply As Per Is 15633	2
Schedule 7	Automotive Vehicles - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply As Per Is 15636	5
Schedule 8	Automotive Vehicles - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply As Per Is 15636	17
Schedule 9	Automotive Vehicles - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply As Per Is 15636	15
Schedule 10	Automotive Vehicles - Tubes For Pneumatic Tyres (v2) As Per Is 13098	5
Schedule 11	Automotive Vehicles - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply As Per Is 15636	14
Schedule 12	Automotive Vehicles - Tubes For Pneumatic Tyres (v2) As Per Is 13098	14
Schedule 13	Automotive Vehicles - Tubes For Pneumatic Tyres (v2) As Per Is 13098	17
Schedule 14	Automotive Vehicles - Tubes For Pneumatic Tyres (v2) As Per Is 13098	62
Schedule 15	Flaps For Automotive Vehicles Pneumatic Tyres And Tubes As Per Is 9168 (latest)	62
Schedule 16	Automotive Vehicles - Tubes For Pneumatic Tyres (v2) As Per Is 13098	15

Schedule 17	Automotive Vehicles - Pneumatic Tyres For Passenger Car Vehicles - Diagonal And Radial Ply As Per Is 15633	10
Schedule 18	Automotive Vehicles - Pneumatic Tyres For Passenger Car Vehicles - Diagonal And Radial Ply As Per Is 15633	50
Schedule 19	Automotive Vehicles - Tubes For Pneumatic Tyres (v2) As Per Is 13098	5
Schedule 20	Automotive Vehicles - Tubes For Pneumatic Tyres (v2) As Per Is 13098	10
Schedule 21	Automotive Vehicles - Pneumatic Tyres For Passenger Car Vehicles - Diagonal And Radial Ply As Per Is 15633	10
Schedule 22	Automotive Vehicles - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply As Per Is 15636	10
Schedule 23	Automotive Vehicles - Pneumatic Tyres For Passenger Car Vehicles - Diagonal And Radial Ply As Per Is 15633	5
Schedule 24	Flaps For Automotive Vehicles Pneumatic Tyres And Tubes As Per Is 9168 (latest)	15
Schedule 25	Automotive Vehicles - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply As Per Is 15636	2
Schedule 26	Automotive Vehicles - Tubes For Pneumatic Tyres (v2) As Per Is 13098	2
Schedule 27	Automotive Vehicles - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply As Per Is 15636	62
Schedule 28	Automotive Vehicles - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply As Per Is 15636	2
Schedule 29	Automotive Vehicles - Tubes For Pneumatic Tyres (v2) As Per Is 13098	2
Schedule 30	Flaps For Automotive Vehicles Pneumatic Tyres And Tubes As Per Is 9168 (latest)	2
Schedule 31	Automotive Vehicles - Pneumatic Tyres For Passenger Car Vehicles - Diagonal And Radial Ply As Per Is 15633	10
Schedule 32	Automotive Vehicles - Pneumatic Tyres For Passenger Car Vehicles - Diagonal And Radial Ply As Per Is 15633	5
Schedule 33	Automotive Vehicles - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply As Per Is 15636	10
Schedule 34	Flaps For Automotive Vehicles Pneumatic Tyres And Tubes As Per Is 9168 (latest)	5
Schedule 35	Flaps For Automotive Vehicles Pneumatic Tyres And Tubes As Per Is 9168 (latest)	5
Schedule 36	Flaps For Automotive Vehicles Pneumatic Tyres And Tubes As Per Is 9168 (latest)	14

### Flaps For Automotive Vehicles Pneumatic Tyres And Tubes As Per IS 9168 (Latest) ( 17 pieces )

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Certification	Category of Vehicle	M1

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Constructional Parameters	Nominal Rim diameter size code (Nominal rim diameter in mm)	8 (203mm)
	Flap Width Code (Flap width) as per Annex A of IS:9168 (Latest)	K (min 100mm)
Test Reports	Availability of test report from covering all parameters	Central Govt Lab
Performance Parameters	Warranty	2.0 (month)

**Additional Specification Parameters - Flaps For Automotive Vehicles Pneumatic Tyres And Tubes As Per IS 9168 (Latest) ( 17 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
TUBE 900-20	TUBE REQUIRED FOR TYRE 900-20.
VEHICLE FOR USE TUBE 900.20	A/L COACH,SML 3 TON

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALPAIGURI	17	45

**Automotive Vehicles - Pneumatic Tyres For 2 And 3 Wheeled Motor Vehicles, Quadricycles And E-Rickshaw / E-Carts As Per IS 15627 ( 1 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
---------------	------------------------------------	--

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Type of Tyre	Tubeless
	Type of Vehicle	Motorcycles
	Tyre Structure	Bias
	Tyre Rim Size in Diameter in Inches	17
	Tyre-Size Designations	110/80-17
Dimensions and Other Features	Warranty Time	1, 2, 3, 4, 5 Or higher (year)

**Additional Specification Parameters - Automotive Vehicles - Pneumatic Tyres For 2 And 3 Wheeled Motor Vehicles, Quadricycles And E-Rickshaw / E-Carts As Per IS 15627 ( 1 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	110/80-17 57P (TUBELESS)
VEHICLE	MOTORCYCLE TVS

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALPAIGURI	1	45

**Automotive Vehicles - Pneumatic Tyres For 2 And 3 Wheeled Motor Vehicles, Quadricycles And E-Rickshaw / E-Carts As Per IS 15627 ( 1 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Type of Tyre	Tubeless



Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Type of Vehicle	Motorcycles
	Tyre Structure	Bias
	Tyre Rim Size in Diameter in Inches	17
	Tyre-Size Designations	90/90-17
Dimensions and Other Features	Warranty Time	1, 2, 3, 4, 5 Or higher (year)

**Additional Specification Parameters - Automotive Vehicles - Pneumatic Tyres For 2 And 3 Wheeled Motor Vehicles, Quadricycles And E-Rickshaw / E-Carts As Per IS 15627 ( 1 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	90/90-17 49 P(TUBELESS)
VEHICLE	MOTORCYCLE TVS

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALPAIGURI	1	45

**Automotive Vehicles - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply As Per IS 15636 ( 2 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Type of Tyre	With Tube
	Tyre Structure	Bias

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Category of Vehicles	Truck, Bus and Trailers Tyre
	Tyre Rim Size in Diameter in Inches	20
	Tyre-Size Designations	11.00-20
Dimensions and Other Features	Warranty Time	2.0, 3.0 (year)

**Additional Specification Parameters - Automotive Vehicles - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply As Per IS 15636 ( 2 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	11.2X24(COVER OUTER WITH TUBE INNER)
VEHICLE	ESCORT TRACTOR
PATTERN	SAND CUM HIGHWAY

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALPAIGURI	2	45

**Flaps For Automotive Vehicles Pneumatic Tyres And Tubes As Per IS 9168 (Latest) ( 10 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Certification	Category of Vehicle	N2

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Constructional Parameters	Nominal Rim diameter size code (Nominal rim diameter in mm)	20 (508mm)
	Flap Width Code (Flap width) as per Annex A of IS:9168 (Latest)	RR (min 207mm)
Test Reports	Availability of test report from covering all parameters	Central Govt Lab
Performance Parameters	Warranty	12.0 (month)

**Additional Specification Parameters - Flaps For Automotive Vehicles Pneumatic Tyres And Tubes As Per IS 9168 (Latest) ( 10 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
FLAP RUST	1200X20
VEHICLE TYPE	FLAP RUST REQUIRED FOR TYRE 1200X20, TATA 4 TON AND TATA SHELTER

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALPAIGURI	10	45

**Automotive Vehicles - Pneumatic Tyres For Passenger Car Vehicles - Diagonal And Radial Ply As Per IS 15633 ( 2 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
---------------	------------------------------------	--

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Type of Tyre	Tubeless
	Tyre Structure	Radial
	Tyre Rim Size in Diameter in Inches	15
	Tyre-Size Designations	235/75R15
Dimensions and Other Features	Warranty Time	3.0 (year)

**Additional Specification Parameters - Automotive Vehicles - Pneumatic Tyres For Passenger Car Vehicles - Diagonal And Radial Ply As Per IS 15633 ( 2 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	235/75/R15
PATTERN	TUBELESS
VEHICLE	MAHENDRA BOLERO

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALPAIGURI	2	45

**Automotive Vehicles - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply As Per IS 15636 ( 5 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Type of Tyre	Without Tube

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Tyre Structure</b>	Bias
	<b>Category of Vehicles</b>	Special Purpose Tyre
	<b>Tyre Rim Size in Diameter in Inches</b>	20
	<b>Tyre-Size Designations</b>	355/90-20 SCH
Dimensions and Other Features	<b>Warranty Time</b>	5.0 (year)

**Additional Specification Parameters - Automotive Vehicles - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply As Per IS 15636 ( 5 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	355/90-20(18PR)
PATTERN	SAND CUM HIGHWAY
VEHICLE	ASHOK LEYLAND STALLION 6.5 TON

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALPAIGURI	5	45

**Automotive Vehicles - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply As Per IS 15636 ( 17 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	<b>Type of Tyre</b>	With Tube

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Tyre Structure</b>	Bias
	<b>Category of Vehicles</b>	Truck, Bus and Trailers Tyre
	<b>Tyre Rim Size in Diameter in Inches</b>	20
	<b>Tyre-Size Designations</b>	9.00-20
Dimensions and Other Features	<b>Warranty Time</b>	1.0 (year)

**Additional Specification Parameters - Automotive Vehicles - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply As Per IS 15636 ( 17 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	900X20
PATTERN	SAND CUM RIB HIGHWAY
VEHICLE	ASHOK LEYLAND COACH,SML 3 TON,

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALPAIGURI	17	45

**Automotive Vehicles - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply As Per IS 15636 ( 15 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	<b>Type of Tyre</b>	Without Tube

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Tyre Structure</b>	Bias
	<b>Category of Vehicles</b>	Truck, Bus and Trailers Tyre
	<b>Tyre Rim Size in Diameter in Inches</b>	20
	<b>Tyre-Size Designations</b>	10.00-20
Dimensions and Other Features	<b>Warranty Time</b>	2.0 (year)

**Additional Specification Parameters - Automotive Vehicles - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply As Per IS 15636 ( 15 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	1000X20
PATTERN	SAND CUM HIGHWAY PATTERN
VEHICLE	ASHOK LEYLAND REFULLER,TATA P/M+,EICHER CANTER JUMBO

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALPAIGURI	15	45

**Automotive Vehicles - Tubes For Pneumatic Tyres (V2) As Per IS 13098 ( 5 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	<b>Type of Vehicle, for which Pneumatic Tube is required</b>	Truck Tyre

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Type of Tube	Class A (Butyl rubber/Halo-butyl rubber and its derivative and blends)
	Tyre -Size Designations for which tube applicable	355/90-20CC
Warranty	Warranty Time	1, 2, 3, 4, 5 Or higher (year)

**Additional Specification Parameters - Automotive Vehicles - Tubes For Pneumatic Tyres (V2) As Per IS 13098 ( 5 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	TUBE INNER 355/90-20
VEHICLE	TUBE INNER REQUIRED FITTED IN TYRE SIZE 355/90-20(18PR),ASHOK LEYLAND STALLION 6.5 TON

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALPAIGURI	5	45

**Automotive Vehicles - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply As Per IS 15636 ( 14 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Type of Tyre	With Tube
	Tyre Structure	Bias
	Category of Vehicles	Light Truck Tyre



Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Tyre Rim Size in Diameter in Inches	16
	Tyre-Size Designations	8.25-16
Dimensions and Other Features	Warranty Time	1.0 (year)

**Additional Specification Parameters - Automotive Vehicles - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply As Per IS 15636 ( 14 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	825X16(WITHOUT TUBE)
PATTERN	HIGHWAY
VEHICLE	SML COACH

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALPAIGURI	14	45

**Automotive Vehicles - Tubes For Pneumatic Tyres (V2) As Per IS 13098 ( 14 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Type of Vehicle, for which Pneumatic Tube is required	Mining and Logging Tyre
	Type of Tube	Class A (Butyl rubber/Halo-butyl rubber and its derivative and blends)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Tyre -Size Designations for which tube applicable	8.25-20
Warranty	Warranty Time	3, 4, 5 Or higher (year)

**Additional Specification Parameters - Automotive Vehicles - Tubes For Pneumatic Tyres (V2) As Per IS 13098 ( 14 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	825X16
VEHICLE	TUBE INNER 825X16 FITTET IN COVER OUTER 825X16, VEHICLE FOR USE-SML COACH

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALPAIGURI	14	45

**Automotive Vehicles - Tubes For Pneumatic Tyres (V2) As Per IS 13098 ( 17 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Type of Vehicle, for which Pneumatic Tube is required	Mining and Logging Tyre
	Type of Tube	Class A (Butyl rubber/Halo-butyl rubber and its derivative and blends)
	Tyre -Size Designations for which tube applicable	9.00-20
Warranty	Warranty Time	3, 4, 5 Or higher (year)

**Additional Specification Parameters - Automotive Vehicles - Tubes For Pneumatic Tyres (V2) As Per IS 13098 ( 17 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	TUBE INNER -900X20
VEHICLE	TUBE INNER IS REQUIRED FOR FITTED IN TYRE SIZE-900X20 VEHICLE-A/L COACH,SML 3 TON

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALPAIGURI	17	45

**Automotive Vehicles - Tubes For Pneumatic Tyres (V2) As Per IS 13098 ( 62 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	<b>Type of Vehicle, for which Pneumatic Tube is required</b>	Special Purpose Tyre
	<b>Type of Tube</b>	Class A (Butyl rubber/Halo-butyl rubber and its derivative and blends)
	<b>Tyre -Size Designations for which tube applicable</b>	7.50-16SCH
Warranty	<b>Warranty Time</b>	5 Or higher (year)

**Additional Specification Parameters - Automotive Vehicles - Tubes For Pneumatic Tyres (V2) As Per IS 13098 ( 62 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	TUBE INNER-750X16
VEHICLE	TUBE INNER REQUIRED FOR TYRE SIZE-750X16 VEHICLE-S/M 3 TON,E/C-3 TON TATA 1 TON,TATA3 TON

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALPAIGURI	62	45

**Flaps For Automotive Vehicles Pneumatic Tyres And Tubes As Per IS 9168 (Latest) ( 62 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Certification	Category of Vehicle	L
Constructional Parameters	Nominal Rim diameter size code (Nominal rim diameter in mm)	16 (406mm)
	Flap Width Code (Flap width) as per Annex A of IS:9168 (Latest)	K (min 100mm)
Test Reports	Availability of test report from covering all parameters	NABL
Performance Parameters	Warranty	24.0 (year)

**Additional Specification Parameters - Flaps For Automotive Vehicles Pneumatic Tyres And Tubes As Per IS 9168 (Latest) ( 62 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	FLAP RUST 750X16 IS REQUIRED FOR TUBE INNER 750X16 AND COVER OUTER 750X16

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALPAIGURI	62	45

### Automotive Vehicles - Tubes For Pneumatic Tyres (V2) As Per IS 13098 ( 15 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Type of Vehicle, for which Pneumatic Tube is required	Truck, Bus and Trailers Tyre
	Type of Tube	Class A (Butyl rubber/Halo-butyl rubber and its derivative and blends)
	Tyre -Size Designations for which tube applicable	10.00-20
Warranty	Warranty Time	2, 3, 4, 5 Or higher (year)

### Additional Specification Parameters - Automotive Vehicles - Tubes For Pneumatic Tyres (V2) As Per IS 13098 ( 15 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE-	TUBE INNER 1000X20 IS REQUIRED FOR COVER OUTER 1000X20.
VEHICLE	ASHOK LEYLAND REFULLER , E/C JUMBO,TATA P/M+

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALPAIGURI	15	45

**Automotive Vehicles - Pneumatic Tyres For Passenger Car Vehicles - Diagonal And Radial Ply As Per IS 15633 ( 10 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Type of Tyre	With Tube, Without Tube
	Tyre Structure	Radial
	Tyre Rim Size in Diameter in Inches	15
	Tyre-Size Designations	215/75R15
Dimensions and Other Features	Warranty Time	3.0, 1.0 (year)

**Additional Specification Parameters - Automotive Vehicles - Pneumatic Tyres For Passenger Car Vehicles - Diagonal And Radial Ply As Per IS 15633 ( 10 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	215/75R15
PATTERN	HIGHWAY
VEHICLE	TATA SUMO

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALPAIGURI	10	45

**Automotive Vehicles - Pneumatic Tyres For Passenger Car Vehicles - Diagonal And Radial Ply As Per IS 15633 ( 50 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Type of Tyre	Tubeless
	Tyre Structure	Radial
	Tyre Rim Size in Diameter in Inches	16
	Tyre-Size Designations	215/75R16
Dimensions and Other Features	Warranty Time	1.0 (year)

**Additional Specification Parameters - Automotive Vehicles - Pneumatic Tyres For Passenger Car Vehicles - Diagonal And Radial Ply As Per IS 15633 ( 50 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	215/75RX16(TUBELESS)
PATTERN	HIGHWAY
VEHICLE	TATA XENON,TATA YODHA

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALPAIGURI	50	45

### Automotive Vehicles - Tubes For Pneumatic Tyres (V2) As Per IS 13098 ( 5 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Type of Vehicle, for which Pneumatic Tube is required	4 Wheeler Cars & Utility Vehicles
	Type of Tube	Class A (Butyl rubber/Halo-butyl rubber and its derivative and blends)
	Tyre -Size Designations for which tube applicable	F78-15
Warranty	Warranty Time	1, 2, 3, 4, 5 Or higher (year)

### Additional Specification Parameters - Automotive Vehicles - Tubes For Pneumatic Tyres (V2) As Per IS 13098 ( 5 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	TUBE INNER 78X15 REQUIRED FOR USE IN COVER OUTER 78X15.
VEHICLE	MARUTI GYPSY
PATTERN	RADIAL

\* Bidders offering must also comply with the additional specification parameters mentioned above.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALPAIGURI	5	45



**Automotive Vehicles - Tubes For Pneumatic Tyres (V2) As Per IS 13098 ( 10 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Type of Vehicle, for which Pneumatic Tube is required	Light Truck Tyre
	Type of Tube	Class A (Butyl rubber/Halo-butyl rubber and its derivative and blends)
	Tyre -Size Designations for which tube applicable	215R14LT
Warranty	Warranty Time	1, 2, 3, 4, 5 Or higher (year)

**Additional Specification Parameters - Automotive Vehicles - Tubes For Pneumatic Tyres (V2) As Per IS 13098 ( 10 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	TUBE INNER 215/75R/15 IS REQUIRED FOR USE OF COVER OUTER 215/75R/15.
VEHICLE	TATA SUMO

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALPAIGURI	10	45

**Automotive Vehicles - Pneumatic Tyres For Passenger Car Vehicles - Diagonal And Radial Ply As Per IS 15633 ( 10 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Type of Tyre	Tubeless
	Tyre Structure	Radial
	Tyre Rim Size in Diameter in Inches	15
	Tyre-Size Designations	185/65R15
Dimensions and Other Features	Warranty Time	1, 2, 3, 4, 5 (year)

**Additional Specification Parameters - Automotive Vehicles - Pneumatic Tyres For Passenger Car Vehicles - Diagonal And Radial Ply As Per IS 15633 ( 10 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	COVER OUTER 185/65R/15(TUBELESS)
PATTERN	HIGHWAY
VEHICLE	M/CIAZ

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALPAIGURI	10	45

**Automotive Vehicles - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply As Per IS 15636 ( 10 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Type of Tyre	Tubeless
	Tyre Structure	Radial
	Category of Vehicles	Light Truck Tyre
	Tyre Rim Size in Diameter in Inches	15
	Tyre-Size Designations	195R15LT
Dimensions and Other Features	Warranty Time	1, 2, 3, 4, 5 (year)

**Additional Specification Parameters - Automotive Vehicles - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply As Per IS 15636 ( 10 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	COVER OUTER 195R15(TUBELESS)
PATTERN	HIGHWAY
VEHICLE	TATA WINGER

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALPAIGURI	10	45

**Automotive Vehicles - Pneumatic Tyres For Passenger Car Vehicles - Diagonal And Radial Ply As Per IS 15633 ( 5 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Type of Tyre	Without Tube
	Tyre Structure	Bias
	Tyre Rim Size in Diameter in Inches	15
	Tyre-Size Designations	F78-15
Dimensions and Other Features	Warranty Time	1, 2, 3, 4, 5 (year)

**Additional Specification Parameters - Automotive Vehicles - Pneumatic Tyres For Passenger Car Vehicles - Diagonal And Radial Ply As Per IS 15633 ( 5 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	COVER OUTER 78X15
PATTERN	RADIAL
VEHICLE	MARUTI GYPSY

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALPAIGURI	5	45

**Flaps For Automotive Vehicles Pneumatic Tyres And Tubes As Per IS 9168 (Latest) ( 15 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Certification	Category of Vehicle	L

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Constructional Parameters	Nominal Rim diameter size code (Nominal rim diameter in mm)	9 (229mm)
	Flap Width Code (Flap width) as per Annex A of IS:9168 (Latest)	KM (min 124mm)
Test Reports	Availability of test report from covering all parameters	NABL
Performance Parameters	Warranty	12.0 (month)

**Additional Specification Parameters - Flaps For Automotive Vehicles Pneumatic Tyres And Tubes As Per IS 9168 (Latest) ( 15 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	FLAP RUST 1000X20 IS REQUIRED FOR USE OF COVER OUTER 1000X20.
VEHICLE	ASHOL LEYLAND REFUELLER,EICHER CANTER JUMBO,TATAP/M+

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALPAIGURI	15	45

**Automotive Vehicles - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply As Per IS 15636 ( 2 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
---------------	------------------------------------	--

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Type of Tyre	With Tube
	Tyre Structure	Bias
	Category of Vehicles	Special Purpose Tyre
	Tyre Rim Size in Diameter in Inches	18
	Tyre-Size Designations	13.00-18 SCH
Dimensions and Other Features	Warranty Time	1, 2, 3, 4, 5 (year)

**Additional Specification Parameters - Automotive Vehicles - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply As Per IS 15636 ( 2 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	COVER OUTER 13.6X28(WITHOUT TUBE)
PATTERN	SAND CUM HIGHWAY
VEHICLE	SWARAJ TRACTOR

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALPAIGURI	2	45

**Automotive Vehicles - Tubes For Pneumatic Tyres (V2) As Per IS 13098 ( 2 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
---------------	------------------------------------	--

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Type of Vehicle, for which Pneumatic Tube is required	Special Purpose Tyre
	Type of Tube	Class A (Butyl rubber/Halo-butyl rubber and its derivative and blends)
	Tyre -Size Designations for which tube applicable	355/90-20SCH
Warranty	Warranty Time	1, 2, 3, 4, 5 Or higher (year)

**Additional Specification Parameters - Automotive Vehicles - Tubes For Pneumatic Tyres (V2) As Per IS 13098 ( 2 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	TUBE INNER 13.6X28 IS REQUIRED FOR USE OF COVER OUTER 13.6X28.
VEHICLE	SWARAJ TRACTOR

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALPAIGURI	2	45

**Automotive Vehicles - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply As Per IS 15636 ( 62 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Type of Tyre	Without Tube
	Tyre Structure	Bias
	Category of Vehicles	Light Truck Tyre

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Tyre Rim Size in Diameter in Inches	16
	Tyre-Size Designations	7.50-16
Dimensions and Other Features	Warranty Time	1, 2, 3, 4, 5 (year)

**Additional Specification Parameters - Automotive Vehicles - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply As Per IS 15636 ( 62 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	COVER OUTER 750X16(WITHOUT TUBE)
PATTERN	HIGHWAY
VEHICLE	SWARAJ MAZADA 3 TON, EICHER CANTER 3 TON, TAAT 1 TON,TATA 3 TON

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALPAIGURI	62	45

**Automotive Vehicles - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply As Per IS 15636 ( 2 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Type of Tyre	Without Tube
	Tyre Structure	Bias
	Category of Vehicles	Special Purpose Tyre



Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Tyre Rim Size in Diameter in Inches	21
	Tyre-Size Designations	15.00-21 SCH
Dimensions and Other Features	Warranty Time	1, 2, 3, 4, 5 (year)

**Additional Specification Parameters - Automotive Vehicles - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply As Per IS 15636 ( 2 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	COVER OUTER 1500X21(WITHOUT TUBE)
PATTERN	SAND CUM HIGHWAY
VEHICLE	BEML TATRA

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALPAIGURI	2	45

**Automotive Vehicles - Tubes For Pneumatic Tyres (V2) As Per IS 13098 ( 2 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Type of Vehicle, for which Pneumatic Tube is required	Special Purpose Tyre
	Type of Tube	Class A (Butyl rubber/Halo-butyl rubber and its derivative and blends)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Tyre -Size Designations for which tube applicable</b>	15.00-21SCH
Warranty	<b>Warranty Time</b>	1, 2, 3, 4, 5 Or higher (year)

**Additional Specification Parameters - Automotive Vehicles - Tubes For Pneumatic Tyres (V2) As Per IS 13098 ( 2 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	TUBE INNER 1500X21 IS REQUIRED FOR USE OF COVER OUTER 1500X21
VEHICLE	BEML TATRA

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALPAIGURI	2	45

**Flaps For Automotive Vehicles Pneumatic Tyres And Tubes As Per IS 9168 (Latest) ( 2 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Certification	<b>Category of Vehicle</b>	N1
Constructional Parameters	<b>Nominal Rim diameter size code (Nominal rim diameter in mm)</b>	30 (762mm)
	<b>Flap Width Code (Flap width) as per Annex A of IS:9168 (Latest)</b>	V (min 225mm)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Test Reports	Availability of test report from covering all parameters	NABL
Performance Parameters	Warranty	12.0 (month)

**Additional Specification Parameters - Flaps For Automotive Vehicles Pneumatic Tyres And Tubes As Per IS 9168 (Latest) ( 2 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	FLAP RUST 1500X21IS REQUIRED FOR USE OF COVER OUTER 1500X21 AND TUBE INNER 1500X21
VEHICLE	BEML TATRA

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALPAIGURI	2	45

**Automotive Vehicles - Pneumatic Tyres For Passenger Car Vehicles - Diagonal And Radial Ply As Per IS 15633 ( 10 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Type of Tyre	Tubeless
	Tyre Structure	Radial
	Tyre Rim Size in Diameter in Inches	17

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Tyre-Size Designations</b>	235/65R17
Dimensions and Other Features	<b>Warranty Time</b>	1, 2, 3, 4, 5 (year)

**Additional Specification Parameters - Automotive Vehicles - Pneumatic Tyres For Passenger Car Vehicles - Diagonal And Radial Ply As Per IS 15633 ( 10 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	235/65R/17 104 H (TUBELESS)
PATTERN	HIGHWAY
VEHICLE	MAHINDRA SCORPIO

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALPAIGURI	10	45

**Automotive Vehicles - Pneumatic Tyres For Passenger Car Vehicles - Diagonal And Radial Ply As Per IS 15633 ( 5 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	<b>Type of Tyre</b>	Tubeless
	<b>Tyre Structure</b>	Radial
	<b>Tyre Rim Size in Diameter in Inches</b>	16
	<b>Tyre-Size Designations</b>	235/70R16

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Dimensions and Other Features	Warranty Time	1, 2, 3, 4, 5 (year)

**Additional Specification Parameters - Automotive Vehicles - Pneumatic Tyres For Passenger Car Vehicles - Diagonal And Radial Ply As Per IS 15633 ( 5 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE-235/70RX16	COVER OUTER SIZE-235/70RX16
PATTERN	HIGHWAY
VEHICLE	MAHENDRA SCORPIO

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALPAIGURI	5	45

**Automotive Vehicles - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply As Per IS 15636 ( 10 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Type of Tyre	With Tube
	Tyre Structure	Bias
	Category of Vehicles	Truck, Bus and Trailers Tyre
	Tyre Rim Size in Diameter in Inches	20
	Tyre-Size Designations	12.00-20

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Dimensions and Other Features	Warranty Time	1, 2, 3, 4, 5 (year)

**Additional Specification Parameters - Automotive Vehicles - Pneumatic Tyres For Commercial Vehicles - Diagonal And Radial Ply As Per IS 15636 ( 10 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	COVER OUTER 1200X20(WITH TUBE INNER)
PATTERN	SAND CUM HIGHWAY
VEHICLE	TATA 4 TON TATA SHELTER

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALPAIGURI	10	45

**Flaps For Automotive Vehicles Pneumatic Tyres And Tubes As Per IS 9168 (Latest) ( 5 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम कटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Certification	Category of Vehicle	N2
Constructional Parameters	Nominal Rim diameter size code (Nominal rim diameter in mm)	20 (508mm)
	Flap Width Code (Flap width) as per Annex A of IS:9168 (Latest)	RR (min 207mm)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Test Reports	Availability of test report from covering all parameters	Central Govt Lab
Performance Parameters	Warranty	12.0 (month)

**Additional Specification Parameters - Flaps For Automotive Vehicles Pneumatic Tyres And Tubes As Per IS 9168 (Latest) ( 5 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	FLAP RUST 78X15 IS REQUIRED FOR USE OF COVER OUTER 78X15.
VEHICLE	MARUTI GYPSY

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALPAIGURI	5	45

**Flaps For Automotive Vehicles Pneumatic Tyres And Tubes As Per IS 9168 (Latest) ( 5 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Certification	Category of Vehicle	N2
Constructional Parameters	Nominal Rim diameter size code (Nominal rim diameter in mm)	20 (508mm)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Flap Width Code (Flap width) as per Annex A of IS:9168 (Latest)	RR (min 207mm)
Test Reports	Availability of test report from covering all parameters	Central Govt Lab
Performance Parameters	Warranty	12.0 (month)

**Additional Specification Parameters - Flaps For Automotive Vehicles Pneumatic Tyres And Tubes As Per IS 9168 (Latest) ( 5 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	FLAP RUST 355/90-20(18PY) IS REQUIRED FOR COVER OUTER 355/90-20(18PY).
VEHICLE	A/L STALLION 6.5 TON

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALPAIGURI	5	45

**Flaps For Automotive Vehicles Pneumatic Tyres And Tubes As Per IS 9168 (Latest) ( 14 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Certification	Category of Vehicle	A



Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Constructional Parameters	Nominal Rim diameter size code (Nominal rim diameter in mm)	16 (406mm)
	Flap Width Code (Flap width) as per Annex A of IS:9168 (Latest)	K (min 100mm)
Test Reports	Availability of test report from covering all parameters	NABL
Performance Parameters	Warranty	18.0 (month)

**Additional Specification Parameters - Flaps For Automotive Vehicles Pneumatic Tyres And Tubes As Per IS 9168 (Latest) ( 14 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
SIZE	FLAP RUST 825X16 IS REQUIRED FOR USE OF COVER OUTER 825X16.
VEHICLE	SML COACH

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****JALPAIGURI	14	45

**Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**

**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the

original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

## 2. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file](#).

## 3. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

## 4. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

## 5. **Forms of EMD and PBG**

Bidders can also submit the EMD with Fixed Deposit Receipt made out or pledged in the name of A/C

AIRFORCE PUBLIC FUND ACCOUNT HASIMARA

. The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of EMD, the FDR will be released in the favour of the bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Bidder has to upload scanned copy/ proof of the FDR along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date/ Bid Opening date

## 6. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of

AIR FORCE PUBLIC FUND ACCOUNT HASIMARA

A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

## 7. **Warranty**

Warranty period of the supplied products shall be 2 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

## **Disclaimer/अस्वीकरण**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.

2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.**

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

**---Thank You/धन्यवाद---**