

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	28-05-2025 10:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	28-05-2025 10:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	120 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Defence
Department Name/विभाग का नाम	Department Of Military Affairs
Organisation Name/संगठन का नाम	Indian Navy
Office Name/कार्यालय का नाम	*****
क्रेता ईमेल/Buyer Email	jcproesp-mokochi@navy.gov.in
Total Quantity/कुल मात्रा	1086
Item Category/मद केटेगरी	EJ3000B 0511 25067 , EJ3000B 0511 25068 , EJ3000B 0511 25069 , EJ3000B 2PLBR324V , EJ3000B 2PLBR4230V , EJ3000B 2PLBR424V , EJ3000B 2PLBR7230V , EJ3000B 366 939 00 51 , EJ3000B 3SB04 000A , EJ3000B 3SB1200 0AC01 , EJ3000B 3TH3022 0A , EJ3000B C25 , EJ3000B CON 050 , EJ3000B CON 100 415 115V , EJ3000B CON 200 , EJ3000B CON 500 415 230 , EJ3000B CSSF63D3 , EJ3000B EYLAMP230VRE22TEK , EJ3000B KT1035BY , EJ3000B NKF250K , EJ3000B RE207635 , EJ3000B RE207636 , EJ3000B SIF144 , EJ3000B SM32H , EJ3000B SQ 144 , EJ3000B SQ144 50 0 450KW , EJ3000B SQ96500V , EJ3000B SQ96800A , EJ3000B SQ96PF , EJ3000B VSB100 , EJ3000B VSB63

Bid Details/बिड विवरण	
GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS	<p>EMERGENCY PLUG BODY 180A FOR R PHASE, EMERGENCY PLUG BODY 180A FOR Y PHASE, EMERGENCY PLUG BODY 180A FOR B PHASE, INDICATING LAMP 24V GREEN COMPLETE, INDICATING LAMP 230V RED, INDICATING LAMP 24V RED COMPLETE, INDICATING LAMP 230V WHITE, EMERGENCY CHANGE OVER SWITCH, INO NC, PUSH BUTTON ACTUATOR RED, AUX CONTACTOR 10A WITH 24V A C COIL, 25A DP MCB, TRANSFORMER 415 24V 20VA, TRANSFORMER 415 115V 100VA, TRANSFORMER 415 24V 0 230V 200VA, DOUBLE WOUND CONTROL TRANSFORMER 415 230V 500VA, T POINT P SWITCH FUSE UNIT 63A, INDICATION LAMP 230V RED, TOGGLE SWITCH 10AMP, MCCB 250A, EMERGENCY SOCKET 180A RED PHASE , EMERGENCY SOCKET 180A YELLOW PHASE , DOUBLE VOLT METER 0 500V RED MARK AT 415V, FUSE BASE CARRIER 32AMPS, SYNCHROSCOPE 144SQ 110V WITH P POINTT 415 110V, KW METER 50 0 450KW R M 350KW CTR 800 5A WITH TRANSDUCER, VOLTMETER 0 500V RED MARK AT 415V, AMMETER 0 800A RED MARK AT 610A CTR 800 5A, POWER FACTOR METER 0 POINT 5 1 0 POINT 5 RED MARK AT 0 POINT 8, FUSE LINK 100A, FUSE LINK 63A</p>
	<p>Searched String: EMERGENCY PLUG BODY 180A FOR R PHASE</p> <p>Emergency Response and Health System Preparedness Package for COVID19 (ECRP-Phase 2), Mobile Containers For Solid Waste (Industrial) - IS 12402, Full Body Protector for Male (MHA), Mobile Containers For Solid Waste Conforming to IS 12402, Fluid Absorbent Body Cover Bag or Emergency medical services disaster body pouches, Post Mortem Kit</p> <p>Searched String: EMERGENCY PLUG BODY 180A FOR Y PHASE</p> <p>Emergency Response and Health System Preparedness Package for COVID19 (ECRP-Phase 2), Mobile Containers For Solid Waste Conforming to IS 12402, Fluid Absorbent Body Cover Bag or Emergency medical services disaster body pouches, Post Mortem Kit</p> <p>Searched String: EMERGENCY PLUG BODY 180A FOR B PHASE</p> <p>Emergency Response and Health System Preparedness Package for COVID19 (ECRP-Phase 2), Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V2) as per IS 2932, Mobile Containers For Solid Waste Conforming to IS 12402, emergency iv infusion kit, Emergency Foldable Rescue Stretcher, Fluid Absorbent Body Cover Bag or Emergency medical services disaster body pouches, Real Time PCR Kits (V2), Post Mortem Kit, Watermist and Caf Fire Extinguisher Low Pressure Trolley Mounted (V2), Watermist and Caf Fire Extinguisher Low Pressure Back Pack Type (V2)</p> <p>Searched String: INDICATING LAMP 24V GREEN COMPLETE</p> <p>LED Based Indicating Lamp for Panel Cut Outs, Indicator lights or Lamps, Solar Lamp (Solar Study Lamp), Bio - Medical Waste Collection Bags (Biohazard Bags), Green Grass (Rajka), Hand Held Slit Lamp - RBSK, PABX System - EPABX (V2), Bone Screw (V2), Battery Secondary Lead Acid MT Type (Defence), Solar Lamps (Solar Based Home</p>

Bid Details/As per	Systems - Solar Power Packs - AC Models)
	<p>Searched String: INDICATING LAMP 230V RED</p> <p>LED Based Indicating Lamp for Panel Cut Outs, Indicator lights or Lamps, Hand Held Slit Lamp - RBSK, Curtains (V2), Digital Temperature Indicator, Solar Lamps (Solar Based Home Systems - Solar Power Packs - AC Models)</p> <p>Searched String: INDICATING LAMP 24V RED COMPLETE</p> <p>LED Based Indicating Lamp for Panel Cut Outs, Indicator lights or Lamps, Hand Held Slit Lamp - RBSK, Bio - Medical Waste Collection Bags (Biohazard Bags), Carrommen and Striker, PABX System - EPABX (V2), Digital Temperature Indicator, Solar Lamps (Solar Based Home Systems - Solar Power Packs - AC Models)</p> <p>Searched String: INDICATING LAMP 230V WHITE</p> <p>LED Based Indicating Lamp for Panel Cut Outs, Indicator lights or Lamps, Modular Seat and Desk Combo (for classroom / lecture hall), Hand Held Slit Lamp - RBSK, White LED Based Solar Street Lighting System for Model (I, II, III And IV), Register (V2), Solar Lamps (Solar Based Home Systems - Solar Power Packs - AC Models), Curtains (V2), Event Souvenirs-Handicraft</p> <p>Searched String: EMERGENCY CHANGE OVER SWITCH</p> <p>Cross over bench, Emergency Push Button Switch, Pull Cord Switch with Terminal Box & Lamp, D and C Set, synthetic web equipment improved version, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947</p> <p>Searched String: INO NC</p> <p>Inositol, Zinc Ethyl Silicate Primer (Main Coat) - IS 14946, Solenoid Valve (V2), Inoculating Loop, Balloon Dilatation Catheters, Electric sterilizer for inoculation loop, THINNER FOR CELLULOSE NITRATE BASED PAINTS AND LACQUERS, Sports Footwear (V2) (NCC), Bivalent RDT Malaria Kit for NCVBDC Programme, EMG NCV EP Machine</p> <p>Searched String: PUSH BUTTON ACTUATOR RED</p> <p>Emergency Push Button Switch, Lawn Mowers, telephone instrument single push button, Flameproof Control Station- IS:5, IS:1248, Flushing Cistern, telephone instrument single push button one plus one and one plus, Hand Cautery Pencil, Telephone Instrument - Corded and Cordless</p> <p>Searched String: AUX CONTACTOR 10A WITH 24V A C COIL</p> <p>Online UPS (V2), Porcelain Insulators for Overhead Power Lines with a Nominal Voltage up to and Including 1000 V as per IS 1445, High Pressure Fire Fighting Hose - IS 14933, Ceramic Fibre Blanket Insulation as per IS 15402, D and C Set, Line Interactive UPS with AVR (V2), Fasteners - Single Coil Rectangular Section Spring Lock Washers as per IS 3063, Plain Copier Paper (V2) as per IS 14490, Watermist and Caf Fire Extinguisher Low Pressure Trolley Mounted (V2), Watermist and Caf Fire Extinguisher Low Pressure Back Pack Type (V2)</p> <p>Searched String: 25A DP MCB</p>

Bid Details/As per	Chlorpyrifos 1.5% DP, Toilet Brush (V2), Malathion 5 % DP as per IS 2568, Fenvalerate DP (V2) - Conforming to IS 15341,
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>Classroom Chairs, Circuit Breakers for DC Operation, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Portable Fire Extinguishers (V2) as per IS 15683:2018, RELAY FRAME ASSY.,MCC FRAME ASSY., D.P.LATCH FRAME ASSY (203BS43) (BHEL)</p>
	<p>Searched String: TRANSFORMER 415 24V 20VA</p>
	<p>Cleaning Duster (V2), Control Transformer, Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Static Protective Relays, Cleaning Duster (V3), Disconnectors (Isolators) for working voltage up to and including 1 KV, Radial Drilling Machine, Bio - Medical Waste Collection Bags (Biohazard Bags), Shaping Machine as per IS 10949, Switch Mode Power Supply (SMPS) as per IS 14886:</p>
	<p>Searched String: TRANSFORMER 415 115V 100VA</p>
	<p>Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Control Transformer, Radial Drilling Machine, Miniature Circuit Breakers Distribution Boards as per IS 13032, Shaping Machine as per IS 10949, Exercise Bike, uniform jersey woolen ribbed v neck dgsd specification, Stationary Lead Acid Batteries (with Tubular Positive Plates) in Monobloc Containers as per IS 13369, Distribution Transformer, 3 Phase, Up to and including 200 KVA, Solar Power Plant (Roof Top) for ONGRID System, Three Phase</p>
	<p>Searched String: TRANSFORMER 415 24V 0 230V 200VA</p>
	<p>Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Control Transformer, Solar Power Plant (Roof Top) for ONGRID System, Three Phase, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), Online UPS (V2), Transformer Winding Resistance Meter, Radial Drilling Machine, centrifugal oil cleaning machine, Shaping Machine as per IS 10949, Transformer Oil filtration plants</p>
	<p>Searched String: DOUBLE WOUND CONTROL TRANSFORMER 415 230V 500VA</p>
	<p>Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Control Transformer, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), Programmable Logic Controller Trainer Kit, Junction Boxes (Flameproof)</p>
	<p>Searched String: T POINT P SWITCH FUSE UNIT 63A</p>
	<p>Switch Fuse Unit, Digital Earth Resistance Meter</p>
	<p>Searched String: INDICATION LAMP 230V RED</p>
	<p>Indicator lights or Lamps, Hand Held Slit Lamp - RBSK, Digital Temperature Indicator, Curtains (V2), Solar Lamps (Solar Based Home Systems - Solar Power Packs - AC Models)</p>
	<p>Searched String: TOGGLE SWITCH 10AMP</p>
	<p>Toggle Switches, Desktop Computers, Isolator switch, Jaw</p>

Bid Details/As per	Crusher, Limit Switch, water baths, Reed Switch, Online UPS (V2), Rotary Switch, Waste Containers and Accessories - Domestic (V2)
	<p>Searched String: MCCB 250A</p> <p>Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Speed Breaker (V2), MCCB with Thermal Magnetic / Microprocessor Based Trip Unit, Toilet Brush (V2), Portable Fire Extinguishers (V2) as per IS 15683:2018, Mobile Containers for Solid Waste as per IS 12402, Dak Pad (V2), conference folder, Muffle Furnace, Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V2) as per IS 2932</p> <p>Searched String: EMERGENCY SOCKET 180A RED PHASE</p> <p>PVC Reducer Socket, modular electrical switches and accessories, Emergency light unit, personal safety kit reflective luminous garments, Emergency Light Unit (V2), Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V3) Confirming to IS 2932, Emergency Response and Health System Preparedness Package for COVID19 (ECRP-Phase 2), Laboratory Glassware Bottles (Conical Neck Bottles) as per IS 1388 (Part 2), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Electrical Box Extension (V3)</p> <p>Searched String: EMERGENCY SOCKET 180A YELLOW PHASE</p> <p>Emergency Response and Health System Preparedness Package for COVID19 (ECRP-Phase 2), modular electrical switches and accessories, Refraction Tomography Software, Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V3) Confirming to IS 2932, Laboratory Glassware Bottles (Conical Neck Bottles) as per IS 1388 (Part 2), Electrical Box Extension (V3), Fluid Absorbent Body Cover Bag or Emergency medical services disaster body pouches, Ammeter - Analog (Panel Meter) as per IS 1248</p> <p>Searched String: DOUBLE VOLT METER 0 500V RED MARK AT 415V</p> <p>Unified Application Performance monitoring software, Cellophane paper, Blood Specimen Collection Tubes</p> <p>Searched String: FUSE BASE CARRIER 32AMPS</p> <p>Fuse Base & Link (BHEL), Fuse Wire as per IS 9926, Carrier Based Consortia (V2), Acetobacter Diazotrophicus Bio - Fertilizer</p> <p>Searched String: SYNCHROSCOPE 144SQ 110V WITH P POINTT 415 110V</p> <p>Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Small Sized Valve Regulated Lead Acid Batteries as per IS Jisc 8702 - 1, Box type PP Bag for Postal Deptt, Stationary Lead Acid Batteries (with Tubular Positive Plates) in Monobloc Containers as per IS 13369, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694</p> <p>Searched String: KW METER 50 0 450KW R M 350KW CTR 800 5A WITH TRANSDUCER</p>

Bid Details/बिड विवरण	Solar Power Plant (Roof Top) for ONGRID System, Three Phase
	<p>Searched String: VOLTMETER 0 500V RED MARK AT 415V</p> <p>Online UPS (V2), PA Mixer, Switch Mode Power Supply (SMPS) as per IS 14886:, Small Sized Valve Regulated Lead Acid Batteries as per IS Jisc 8702 - 1, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Analog-Digital Circuits Development Platform, Light emitting diode driver, Line Interactive UPS with AVR (V2), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, AC Voltage Transducer (V2)</p> <p>Searched String: AMMETER 0 800A RED MARK AT 610A CTR 800 5A</p> <p>Indicating Instruments - Ammeter & Voltmeter (BHEL)</p> <p>Searched String: POWER FACTOR METER 0 POINT 5 1 0 POINT 5 RED MARK AT 0 POINT 8</p> <p>Ball Point Pens (V2) as per IS 3705, Dishwashing Products (V2) as per IS 6047</p> <p>Searched String: FUSE LINK 100A</p> <p>Fuse Base & Link (BHEL), Toilet Brush (V2), Fuse holder - Blade fuse (BHEL), Cylindrical Fuses, Fuse Fittings, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Glass Fuse, Battery Link Terminal, Switch Fuse Unit, Portable Fire Extinguishers (V2) as per IS 15683:2018</p> <p>Searched String: FUSE LINK 63A</p> <p>Fuse Base & Link (BHEL), Toilet Brush (V2), Fuse holder - Blade fuse (BHEL), Cylindrical Fuses, Fuse Fittings, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Glass Fuse, Battery Link Terminal, Switch Fuse Unit, Portable Fire Extinguishers (V2) as per IS 15683:2018</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> modular electrical enclosure switch board boxes for modular type accessories
BOQ Title/बीओक्यू शीर्षक	24KJLC001
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	<p>Certificate (Requested in ATC), OEM Authorization Certificate, OEM Annual Turnover, Compliance of BoQ specification and supporting document</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>

Bid Details/बिड विवरण	
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	Yes
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	Yes
RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	EJ3000B CON 200
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Item wise evaluation/
Arbitration Clause	No
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	5.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	14

(a). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

ACDA
AREA ACCOUNT OFFICER THEVARA,KOCHI
(Area Account Officer)

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

2. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

3. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

5. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non

MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Item/Category	Quantity
Schedule 1	Ej3000b 0511 25067	289
Schedule 2	Ej3000b 0511 25068	266
Schedule 3	Ej3000b 0511 25069	256
Schedule 4	Ej3000b 2plbr324v	38
Schedule 5	Ej3000b 2plbr4230v	21
Schedule 6	Ej3000b 2plbr424v	21
Schedule 7	Ej3000b 2plbr7230v	21
Schedule 8	Ej3000b 366 939 00 51	3
Schedule 9	Ej3000b 3sb04 000a	6
Schedule 10	Ej3000b 3sb1200 0ac01	18
Schedule 11	Ej3000b 3th3022 0a	6
Schedule 12	Ej3000b C25	6
Schedule 13	Ej3000b Con 050	7
Schedule 14	Ej3000b Con 100 415 115v	2
Schedule 15	Ej3000b Con 200	2
Schedule 16	Ej3000b Con 500 415 230	1
Schedule 17	Ej3000b Cssf63d3	2
Schedule 18	Ej3000b Ejlamp230vre22tek	2
Schedule 19	Ej3000b Kt1035by	22
Schedule 20	Ej3000b Nkf250k	5
Schedule 21	Ej3000b Re207635	13
Schedule 22	Ej3000b Re207636	13
Schedule 23	Ej3000b Sif144	3
Schedule 24	Ej3000b Sm32h	6
Schedule 25	Ej3000b Sq 144	3
Schedule 26	Ej3000b Sq144 50 0 450kw	13
Schedule 27	Ej3000b Sq96500v	3
Schedule 28	Ej3000b Sq96800a	8
Schedule 29	Ej3000b Sq96pf	6
Schedule 30	Ej3000b Vsb100	16

EJ3000B 0511 25067

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	289	120

EJ3000B 0511 25068

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	266	120

EJ3000B 0511 25069

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	256	120

EJ3000B 2PLBR324V

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	38	120

EJ3000B 2PLBR4230V

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	21	120

EJ3000B 2PLBR424V

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	21	120

EJ3000B 2PLBR7230V

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	21	120

EJ3000B 366 939 00 51

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	3	120

EJ3000B 3SB04 000A

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	6	120

EJ3000B 3SB1200 0AC01

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	18	120

EJ3000B 3TH3022 0A

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	6	120

EJ3000B C25

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	6	120

EJ3000B CON 050

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	7	120

EJ3000B CON 100 415 115V

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	2	120

EJ3000B CON 200

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	2	120

EJ3000B CON 500 415 230

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	120

EJ3000B CSSF63D3

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	2	120

EJ3000B EYLAMP230VRE22TEK

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	2	120

EJ3000B KT1035BY

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	22	120

EJ3000B NKF250K

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	5	120

EJ3000B RE207635

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	13	120

EJ3000B RE207636

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	13	120

EJ3000B SIF144

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	3	120

EJ3000B SM32H

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	6	120

EJ3000B SQ 144

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	3	120

EJ3000B SQ144 50 0 450KW

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	13	120

EJ3000B SQ96500V

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	3	120

EJ3000B SQ96800A

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	8	120

EJ3000B SQ96PF

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	6	120

EJ3000B VSB100

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	16	120

EJ3000B VSB63

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	8	120

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- Copy of PAN Card.
- Copy of GSTIN.
- Copy of Cancelled Cheque.
- Copy of EFT Mandate duly certified by Bank.

3. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Payment online through RTGS / internet banking also (besides PBG which is allowed as per GeM GTC). On-line payment shall be in Beneficiary name

OFFICER IN CHARGE, AREA ACCOUNTS OFFICER NAVY

Account No.

10589078085

IFSC Code

SBIN0008660

Bank Name

STATE BANK OF INDIA

Branch address

PERUMANOOR, THEVARA, ERNAKULAM

. Successful Bidder to indicate Contract number and name of Seller entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer in place of PBG within 15 days of award of contract.

4. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

5. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

6. **Service & Support**

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

7. **Warranty**

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.

7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

---Thank You/धन्यवाद---