

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	05-06-2025 11:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	05-06-2025 11:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	90 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Defence
Department Name/विभाग का नाम	Department Of Military Affairs
Organisation Name/संगठन का नाम	Indian Army
Office Name/कार्यालय का नाम	*****
क्रेता ईमेल/Buyer Email	vcjoshi.530k@gov.in
Total Quantity/कुल मात्रा	143
Item Category/मद केटेगरी	Rotor Assy , SR-40 , Field coil Assy , Bush Holder , Bush Set , Solenoid Switch , Relay 24 v , Ignition Switch , Relay 12 V , Battery Cut off switch , Fuse , Resistance Peace , Clutch Cyl Rep Kit , Battery Master Switch , Pneumatic Valve , Diode , Rectifier Plate , Regulator , Rotary Switch , Field Coil 4x4 Main , Field Coil Auxiliary , Spider Brg , Feed Pump , Front Disc Pad , SR-60 , Combination Switch , Pinion , Realay , Flasher , Fuel Pump Motor
GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS	Rotor Assy, SR-40, Field Coil Assy, Bush Holder, Bush Set, Solenoid Switch, Relay 24 V, Ignition Switch, Relay 12 V, Battery Cut Off Switch, Fuse, Resistance Piece, Solenoid Switch, Clutch Cyl Rep Kit, Battery Master Switch, Pneumatic Valve, Diode, Rectifier Plate, Regulator, Rotary Switch, Field Coil 4X4 Main, Field Coil Auxiliary, Spider Brg, Feed Pump, Front Disc Pad, Front Disc Pad, SR-60, Combination Switch, Pinion, Relay, Flasher, Rotary Switch, Fuel Pump Motor
	Searched String: Rotor Assy RELAY FRAME ASSY.,MCC FRAME ASSY., D.P.LATCH FRAME ASSY (203BS43) (BHEL), Medical Centrifuge, Miniature Rotor Spining Machine, Bulk Packing of TSM Assy (BSF), Manual Paddy Weeder, Rotor Balancing Ring NDE (BHEL), Minifuge, Circlips - IS 3075, Bomb Blanket (MHA), Rotor for 19.5 MW Steam Turbine Generator (BHEL) Searched String: SR-40 Fipronil 40% + Imidacloprid 40% WG, Cotton Towelling and

Bid Details/As per IS	Towels (V2) as per IS 7056, Dextran - 40 Injection, 15w - 40 Diesel Engine Oil, Pole Mounted Stainless Steel Dustbin
	<p>(V2), Triazophos 40%EC as per IS:14937, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Glycine, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Potassium Chloride, Technical - IS 4150</p> <p>Searched String: Field Coil Assy</p> <p>RELAY FRAME ASSY.,MCC FRAME ASSY., D.P.LATCH FRAME ASSY (203BS43) (BHEL), Field Hockey Sticks as per IS 829, Condenser Coil, Bomb Blanket (MHA), Tripping Coil, Field Search Light (MHA), Coil Tubular heater, Electric Coil Stove, binding coils or wire loops, Moving Coil - BHEL</p> <p>Searched String: Bush Holder</p> <p>Carbon Bush, Dumbbell Rack, Bush Bearing, Gouging holder, Badge Holders - I Card, Soldering Clamp Holder, Tooth brush Holder, Bush Set for lever & Armature for DCEM Brakes (SAIL), Plane Mirror Strip Holder, Pen or Pencil Holders (V2)</p> <p>Searched String: Bush Set</p> <p>Bush Set for lever & Armature for DCEM Brakes (SAIL), Power Generator - DG Set (up to 900 KVA), Carbon Bush, Bush Bearing, Sofa Set (Steel Tube), Teeth set, Laboratory Condenser, Dystocia Set, Television (TV) (V2), Blood Administration Set (V2)</p> <p>Searched String: Solenoid Switch</p> <p>Solenoid Valve (V2), Layer 2 Access Switch (V2), Isolator switch, Bomb Blanket (MHA), Limit Switch, Reed Switch, Electric Solenoid Operated Actuators-IS:8935, Rotary Switch, modular electrical enclosure switch board boxes for modular type accessories, Time Switch</p> <p>Searched String: Relay 24 V</p> <p>V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Insulation Tester, Plug In Relay, 24V DC (BHEL-SCR), Overload Relay, Cleaning Duster (V3), Relay Module, Transport Cage for forest Department Use, CONTACTOR RELAY, Bio - Medical Waste Collection Bags (Biohazard Bags), Paraquat Dichloride 24% SL</p> <p>Searched String: Ignition Switch</p> <p>Isolator switch, Layer 2 Access Switch (V2), Limit Switch, Reed Switch, Rotary Switch, Laminators, Time Switch, modular electrical enclosure switch board boxes for modular type accessories, Industrial Switch, KVM Switch</p> <p>Searched String: Relay 12 V</p> <p>Jersey Mens Woollen 'V' Neck (Defence), Cleaning Duster (V3), Overload Relay, Relay Module, Vacuum Oven, CONTACTOR RELAY, Carbendazim 12 % + Mancozeb 63 % WP, Insulation Tester, Emamectin 3% + Thiamethoxam 12% WG, LED Flasher Relay</p> <p>Searched String: Battery Cut Off Switch</p> <p>Cut - off Wheel, Humidifier (V2), Cellophane paper, Hand Held Brush Cutter (V2), Piano Type Non Modular Electrical</p>

Bid Details/As per	Switch Socket Combination as per IS 3854 and IS 1293, Grinding Wheel (V2)
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>Searched String: Fuse</p> <p>Fuse holder -Blade fuse (BHEL), HRC Fuse as per IS 13703, Fuse Fittings, Glass Fuse, Switch Fuse Unit, Drop Out Fuses, Cylindrical Fuses, Industrial composite color 3D Printer, Fuse Base & Link (BHEL), Fuse Wire as per IS 9926</p> <p>Searched String: Resistance Piece</p> <p>Resistance Box, Resistance Tube, Heat resistance Gauntlet, Contact Resistance meters, Resistance Monitoring Device, Transformer Winding Resistance Meter, High Density High Moisture Resistance (HDHMR) Boards, Digital Earth Resistance Meter, Multipurpose or General Test Tubes as per IS 2618, Bullet Resistance Jacket (V3)</p> <p>Searched String: Solenoid Switch</p> <p>Solenoid Valve (V2), Layer 2 Access Switch (V2), Isolator switch, Bomb Blanket (MHA), Limit Switch, Reed Switch, Electric Solenoid Operated Actuators-IS:8935, Rotary Switch, modular electrical enclosure switch board boxes for modular type accessories, Time Switch</p> <p>Searched String: Clutch Cyl Rep Kit</p> <p>Pressure Plate, Vehicle Servicing and Repairing Kit (Gujarat Govt), Electric Appliances Repairing Kit (Gujarat Govt), Bomb Blanket (MHA), Footwear Repairing Kit (Mochikam) (Gujarat Govt), Hydraulic Cylinder Seal Kit, Monkey Repellent Kit, Shishu Report Card (Preschool Kit), Plastic Moulded Table - Preschool Kit, Mobile Repairing Kit (Gujarat Govt)</p> <p>Searched String: Battery Master Switch</p> <p>Shrub Master, Online UPS (V2), PCR Master Mix, Bomb Blanket (MHA), Dentine Bonding Master, Master Stream Foam Nozzle, Mobile Storage Compactors, Battery Cover, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Battery Tester</p> <p>Searched String: Pneumatic Valve</p> <p>Control Valve Pneumatic, Pneumatic fender, Pneumatic Planter, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Pneumatic Grinder, Pneumatic impact wrenches, Pneumatic Barrel Pump, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Pneumatic tool oils, PNEUMATIC TELESCOPIC MAST</p> <p>Searched String: Diode</p> <p>Rectifier diode, Television (TV) (V2), Diode Stud Type(RINL), Soft Tissue Diode Dental Laser, Light emitting diode driver, Blocking Rectifier /Free Wheeling Diode Panel - BHEL , solar lantern systems white light emitting diode, LED Flash Light, Bridge Rectifiers, Relay Module</p> <p>Searched String: Rectifier Plate</p> <p>Rectifier diode, Sofa Set (Steel Tube), Brake Rectifier, Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559,</p>

Bid Details/As per	Blocking Rectifier /Free Wheeling Diode Panel - BHEL , Rubberized Weight Plates, Mounting plate, Laboratory Hot plate, Pressure Plate, Locking Compression Plates (V2)
	<p>Searched String: Regulator</p> <p>Acetylene Pressure Regulator as per IS 6901, Filter Regulator Lubricator, Natural Gas Pressure Regulator, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Pressure Regulator For Gases, Filter cum Pressure Regulator, Voltage regulator for domestic fans, Small Sized Valve Regulated Lead Acid Batteries as per IS Jisc 8702 - 1, Oxygen Gas Regulators (Version 2), Piano Type Modular Domestic Fan Regulator as per IS 11037</p> <p>Searched String: Rotary Switch</p> <p>Rotary Switch, Rotary Shaker, Rotary Encoder, Rotary Microtome, Layer 2 Access Switch (V2), Rotary Evaporator, Endodontic Files, Isolator switch, Limit Switch, Reed Switch</p> <p>Searched String: Field Coil 4X4 Main</p> <p>Answer Book/Booklets For Examinations (V3), First Field Dressing (FFD), Bomb Blanket (MHA)</p> <p>Searched String: Field Coil Auxillary</p> <p>Condenser Coil, Field Hockey Sticks as per IS 829, Tripping Coil, Coil Tubular heater, Field Search Light (MHA), Electric Coil Stove, Bomb Blanket (MHA), Moving Coil - BHEL, binding coils or wire loops, Coil Pressing Machine</p> <p>Searched String: Spider Brg</p> <p>Door Handles as per IS 208, Wheeled Hydraulic Excavator (V2), HYDRAULICALLY REGULATED DOOR CLOSERS, Fire Hose (Type - 2) with Instantaneous Male / Female Coupling (PNG), Wood screws, Fire Hoses with Delivery Coupling, Pedestal Safety Lock, Non - Ferrous Metal Butt Hinges as per IS 205</p> <p>Searched String: Feed Pump</p> <p>Feeding Pump, Styling Chair / Salon Chair / Swiveling Barber Chair, Crushed Feed Oats, Laminators, Powder Form Fish Feed, Self Priming Centrifugal Pump as per IS 5120 , Gravity Feed Transfusion Set, Power Maize Dehuskar cum Sheller, Gravity Feed Infusion Set, Descaling Pump</p> <p>Searched String: Front Disc Pad</p> <p>Cardigan (Open Front) (MHA), Revolving Chair (V4), Oxidase disc, Disc Friction, Dak Pad (V2), Sander Disc, Laboratory Condenser, Scrub Pad, Wooden Shoe Rack, Mouse Pad</p> <p>Searched String: Front Disc Pad</p> <p>Cardigan (Open Front) (MHA), Revolving Chair (V4), Oxidase disc, Disc Friction, Dak Pad (V2), Sander Disc, Laboratory Condenser, Scrub Pad, Wooden Shoe Rack, Mouse Pad</p> <p>Searched String: SR-60</p> <p>Bulk Bitumen 60/70, Online UPS (V2), TLC plate, Silica gel 60, DAFC-60% (Glycol Based Antifreeze Coolant) -Defence, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Diethyl ether, Charge Fire Extinguisher CO2 Gas</p>

Bid Details/बिड विवरण	Cartridge 60 gm (Defence), Pole Mounted Stainless Steel Dustbin (V2), Lithium - Ion Rechargeble Batteries, 60 Volt, for E - Rickshaws, Auditorium Chair (V2)
	<p>Searched String: Combination Switch</p> <p>Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Layer 2 Access Switch (V2), Combination Board, Bomb Blanket (MHA), Combination Wrench, Isolator switch, Limit Switch, modular electrical enclosure switch board boxes for modular type accessories, Reed Switch, Switch Fuse Unit</p> <p>Searched String: Pinion</p> <p>Pinion gears</p> <p>Searched String: Relay</p> <p>Overload Relay, Relay Testing Educational Kit, Relay Module, CONTACTOR RELAY, LED Flasher Relay, Digital Motor Protection Relays, Voltage Monitor Relay, Time delay relay, Single phasing preventer Relay (SPPR), Gas Operated Relay (Buchholz relay) as per IS : 3637</p> <p>Searched String: Flasher</p> <p>LED Flasher Relay, Lighting Box (Flasher For Police Vehicles), Cellophane paper, Bomb Blanket (MHA)</p> <p>Searched String: Rotary Switch</p> <p>Rotary Switch, Rotary Shaker, Rotary Encoder, Rotary Microtome, Layer 2 Access Switch (V2), Rotary Evaporator, Endodontic Files, Isolator switch, Limit Switch, Reed Switch</p> <p>Searched String: Fuel Pump Motor</p> <p>Fuel Injection Pump Assembly, Submersible Pump Starters (Motor starter controls), Hydraulic Pumps - Floating Pump, Electric Motorized hydraulic pump, vortex mixers, Fuel Water Separator, Fuel Dispensing Units, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), Collapsible Fuel Storage Tanks (Defence), Bomb Blanket (MHA)</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<p>(MHA)</p> <ul style="list-style-type: none"> Battery Secondary Lead Acid MT Type (Defence)
BOQ Title/बीओक्यू शीर्षक	MT SPARE
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes

Bid Details/बिड विवरण	
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Past Performance/विगत प्रदर्शन	10 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Rotor Assy
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Arbitration Clause	No
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
4. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
6. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Rotor Assy

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	1	15

SR-40**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	5	15

Field Coil Assy**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	1	15

Bush Holder**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	2	15

Bush Set**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परिषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परिषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	5	15

Solenoid Switch**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परिषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परिषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	2	15

Relay 24 V**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परिषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	10	15

Ignition Switch

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	6	15

Relay 12 V

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	2	15

Battery Cut Off Switch

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	2	15

Fuse

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	50	15

Resistance Peace

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	5	15

Solenoid Switch

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	1	15

Clutch Cyl Rep Kit

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	3	15

Battery Master Switch

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	3	15

Pneumatic Valve

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	1	15

Diode

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	8	15

Rectifier Plate

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	1	15

Regulator

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	1	15

Rotary Switch

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	3	15

Field Coil 4x4 Main

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	1	15

Field Coil Auxilary

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	1	15

Spider Brg

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	2	15

Feed Pump

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	2	15

Front Disc Pad

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	1	15

Front Disc Pad

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	1	15

SR-60

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	5	15

Combination Switch

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	2	15

Pinion

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	3	15

Realay

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	8	15

Flasher

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	2	15

Rotary Switch

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	2	15

Fuel Pump Motor

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	1	15

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Inspection

Inspection of Stores by Inspection Authority of buyer or their authorised Inspecting officers / empanelled inspection agency or their representatives

An independent third party Professional Inspection Body can help buyer in mitigating buyer's risk with pre-dispatch/post-dispatch inspection in order to ensure that equipment, components , solutions and documentation conform to contractual requirements. If an institutional buyer like Defense , Railways and MHA etc desires to appoint / nominate their own inspection authority / empanelled inspection agency for inspection of stores to be supplied against the contract , buyer can select this clause indicating cost of inspection in term of percentage which is

0

%. As per the contractual provisions / law , the buyer has a right before payment or acceptance to inspect goods at any reasonable place as indicated in contract and time and in any reasonable manner. When the seller is required or authorized to send the goods to the buyer, the inspection may be after their arrival. Expenses of inspection should be borne by the buyer but may be recovered from the seller if the goods do not conform to contractual specification and are rejected. Initially seller may pay for inspection charges as applicable and get the same reimbursed from buyer if store complies to contractual specification etc , on production of payment receipt issued by inspection agency as applicable.

Seller/OEM shall send a notice in writing / e-mail to the Inspecting officer / inspection agency specifying the place where inspection is offered and the Inspecting officer shall on receipt of such notice notify to the seller the date and time when the stores would be inspected. The seller shall, at his own expenses, afford to the Inspecting officer , all reasonable facilities and such accommodation as may be necessary for satisfying himself that the stores are being and or have been manufactured in accordance with the technical particulars governing the supply . The decision of the purchaser/inspection authority regarding acceptance / rejection of consignment shall be final and binding on the seller.

The Seller shall provide, without any extra charge, all materials, tools, labour and assistance of every kind which the Inspecting officer may demand of him for any test, and examination, other than special or independent test, which he shall require to be made on the seller's premises and the seller shall bear and pay all costs attendant thereon.

The seller shall also provide , and deliver for test, free of charge, at such place other than his premises as the Inspecting officer may specify such material or stores as he may require for tests for which seller does not have the facilities or for special/ independent tests.

In the event of rejection of stores or any part thereof by the Inspecting officer basis testing outside owing to lack of test facility at sellers premises ,the seller shall, on demand, pay to the buyer the costs incurred in the inspection and/or test. Cost of test shall be assessed at the rate charged by the Laboratory to private persons for similar work.

Inspector shall have the right to put all the stores or materials forming part of the same or any part thereof to such tests as he may like fit and proper as per QAP/governing specification . The seller shall not be entitled to object on any ground whatsoever to the method of testing adopted by the Inspecting officer .. Unless otherwise provided for in the contract, the quantity of the stores or materials expended in test will be borne by seller .

Inspecting officer is the Final Authority to Certify Performance / accept the consignment . The Inspecting officer's decision as regards the rejection shall be final and binding on the seller.

The seller shall if so required at his own expense mark or permit the Inspecting officer to mark all the approved stores with a recognised Government or purchaser's mark.

3. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer

is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action

in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---