



Bid Number/बोली क्रमांक (बिड संख्या): GEM/2025/B/5849271 Dated/दिनांक : 15-02-2025

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण		
Bid End Date/Time/बिड बंद होने की तारीख/समय	08-03-2025 09:00:00	
Bid Opening Date/Time/बिंड खुलने की तारीख/समय	08-03-2025 09:30:00	
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)		
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Defence	
Department Name/विभाग का नाम	Department Of Military Affairs	
Organisation Name/संगठन का नाम	Indian Army	
Office Name/कार्यालय का नाम	******	
क्रेता ईमेल/Buyer Email	shivanandhip.707l@gov.in	
Total Quantity/कुल मात्रा	5370	

Bid Details/बिड विवरण

Aluminium Alloy Connector With Olive drab chromate over Cadmium Plated with Protective cap Pin type D38999 24 W C 35PA 1519, Aluminium Alloy Connector With Olive drab chromate over Cadmium Plated with Protective cap Pin type D38999 24 W C 35PN 1519, Aluminium Alloy Connector With Olive drab chromate over Cadmium Plated with Protective cap Socket type D38999 26 W C 35SN 1423 , Boot heat shrinkable strain relief with meltable inner wall for adhesive 202K142 25 0 Raychem, Boot heat shrinkable strain relief with meltable inner wall for adhesive 382A 034 3 Y transition Raychem, Copper braid tin coated _12 x 20 , Electrical Cable Copper multi strands tin coated 3 core PTFE Insulated white white with with blue spiral strip and white with orange spiral, Electrical Cable Copper multi strands tin coated 2 core PTFE Insulated white and white with with blue spiral, Electrical Cable Copper multi strands tin coated single core PTFE Insulated white modified extruded shield braid SCD _22_19_34 AWG Spec _ 19_0_16 M_ , Electrical Cable Copper multi strands tin coated single core PTFE Insulated white with black spiral strip _22_19_34 AWG Spec _ 19_0_16 M 27500 22 SB 1T 00 12515 REV A, CO Axial RF shield cable 752845314 0 black XLETFE single jacket modified extruded _28_7_36 AWG Spec _ 07_0_13 , Electrical Cable Copper multi strands tin coated 2 core FEP Insulated white and pink black XLETFE modified extruded shield braid, HS Sleeve Black 3 4 Raychem DR 25 , Heat shrinkable Splice asper pt No_XK11_203_508_22 mmLength , Heat shrinkable Splice asper pt No_XK11_203_508_30 mm length , Splice asper pt No_X11_209_30 mm length , HS Sleeve white _20_10 mm , HS Sleeve clear _20_10 mm , Ring_As per Drg No_A4_515_SMP_57251 , ATC Binding wire_0_3 mm dia , ATC Binding wire 0 5 mm dia, Kapton tape 24 mm width, Luminescent white paint_Acrylic Marker , Nylon thread white 0 3 mm dia, Glue tape 26 mm width x 0 30 mm thk Epoxy tape , Adhesive black Heat treatment silicon adhesive_S1125 _ Rechem 30Gms , ISO Prophyl Alcohal _IPA , Acrylic conformal coatns_ , Solder soft 16 SWG_Sn_63_ Pb_37 , Solder flux_ , Dosuti Black_ , Tissue paper 25 x 30 Cm_, Wire mesh PMSR width 30 mm_ shield silver coated, Plastic cover 80 microns_24 x 24 , Permanent marker pen black_, HS Tube clear_4_2 mm, HS Sleeve _2_5_1_5 mm

Item Category/मद केटेगरी

Bid Details/बिड विवरण

Cadmium Plated with Protective cap Pin type D38999/24-W-C-35PA-1519, Aluminium Alloy Connector With Olive drab chromate over Cadmium Plated with Protective cap Pin type D38999/24-W-C-35PN-1519, Aluminium Alloy Connector With Olive drab chromate over Cadmium Plated with Protective cap Socket type D38999/26-W-C-35SN-1423, Boot heat shrinkable strain relief with meltable inner wall for adhesive 202K142-25-0 (Raychem), Boot heat shrinkable strain relief with meltable inner wall for adhesive 202K142-25-0 (Raychem), Boot heat shrinkable strain relief with meltable inner wall for adhesive 382A 034-3 (Y transition: Raychem), Copper braid tin coated 12 x 20, Electrical Cable Copper multi strands tin coated 3 core PTFE Insulated (white , white with with blue spiral strip & white with orange spiral strip) modified extruded shield braid (SCD) 22/19/34 AWG (Spec: 19/0.16) M-27500-22 SB 3T 00 12515 REV-A. Electrical Cable Copper multi strands tin coated 2 core PTFE Insulated (white & white with with blue spiral strip) modified extruded shield braid (SCD) 22/19/34 AWG (Spec: 19/0.16) M-27500-22 SB 2T 00 12515 REV-A. Electrical Cable Copper multi strands tin coated single core PTFE Insulated (white) modified extruded shield braid (SCD) 22/19/34 AWG (Spec: 19/0.16) M-27500-22 SB 1T 00 12515 REV-A, Electrical Cable Copper multi strands tin coated single core PTFE Insulated (white with black spiral strip) 22/19/34 AWG (Spec: 19/0.16) M-27500-22 SB 1T 00 12515 REV-A, CO-Axial RF shield cable 752845314-0 black XLETFE single jacket modified extruded 28/7/36 AWG (Spec: 07/0.13), Electrical Cable Copper multi strands tin coated 2 core FEP Insulated (white & pink) black XLETFE modified extruded shield braid (SCD) _22/19/34 AWG (Spec : 19/0.16) M-27500-22 SB 2T 23 06090, HS Sleeve Black 3/4" Raychem DR-25, Heat shrinkable Splice asper pt No.XK11-203-508 22 mmLength, Heat shrinkable Splice asper pt No.XK11-203-508 30 mm length, Splice asper pt No. X11-209 30 mm length, HS Sleeve white 20/10 mm, HS Sleeve clear _20/10 mm, Ring_As per Drg No. A4-515-SMP-57251, ATC Binding wire 0.3 mm dia, ATC Binding wire 0.5 mm dia, Luminescent white paint Acrylic Marker, Nylon thread white 0.3 mm dia, Glue tape 26 mm width x 0.30 mm thk Epoxy tape, Adhesive black (Heat treatment silicon adhesive) S1125: Rechem (30Gms), ISO Prophyl Alcohal _IPA, Acrylic conformal coatns_, Solder soft 16 SWG_Sn-63%, Pb-37%, Solder flux_, Dosuti Black_, Tissue paper 25 x 30 Cm_, Wire mesh PMSR width 30 mm _ shield silver coated, Plastic cover 80 microns 24" x 24", Permanent marker pen black , HS Tube clear 4/2 mm, HS Sleeve 2.5/1.5 mm

Aluminium Alloy Connector With Olive drab chromate over

GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS

Searched String: Aluminium Alloy Connector With Olive drab chromate over Cadmium Plated with Protective cap_Pin type D38999/24-W-C-35PA-1519

Category not available on GeM for the text string uploaded by the buyer

Searched String: Aluminium Alloy Connector With Olive drab chromate over Cadmium Plated with Protective cap_Pin type D38999/24-W-C-35PN-1519

Category not available on GeM for the text string uploaded by the buyer

Bid Details বিবিধা drap chromate over Cadmium Plated with Protective

cap Socket type D38999/26-W-C-35SN-1423

Category not available on GeM for the text string uploaded by the buyer

Searched String: Boot heat shrinkable strain relief with meltable inner wall for adhesive 202K142-25-0 (Raychem)

Category not available on GeM for the text string uploaded by the buyer

Searched String: Boot heat shrinkable strain relief with meltable inner wall for adhesive 202K142-25-0 (Raychem)

Category not available on GeM for the text string uploaded by the buyer

Searched String: Boot heat shrinkable strain relief with meltable inner wall for adhesive_382A 034-3 (Y transition: Raychem)

Category not available on GeM for the text string uploaded by the buyer

Searched String: Copper braid tin coated 12 x 20

Battery Secondary Lead Acid MT Type (Defence), Non Sparking Double Open Ended Spanner (V2), Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Non Sparking Double Ended Ring Spanner (V2), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Cyanide Distillation Apparatus, Copper Alloy Fancy Taps for Bathroom as per IS 8931 (Latest), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Minifuge

Searched String: Electrical Cable Copper multi strands tin coated 3 core PTFE Insulated (white , white with with blue spiral strip & white with orange spiral strip) modified extruded shield braid (SCD) _22/19/34 AWG (Spec : 19/0.16) M-27500-22 SB 3T 00 12515 REV-A

Category not available on GeM for the text string uploaded by the buyer

Searched String: Electrical Cable Copper multi strands tin coated 2 core PTFE Insulated (white & white with with blue spiral strip) modified extruded shield braid (SCD) _22/19/34 AWG (Spec : 19/0.16) M-27500-22 SB 2T 00 12515 REV-A

Category not available on GeM for the text string uploaded by the buyer

Searched String: Electrical Cable Copper multi strands tin coated single core PTFE Insulated (white) modified extruded shield braid (SCD) _22/19/34 AWG (Spec : 19/0.16) M-27500-22 SB 1T 00 12515 REV-A

Category not available on GeM for the text string uploaded by the buyer

Searched String: Electrical Cable Copper multi strands tin coated single core PTFE Insulated (white with black spiral strip) _22/19/34 AWG (Spec : 19/0.16) M-27500-22 SB 1T

00 12515 REV-A Bid Details/बिंड विवरण

Category not available on GeM for the text string uploaded by the buyer

Searched String: CO-Axial RF shield cable 752845314-0 black XLETFE single jacket modified extruded _28/7/36 AWG (Spec : 07/0.13)

Category not available on GeM for the text string uploaded by the buyer

Searched String: Electrical Cable Copper multi strands tin coated 2 core FEP Insulated (white & pink) black XLETFE modified extruded shield braid (SCD) _22/19/34 AWG (Spec : 19/0.16) M-27500-22 SB 2T 23 06090

Category not available on GeM for the text string uploaded by the buyer

Searched String: HS Sleeve Black 3/4"_Raychem DR-25

Drill Sleeve, Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V3) Confirming to IS 2932, Sleeping Bag MK 4 (JSS), Weightlifting Discs, N-(1-

Naphthyl)ethylenediamine, Speedi sleeve, Black Japan, Type A, Type B, Type C as per IS 341, Black Tea as per IS 3633, Black Lead Pencils (V2) as per IS 1375, MTT (3-(4,5-Dimethylthiazol-2-yl)-2,5-Diphenyltetrazolium Bromide)

Searched String: Heat shrinkable Splice asper pt No.XK11-203-508_22 mmLength

Category not available on GeM for the text string uploaded by the buyer

Searched String: Heat shrinkable Splice asper pt No.XK11-203-508 30 mm length

Category not available on GeM for the text string uploaded by the buyer

Searched String: Splice asper pt No. X11-209_30 mm length

Picket Steel as per DGS&D Drawing

Searched String: HS Sleeve white 20/10 mm

Petti Coat, White - Military Hospital Clothing, Dry Erase Writing Boards (V3), NQ PCD Core Bit with 10 MM Cutters and TSP Chips - Matrix Body (CMPDI), Junction Box for Lighting, T - Shirt White Half Sleeves Round / Full Neck for Ministerial Staff of CAPFS (MHA) QRs, LED Batten, Mild Steel Sheet, Staplers (V2), Copper Tube 104.9mm-OFB, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1)

Searched String: HS Sleeve clear _20/10 mm

NQ PCD Core Bit with 10 MM Cutters and TSP Chips - Matrix Body (CMPDI), LED Batten, Mild Steel Sheet, Copper Tube 104.9mm-OFB, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), T - Shirt (Indian Coast Guards), Mice and Rat Restrainers, Commercial CPVC Pipe Fittings, Copper Alloy Fancy Taps for Bathroom as per IS 8931 (Latest), Laboratory Vials (V2)

Searched String: Ring_As per Drg No. A4-515-SMP-57251

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS

Bearing (BHEL), mugs stainless steel single double walled with double wall moulded handle, CARTON BOX TO DRG NO P-144(f) IN FINISHED CONDITION, DC ADAPTOR FOR CDSC (OFB), Roller Bearing (BHEL), Industrial Safety Gloves - Leather and Cotton, Steel Pipe/Tube as per ASTM A423, Picket Steel as per DGS&D Drawing, Switch Mode Power Supply (SMPS) as per IS 14886:, Non Sparking Double Ended Ring Spanner as per IS 4595

Searched String: ATC Binding wire 0.3 mm dia

Stitching Wire for Book Binding, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), binding coils or wire loops, High Pressure Fire Fighting Hose - IS 14933, MOLECULAR SIEVE TYPE - 3A FOR INERT GAS DRIER (3 MM DIA PELLETS) for ONGC, Commercial CPVC Pipe Fittings, Steel Rod 30.1mm Diameter (OFB (Defence)), Thermal Binding Machines , Standard Wire Gauge, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985

Searched String: ATC Binding wire 0.5 mm dia

Stitching Wire for Book Binding, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), binding coils or wire loops, High Pressure Fire Fighting Hose - IS 14933, MOLECULAR SIEVE TYPE - 3A FOR INERT GAS DRIER (3 MM DIA PELLETS) for ONGC, Commercial CPVC Pipe Fittings, Steel Rod 30.1mm Diameter (OFB (Defence)), Standard Wire Gauge, Wireline Diamond Core Bit Set, Orthopaedic Wire Cutter (V2)

Searched String: Luminescent white paint Acrylic Marker

Markers for White Board (V2), Permanent Paint Markers (V2), PAINT READY MIXED AIR DRYING WHITE, Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V3) Confirming to IS 2932, Inks (V2)

Searched String: Nylon thread white _0.3 mm dia

Commercial CPVC Pipe Fittings, Connection Pipe with Nuts (V2), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Hangers - Clothes, Commercial PPR Pipes Fittings as per IS 15801, Cricket Net as per IS 3345

Searched String: Glue tape 26 mm width x 0.30 mm thk Epoxy tape

Pressure Sensitive Adhesive Plasticized PVC Tapes with Nonthermosetting Adhesive as per IS 7809 (Part 3 / Section 1), Transparent Tape (V2), Tape Dispensers (V2), Double sided tape

Searched String: Adhesive black (Heat treatment silicon adhesive) S1125: Rechem (30Gms)

Category not available on GeM for the text string uploaded by the buyer

Searched String: ISO Prophyl Alcohal _IPA

Isopropyl Alcohol (IPA) (ONGC)

Searched String: Acrylic conformal coatns

Bid Details/las idd Fabric Pin Up Notice Boards, Conformal Coating Compound and Thinner, Aliphatic acrylic polyurethane

coating, taps or valves of nonferrous metals, Acrylic Jersey - Children of Anganwadi Centres, Information Boards or Illustration Board, Polymethyl Methacrylate (PMMA) (Acrylic) Sheets (V2) as per IS 14753 (Latest), Domestic Soup or Salad Bowls (V2), Sinks

Searched String: Solder soft 16 SWG Sn-63%, Pb-37%

Soft Solder - IS 193, Soft Solder for Electronic applications, Solder Bar, Solder Bar (in Kg)

Searched String: Solder flux_

Solder Bar, Soldering and Desoldering Station with digital display, Flux Cored Solder Wire as per IS 1921, Solder Bar (in Kg), Soft Solder - IS 193, Temperature controlled soldering station, Rover Mask, Soft Solder for Electronic applications, Electric Soldering Iron, Electronic Welding (Soldering) Tool Kit

Searched String: Dosuti Black

Dosuti Cotton Khadi as per IS 3770, Shoe Shine Machine, anklet synthetic black, boot ankle textile jungle boot direct moulded pu sole in pairs, Black Rice from Bilaspur - ODOP, Black Quarter Vaccine, Inactivated, Shoe Black Derby (Patent Leather), Steel Tubes, Tubulars as per IS 1239, Tableware Made of Melamine Plastics as per IS 9220, Bio - Medical Waste Collection Bags (Biohazard Bags)

Searched String: Tissue paper 25 x 30 Cm_

Towels - Hotel Linen, Adhesive Incise Drape, X - Ray Detectable Absorbent Cotton Gauze, X-Ray Detectable Gauze Swab/Laparotomy Sponge (V2), Disposable Single Use Towels, Cotton Cloth Bag for Seed Packing - Capacity From 0.75 Kg to 12 Kg, Non Adherent Dressings (V2), Antimicrobial Dressing (V2), Hydrocollator Machine

Searched String: Wire mesh PMSR width 30 mm _ shield silver coated

Category not available on GeM for the text string uploaded by the buyer

Searched String: Plastic cover 80 microns 24" x 24"

Cleaning Duster (V2), Electronic Baby Weighing Scale - RBSK, Bio - Medical Waste Collection Bags (Biohazard Bags), Plastic cover for Desk Diary, Medical Centrifuge, laboratory hotplates, Shamianas, Layer - 3 Distribution Switch, Convex Mirror (Road Safety), Lead Acid Batteries for Motor Vehicles with Light Weight and High Cranking Performance as per IS 14257:2019

Searched String: Permanent marker pen black_

Permanent Marker Pen, Highlighter Pen, Surgical Skin Marker Pen (V2), Permanent Paint Markers (V2), Inks (V2), Markers for White Board (V2), Black Lead Pencils (V2) as per IS 1375, Weightlifting Discs, Rollerball Pen (V3), Ball Point Pens (V2) as per IS 3705

Searched String: HS Tube clear 4/2 mm

Bid D	Copper Tube 35 mm-OFB, XLPE Cable for Working Voltages up to and including 1.1 KV as per IS 7098 (Part 1), Copper Tube 104.9mm-OFB, Steel Pipe/Tube as per ASTM A423, Blood Sample Collection Tubes, Steel Tubes used for Water Wells (V2) as per IS 4270, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Fabric Pin Up Notice Boards, Mild Steel Sheet, Copper Alloy Fancy Taps for Bathroom as per IS 8931 (Latest)
	Searched String: HS Sleeve _2.5/1.5 mm
	Speedi sleeve, Copper Alloy Fancy Taps for Bathroom as per IS 8931 (Latest), Bush Bearing, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Shirt Polyestera and Cotton Half Sleeve for IAF Personnel, Sofa Set (Steel Tube), Sprinkler Irrigation Unit as per IS 12232, Fabric Pin Up Notice Boards, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, taps or valves of nonferrous metals
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	Polytetra Fluroethylene(PTFE) Insulated Cables (BHEL)
BOQ Title/बीओक्यू शीर्षक	W8 punja cable
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Bid to RA enabled/बिंड से रिवर्स नीलामी सक्रिय किया	Yes
RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
Type of Bid/बिंड का प्रकार	Two Packet Bid
Primary product category	Aluminium Alloy Connector With Olive drab chromate over Cadmium Plated with Protective cap_Pin type D38999_24_W_C_35PA_1519
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation

Bid Details/बिड विवरण			
Arbitration Clause No			
Mediation Clause	No		

EMD Detail/ईएमडी विवरण

Lι		
ш		
ш	Doguirod/2007	l No
ш	Requirea/आवश्यकता	No
ш		

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%)/ईपीबीजी प्रतिशत (%)	3.00
Duration of ePBG required (Months)/ईपीबीजी की अपेक्षित अवधि (महीने).	14

(a). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी:

PCDA BENGALURU

BANGALORE, Department of Military Affairs, Indian Army, Ministry of Defence (Pcda Bengaluru)

Reserved for Make In India products

Reserved for Make In India products	Yes

MSE Purchase Preference/एमएसई खरीद वरीयता

1 1		
ı	MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
	1132 Tarchase Treference/(VIXI) axia axia	

- 1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
- 2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
- 3. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to

qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

- 4. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
- 5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
- 6. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

Aluminium Alloy Connector With Olive Drab Chromate Over Cadmium Plated With Protective Cap Pin Type D38999 24 W C 35PA 1519

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	21	60

Aluminium Alloy Connector With Olive Drab Chromate Over Cadmium Plated With Protective Cap_Pin Type D38999_24_W_C_35PN_1519

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*********BANGALORE	21	60

Aluminium Alloy Connector With Olive Drab Chromate Over Cadmium Plated With Protective Cap Socket Type D38999 26 W C 35SN 1423

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	21	60

Boot Heat Shrinkable Strain Relief With Meltable Inner Wall For Adhesive_202K142_25_0 Raychem

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	21	60

Boot Heat Shrinkable Strain Relief With Meltable Inner Wall For Adhesive_202K142_25_0 Raychem

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती /रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	42	60

Boot Heat Shrinkable Strain Relief With Meltable Inner Wall For Adhesive_382A 034_3 Y Transition Raychem

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती /रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	42	60

Copper Braid Tin Coated _12 X 20

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Specification Document	<u>View File</u>

BOQ Detail Document View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	217	60

Electrical Cable Copper Multi Strands Tin Coated 3 Core PTFE Insulated White _ White With With Blue Spiral Strip And White With Orange Spiral

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती /रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	63	60

Electrical Cable Copper Multi Strands Tin Coated 2 Core PTFE Insulated White And White With With Blue Spiral

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती /रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	546	60

Electrical Cable Copper Multi Strands Tin Coated Single Core PTFE Insulated White Modified Extruded Shield Braid SCD _22_19_34 AWG Spec _ 19_0_16 M_

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती /रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	179	60

Electrical Cable Copper Multi Strands Tin Coated Single Core PTFE Insulated White With Black Spiral Strip _22_19_34 AWG Spec _ 19_0_16 M_27500_22 SB 1T 00 12515 REV A

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	21	60

CO_Axial RF Shield Cable 752845314_0 Black XLETFE Single Jacket Modified Extruded _28_7_36 AWG Spec _ 07_0_13

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	137	60

Electrical Cable Copper Multi Strands Tin Coated 2 Core FEP Insulated White And Pink Black XLETFE Modified Extruded Shield Braid

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

S	pecification Document	<u>View File</u>
В	OQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	168	60

HS Sleeve Black 3 4 Raychem DR 25

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	137	60

Heat Shrinkable Splice Asper Pt No XK11 203 508 22 MmLength

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	84	60

Heat Shrinkable Splice Asper Pt No XK11 203 508 30 Mm Length

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	84	60

Splice Asper Pt No_X11_209_30 Mm Length

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*********BANGALORE	63	60

HS Sleeve White _20_10 Mm

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	420	60

HS Sleeve Clear _20_10 Mm

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	********BANGALORE	59	60

Ring_As Per Drg No_ A4_515_SMP_57251

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	63	60

ATC Binding Wire_0_3 Mm Dia

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	105	60

ATC Binding Wire_0_5 Mm Dia

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	21	60

Kapton Tape 24 Mm Width

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	525	60

Luminescent White Paint_Acrylic Marker

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	500	60

Nylon Thread White _0_3 Mm Dia

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती /रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	63	60

Glue Tape 26 Mm Width X 0_30 Mm Thk_Epoxy Tape

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Specification Document	View File
BOQ Detail Document	View File

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	11	60

Adhesive Black Heat Treatment Silicon Adhesive_S1125 _ Rechem 30Gms

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती /रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	3	60

ISO Prophyl Alcohal _IPA

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	500	60

Acrylic Conformal Coatns_

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*********BANGALORE	500	60

Solder Soft 16 SWG_Sn_63_ Pb_37

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	400	60

Solder Flux_

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	200	60

Dosuti Black_

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

	Specification Document	<u>View File</u>
- 1		

BOQ Detail Document

View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	5	60

Tissue Paper 25 X 30 Cm_

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती /रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	21	60

Wire Mesh PMSR Width 30 Mm _ Shield Silver Coated

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	21	60

Plastic Cover 80 Microns_24 X 24

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती /रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	22	60

Permanent Marker Pen Black_

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	1	60

HS Tube Clear_4_2 Mm

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	******BANGALORE	42	60

HS Sleeve _2_5_1_5 Mm

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*******BANGALORE	21	60

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 % of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity \div Original quantity) \times Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Generic

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

515 ARMY BASE WORKSHOP HALASURU,BENGALURU-560008

3. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

4. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

5. Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

6. Generic

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

7. Generic

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

8. Scope of Supply

Scope of supply (Bid price to include all cost components): Only supply of Goods

9. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

10. Buyer Added Bid Specific ATC

Buyer uploaded ATC document <u>Click here to view the file</u>.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

- 1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
- 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
- 4. Creating BoQ bid for single item.
- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
- 6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for <u>attached categories</u>, trials are allowed as per approved procurement policy of the buyer nodal Ministries)
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
- 11. Creating bid for items from irrelevant categories.
- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.
- 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---