



Bid Number/बोली क्रमांक (बिड संख्या):  
GEM/2025/B/6225259  
Dated/दिनांक : 17-05-2025

### Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	07-06-2025 20:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	07-06-2025 20:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	30 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Defence
Department Name/विभाग का नाम	Department Of Military Affairs
Organisation Name/संगठन का नाम	Indian Army
Office Name/कार्यालय का नाम	*****
क्रेता ईमेल/Buyer Email	rkdasari.272l@gov.in
Total Quantity/कुल मात्रा	1214

Bid Details/बिड विवरण	
Item Category/मद केटेगरी	<p>Glucose Mindray , Creatinine Mindray , Lipase Mindray , CRP Mindray , Multi Calibrator Mindray , CRP Calibrator Mindray , Multi Control L1 and L2 Mindray , Distilled Water 5ltr bott , Probe Wash Mindray , Elite H Clean ERBA Kit of 4 Bott , Prothrombin Test Kit , Widal Test , Gram Stain readymade , Zn Stain readymade , Urine Multistick seimens 10G , Hemospot , Absolute Alchol , Methyl Alchol , Antisera H , Antisera A1 , Anti Human Globulin , Spirit , Daily Cleaner for HDL Lyte electrolyte analyser 12multi15ml , Thermal Printer paper for HDC lyte electrolyte analyser , Mindray Lamp , Potassium Hydroxide Solutionfor fungus test , T3 Ichroma kit of 25 test , T4 Ichroma kit of 25 test , TSH Ichroma kit of 25 test , HbA1C Ichroma kit of 25 test , Quality control T3 Ichroma , Quality control T4 Ichroma , Quality Control TSH Ichroma , Quality Control HbA1C Ichroma , D Dimmer Ichroma kit of 25 test , O Pooled Cell , Agglutination tile for blood grouping , Blood Storage Cabinate temp graph paper , Blood Storage Cabinate temp graph pen , Cled Agar with Bromothymol Blue , Formaldehyde solution , ERBA H560 Diluent , ERBA H560 Lyse 1 , ERBA H560 Lyse 2 , Cuvetts Mindray , Glucose kit Arkrey , Urea kit Arkrey , Creatinine kit Arkrey , Uric acid Arkrey , Total Bilibubin kit Arkrey , Direct Bilirubin kit Arkrey , Total Protein kit Arkrey , Albumin kit Arkrey , SGOT AST kit Arkrey , SGPT ALT Kit Arkrey , Alkaline Phosphate kit Arkrey , Amylase kit Arkrey , GGT Kit Arkrey , CPK Kit Arkrey , CK MB Kit Arkrey , LDH Kit Arkrey , Calcium Arkrey , Combined microbial sensitivity disc GNB , Combined microbial sensitivity disc GPC , Hemotoxylin stain readymade , E lyte control ERBA , INJ IOHEXAL 350 MG BOTT OF 100 ML , Laproscopic trocar 3mm , ABG Solution Radiometer , ABG Cartridge Radiometer</p>

Bid Details/बिड विवरण	
GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS	<p>Glucose Mindray, Creatinine Mindray, Lipase Mindray, CRP Mindray, Multi Calibrator Mindray, CRP Calibrator Mindray, Multi Control L1 and L2 Mindray, Distilled Water, Probe Wash Mindray, Elite H Clean ERBA Kit of 4 Bott, Prothrombin Test Kit, Widal Test, Gram Stain readymade, Zn Stain readymade, Urine Multistick seimens 10G, Hemospot, Absolute Alcohol, Methyl Alcohol, Antisera H, Antisera A1, Anti Human Globulin, Spirit, Daily Cleaner for HDL Lyte electrolyte analyser 12multi15ml, Thermal Printer paper for HDC lyte electrolyte analyser, Mindray Lamp, Potassium Hydroxide Solution for fungus test, T3 Ichroma kit of 25 test, T4 Ichroma kit of 25 test, TSH Ichroma kit of 25 test, HbA1C Ichroma kit of 25 test, Quality control T3 Ichroma, Quality control T4 Ichroma, Quality Control TSH Ichroma, Quality Control HbA1C Ichroma, D Dimmer Ichroma kit of 25 test, O Pooled Cell, Agglutination tile for blood grouping, Blood Storage Cabinate temp graph paper, Blood Storage Cabinate temp graph pen, Cled Agar with Bromothymol Blue, Formaldehyde solution, ERBA H560 Diluent, ERBA H560 Lyse 1, ERBA H560 Lyse 2, Cuvetts Mindray, Glucose kit Arkrey, Urea kit Arkrey, Creatinine kit Arkrey, Uric acid Arkrey, Total Bilibubin kit Arkrey, Direct Bilirubin kit Arkrey, Total Protein kit Arkrey, Albumin kit Arkrey, SGOT AST kit Arkrey, SGPT ALT Kit Arkrey, Alkaline Phosphate kit Arkrey, Amylase kit Arkrey, GGT Kit Arkrey, CPK Kit Arkrey, CK MB Kit Arkrey, LDH Kit Arkrey, Calcium Arkrey, Combined microbial sensitivity disc GNB, Combined microbial sensitivity disc GPC, Hemotoxylin stain readymade, E lyte control ERBA, INJ IOHEXAL 350 MG BOTT OF 100 ML, Laproscopic trocar 3mm, ABG Solution Radiometer, ABG Cartridge Radiometer</p>
	<p><b>Searched String:</b> Glucose Mindray</p> <p>Glucose, Blood Glucose Test Strips (Glucostrips), Glucose agar, Infusion Pump Volumetric / Syringe Based, Blood Glucose Meter - Glucometer (V2), Blood Glucose Test Strips (Glucostrips) with Glucometer, Glucose Salt Teepol Broth, High End Multipara Monitor, Glucose-6-Phosphate Dehydrogenase (G6PD) Activity Test Kit, Glucose Monitors or Meters - Glucometer</p> <p><b>Searched String:</b> Creatinine Mindray</p> <p>Biochemistry Reagent Kits, Laboratory Reagent Kits, Biochemistry Reagent Kit (Open System), Infusion Pump Volumetric / Syringe Based, High End Multipara Monitor, Biochemistry Reagent Kit (Close System), Multipara Monitor - Low End, Electrocardiography (ECG) Machine (V2), Cardiac Monitor with defibrillator</p> <p><b>Searched String:</b> Lipase Mindray</p> <p>Biochemistry Reagent Kits, Biochemistry Reagent Kit (Open System), Multipara Monitor - Low End, High End Multipara Monitor, Cardiac Monitor with defibrillator, General Operating Table, Electrocardiography (ECG) Machine (V2), Biochemistry Reagent Kit (Close System)</p> <p><b>Searched String:</b> CRP Mindray</p> <p>C - Reactive Protein (CRP) Kit, C - Reactive Protein (CRP) Test Kits, C-Reactive Protein (CRP) Test Kit, Point of Care</p>

Bid Details/As per	Rapid Test Kits, Glycosylated Haemoglobin/Micro Albumin/CRP/D-dimer Analyzer, Biochemistry Reagent Kit (Open System), Cloth Disruptive Polyester and Cotton (20:80) with Digital Print Uniform Cloth (V3) (CRPF), Multipara Monitor - Low End, C Band Pass Filter for POLNET Terminal (CRPF), Biochemistry Reagent Kit (Close System)
	<p><b>Searched String:</b> Multi Calibrator Mindray</p> <p>Multi function Calibrators, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Temperature calibrator, Infusion Pump Volumetric / Syringe Based, Pressure Calibrator, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Process Calibrator, High End Multipara Monitor, Hand Held Calibrator, Connector Mounting Hardware - Multi Plug</p> <p><b>Searched String:</b> CRP Calibrator Mindray</p> <p>Temperature calibrator, Theft Proof Rifle Racks, Pressure Calibrator, Point of Care Rapid Test Kits, Process Calibrator, Hand Held Calibrator, Biochemistry Reagent Kit (Open System), OTI / WTI Calibrator, DIGITAL BUTYRO REFRACTOMETER FOR DAIRY PRODUCTS, Slip Gauge Calibrator</p> <p><b>Searched String:</b> Multi Control L1 and L2 Mindray</p> <p>L 1 Fingerprint Registered Device Scanners for Bio - Metric Authentication (UIDAI), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Electric Kettles and Jugs for Household as per IS 367, PVC Copper Cable 1 Core and Multi Core Circular Sheathed Cable with Rigid Conductor as per IS 694, PVC Copper Cable Single and Multi Core Circular Sheathed Cable with Flexible Conductor as per IS 694, PVC Copper Cable Single and Multi Core Circular Sheathed Cord with Flexible Conductor as per IS 694, PVC Aluminium Cable 1 Core and Multi Core Circular Sheathed Cable with Rigid Conductor as per IS 694, Office Chair (V3)</p> <p><b>Searched String:</b> Distilled Water</p> <p>Reagent Grade Distilled water, water baths, Bi Double Distillation Water Unit (V2), Water Aerator/Water Automiser, RO Water Treatment System Above 50 LPH Filtration Capacity, Water Sprinkler, Environmental Chamber, Water Boiler, Aerated Water, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781</p> <p><b>Searched String:</b> Probe Wash Mindray</p> <p>Four Probe, Ultrasonic Probe Sonicator, Current Probe, Infusion Pump Volumetric / Syringe Based, Face Wash, Laundry Type Washing Machines / Drying Machines, Dental Straight Probe (V2) - RBSK, High End Multipara Monitor, pH Meter, High Voltage Probe</p> <p><b>Searched String:</b> Elite H Clean ERBA Kit of 4 Bott</p> <p>Urine Drug Screen Kit</p>

Bid Details/As per	Searched String: Prothrombin Test Kit
	<p>Rheumatoid Factor Test Kit (RA Test Kit), personal safety kit reflective luminous garments, Widal Test Kit, Field test kit, JAR TEST APPARATUS, Rheumatoid Factor Test Kit - RA Test Kit (V2), Pregnancy Rapid Test Kits (V2), Plastic Moulded Table - Preschool Kit, Typhoid Rapid Test Kits, Widal Test Kits</p> <p><b>Searched String:</b> Widal Test</p> <p>Widal Test Kits, JAR TEST APPARATUS, Widal Test Kit, Test Leads, Multipurpose or General Test Tubes as per IS 2618, Rheumatoid Factor Test Kit (RA Test Kit), Sieve Shaker, ELISA Test Kits (V2), Test Sieves as per IS 460 (Part 1 and Part 2), Chloro Test Reagent</p> <p><b>Searched String:</b> Gram Stain readymade</p> <p>Giemsa Stain, Cricket Bat, Leishman's Stain, Whole Gram, Hammers as per IS 841:1983, New Methylene Blue Stain (Reticulocyte Stain), Veterinary Vitamin and Mineral Mixture as per IS 1664:2002, Stain Removing Agent, Household Laundry Detergent Powders as per IS 4955, Auramine Rhodamine Stain</p> <p><b>Searched String:</b> Zn Stain readymade</p> <p>Giemsa Stain, Readymade Bituminous Pothhole Patching Mix as per IS 217 Cutback Bitumen, IS 14982 Anti - Stripping Agent, Leishman's Stain, New Methylene Blue Stain (Reticulocyte Stain), Tool Kit for Readymade Garments - ODOP UP Gov. (Amroha), Stain Removing Agent, Auramine Rhodamine Stain, Gram's Staining Kit, Calcofluor white stain, Universal Bevel Protractor</p> <p><b>Searched String:</b> Urine Multistick seimens 10G</p> <p>Urine Drug Screen Kit, urine collection containers or urine culture bottles, Urine culture bottles, Cellophane paper</p> <p><b>Searched String:</b> Hemospot</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Absolute Alcohol</p> <p>Absolute pressure meter, Water - Drinking and Sanitation (V2), Plastic Moulded Table - Preschool Kit, Rotary Encoder, Aluminium Sulphate, Non - Ferric as per IS 260, Slips Post in Slip as per IS 1848, Desk Pads - Writing, Correspondence Envelopes (V2), Report Cover</p> <p><b>Searched String:</b> Methyl Alcohol</p> <p>Methyl Orange, Methyl ethyl ketone, Methyl Benzoate, Plastic Moulded Table - Preschool Kit, Methyl Iodide, Methyl acetate, Methyl isobutyl ketone, Methyl Red, Methyl Salicylate, Diclofenac + Linseed Oil + Menthol + Methyl Salicylate Topical Forms (V2)</p> <p><b>Searched String:</b> Antisera H</p> <p>Azomethine-H-Monosodium Salt Monohydrate, TLC Silica Gel H Plates, BTI A.S. Serotype H-14 - Defence, Bti W.P. Serotype H - 14 (Defence), H Size Diamond Impregnated Core Bit (CMPDI), H Size PCD Non Coring Bit (CMPDI),</p>

Bid Details/As per	Modular Work Stations (V2), Thermoplastic Road Marking Paint, Motherboard for Desktop, Bacillus Thuringiensis var. Kurstaki Serotype H-3a,3b, strain Z-52
	<p><b>Searched String:</b> Antisera A1</p> <p>Anti-A1 (Lectin), Multipara Monitor - Low End, Anti-A1 Lectin Reagent (V2), Muffle Furnace, BOD Incubator, Nitrile Coated Hand Gloves, Nitrile Coated/Nitrile Hand Gloves (V2), Toilet Brush (V2), Sofas (V2), Entry and Mid Level Desktop Computer</p> <p><b>Searched String:</b> Anti Human Globulin</p> <p>Anti - Human Globulin (AHG) Sera, Medical Training kit with Human mannequins for medical education or training, Anti-Human Globulin (AHG) Reagent, Anti-Tetanus Immunoglobulin (Human) Injection, HYDRAULICALLY REGULATED DOOR CLOSERS, Human Fibrin Sealant, Surgical isolation Faceshield, Human Coagulation Factor VII, Automated tissue processor, Human Normal Immunoglobulin Injection</p> <p><b>Searched String:</b> Spirit</p> <p>Spirit level, Spirit Burner-IS:323, Gum Spirit of Turpentine Oil as per IS 533, Rectified Spirit for Industrial use (V3) as per IS 323, Digital Electronic Spirit Level (Digi level or Digital inclinometer), Alcohol Swab, Methylele Spirit (Denatured Alcohol) as per IS 4117, Books (V2)</p> <p><b>Searched String:</b> Daily Cleaner for HDL Lyte electrolyte analyser 12multi15ml</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Thermal Printer paper for HDC lyte electrolyte analyser</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Mindray Lamp</p> <p>Solar Lamp (Solar Study Lamp), Self Ballasted LED Lamps for General Lighting Service as per IS 16102, Pedestral lamp, Infusion Pump Volumetric / Syringe Based, Wall lamp, Self Ballasted LED Lamps for General Lighting Services (V2) Conforming to IS 16102, Hand Lamp, High End Multipara Monitor, Inspection Lamp, Indicator lights or Lamps</p> <p><b>Searched String:</b> Potassium Hydroxide Solution for fungus test</p> <p>Potassium Hydroxide for Drilling Fluids (ONGC), Potassium Hydroxide / Caustic Potash as per IS 6831, Potassium Hydroxide for Sulphur Recovery Unit for (ONGC)</p> <p><b>Searched String:</b> T3 Ichroma kit of 25 test</p> <p>Point of Care Diagnostic Test Kit - Chikungunya Rapid Test Kit, Electronic Weighing Scales, Point of Care Diagnostic Test Kit - Typhoid Rapid Test Kit, Point of Care Rapid Test Kits, Point of Care Diagnostic Test Kit - Leptospira Rapid Test Kit, Cardiac Troponin T TEST KIT, Point of Care Diagnostic Test Kit - HAV Rapid Test Kit, Dual HIV and Syphilis Rapid</p>

Bid Details/As per	Diagnostic Test Kit, Point of Care Diagnostic Test Kit - Procalcitonin (PCT) Rapid Test Kit, Point of Care Rapid Test Kits (V2)
<p><b>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</b></p>	<p><b>Searched String:</b> T4 Ichroma kit of 25 test</p> <p>Point of Care Diagnostic Test Kit - Chikungunya Rapid Test Kit, Cardiac Troponin T TEST KIT, Point of Care Diagnostic Test Kit - Typhoid Rapid Test Kit, Point of Care Rapid Test Kits, Point of Care Diagnostic Test Kit - Leptospira Rapid Test Kit, Point of Care Rapid Test Kits (V2), Point of Care Diagnostic Test Kit - HAV Rapid Test Kit, Dual HIV and Syphilis Rapid Diagnostic Test Kit, Point of Care Diagnostic Test Kit - Procalcitonin (PCT) Rapid Test Kit, crepe bandage</p>
	<p><b>Searched String:</b> TSH Ichroma kit of 25 test</p> <p>Point of Care Diagnostic Test Kit - Chikungunya Rapid Test Kit, Point of Care Rapid Test Kits (V2), Point of Care Diagnostic Test Kit - Typhoid Rapid Test Kit, Point of Care Rapid Test Kits, Point of Care Diagnostic Test Kit - Leptospira Rapid Test Kit, Point of Care Diagnostic Test Kit - Malaria Rapid Test Kits, Point of Care Diagnostic Test Kit - HAV Rapid Test Kit, Dual HIV and Syphilis Rapid Diagnostic Test Kit, Point of Care Diagnostic Test Kit - Procalcitonin (PCT) Rapid Test Kit, Point of Care Diagnostic Test Kit - Dengue Rapid Test Kits</p>
	<p><b>Searched String:</b> HbA1C Ichroma kit of 25 test</p> <p>Point of Care Diagnostic Test Kit - Chikungunya Rapid Test Kit, Point of Care Diagnostic Test Kit - Typhoid Rapid Test Kit, Point of Care Rapid Test Kits, Point of Care Diagnostic Test Kit - Leptospira Rapid Test Kit, Sofa Set (Steel Tube), Point of Care Diagnostic Test Kit - HAV Rapid Test Kit, Dual HIV and Syphilis Rapid Diagnostic Test Kit, Point of Care Diagnostic Test Kit - Procalcitonin (PCT) Rapid Test Kit, Dengue Rapid Test Kits, Point of Care Diagnostic Test Kit - Rotavirus Antigen Rapid Test Kit</p>
	<p><b>Searched String:</b> Quality control T3 Ichroma</p> <p>Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), Water Quality Meters / Analyzers, Diaries Printed - Plain - Register, Flying Insect Control Traps - Fly Catcher, refuse compactor, air purifiers, Air Quality Monitor (Indoor), Submersible Pump Starters (Motor starter controls), Astronomical Timer for Street Light Control (Timer Controls) as per IS 9000, Anklet Web</p>
	<p><b>Searched String:</b> Quality control T4 Ichroma</p> <p>Flying Insect Control Traps - Fly Catcher, Diaries Printed - Plain - Register, Power Quality Analyzer, refuse compactor, conference folder, Anklet Web, Astronomical Timer for Street Light Control (Timer Controls) as per IS 9000, Control Contactors-IS:13947, Control Cable, air purifiers</p> <p><b>Searched String:</b> Quality Control TSH Ichroma</p> <p>Diaries Printed - Plain - Register, refuse compactor</p> <p><b>Searched String:</b> Quality Control HbA1C Ichroma</p> <p>Water Quality Meters / Analyzers, High quality water purification system, Diaries Printed - Plain - Register, Astronomical Timer for Street Light Control (Timer Controls)</p>

Bid Details/As per	as per IS 9000, refuse compactor, Temperature Controller, Mass Flow Controllers, Servo Control Drive - Servo Motor
	<p>Operated LVC as per IS 9815 (Part 1), Control Cable, Bamboo, Tent Pole as per IS 7344</p> <p><b>Searched String:</b> D Dimmer Ichroma kit of 25 test</p> <p>Point of Care Diagnostic Test Kit - Chikungunya Rapid Test Kit, Point of Care Rapid Test Kits (V2), Point of Care Diagnostic Test Kit - Typhoid Rapid Test Kit, Point of Care Diagnostic Test Kit - Dengue Rapid Test Kits, Point of Care Diagnostic Test Kit - Leptospira Rapid Test Kit, Point of Care Diagnostic Test Kit - Malaria Rapid Test Kits, Point of Care Diagnostic Test Kit - HAV Rapid Test Kit, Point of Care Diagnostic Test Kit - Syphilis Rapid Test Kits, Point of Care Diagnostic Test Kit - Procalcitonin (PCT) Rapid Test Kit, Point of Care Diagnostic Test Kits - HIV Rapid Test Kits</p> <p><b>Searched String:</b> O Pooled Cell</p> <p>Cell Scraper, Nitrile Coated/Nitrile Hand Gloves (V2), Cell cleaner, Liquid Consortia (V2), O-Ring Kit, Battery Cell as per IS 9128, IS 8144, Ped-O-Cycle, Laboratory Incubators, Button Cell or Coin Cell Battery, Gear Lubricants For Enclosed Industrial Gear Drives conforming to IS 8406</p> <p><b>Searched String:</b> Agglutination tile for blood grouping</p> <p>Blood Grouping Pads, Desk and Bench Set for Classroom/Training Area, Anti - AB Blood Grouping Reagent (V2), Anti - D Blood Grouping Reagent, Blood Sample Collection Tubes, Anti - A Blood Grouping Reagent, Anti - AB Blood Grouping Sera, Jungle Rumble Play Zone, Anti - B Blood Grouping Sera, Anti - D Blood Grouping Sera</p> <p><b>Searched String:</b> Blood Storage Cabinate temp graph paper</p> <p>Laminators</p> <p><b>Searched String:</b> Blood Storage Cabinate temp graph pen</p> <p>Laminators</p> <p><b>Searched String:</b> Cled Agar with Bromothymol Blue</p> <p>Bromothymol Blue, Ball Point Pens as per IS 3705, Eosin Methylene Blue Agar, Bromothymol Blue Sodium Salt (W.S.) Acs (Ph Indicator), PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, LB Broth with agar, Potato Dextrose agar with Chloramphenicol, Silica Gel Breather, Sabroud Dextrose Agar with CAP, Potable Water Purification System with Inbuilt Water Cooler</p> <p><b>Searched String:</b> Formaldehyde solution</p> <p>Formaldehyde Solution (V2) as per IS 3321, Ultra low temperature laboratory deep freezer, Chemical Indicator for Low Temperature Steam and Formaldehyde Sterilization Process, Antifoam Solution, Revolving Chair (V4), Acetaldehyde solution, Wheel Chairs (V2), Ninhydrin Solution, Instrument Trolley for Hospitals (V2), Benedict'S Solution</p> <p><b>Searched String:</b> ERBA H560 Diluent</p> <p>ERBA controls for Biochemistry, Laminators, Urine Drug</p>



Bid Details/As per	Screen Kit, Haematology Analyzer Reagents, Modular Work Stations (V2), Regulators for Breathing Apparatus ( Diving Instruments or Accessories), Motherboard for Desktop, Office Chair (V3), D and C Set, Revolving Chair (V4)
	<p><b>Searched String:</b> ERBA H560 Lyse 1</p> <p>Aerial Bunched Cables as per IS 14255, Laminators, Nitrile Coated Hand Gloves, Haematology Analyzer Reagents, Real time micro PCR, Urine Drug Screen Kit, Chest Drainage System</p> <p><b>Searched String:</b> ERBA H560 Lyse 2</p> <p>Aerial Bunched Cables as per IS 14255, Laminators, Revolving Chair (V4), Haematology Analyzer Reagents, H2S Vial Bacteriological Field Test kit, Urine Drug Screen Kit, Office Chair (V3), Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Traffic Cone, Sofas (V2)</p> <p><b>Searched String:</b> Cuvetts Mindray</p> <p>Cuvettes, Infusion Pump Volumetric / Syringe Based, Multipara Monitor - Low End, High End Multipara Monitor, Laboratory Reagent Kits, Cardiac Monitor with defibrillator, Electrocardiography (ECG) Machine (V2)</p> <p><b>Searched String:</b> Glucose kit Arkrey</p> <p>Glucose, personal safety kit reflective luminous garments, Glucose-6-Phosphate Dehydrogenase (G6PD) Activity Test Kit, Biochemistry Reagent Kits, Glucose agar, Plastic Moulded Table - Preschool Kit, Glucose-6-Phosphate Dehydrogenase (G6PD) Activity Test Kit (V2), Laboratory Reagent Kits, Blood Glucose Meter - Glucometer (V2), Networking Trainer Educational Kit</p> <p><b>Searched String:</b> Urea kit Arkrey</p> <p>Urea Phosphate, personal safety kit reflective luminous garments, Nano Urea (Liquid) Fertilizer, Laminators, Nano Urea (liquid) 16, Plastic Moulded Table - Preschool Kit, Urea Conforming to IS 1781, Laboratory Reagent Kits, Dry Chemical Powder for Fire Fighting (Potassium Bicarbonate Base Urea Reaction Product) Type - A, Biochemistry Reagent Kits</p> <p><b>Searched String:</b> Creatinine kit Arkrey</p> <p>Facial Kit, personal safety kit reflective luminous garments, Waxing Kit, Laboratory Reagent Kits, Ration Kit, Plastic Moulded Table - Preschool Kit, Sewing Kit, Biochemistry Reagent Kits, SDR Kit, Networking Trainer Educational Kit</p> <p><b>Searched String:</b> Uric acid Arkrey</p> <p>Veratric Acid (3,4-Dimethoxybenzoic Acid), Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Humic Acid and Fulvic Acid, Laboratory Reagent Kits, Acid Orange, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Adipic Acid, Biochemistry Reagent Kits, Perchloric acid, Lead Acid starter Batteries</p> <p><b>Searched String:</b> Total Bilibubin kit Arkrey</p> <p>HCV Rapid Test Kits, Biochemistry Reagent Kits, Laboratory</p>

Bid Details/As per	Reagent Kits, Biochemistry Reagent Kit (Open System), ELISA Testing Kits, Biochemistry Reagent Kit (Close System), HCV ELISA Test Kits, Molecular Diagnostic Extraction Kits, ELISA Test Kits (V2)
	<p><b>Searched String:</b> Direct Bilirubin kit Arkrey</p> <p>Biochemistry Reagent Kits, Relay Testing Educational Kit, Laboratory Reagent Kits, Biochemistry Reagent Kit (Open System), Biochemistry Reagent Kit (Close System)</p> <p><b>Searched String:</b> Total Protein kit Arkrey</p> <p>C - Reactive Protein (CRP) Kit, HCV Rapid Test Kits, C- Reactive Protein (CRP) Test Kit, Biochemistry Reagent Kits, C - Reactive Protein (CRP) Test Kits, Laboratory Reagent Kits, Biochemistry Reagent Kit (Open System), ELISA Testing Kits, Biochemistry Reagent Kit (Close System), HCV ELISA Test Kits</p> <p><b>Searched String:</b> Albumin kit Arkrey</p> <p>Albumin BCG Method Test Kit, personal safety kit reflective luminous garments, Albumin Egg Flakes, Biochemistry Reagent Kits, Glycosylated Haemoglobin/Micro Albumin/CRP/D-dimmer Analyzer, Plastic Moulded Table - Preschool Kit, Bovine Albumine, Laboratory Reagent Kits, Facial Kit, Networking Trainer Educational Kit</p> <p><b>Searched String:</b> SGOT AST kit Arkrey</p> <p>Tool Kit for Seeng Evam Asthi Utpaad (Horn and Bone Products) - ODOP UP Gov. (Sambhal), Biochemistry Reagent Kits, Laboratory Reagent Kits, Biochemistry Reagent Kit (Open System), Biochemistry Reagent Kit (Close System)</p> <p><b>Searched String:</b> SGPT ALT Kit Arkrey</p> <p>Biochemistry Reagent Kits, Laboratory Reagent Kits, Biochemistry Reagent Kit (Open System), Biochemistry Reagent Kit (Close System)</p> <p><b>Searched String:</b> Alkaline Phosphate kit Arkrey</p> <p>Glucose-6-Phosphate Dehydrogenase (G6PD) Activity Test Kit, Biochemistry Reagent Kits, Glucose-6-Phosphate Dehydrogenase (G6PD) Activity Test Kit (V2), Biochemistry Reagent Kit (Open System), Laboratory Reagent Kits, Biochemistry Reagent Kit (Close System)</p> <p><b>Searched String:</b> Amylase kit Arkrey</p> <p>Alpha Amylase Test Kit, personal safety kit reflective luminous garments, A - Amylase, Biochemistry Reagent Kits, Facial Kit, Plastic Moulded Table - Preschool Kit, Waxing Kit, Ration Kit, Networking Trainer Educational Kit, Sewing Kit</p> <p><b>Searched String:</b> GGT Kit Arkrey</p> <p>Facial Kit, personal safety kit reflective luminous garments, Waxing Kit, Urine Drug Screen Kit, Ration Kit, Plastic Moulded Table - Preschool Kit, Sewing Kit, SDR Kit, Biochemistry Reagent Kits, OVE Kit</p> <p><b>Searched String:</b> CPK Kit Arkrey</p> <p>Facial Kit, personal safety kit reflective luminous garments, Waxing Kit, Ration Kit, Plastic Moulded Table - Preschool Kit,</p>

Bid Details/As Per	Sewing Kit, Rheumatoid Factor Test Kit - RA Test Kit (V2), SDR Kit, Biochemistry Reagent Kits, OVE Kit
	<p><b>Searched String:</b> CK MB Kit Arkrey</p> <p>CK-MB (NAC Act) Test Kit, Digital Media Evaluation Educational Kit, aadhaar enrolment kit, Biochemistry Reagent Kit (Open System), Biochemistry Reagent Kit (Close System), Biochemistry Reagent Kits</p> <p><b>Searched String:</b> LDH Kit Arkrey</p> <p>Facial Kit, personal safety kit reflective luminous garments, Waxing Kit, instrument trolley for hospitals, Ration Kit, Plastic Moulded Table - Preschool Kit, Sewing Kit, Sterilizer Shallow Dressing Drum as per IS 3831, IS 6911, IS 3831, IS 6911, SDR Kit, Biochemistry Reagent Kits</p> <p><b>Searched String:</b> Calcium Arkrey</p> <p>Calcium Silicate, Flame Photometer, Calcium hypophosphite, Biochemistry Reagent Kits, Calcium carbide, Biochemistry Reagent Kit (Open System), Calcium Stearate, Laboratory Reagent Kits, Calcium Hydroxide, Calcium Standard</p> <p><b>Searched String:</b> Combined microbial sensitivity disc GNB</p> <p>Self Propelled Combine Harvester Wheel Type</p> <p><b>Searched String:</b> Combined microbial sensitivity disc GPC</p> <p>Self Propelled Combine Harvester Wheel Type</p> <p><b>Searched String:</b> Hemotoxylin stain readymade</p> <p>Giemsa Stain, Readymade Bituminous Pothhole Patching Mix as per IS 217 Cutback Bitumen, IS 14982 Anti - Stripping Agent, Leishman's Stain, New Methylene Blue Stain (Reticulocyte Stain), Tool Kit for Readymade Garments - ODOP UP Gov. (Amroha), Stain Removing Agent, Auramine Rhodamine Stain, Gram's Staining Kit, Calcofluor white stain, Universal Bevel Protractor</p> <p><b>Searched String:</b> E lyte control ERBA</p> <p>ERBA controls for Biochemistry, Wireless Access Point (V2), Controls for Diagnostic Analyzers, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1)</p> <p><b>Searched String:</b> INJ IOHEXAL 350 MG BOTT OF 100 ML</p> <p>Bomb Blanket (MHA)</p> <p><b>Searched String:</b> Laproscopic trocar 3mm</p> <p>Laproscopic Trocar and Cannula, Disposable Laparoscopic Trocar (V2), Disposable Bladeless Trocar, Thoracic Drainage Catheter with Trocar, Open / Endoscopic Clip Applicator (V2), Thoracic Drainage Catheter with Trocar (V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Surgical Trocars, Entry and Mid Level Desktop Computer, Customised Envelopes</p> <p><b>Searched String:</b> ABG Solution Radiometer</p> <p>Arterial Blood Gas Analyzer (V2), Ultra low temperature laboratory deep freezer, Antifoam Solution, Acetaldehyde</p>

	<b>Bid Details/बिड विवरण</b>
	<p>solution, Revolving Chair (V4), Ninhydrin Solution, Arterial Blood Gas Analyser, Benedict'S Solution, Wheel Chairs (V2), Drabkin Solution</p> <p><b>Searched String:</b> ABG Cartridge Radiometer</p> <p>Arterial Blood Gas Analyzer (V2), Cartridge Heater, Filter Cartridge, Toner Cartridges / Ink Cartridges / Consumables for Printers, Ion Exchange Cartridge, Arterial Blood Gas Analyser, Cartridge Check Valve, Cellophane paper, Wound Filter Cartridge, Laminators</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / <b>Relevant Categories selected for notification</b>	<ul style="list-style-type: none"> <li>Glucose agar</li> </ul>
<b>BOQ Title/बीओक्यू शीर्षक</b>	LAB REAGENT
<b>Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)</b>	10 Lakh (s)
<b>OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)</b>	20 Lakh (s)
<b>Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष</b>	3 Year (s)
<b>MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट</b>	No
<b>Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट</b>	No
<b>Document required from seller/विक्रेता से मांगे गए दस्तावेज़</b>	<p>Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>
<b>Do you want to show documents uploaded by bidders to all bidders participated in bid?/</b>	Yes
<b>Past Performance/विगत प्रदर्शन</b>	10 %
<b>Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया</b>	No
<b>Type of Bid/बिड का प्रकार</b>	Two Packet Bid
<b>Primary product category</b>	Glucose Mindray
<b>Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय</b>	2 Days
<b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
<b>Estimated Bid Value/अनुमानित बिड मूल्य</b>	2000000
<b>Evaluation Method/मूल्यांकन पद्धति</b>	Total value wise evaluation

Bid Details/बिड विवरण	
Financial Document Required/वित्तीय दस्तावेज की आवश्यकता है।	Yes
Arbitration Clause	No
Mediation Clause	No

#### EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	6000

#### ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	0.01
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	12

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

#### Beneficiary/लाभार्थी :

COL

162 Military Hospital Eastern Command, Department of Military Affairs, Indian Army, Ministry of Defence  
(Commanding Officer)

#### MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

#### MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.  
[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
5. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
7. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity

supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

## Glucose Mindray

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

### Technical Specifications/तकनीकी विशिष्टियाँ

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****DIBRUGARH	6	15

## Creatinine Mindray

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

### Technical Specifications/तकनीकी विशिष्टियाँ

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	9	15

### Lipase Mindray

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	6	15

### CRP Mindray

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.



**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	6	15

**Multi Calibrator Mindray**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	4	15

**CRP Calibrator Mindray**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	4	15

**Multi Control L1 And L2 Mindray**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	6	15

**Distilled Water 5ltr Bott**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	300	15

**Probe Wash Mindray**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	18	15

**Elite H Clean ERBA Kit Of 4 Bott**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	12	15

**Prothrombin Test Kit**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	5	15

**Widal Test**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	6	15

**Gram Stain Readymade**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	6	15

**Zn Stain Readymade**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****DIBRUGARH	15	15

**Urine Multistick Seimens 10G**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****DIBRUGARH	36	15

**Hemospot**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****DIBRUGARH	6	15

**Absolute Alcohol**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	30	15

## Methyl Alcohol

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	6	15

## Antisera H

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.



**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	10	15

**Antisera A1**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	20	15

**Anti Human Globulin**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	10	15

**Spirit**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	30	15

**Daily Cleaner For HDL Lyte Electrolyte Analyser 12multi15ml**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	6	15

### **Thermal Printer Paper For HDC Lyte Electolyte Analyser**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	30	15

### **Mindray Lamp**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	1	15

### Potassium Hydroxide Solutionfor Fungus Test

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	1	15

### T3 Ichroma Kit Of 25 Test

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****DIBRUGARH	12	15

#### **T4 Ichroma Kit Of 25 Test**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****DIBRUGARH	12	15

#### **TSH Ichroma Kit Of 25 Test**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****DIBRUGARH	12	15

**HbA1C Ichroma Kit Of 25 Test**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****DIBRUGARH	12	15

**Quality Control T3 Ichroma**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****DIBRUGARH	2	15

**Quality Control T4 Ichroma**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	2	15

### Quality Control TSH Ichroma

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	2	15

### Quality Control HbA1C Ichroma

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.



**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	2	15

**D Dimmer Ichroma Kit Of 25 Test**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	1	15

**O Pooled Cell**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	1	15

**Agglutination Tile For Blood Grouping**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	2	15

**Blood Storage Cabinate Temp Graph Paper**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	300	15

**Blood Storage Cabinate Temp Graph Pen**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	9	15

**Cled Agar With Bromothymol Blue**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	6	15

**Formaldehyde Solution**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	30	15

**ERBA H560 Diluent**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	18	15

**ERBA H560 Lyse 1**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	6	15

**ERBA H560 Lyse 2**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****DIBRUGARH	6	15

**Cuvetts Mindray**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****DIBRUGARH	12	15

**Glucose Kit Arkrey**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****DIBRUGARH	2	15

**Urea Kit Arkrey**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	2	15

### Creatinine Kit Arkrey

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	2	15

### Uric Acid Arkrey

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.



**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	1	15

**Total Bilibubin Kit Arkrey**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	2	15

**Direct Bilirubin Kit Arkrey**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	1	15

**Total Protein Kit Arkrey**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	1	15

**Albumin Kit Arkrey**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	1	15

**SGOT AST Kit Arkrey**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	2	15

**SGPT ALT Kit Arkrey**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	2	15

**Alkaline Phosphate Kit Arkrey**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	2	15

**Amylase Kit Arkrey**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	2	15

**GGT Kit Arkrey**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	1	15

**CPK Kit Arkrey**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****DIBRUGARH	1	15

**CK MB Kit Arkrey**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****DIBRUGARH	1	15

**LDH Kit Arkrey**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****DIBRUGARH	1	15

**Calcium Arkrey**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	1	15

### Combined Microbial Sensitivity Disc GNB

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	2	15

### Combined Microbial Sensitivity Disc GPC

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.



**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	2	15

**Hemotoxylol Stain Readymade**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	6	15

**E Lyte Control ERBA**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	3	15

**INJ IOHEXAL 350 MG BOTT OF 100 ML**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	120	15

**Laprosopic Trocar 3mm**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	12	15

### **ABG Solution Radiometer**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	4	15

### **ABG Cartridge Radiometer**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****DIBRUGARH	4	15

**Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**

**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

**2. Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

**3. Certificates**

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

**4. Certificates**

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

**5. Certificates**

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

**6. Inspection**

**Testing of Sample:** The testing of advance sample and bulk sample during PDI will be carried at the designated AHSP labs. When testing facilities are not available, the facilities of Govt labs/NABL/Accredited labs will be utilized. The testing charges outside the designated AHSP labs to be borne by seller's.

## Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.**

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

**---Thank You/धन्यवाद---**