

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	30-05-2025 20:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	30-05-2025 20:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	90 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Defence
Department Name/विभाग का नाम	Department Of Military Affairs
Organisation Name/संगठन का नाम	Indian Army
Office Name/कार्यालय का नाम	*****
क्रेता ईमेल/Buyer Email	vcjoshi.530k@gov.in
Total Quantity/कुल मात्रा	1990
Item Category/मद केटेगरी	Insulation tape elect PVC , Cable elect 33-012 insulated braided , Tape adhesive PVC 5-8 , Sleeve insulating Lt , Connector cable , Cable elect PVC insulated assorted type , Tape insulation 3-4 inch , Terminal battery positive , Nut clamping bolt battery terminal brass , Bolt clamping terminal brass , Brass sleeve eyelet assorted , Card white plain 3 inch int 1-2 inch pkt of 100 , Fiber sheet 1-32 inch thick , Spring compressor 50.8mmx8.00mm , Spring compressor 250..525 mmx9.525mm , Clamp air for hose 2 3-4 inch , Clip hose for hose 7-8 inch , Clip hose for hose 2 in to 2 2 -4 inch in OD , Clip hose for hose 1 1 -2inch to 2 1-2inch in OD , Holder card brass to take card 3 inch in 1-2 inch , Jointing sheet 4.8mm thick 91cmx91cm , Rope asbestos white 2.5mm dia , Asbestos mild board thickness 4.8mm , Asbestos mild board thickness 1.6mm , Compound joint , Packing asbestos braided yarn core round 9.5mm , Packing asbestos braided yarn core round 6.4mm , Jointing asbestos fiber compound graphite 0.8mm thick 100x100cm , Jointing asbestos fiber compound graphite 1.633 , M Seal , Paper wrapping brown unglazed 650x735mm 22.6 kgs , Paper wrapping brown unglazed 480x610mm 19 kgs , Plywood general purpose 3 ply 3mm thick , Cotton waste coloured , Cotton waste white

Bid Details/बिड विवरण	
GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS	<p>Y5-IYC-0839 Insulatin tape elect PVC, Y3-00282 Cable elect 33/012 insulated braided, Y3-WB-3651 Tape adhseive PVC 5/8, Y3-WB-2510 Sleeving insulating light, Y3-3039 005581 Connector cable, Y3-Cable elect PVC insulated assorted type, Y2-WB--0968 Tape insulation 3/4 ", LV6/MT6-8812-81206 Terminal battery positive, LV6/MT6-80971 Nut clamping bolt battery terminal brass, LV6/MT6-80301 Bolt clamping terminal brass, LV6/MT4 Brass sleeveeyelet assorted, LV6/MT1 L1-825 Card white plain 3"x1/2" in pkt of 100, LV6/MT1 L1-3076 Fiber sheet 1/32" thick, LV6/MT1 8267 Spring compressor 50.8mmx8.00mm, LV6/MT1 44003 Spring compressor 250x525mmx9.25mm, LV6/MT1-42987 Clamp air for hose 2 3/4", LV6/MT1 42986 Clamp hose for hose 7/8", LV6/MT1-42645 Clip hose for hose 2 in to 2 3/4 " in OD, LV6/MT1 42603 Clip hose for hose 1 1/2" to 2 1/2" in OD, LV6/MT1-2479 Holder card brass to take card 3? in 1/2", H9-11J00011 Jointing sheet 4.8mm thick 91cmx91cm, H9-8230-000066 Rope asbestos white 2.5mm dia, H9-5610-000006 Asbestos mild board thickness 4.8mm, H9-5610-000004 Asbestos mild board thickness 1.6mm, H9-8050-000060 Compound joint, H9-5330-001918 Packing asbestos braided yarn core round 9.5mm, H9-5330-001917 Packing asbestos braided yarn core round 6.4mm, H9-5330-001906 Jointing asbestos fiber compound graphite 0.8mm thick 100x100cm, H9-5330-001907 Jointing asbestos fiber compound graphite 1.633, H7-NA M Seal, H4-8135-000087 Paper wrapping brown unglazed 560x735mm 22.6 kgs, H4-8135-000086 Paper wrapping brown unglazed 480x610mm 19 kgs, H1-5530-000028 Plywood general purpose 3 ply 3mm thick, H2-8305-000064 Cotton waste coloured, H2-8305-000065 Cotton waste white</p>
	<p>Searched String: Y5-IYC-0839 Insulatin tape elect PVC</p> <p>HT Tape, Pressure Sensitive Adhesive Plasticized PVC Tapes with Nonthermosetting Adhesive as per IS 7809 (Part 3 / Section 1), Reflective Tape as per IS 14221, Polyimide Tapes, PVC Insulated (Heavy Duty) Electric Cables (V2) ISI Marked to IS 1554 (Part 2), Glass fiber woven tape for electrical purpose - IS 5352, Electrical Safety Devices and Accessories (Insulating Mats for Electrical Purposes) as per IS 15652, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Insulated (Heavy Duty) Electric Cables, Suitable for use in Mines as per IS 1554 (Part 2), Electrical Insulating Kraft Paper</p> <p>Searched String: Y3-00282 Cable elect 33/012 insulated braided</p> <p>Elastomer Insulated, Textile Braided Cables - IS 9968 (Part 1), XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), PVC Insulated (Heavy Duty) Electric Cables (V2) ISI Marked to IS 1554 (Part 2), PVC Insulated (Heavy Duty) Electric Cables, Suitable for use in Mines as per IS 1554 (Part 2), PVC Flat Cable, Copper Conductor with PVC Insulation and Sheath as per IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Xlpe Cables, Category C2 - FR - LSH, for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Electrician Scissor, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, XLPE</p>

Bid Details/As per	Cables, Category C1 - FR, for Working Voltages from 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2)
	<p>Searched String: Y3-WB-3651 Tape adhseive PVC 5/8</p> <p>Pressure Sensitive Adhesive Plasticized PVC Tapes with Nonthermosetting Adhesive as per IS 7809 (Part 3 / Section 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Reflective Tape as per IS 14221, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, shoes school pvc boys girls, Taflon Tape as per IS 14635, VGA Cable, HT Tape</p> <p>Searched String: Y3-WB-2510 Sleeving insulating light</p> <p>Compact Light Weight Blanket with Good Insulating Properties (MHA), Environmental Chamber</p> <p>Searched String: Y3-3039 005581 Connector cable</p> <p>XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Connector Mounting Hardware - Multi Plug, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), PVC Flat Cable, Copper Conductor with PVC Insulation and Sheath as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Cat 6 Cable for Indoor Use, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Xlpe Cables, Category C2 - FR - LSH, for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Cable Joint Kit (V2)</p> <p>Searched String: Y3-Cable elect PVC insulated assorted type</p> <p>PVC Insulated (Heavy Duty) Electric Cables (V2) ISI Marked to IS 1554 (Part 2), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Insulated Cables for Submersible Pumps - as per IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, PVC Insulated (Heavy Duty) Electric Cables, Suitable for use in Mines as per IS 1554 (Part 2), PVC Flat Cable, Copper Conductor with PVC Insulation and Sheath as per IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694, PVC Aluminium Cable 1 Core and Multi Core Circular Sheathed Cable with Rigid Conductor as per IS 694</p> <p>Searched String: Y2-WB--0968 Tape insulation 3/4 "</p> <p>Glass Mica Tape-IS :7809, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, HT Tape, Polymide Tapes, Elastic Surgical Adhesive Tapes (V2), Pressure Sensitive Adhesive Plasticized PVC Tapes with Nonthermosetting Adhesive as per IS 7809 (Part 3 / Section 1), Caution / Crime Scene Tape (V2)</p>

Bid Details / Details / Details	Searched String: LV6/MT6-8812-81206 Terminal battery positive
	<p>Battery Terminal Coating, Stationary Lead Acid Batteries (with Tubular Positive Plates) in Monobloc Containers as per IS 13369, Battery Link Terminal</p> <p>Searched String: LV6/MT6-80971 Nut clamping bolt battery terminal brass</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: LV6/MT6-80301 Bolt clamping terminal brass</p> <p>Substation Clamps / Connectors</p> <p>Searched String: LV6/MT4 Brass sleeveeyelet assorted</p> <p>Brass Sieve, Brass Band Euphonium, Brass Band Bugles, Brass Band Trumpets, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Brass and Bell Metal Products from Nayagarh - ODOP, EDM Brass Wire, Laminar air flow cabinets or stations, Brass Band Baritone horns, water baths</p> <p>Searched String: LV6/MT1 L1-825 Card white plain 3"x1/2" in pkt of 100</p> <p>Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985</p> <p>Searched String: LV6/MT1 L1-3076 Fiber sheet 1/32" thick</p> <p>L 1 Fingerprint Registered Device Scanners for Bio - Metric Authentication (UIDAI), Multipara Monitor - Low End, BOD Incubator, Polypropylene Ropes as per IS 5175, Ultra low temperature laboratory deep freezer, Embedded Linux Based Biometric Attendance System (V3), Nitrile Coated/Nitrile Hand Gloves (V2), Sofas (V2), Entry and Mid Level Desktop Computer, High End Desktop Computer</p> <p>Searched String: LV6/MT1 8267 Spring compressor 50.8mmx8.00mm</p> <p>Air Compressor of Capacity 5000 Nm3/Hr (IOCL), Laminators, Screw Compressor, patient care mattresses, Polypropylene Ropes as per IS 5175, Sofa Set (Steel Tube), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985</p> <p>Searched String: LV6/MT1 44003 Spring compressor 250x525mmx9.25mm</p> <p>Laminators, Screw Compressor, Server, patient care mattresses, Safety Relief Valves- Spring Loaded, Sofa Set (Steel Tube), Dental Air Compressor, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular</p>

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS

Bid Details/As per	Sheathed Cord with Flexible Conductor (V2) as per IS 694
	<p>Searched String: LV6/MT1-42987 Clamp air for hose 2 3/4"</p> <p>Kit for Special School Students (Intellectual Disability) - Kit 2 Age Group 3 to 6 Years, Desk and Bench Set for Classroom/Training Area, Automotive Vehicles - Pneumatic Tyres for 2 and 3 Wheeled Motor Vehicles, Quadricycles and E-Rickshaw / E-Carts as per IS 15627, Modular Toilet, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Desk and Chair Set for Classroom/Training Area, Extra Refrigerant Pipe for Air Conditioners (Accessories), Portable Toilet, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Live Remote Temperature and Humidity Monitoring and Alert System</p> <p>Searched String: LV6/MT1 42986 Clamp hose for hose 7/8"</p> <p>Hose Clamp as per IS 4762, Automatic Fire Ball for Fire - Extinguishing, First - Aid Hose - Reel For Fire Fighting as per IS 884, Laminators, Controlled Percolating Hose For Fire Fighting As per IS 8423 Latest Amendment, Fire Hose Cabinet, High Pressure Fire Fighting Hose - IS 14933, Modular Toilet, Polyethylene Bags for General Purposes, Steel Tubes used for Water Wells (V2) as per IS 4270</p> <p>Searched String: LV6/MT1-42645 Clip hose for hose 2 in to 2 3/4 " in OD</p> <p>Fire Hose (Type - 2) with Instantaneous Male / Female Coupling (PNG), Desk and Bench Set for Classroom/Training Area, Kit for Special School Students (Intellectual Disability) - Kit 2 Age Group 3 to 6 Years, Barytes for Chemical Industry and Oil-Well Drilling conforming to IS 2881, Hydrated Lime For Chemical Industries (V2) Conforming to IS 1540 Part 2, shoes school pvc boys girls, Stable Bleaching Powder (V2) for Treatment of Water Intended for Drinking conforming to IS 1065 (Part 2), XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Desk and Chair Set for Classroom/Training Area, XLPE Cables, Category C1 - FR, for Working Voltages from 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2)</p> <p>Searched String: LV6/MT1 42603 Clip hose for hose 1 1/2" to 2 1/2" in OD</p> <p>Fire Hose Cabinet, Cartridge Filter for Lean Amine Filtration (MRPL), Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Modular Toilet, Bio Culture for wastewater treatment, First - Aid Hose - Reel For Fire Fighting as per IS 884, Hose connector, Hand, and Short Machine Screwing Taps for ISO Metric Screw Threads - IS 6175, Cotton braided pneumatic rubber hose</p> <p>Searched String: LV6/MT1-2479 Holder card brass to take card 3? in 1/2"</p> <p>Curios, Souvenirs and Gift Items</p> <p>Searched String: H9-11J00011 Jointing sheet 4.8mm thick 91cmx91cm</p> <p>compressed asbestos fibre jointing sheet, Polystyrene sheet, shoes school pvc boys girls, boot ankle textile jungle</p>

Bid Details/As per	<p>boot direct moulded pu sole in pairs, Handloom Cotton Bed Sheets (V2) as per IS 745, Sofa Set (Steel Tube),</p> <p>Reciprocating Air Compressors - Electric Motor Driven, Polymethyl Methacrylate (PMMA) (Acrylic) Sheets (V2) as per IS 14753 (Latest), traffic signs - bilinker light, Tapered Bearings as per IS 12102</p> <p>Searched String: H9-8230-000066 Rope asbestos white 2.5mm dia</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: H9-5610-000006 Asbestos mild board thickness 4.8mm</p> <p>Medium Density Fiber Boards (MDF Boards) for General Purpose, Foot Rest</p> <p>Searched String: H9-5610-000004 Asbestos mild board thickness 1.6mm</p> <p>Medium Density Fiber Boards (MDF Boards) for General Purpose, Foot Rest</p> <p>Searched String: H9-8050-000060 Compound joint</p> <p>Oxide Inhibiting Electrical Joint Compound, Hot Applied Sealing Compounds For Joints In Concrete-IS:1834, Cardium Compound, Retaining Compound, Optimal cutting temperature compound (OCT compound), Life Buoy (V2) as per IS 5326, Groove Joint Pliers, Redundant Joint Apparatus, Anti-Seize Compound, Gasket sealing Compound</p> <p>Searched String: H9-5330-001918 Packing asbestos braided yarn core round 9.5mm</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: H9-5330-001917 Packing asbestos braided yarn core round 6.4mm</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: H9-5330-001906 Jointing asbestos fiber compound graphite 0.8mm thick 100x100cm</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: H9-5330-001907 Jointing asbestos fiber compound graphite 1.633</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: H7-NA M Seal</p> <p>M - Seal as per IS 9197, Waste Containers and Accessories - Domestic (V2), Puf Seal, Prefab Toilet Block of Size 4.88 M x 7.32 M (As Per GeM Drawing), D Seal (Rubber), Stud with Nuts, Plastic Grip Seal, Prefab Hut / House of Size 6.10 M X 7.32 M (as per GeM Drawing), Bolt / Bullet Seal, M.S Stopper for Traffic Control (Portable Barrier)</p> <p>Searched String: H4-8135-000087 Paper wrapping brown</p>
--------------------	---

Bid Details/बिड विवरण	unglazed 560x735mm 22.6 kgs
	<p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: H4-8135-000086 Paper wrapping brown unglazed 480x610mm 19 kgs</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: H1-5530-000028 Plywood general purpose 3 ply 3mm thick</p> <p>Plywood for General Purposes Marked to IS 303 (V3), Medium Density Fiber Boards (MDF Boards) for General Purpose, Mild Steel Wire for General Engineering Purpose as per IS 280</p> <p>Searched String: H2-8305-000064 Cotton waste coloured Cotton Yarn Waste (V2) as per IS 5485</p> <p>Searched String: H2-8305-000065 Cotton waste white Wool Cotton Drawer, White (MHA), Shirts Cotton White for Cooks, Lungi, Cotton Yarn Waste (V2) as per IS 5485, Stationary Vehicle Regulated Lead Acid Batteries (V2) as per IS 15549</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	
BOQ Title/बीओक्यू शीर्षक	GENERAL STORE EXP ITEMS
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	<p>Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Past Performance/विगत प्रदर्शन	10 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Insulation tape elect PVC

Bid Details/बिड विवरण	
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Estimated Bid Value/अनुमानित बिड मूल्य	147830
Evaluation Method/मूल्यांकन पद्धति	Item wise evaluation/
Arbitration Clause	No
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value

should meet this criterion.

4. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

6. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Estimated Value	Item/Category	Quantity
Schedule 1	120	Insulation Tape Elect Pvc	6
Schedule 2	03000	Cable Elect 33-012 Insulated Braided	6
Schedule 3	4500	Tape Adhesive Pvc 5-8	15
Schedule 4	2000	Sleeve Insulating Lt	6
Schedule 5	02500	Connector Cable	30
Schedule 6	0540	Cable Elect Pvc Insulated Assorted Type	90
Schedule 7	0120	Tape Insulation 3-4 Inch	6
Schedule 8	01000	Terminal Battery Positive	36
Schedule 9	0600	Nut Clamping Bolt Battery Terminal Brass	30
Schedule 10	0600	Bolt Clamping Terminal Brass	30
Schedule 11	01600	Brass Sleeve Eyelet Assorted	400
Schedule 12	250	Card White Plain 3 Inch Int 1-2 Inch Pkt Of 100	15
Schedule 13	03600	Fiber Sheet 1-32 Inch Thick	120

Schedule 14	03000	Spring Compressor 50.8mmx8.00mm	60
Schedule 15	1500	Spring Compressor 250..525 Mmx9.525mm	60
Schedule 16	1500	Clamp Air For Hose 2 3-4 Inch	75
Schedule 17	01500	Clip Hose For Hose 7-8 Inch	75
Schedule 18	01500	Clip Hose For Hose 2 In To 2 2 -4 Inch In Od	75
Schedule 19	01500	Clip Hose For Hose 1 1 -2inch To 2 1- 2inch In Od	75
Schedule 20	02700	Holder Card Brass To Take Card 3 Inch In 1-2 Inch	90
Schedule 21	04500	Jointing Sheet 4.8mm Thick 91cmx91cm	3
Schedule 22	03000	Rope Asbestos White 2.5mm Dia	9
Schedule 23	3000	Asbestos Mild Board Thickness 4.8mm	6
Schedule 24	2500	Asbestos Mild Board Thickness 1.6mm	6
Schedule 25	03000	Compound Joint	9
Schedule 26	2000	Packing Asbestos Braided Yarn Core Round 9.5mm	6
Schedule 27	03000	Packing Asbestos Braided Yarn Core Round 6.4mm	6
Schedule 28	03000	Jointing Asbestos Fiber Compound Graphite 0.8mm Thick 100x100cm	12
Schedule 29	3000	Jointing Asbestos Fiber Compound Graphite 1.633	12
Schedule 30	3000	M Seal	3
Schedule 31	03200	Paper Wrapping Brown Unglazed 650x735mm 22.6 Kgs	6
Schedule 32	3000	Paper Wrapping Brown Unglazed 480x610mm 19 Kgs	6
Schedule 33	18000	Plywood General Purpose 3 Ply 3mm Thick	6
Schedule 34	30000	Cotton Waste Coloured	300
Schedule 35	30000	Cotton Waste White	300

Insulation Tape Elect PVC

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/प्रेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	6	15

Cable Elect 33-012 Insulated Braided

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	6	15

Tape Adhesive PVC 5-8

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	15	15

Sleeve Insulating Lt

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	6	15

Connector Cable

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	30	15

Cable Elect PVC Insulated Assorted Type

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	90	15

Tape Insulation 3-4 Inch

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	6	15

Terminal Battery Positive

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	36	15

Nut Clamping Bolt Battery Terminal Brass

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	30	15

Bolt Clamping Terminal Brass

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	30	15

Brass Sleeve Eyelet Assorted

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	400	15

Card White Plain 3 Inch Int 1-2 Inch Pkt Of 100

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	15	15

Fiber Sheet 1-32 Inch Thick

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	120	15

Spring Compressor 50.8mmx8.00mm

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	60	15

Spring Compressor 250..525 Mmx9.525mm

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	60	15

Clamp Air For Hose 2 3-4 Inch

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	75	15

Clip Hose For Hose 7-8 Inch

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	75	15

Clip Hose For Hose 2 In To 2 2 -4 Inch In OD

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	75	15

Clip Hose For Hose 1 1 -2inch To 2 1- 2inch In OD

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	75	15

Holder Card Brass To Take Card 3 Inch In 1-2 Inch

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	90	15

Jointing Sheet 4.8mm Thick 91cmx91cm

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	3	15

Rope Asbestos White 2.5mm Dia

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	9	15

Asbestos Mild Board Thickness 4.8mm

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	6	15

Asbestos Mild Board Thickness 1.6mm

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	6	15

Compound Joint

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	9	15

Packing Asbestos Braided Yarn Core Round 9.5mm

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	6	15

Packing Asbestos Braided Yarn Core Round 6.4mm

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	6	15

Jointing Asbestos Fiber Compound Graphite 0.8mm Thick 100x100cm

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	12	15

Jointing Asbestos Fiber Compound Graphite 1.633

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	12	15

M Seal

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	3	15

Paper Wrapping Brown Unglazed 650x735mm 22.6 Kgs

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	6	15

Paper Wrapping Brown Unglazed 480x610mm 19 Kgs

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	6	15

Plywood General Purpose 3 Ply 3mm Thick

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	6	15

Cotton Waste Coloured

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	300	15

Cotton Waste White

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Sri Ganganagar	300	15

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Inspection

Inspection of Stores by Inspection Authority of buyer or their authorised Inspecting officers / empanelled inspection agency or their representatives

An independent third party Professional Inspection Body can help buyer in mitigating buyer's risk with pre-dispatch/post-dispatch inspection in order to ensure that equipment, components , solutions and documentation conform to contractual requirements. If an institutional buyer like Defense , Railways and MHA etc desires to appoint / nominate their own inspection authority / empanelled inspection agency for inspection of stores to be supplied against the contract , buyer can select this clause indicating cost of inspection in term of percentage which is

0

%. As per the contractual provisions / law , the buyer has a right before payment or acceptance to inspect goods at any reasonable place as indicated in contract and time and in any reasonable manner. When the seller is required or authorized to send the goods to the buyer, the inspection may be after their arrival. Expenses of inspection should be borne by the buyer but may be recovered from the seller if the goods do not conform to contractual specification and are rejected. Initially seller may pay for inspection charges as applicable and get the same reimbursed from buyer if store complies to contractual specification etc , on production of payment receipt issued by inspection agency as applicable.

Seller/OEM shall send a notice in writing / e-mail to the Inspecting officer / inspection agency specifying the place where inspection is offered and the Inspecting officer shall on receipt of such notice notify to the seller the date and time when the stores would be inspected. The seller shall, at his own expenses, afford to the Inspecting officer , all reasonable facilities and such accommodation as may be necessary for satisfying himself that the stores are being and or have been manufactured in accordance with the technical particulars governing the supply . The decision of the purchaser/inspection authority regarding acceptance / rejection of consignment shall be final and binding on the seller.

The Seller shall provide, without any extra charge, all materials, tools, labour and assistance of every kind which the Inspecting officer may demand of him for any test, and examination, other than special or independent test, which he shall require to be made on the seller's premises and the seller shall bear and pay all costs attendant thereon.

The seller shall also provide , and deliver for test, free of charge, at such place other than his premises as the Inspecting officer may specify such material or stores as he may require for tests for which seller does not have the facilities or for special/ independent tests.

In the event of rejection of stores or any part thereof by the Inspecting officer basis testing outside owing to lack of test facility at sellers premises ,the seller shall, on demand, pay to the buyer the costs incurred in the inspection and/or test. Cost of test shall be assessed at the rate charged by the Laboratory to private persons for similar work.

Inspector shall have the right to put all the stores or materials forming part of the same or any part thereof to such tests as he may like fit and proper as per QAP/governing specification . The seller shall not be entitled to object on any ground whatsoever to the method of testing adopted by the Inspecting officer .. Unless otherwise provided for in the contract, the quantity of the stores or materials expended in test will be borne by seller .

Inspecting officer is the Final Authority to Certify Performance / accept the consignment . The Inspecting officer's decision as regards the rejection shall be final and binding on the seller.

The seller shall if so required at his own expense mark or permit the Inspecting officer to mark all the approved stores with a recognised Government or purchaser's mark.

3. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer

is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action

in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---