

**Bid Document/ बिड दस्तावेज़**

<b>Bid Details/बिड विवरण</b>	
<b>Bid End Date/Time/बिड बंद होने की तारीख/समय</b>	05-06-2025 14:00:00
<b>Bid Opening Date/Time/बिड खुलने की तारीख/समय</b>	05-06-2025 14:30:00
<b>Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)</b>	30 (Days)
<b>Ministry/State Name/मंत्रालय/राज्य का नाम</b>	Ministry Of Defence
<b>Department Name/विभाग का नाम</b>	Department Of Military Affairs
<b>Organisation Name/संगठन का नाम</b>	Indian Army
<b>Office Name/कार्यालय का नाम</b>	*****
<b>क्रेता ईमेल/Buyer Email</b>	stormg.1980@gov.in
<b>Total Quantity/कुल मात्रा</b>	157
<b>Item Category/मद केटेगरी</b>	Value , Repairing of C Plus charger couroir charges , Star Bit , Aluminium Cutter , MCB Box 6 Way , MCB 16 Amp SP , MCB 6 Amp SP , 3 Inch Adaptor , Strip Adaptor , Iron Box 3 Way , Iron Box 4 Way , Iron Box 6 Way , Iron Box 12 Way , Switch 1 Module 16 Amp , 6 Amp Switch , 3 Way Switch Board Modular , 6 Way Switch Board Modular , 12 Way Switch Board Modular , Switch Demey , 0.5 Inch Flexible Pipe , Adaptor , 16 Amp Socket , 6 Amp Socket , Elfi , PVC L , CoMOS Battery , Bond , Tap , Roducer , Tank Nipple , Socket 0.5 inch , Nipple 4 inch , Taplon Tape , Thread , Plug
<b>GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS</b>	Value, Repairing of C Plus charger couroir charges , Star Bit , Aluminium Cutter , MCB Box 6 Way , MCB 16 Amp SP, MCB 6 Amp SP , 3 Inch Adaptor , Strip Adaptor , Iron Box 3 Way , Iron Box 4 Way, Iron Box 6 Way, Iron Box 12 Way, Switch 1 Module (16 Amp), 6 Amp Switch , 3 Way Switch Board Modular , 6 Way Switch Board Modular , 12 Way Switch Board Modular , Switch Demey , 1/2 Inch Flexible Pipe , Adaptor , 16 Amp Socket , 6 Amp Socket , Elfi , PVC L , CoMOS Battery , Bond , Tap , Roducer, Tap, Tank Nipple, Socket 1/2 inch, Nipple 4', Taplon Tape, Thread, Plug
	<b>Searched String:</b> Value  Reichert - Meissl (RM) Value Apparatus, high performance power supplies, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Split Air Conditioner Including Green AC, Wall Mount Type (V2), Digital Light Meter  <b>Searched String:</b> Repairing of C Plus charger couroir charges

Bid Details/As per	General Purpose Battery Chargers, Charge Fire Ext Mech Foam 9 L for High Altitude and Sub Zero Temp Conditions (Defence), Urine Drug Screen Kit, Cellophane paper
	<p><b>Searched String:</b> Star Bit</p> <p>Star Delta Starter (V2), Self Ballasted LED Lamps for General Lighting Service as per IS 16102, Lathe Bit, TC Casing Bit / Casing Shoe Bit for Surface Mineral Exploration, Self Ballasted LED Lamps for General Lighting Services (V2) Conforming to IS 16102, Wireline Diamond Core Bit Set, slap scanner, Bits, Split Air Conditioner Including Green AC, Wall Mount Type (V2), Wireline Drill Bits for Surface Mineral Exploration</p> <p><b>Searched String:</b> Aluminium Cutter</p> <p>Nail Cutter, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Vegetable Cutter, Hand Held Brush Cutter (V2), Chaff Cutter, magnetic stirrers, GSM Cutter, Squeegee Washer Wiper Mopper (V2), Fruit Cutter, Platform step ladder</p> <p><b>Searched String:</b> MCB Box 6 Way</p> <p>Miniature Circuit breaker distribution boards - IS 13032, Electrical Box Extension (V2), modular electrical enclosure switch board boxes for modular type accessories, Electrical Box Extension (V3), D and C Set, modular electrical switches and accessories, Bomb Blanket (MHA), MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Circuit Breakers for DC Operation, Resistance Box</p> <p><b>Searched String:</b> MCB 16 Amp SP</p> <p>Kit for Special School Students (Intellectual Disability) - Kit 4 Age Group 12 to 15 and 16 to 18 Years, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Speaker (V2), Bomb Blanket (MHA), Shade Nets for Agriculture and Horticulture as per IS 16008 (Part 1) (Made from Tape Yarns), modular electrical switches and accessories, Shade Nets for Agriculture and Horticulture as per IS 16008 (Part 2) (Shade Nets Made from Mono Filament Yarns), D and C Set, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V2) as per IS 16240, Electrical Box Extension (V3)</p> <p><b>Searched String:</b> MCB 6 Amp SP</p> <p>Kit for Special School Students (Intellectual Disability) - Kit 2 Age Group 3 to 6 Years, modular electrical switches and accessories, Speaker (V2), D and C Set, Shirt Polyester and Cotton Half Sleeve for IAF Personnel, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), bag kit universal, Bomb Blanket (MHA), Electrical Box Extension (V3), synthetic web equipment improved version</p> <p><b>Searched String:</b> 3 Inch Adaptor</p> <p>DC ADAPTOR FOR CDSC (OFB), Cleaning Duster (V3), Adaptor sleeve along with locknut and washer, CPVC Industrial Pipe Fittings, Schedule 80, Measuring Tape, Entry and Mid Level Desktop Computer, Angle Cutter (Electric), All in One PC, (3-Aminopropyl) triethoxysilane, Sofas (V2)</p> <p><b>Searched String:</b> Strip Adaptor</p>

Bid Details/As per	DC ADAPTOR FOR CDSC (OFB), Spherical Roller Bearing as per IS 6455, Adaptor sleeve along with locknut and washer, Strip Heater, Tapered Bearings as per IS 12102, Packing Strip, CPVC Industrial Pipe Fittings, Schedule 80, PVC Strip Curtain, Broom (V2), Terminal Strip Connectors
	<p><b>Searched String:</b> Iron Box 3 Way</p> <p>Three Way Stopcocks, Electrical Box Extension (V2), Galvanized Iron Core Box (V2), Pumping tee, Galvanised Iron Core Boxes, Garden Bench, Mess Tin (Defence), Laboratory Refrigerator (V2), Electrical Box Extension (V3), modular electrical enclosure switch board boxes for modular type accessories</p> <p><b>Searched String:</b> Iron Box 4 Way</p> <p>Galvanized Iron Core Box (V2), Galvanised Iron Core Boxes, Electrical Box Extension (V2), Pumping tee, Garden Bench, modular electrical enclosure switch board boxes for modular type accessories, Electrical Box Extension (V3), Bomb Blanket (MHA), File/Folder (V3), Pad Lock Various (As Per Defence Specification)</p> <p><b>Searched String:</b> Iron Box 6 Way</p> <p>Galvanized Iron Core Box (V2), Electrical Box Extension (V2), Galvanised Iron Core Boxes, Cast iron components (Deepwell Hand Pumps Components) as per IS 15500 (Part 6), modular electrical enclosure switch board boxes for modular type accessories, Electrical Box Extension (V3), Pumping tee, modular electrical switches and accessories, General Purpose Pipe Wrench as per IS 4003, IS 1570, IS 14329, Swing Check Type Reflux (Non - Return) Valves for Water Works Purposes (Single Door Pattern) as per IS 5312</p> <p><b>Searched String:</b> Iron Box 12 Way</p> <p>Galvanized Iron Core Box (V2), Worm Gear Box, Galvanised Iron Core Boxes, Cast Iron Detachable Joints for use with Asbestos Cement Pressure Pipes as per IS 8794, IS 12987, sutures, Foundry Moulding Boxes of Steel Construction (V2) Conforming to IS 1280, Pumping tee, modular electrical enclosure switch board boxes for modular type accessories, urethral urinary catheters or foley catheter, Adjustable Spanner</p> <p><b>Searched String:</b> Switch 1 Module (16 Amp)</p> <p>Single switch IGBT Module, Portable sealed rechargeable single cells - Nickel-Cadmium (Rechargeable batteries) as per IS:16048 (Part 1)/IEC:61951-1, Electrical Box Extension (V3), Shade Nets for Agriculture and Horticulture as per IS 16008 (Part 1) (Made from Tape Yarns), Sofa Set (Steel Tube), General Purpose Lead - Acid Batteries (Valve Regulated Types) Prismatic Design as per IS 16220 (Part 1), modular electrical switches and accessories, Server, Circuit Breakers with Integral Overcurrent Protection (RCBO) as per IS 12640 (Part 2) IEC 61009 - 1, Screw Drivers as per IS 844</p> <p><b>Searched String:</b> 6 Amp Switch</p> <p>6-Benzylaminopurine, Isolator switch, Limit Switch, Electrical Box Extension (V2), Reed Switch, Cellophane paper, Rotary Switch, water baths, Time Switch, Electrical Box Extension (V3)</p>

Bid Details/बिड विवरण	Searched String: 3 Way Switch Board Modular
<p><b>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</b></p>	<p>modular electrical enclosure switch board boxes for modular type accessories, Modular Table / Meeting Table / Centre Table (V2), Layer - 3 Core Switch, Modular Piano Type Domestic Electrical Switches as per IS 3854, Layer - 3 Distribution Switch, modular electrical switches and accessories, Layer 3 - Access Switch, Three Way Stopcocks, Modular Extendable Conference Table (V2), Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293</p>
	<p><b>Searched String: 6 Way Switch Board Modular</b></p> <p>modular electrical enclosure switch board boxes for modular type accessories, Modular Table / Meeting Table / Centre Table (V2), Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, modular electrical switches and accessories, Non - Modular Piano Type Domestic Electrical Switches as per IS 3854, Modular Piano Type Domestic Electrical Switches as per IS 3854, Overhead Sign Board (V2), Modular Extendable Conference Table (V2), Printed Circuit Board, Electrical Box Extension (V3)</p>
	<p><b>Searched String: 12 Way Switch Board Modular</b></p> <p>modular electrical enclosure switch board boxes for modular type accessories, Modular Table / Meeting Table / Centre Table (V2), Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, 12 In One Board Book (Preschool Kit), modular electrical switches and accessories, Non - Modular Piano Type Domestic Electrical Switches as per IS 3854, Modular Extendable Conference Table (V2), Modular Piano Type Domestic Electrical Switches as per IS 3854, Overhead Sign Board (V2), Piano Type Non Modular Domestic Electrical sockets - IS 1293</p>
	<p><b>Searched String: Switch Demey</b></p> <p>Isolator switch, Layer 2 Access Switch (V2), Limit Switch, Cartridge Check Valve, Reed Switch, modular electrical switches and accessories, Rotary Switch, Fume Hood (FSSAI), Time Switch, modular electrical enclosure switch board boxes for modular type accessories</p>
	<p><b>Searched String: 1/2 Inch Flexible Pipe</b></p> <p>Passive Networking Flexible Pipe, BCAA 2:1:1 Powder, Hand Operated Hydraulic Pipe Bender, Black Flexible Rubber Hose Pipe, Television (TV) (V2), Elastomer Insulated, Unkinkable Flexible Cords (Workshop Type) - IS 9968 (Part 1), Disposable Surgical Rubber Gloves - Prepowdered as per IS 13422, Elastomer Insulated, Textile Braided Cables - IS 9968 (Part 1), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Gear Box Conveyor no. SRC- 2 ,FOC-1 (SAIL)</p> <p><b>Searched String: Adaptor</b></p> <p>DC ADAPTOR FOR CDSC (OFB), CPVC Industrial Pipe Fittings, Schedule 80, Adaptor sleeve along with locknut and washer, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Laboratory Glass Adapters</p> <p><b>Searched String: 16 Amp Socket</b></p> <p>Nano Urea (liquid) 16, Desktop Computers, CT Scanners 16</p>

Bid Details/As per	Slice, laminators, Impact socket, Cleaning Duster (V3), Deep Socket, Electrical Box Extension (V3), Insulated socket, Cleaning Duster (V2)
	<p><b>Searched String:</b> 6 Amp Socket</p> <p>Impact socket, Deep Socket, Electrical Box Extension (V3), Insulated socket, Electrical Box Extension (V2), IC SOCKET, water baths, 6-Benzylaminopurine, Surgical Gloves as per IS 4148, PVC Reducer Socket</p> <p><b>Searched String:</b> Elfi</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> PVC L</p> <p>PVC Channel, Ultra low temperature laboratory deep freezer, PVC gitti, Cricket gloves, L-Ascorbic Acid, L-Arginine Capsules, Modular Work Stations (V2), L Carnitine Capsules, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, L- Glutamine Powder</p> <p><b>Searched String:</b> CoMOS Battery</p> <p>Battery Cover, Online UPS (V2), battery chargers, Battery Operated Motorized Tricycle for Specially Abled, Battery Tester, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Battery Terminal Coating, General Purpose Battery Chargers, Battery Link Terminal, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549</p> <p><b>Searched String:</b> Bond</p> <p>Bond Paper (V2) as per IS 1848 (Part 1), Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), Stamp Paper or Bond Paper as per IS 1848, Bond Paper (V3) Conforming to IS 1848 (Part 1), MEDICAL GOWNS - DISPOSABLE, Silica Bonded Dental Investment Material, Football, Phosphate Bonded Dental Investment Material, Gypsum Bonded Dental Casting Investment, Dentine Bonding Master</p> <p><b>Searched String:</b> Tap</p> <p>PTMT Tap Fitting, Laboratory Water Tap, Tap Wrenches, Adjustable - IS 4914, Plastics Bib Taps Pillar Taps Angle Valves and Stop Valves as per IS 9763:2000 (Latest), Metal Alloy Casting Water Tap with Aerator (V2), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Screwing Taps - Hand And Short Machine (BHEL), taps or valves of nonferrous metals, Drill Sleeve, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931</p> <p><b>Searched String:</b> Roducer</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Tap</p> <p>PTMT Tap Fitting, Laboratory Water Tap, Tap Wrenches, Adjustable - IS 4914, Plastics Bib Taps Pillar Taps Angle Valves and Stop Valves as per IS 9763:2000 (Latest), Metal Alloy Casting Water Tap with Aerator (V2), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as</p>

Bid Details/बिड विवरण	<p>per IS 781, Screwing Taps - Hand And Short Machine (BHEL), taps or Valves of nonferrous metals, Drill Sleeve, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931</p> <p><b>Searched String:</b> Tank Nipple</p> <p>Swage Nipple, Environmental Chamber, Hex Reducing Nipple, Commercial CPVC Pipe Fittings, Seamless Carbon Steel Nipple, Accelerated Curing Tank, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), CADAVER STORAGE TANK, Electric Water Heater - Geyser (V2) as per IS 2082:2018 (Latest), Canvas Water Tank</p> <p><b>Searched String:</b> Socket 1/2 inch</p> <p>BCAA 2:1:1 Powder, Television (TV) (V2), Gear Box Conveyor no. SRC- 2 ,FOC-1 (SAIL), Electrical Box Extension (V3), TERA Package 2 - Programmable Robotics Manipulator with 1 and 2 Degrees of Freedom (ASoSE), Disposable Surgical Rubber Gloves - Prepowdered as per IS 13422, Isoprothiolane, Test Sieves as per IS 460 (Part 1 and Part 2), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Beehive Stand -as per IS 1735 Part 1, IS 1735 Part 2</p> <p><b>Searched String:</b> Nipple 4'</p> <p>Swage Nipple, Hex Reducing Nipple, Seamless Carbon Steel Nipple, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), 4-Aminoantipyrine, Wilfit Spares, Stromatolyser - 4 DL, Laminar air flow cabinets or stations, Methyl 4 Hydroxybenoate (Methylparaben), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings)</p> <p><b>Searched String:</b> Taplon Tape</p> <p>Tape Library, Elastic Surgical Adhesive Tapes (V2), Tape Drive, Measuring Tape, Pressure Sensitive Adhesive Plasticized PVC Tapes with Nonthermosetting Adhesive as per IS 7809 (Part 3 / Section 1), Aluminum Tape, Permeable Nonwoven Surgical Adhesive Tape, Foam Tape, Empire Tape, Automotive Vehicles - Retro - Reflective Sheets and Tapes (Traffic Safety) as per IS 14221</p> <p><b>Searched String:</b> Thread</p> <p>Thread sealant, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Nylon Thread, Thread Plug Gauge, Twine Thread, Commercial CPVC Pipe Fittings, Silk Thread, Bone Screws, Thread Locking Adhesive, Connection Pipe with Nuts (V2)</p> <p><b>Searched String:</b> Plug</p> <p>Electrical Plug, Connector Mounting Hardware - Multi Plug, Plug Gauge, Fiber Optic Patch Cord, Rubber Plug, Lawn Mowers, Electrical Plugs (V2) ISI Marked to IS 1293, Mobile Containers For Solid Waste Conforming to IS 12402, Thread Plug Gauge, Ear Plugs as per IS 9167</p>
<p>अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / <b>Relevant Categories selected for notification</b></p>	<ul style="list-style-type: none"> <li>• Switcher</li> </ul>

Bid Details/बिड विवरण	
BOQ Title/बीओक्यू शीर्षक	boq bid
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/	Yes
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Past Performance/विगत प्रदर्शन	30 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Value
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Arbitration Clause	No
Mediation Clause	No

#### EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

#### ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

#### MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

#### MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
3. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
4. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 30% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

#### Pre Bid Detail(s)

Pre-Bid Date and Time	Pre-Bid Venue
16-05-2025 13:00:00	Unit Loc

#### Value

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>



Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****Baramulla	2	15

**Repairing Of C Plus Charger Couroir Charges**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	*****	*****Baramulla	1	15

**Star Bit**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Baramulla	6	15

**Aluminium Cutter**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Baramulla	1	15

**MCB Box 6 Way**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Baramulla	1	15

**MCB 16 Amp SP**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Baramulla	4	15

**MCB 6 Amp SP**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Baramulla	5	15

**3 Inch Adaptor****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Baramulla	2	15

**Strip Adaptor****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Baramulla	3	15

**Iron Box 3 Way****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Baramulla	8	15

**Iron Box 4 Way****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Baramulla	1	15

**Iron Box 6 Way****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Baramulla	2	15

**Iron Box 12 Way****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Baramulla	1	15

**Switch 1 Module 16 Amp****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Baramulla	10	15

**6 Amp Switch****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Baramulla	20	15

### 3 Way Switch Board Modular

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Baramulla	8	15

### 6 Way Switch Board Modular

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा



S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Baramulla	2	15

## 12 Way Switch Board Modular

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Baramulla	1	15

## Switch Demey

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Baramulla	5	15

## 0.5 Inch Flexible Pipe

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Baramulla	10	15

## Adaptor

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Baramulla	1	15

## 16 Amp Socket

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Baramulla	6	15

## 6 Amp Socket

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Baramulla	8	15

## Elfi

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Baramulla	7	15

## PVC L

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Baramulla	10	15

## CoMOS Battery

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Baramulla	5	15

## Bond

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Baramulla	4	15

## Tap

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Baramulla	1	15

## Roducer

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Baramulla	2	15

## Tap

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Baramulla	3	15

## Tank Nipple

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Baramulla	3	15

## Socket 0.5 Inch

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Baramulla	2	15

## Nipple 4 Inch

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा



S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Baramulla	4	15

## Taplon Tape

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Baramulla	2	15

## Thread

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Baramulla	2	15

## Plug

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Baramulla	4	15

## Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

### 1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

### 2. Generic

After award of contract – Successful Bidder shall have to get Detailed Design Drawings approved from buyer before starting fabrication. Successful Bidder shall submit Detailed Design Drawings for Buyer's approval, within 5 days of award of contract. Buyer shall, either approve the drawings or will provide complete list of modification required in the drawings within 5 days. Seller shall be required to ensure

supply as per approved Drawings with modifications as communicated by Buyer. If there is delay from buyer side in approval of drawing- the delivery period shall be refixed without LD for the period of delay in approval of Drawing.

### 3. **Generic**

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

### 4. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

### 5. **Purchase Preference (Centre)**

Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 5% of total value.

### 6. **Inspection**

#### **Inspection of Stores by Inspection Authority of buyer or their authorised Inspecting officers / empanelled inspection agency or their representatives**

An independent third party Professional Inspection Body can help buyer in mitigating buyer's risk with pre-dispatch/post-dispatch inspection in order to ensure that equipment, components , solutions and documentation conform to contractual requirements. If an institutional buyer like Defense , Railways and MHA etc desires to appoint / nominate their own inspection authority / empanelled inspection agency for inspection of stores to be supplied against the contract , buyer can select this clause indicating cost of inspection in term of percentage which is

0

%. As per the contractual provisions / law , the buyer has a right before payment or acceptance to inspect goods at any reasonable place as indicated in contract and time and in any reasonable manner. When the seller is required or authorized to send the goods to the buyer, the inspection may be after their arrival. Expenses of inspection should be borne by the buyer but may be recovered from the seller if the goods do not conform to contractual specification and are rejected. Initially seller may pay for inspection charges as applicable and get the same reimbursed from buyer if store complies to contractual specification etc , on production of payment receipt issued by inspection agency as applicable.

Seller/OEM shall send a notice in writing / e-mail to the Inspecting officer / inspection agency specifying the place where inspection is offered and the Inspecting officer shall on receipt of such notice notify to the seller the date and time when the stores would be inspected. The seller shall, at his own expenses, afford to the Inspecting officer , all reasonable facilities and such accommodation as may be necessary for satisfying himself that the stores are being and or have been manufactured in accordance with the technical particulars governing the supply . The decision of the purchaser/inspection authority regarding acceptance / rejection of consignment shall be final and binding on the seller.

The Seller shall provide, without any extra charge, all materials, tools, labour and assistance of every kind which the Inspecting officer may demand of him for any test, and examination, other than special or independent test, which he shall require to be made on the seller's premises and the seller shall bear and pay all costs attendant thereon.

The seller shall also provide , and deliver for test, free of charge, at such place other than his premises as the Inspecting officer may specify such material or stores as he may require for tests for which seller does not have the facilities or for special/ independent tests.

In the event of rejection of stores or any part thereof by the Inspecting officer basis testing outside owing to lack of test facility at sellers premises ,the seller shall, on demand, pay to the buyer the costs incurred

in the inspection and/or test. Cost of test shall be assessed at the rate charged by the Laboratory to private persons for similar work.

Inspector shall have the right to put all the stores or materials forming part of the same or any part thereof to such tests as he may like fit and proper as per QAP/governing specification . The seller shall not be entitled to object on any ground whatsoever to the method of testing adopted by the Inspecting officer .. Unless otherwise provided for in the contract, the quantity of the stores or materials expended in test will be borne by seller .

Inspecting officer is the Final Authority to Certify Performance / accept the consignment . The Inspecting officer's decision as regards the rejection shall be final and binding on the seller.

The seller shall if so required at his own expense mark or permit the Inspecting officer to mark all the approved stores with a recognised Government or purchaser's mark.

## 7. Inspection

**Nominated Inspection Agency:** On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance:

Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

2

Post Receipt Inspection at consignee site before acceptance of stores:

2

## 8. Inspection

**Testing of Sample:** The testing of advance sample and bulk sample during PDI will be carried at the designated AHSP labs. When testing facilities are not available, the facilities of Govt labs/NABL/Accredited labs will be utilized. The testing charges outside the designated AHSP labs to be borne by seller's.

## 9. Sample Clause

After award of contract – Successful Bidder shall have to get advance sample approved from buyer before bulk manufacturing / starting bulk supplies. Successful Bidder shall submit

5

samples for Buyer's approval, within 5 days of award of contract. Buyer shall, as per contract specifications framework, either approve the advance sample or will provide complete list of modification required in the sample within 5 days of receipt of advance sample. Seller shall be required to ensure supply as per approved sample with modifications as communicated by Buyer. If there is delay from buyer side in approval of advance sample – the delivery period shall be refixed without LD for the period of delay in sample approval. In case, the sample is found to have major deviations / not conforming to the Contract specifications, the buyer at its discretion may call for fresh samples for approval before allowing bulk supplies or may terminate the contract after notifying the deviations to the seller.

Unless otherwise provided in the contract, all samples required for test shall be supplied by the contractor free of cost. Where under the contract, the contractor is required to submit an advance sample, any expenses incurred by the contractor on or in connection with the production of stores in bulk, before the sample has been approved unconditionally shall be borne by the Seller and he shall not claim any compensation in the event of such sample being found unacceptable by the Buyer / Consignee.

## Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum

issued by DPIIT in this regard.

2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.**

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

**---Thank You/धन्यवाद---**