

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	12-06-2025 12:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	12-06-2025 12:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	120 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Defence
Department Name/विभाग का नाम	Department Of Military Affairs
Organisation Name/संगठन का नाम	Indian Navy
Office Name/कार्यालय का नाम	*****
क्रेता ईमेल/Buyer Email	ritikamishra.1997@navy.gov.in
Total Quantity/कुल मात्रा	187

Bid Details/बिड विवरण

Item Category/मद केटेगरी

EK9938V DMA361070002 , EK9938V DMA361070003 ,
 EK9938V DMA361070004 , EK9938V DMA361070005 ,
 EK9938V DMA361070008 , EK9938V DMA361070006 ,
 EK9938V DSA361070165 , EK9938V DSA361070164 ,
 EK9938V DSA361070163 , EK9938V DSA361070162 ,
 EK9938V DSA361070161 , EK9938V DSA361070160 ,
 EK9938V DSA361070159 , EK9938V DSA361070158 ,
 EK9938V DSA361070157 , EK9938V DSA361070156 ,
 EK9938V DSA361070155 , EK9938V DSA361070154 ,
 EK9938V DSA361070153 , EK9938V DSA361070152 ,
 EK9938V DSA361070151 , EK9938V XCFRE022038N ,
 EK9938V EFS20010000L , EK9938V EFF37502000L ,
 EK9938V DSA361070076 , EK9938V DSA361070105 ,
 EK9938V DSA361070110 , EK9938V DSA361070108 ,
 EK9938V DSA361070109 , EK9938V EFF15010803H ,
 EK9938V EFS30012500L , EK9938V EFS10002500L ,
 EK9938V DSA361070055 , EK9938V DSA361070054 ,
 EK9938V DSA361070053 , EK9938V DSA361070052 ,
 EK9938V ENF006E14S7S , EK9938V ENF031420333 ,
 EK9938V ENF031420331 , EK9938V DPD360340155 ,
 EK9938V DMA361070015 , EK9938V DMA361070014 ,
 EK9938V DSA360980114 , EK9938V XFN MEC0384V1 ,
 EK9938V DAT DO ES40215 , EK9938V DMA 360810151 ,
 EK9938V DMA 361040004 , EK9938V DMA 361040005 ,
 EK9938V DMA 361040006 , EK9938V DMA360810150 ,
 EK9938V DSA361040108 , EK9938V DSA361040109 ,
 EK9938V DSA361040111 , EK9938V DSA361040113 ,
 EK9938V DSA361040115 , EK9938V DSA361041055 ,
 EK9938V DSA361120005 , EK9938V DSA361120006 ,
 EK9938V DSA361120007 , EK9938V DSA361120011 ,
 EK9938V DSA361120100 , EK9938V EDPOMBR1660F ,
 EK9938V EFF03010000H , EK9938V EFF10010000H ,
 EK9938V EKPRMPR2CTPL , EK9938V ENF 06E14S7SX ,
 EK9938V ENF006E14S2S , EK9938V ENF006E14S5S ,
 EK9938V ENF006E14S6S , EK9938V ENM06E14S7PW ,
 EK9938V ENM06E14S7PX , EK9938V ENM06E14S7PY ,
 EK9938V ESG50143200M , EK9938V ILJ0LM7812CT ,
 EK9938V PSA36024VGS1 , EK9938V DMA 361040003 ,
 EK9938V DMA361120002 , EK9938V DMA 361120003 ,
 EK9938V ENM006E14S6P , EK9938V XXX 00 0H4 7000

Bid Details/बिड विवरण	
GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS	<p>EMLOG V3 MASTER UNIT, DISTRIBUTION UNIT, CAL TEST BOX, REPEATER UNIT, JUNCTION BOX, TRANSDUCER ASSEMBLY, CABLE ASSEMBLY 11 10 MTRS , CABLE ASSEMBLY 19 15 MTRS , CABLE ASSEMBLY 18 15 MTRS , CABLE ASSEMBLY 17 15 MTRS , CABLE ASSEMBLY 16 15 MTRS , CABLE ASSEMBLY 15 15 MTRS , CABLE ASSEMBLY 14 15MTRS , CABLE ASSEMBLY 13 15 MTRS , CABLE ASSEMBLY 20 10 MTRS , CABLE ASSEMBLY 9 2 MTRS , CABLE ASSEMBLY 8 30 MTRS , CABLE ASSEMBLY 7 15 MTRS , CABLE ASSEMBLY 6 50 MTRS , CABLE ASSEMBLY 5 15MTRS , CABLE ASSEMBLY 2 100 MTRS , COOLING FAN 230VAC , FUSE 2A, FUSE 375MA, DISPLAY MODULE ASSEMBLY, POWER SUPPLY MODULE ASSY, PULSE AND SERIAL MODULE ASSY, RESOLVER MODULE ASSY, CONTROLLER AND SDLC MODULE ASSY, 0313015POINTHXP FUSE 15A, FUSE CARTRIDGE 3A 32MM 6POINT3MM 0326003HXP, FUSE CARTRIDGE 1A 5X15MM 0229001HXP, DISPLAY MODULE ASSY, POWER SUPPLY MODULE ASSY, ENGINE MODULE ASSY, MASTER CONTROLLER MODULE ASSY, MS CONNECTOR MS 3106 F 14S 7S, MS CONNECTOR MS 3106F 18 1SX, MS CONNNECTOR MS 3106F 14S 6S, EXTRACTOR TOOL C SPANNER , RE TRANSMISSION UNIT, JUNCTION BOX, BA CARD, COOLING FAN 48V DC, TECHNICAL DOCUMENTS, TRANSDUCER ASSY 210 KHZ, VGA REPEATER UNIT, JUNCTION BOX ASSY 33 KHZ, JUNCTION BOX ASSY 210 KHZ, TRANSDUCER ASSY 33 KHZ, CABLE ASSEMBLY 2, CABLE ASSEMBLY 3, CABLE ASSEMBLY 5, CABLE ASSEMBLY 7, CABLE ASSEMBLY 9, COMMUNICATION CARD ASSY, TRANSCIEVER MODULE ASSY CH1 33KHZ , TRANSCEIVER MODULE CH2 ASSY, SP MODULE ASSY, POWER SUPPLY MODULE ASSY, CABLE ASSEMBLY 4 LENGTH IS 50 MTR , DIODE MBR 1660, FUSE 3A, FUSE 10A, RELAY MPR2C12D, MS CONNECTOR, CONNECTOR MS 3106F 14S 2S, CONNECTOR MS 3106E 14S 5S, MS CONNECTOR MS 3106 F14S 6S, CONECTOR MS 3106E 14S 7PW, CONNECTOR MS 3106E 14S 7PX, MS CONNECTOR MS3106F 14S 7PY, 4PDT SWITCH, PYB10 Q24 D5 DC DC CONVERTER 24V TO 5V 10W, POWER SUPPLY VGS 100 24, LED REPEATER UNIT, MASTER DISPLAY UNIT, ES V3POINT1 PROCESSOR UNIT DUAL CHANNEL , MS CONNECTOR MS 3106 F 14S 6P, PRINTER</p>
	<p>Searched String: EMLOG V3 MASTER UNIT</p> <p>Executive Table (V3), Bomb Blanket (MHA), Switch Fuse Unit, Switch Mode Power Supply (SMPS) as per IS 14886:, Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, MCCB with Thermal Magnetic / Microprocessor Based Trip Unit, bi distillation units double distillation water unit, Sanitary Napkins Incinetator Machine with Smoke Control Unit, Integrated Electrosurgical Unit and vessel sealer, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2)</p> <p>Searched String: DISTRIBUTION UNIT</p> <p>Power Distribution Box, Layer - 3 Distribution Switch, Distribution Transformer, 1 Phase, Up to and including 100 kVA ISI marked to IS 1180 (Part 1), Executive Table (V3), Plug and Socket Distribution Board, OPG Unit, blood pressure recording units, Cryotherapy Unit, Computer Table</p>

Bid Details/As per	(V2), PHOTOTHERAPY Unit
	<p>Searched String: CAL TEST BOX</p> <p>Pilling Tester - Box Type (Textile), Electrical Box Extension (V2), Tissue box, Urine Drug Screen Kit, Resistance Box, Box File, Pencil box, JAR TEST APPARATUS, Box Spanner, Card Board Box for Bio - Medical Waste Collection</p> <p>Searched String: REPEATER UNIT</p> <p>Static Single Frequency Repeater Station (UP State), Digital Repeater Set (RADIO REPEATER), OPG Unit, Executive Table (V3), Cryotherapy Unit, blood pressure recording units, PHOTOTHERAPY Unit, Computer Table (V2), Spare / Add on Antenna for Transreceiver / Repeater - Mobile / Static / Handheld, Sanitary Napkins Incinerator Machine with Smoke Control Unit</p> <p>Searched String: JUNCTION BOX</p> <p>Junction Box -BHEL, Electrical Box Extension (V2), Telephone Junction Box, Junction Box for Lighting, Box File, Junction Boxes (Flameproof), Thermocouple Standards Platinum / Platinum Rhodium, Card Board Box for Bio - Medical Waste Collection, Tissue box, Medical Cold Storage Chilling Units - Cold Box</p> <p>Searched String: TRANSDUCER ASSEMBLY</p> <p>Hose assembly, taps or valves of nonferrous metals, Microfiltration Assembly, kjeldahl digestion cum distillation assembly unit with fume hood, Collector Assembly, Vacuum Filtration Assembly, Gas Stripping Assembly, Starter Motor Assembly, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Tie rod assembly</p> <p>Searched String: CABLE ASSEMBLY 11 10 MTRS</p> <p>RF Cable Assembly, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Cable Assembly B25A RHS, The Multilayered Cross Laminated Sheets / Tarpaulins / Covers / Agricultural Films as per IS 14611, Cable Assembly for AMB2-Monitoring Board (BHEL), Cat 6 Cable for Indoor Use, Electrical Sleeves as per IS 11654, IS 5831, Armoured Optical Fibre Cable as per RDSO/SPN/TC/110/2020, Cat 6 Patch cord, Cables suitable for CCTV System (Accessories)</p> <p>Searched String: CABLE ASSEMBLY 19 15 MTRS</p> <p>RF Cable Assembly, Cat 6 Cable for Indoor Use, Cable Assembly B25A RHS, Carbon Tape 19 MM(OFB-DEFENCE), Cable Assembly for AMB2-Monitoring Board (BHEL), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) ISI Marked to IS 1554 (Part 2), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Insulated (Heavy Duty) Electric Cables, Suitable for use in Mines as per IS 1554 (Part 2), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694</p> <p>Searched String: CABLE ASSEMBLY 18 15 MTRS</p> <p>RF Cable Assembly, Cat 6 Cable for Indoor Use, Cable</p>

Bid Details/As per	Assembly B25A RHS, Cable Assembly for AMB2-Monitoring Board (BHEL), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) ISI Marked to IS 1554 (Part 2), synthetic web equipment improved version, Kit for Special School Students (Intellectual Disability) - Kit 4 Age Group 12 to 15 and 16 to 18 Years, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Insulated (Heavy Duty) Electric Cables, Suitable for use in Mines as per IS 1554 (Part 2)
	<p>Searched String: CABLE ASSEMBLY 17 15 MTRS</p> <p>RF Cable Assembly, Cat 6 Cable for Indoor Use, Cable Assembly B25A RHS, Flamproof Cable Gland-IS:12943, Cable Assembly for AMB2-Monitoring Board (BHEL), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Electric cables for photovoltaic (PV) systems for rated voltage 1500 Volt d.c. ISI Marked to IS 17293, PVC Insulated (Heavy Duty) Electric Cables (V2) ISI Marked to IS 1554 (Part 2), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Freight Containers - High Security Cable Seal as per IS 17381:2021</p> <p>Searched String: CABLE ASSEMBLY 16 15 MTRS</p> <p>RF Cable Assembly, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Cable Assembly B25A RHS, Cable Assembly for AMB2-Monitoring Board (BHEL), Cat 6 Cable for Indoor Use, PVC Insulated (Heavy Duty) Electric Cables (V2) ISI Marked to IS 1554 (Part 2), synthetic web equipment improved version, Kit for Special School Students (Intellectual Disability) - Kit 4 Age Group 12 to 15 and 16 to 18 Years, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated (Heavy Duty) Electric Cables, Suitable for use in Mines as per IS 1554 (Part 2)</p> <p>Searched String: CABLE ASSEMBLY 15 15 MTRS</p> <p>Oil Om - 15 (Defence), Bucket Mop Wringer Trolley, Clodinafop-Propargyl 15% WP, RF Cable Assembly, Cable Assembly B25A RHS, taps or valves of nonferrous metals, NQ Surface Set Diamond Core Bit 15/25 SPC (CMPDI), Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, alpha-Naphthol, Online UPS (V2)</p> <p>Searched String: CABLE ASSEMBLY 14 15MTRS</p> <p>RF Cable Assembly, Cat 6 Cable for Indoor Use, Cable Assembly B25A RHS, Cable Assembly for AMB2-Monitoring Board (BHEL), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Elastomer Insulated Flexible Cables for use in Mines (V2) as per IS 14494, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Aerial Bunched Cables as per IS 14255, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694</p> <p>Searched String: CABLE ASSEMBLY 13 15 MTRS</p>

Bid Details/As per	RF Cable Assembly, Cat 6 Cable for Indoor Use, Cable Assembly B25A RHS, Cable Assembly for AMB2-Monitoring Board (BHEL), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) ISI Marked to IS 1554 (Part 2), Key Hole Test Board, PVC Insulated (Heavy Duty) Electric Cables, Suitable for use in Mines as per IS 1554 (Part 2), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Electric cables for photovoltaic (PV) systems for rated voltage 1500 Volt d.c. ISI Marked to IS 17293
	<p>Searched String: CABLE ASSEMBLY 20 10 MTRS</p> <p>RF Cable Assembly, Cat 6 Patch cord, Cable Assembly B25A RHS, The Multilayered Cross Laminated Sheets / Tarpaulins / Covers / Agricultural Films as per IS 14611, Cable Assembly for AMB2-Monitoring Board (BHEL), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Freight Containers - High Security Cable Seal as per IS 17381:2021, Armoured Optical Fibre Cable as per RDSO/SPN/TC/110/2020, Cat 6 Cable for Indoor Use, Foam Making Branch - FB 10X (Jet) with Inline Inductor as per IS 2097:2012 (Latest Amendment)</p> <p>Searched String: CABLE ASSEMBLY 9 2 MTRS</p> <p>RF Cable Assembly, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Cable Assembly B25A RHS, Connector Mounting Hardware - Multi Plug, Radiator Assembly (BHEL), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Cable Assembly for AMB2-Monitoring Board (BHEL), Cable Cross Over (Version 2), Cat 6 Cable for Indoor Use, Inspection Door Assembly (BHEL)</p> <p>Searched String: CABLE ASSEMBLY 8 30 MTRS</p> <p>RF Cable Assembly, Cat 6 Cable for Indoor Use, Cable Assembly B25A RHS, Cable Assembly for AMB2-Monitoring Board (BHEL), Cat 6 Patch cord, Assembly Tools For Screws And Nuts - Hexagon Socket Screw Keys - IS 3082, High Pressure Fire Fighting Hose - IS 14933, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, CAT 6 Cable for Outdoor, synthetic web equipment improved version</p> <p>Searched String: CABLE ASSEMBLY 7 15 MTRS</p> <p>RF Cable Assembly, The Multilayered Cross Laminated Sheets / Tarpaulins / Covers / Agricultural Films as per IS 14611, Cable Assembly B25A RHS, Cat 6 Cable for Indoor Use, Cable Lug for PZU-7 without surface treatment (Defence), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Cable Assembly for AMB2-Monitoring Board (BHEL), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Radio Frequency Co - Axial Cable Type 75 - 7 - 2 (Coaxial Cable) as per IS 5802, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694</p> <p>Searched String: CABLE ASSEMBLY 6 50 MTRS</p>

Bid Details/As per	RF Cable Assembly, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), CAT 6 Cable for Outdoor, Cable Assembly B25A RHS, Cat 6 Patch cord, Cat 6 Cable for Indoor Use, Caution / Crime Scene Tape (V2), Cable Assembly for AMB2-Monitoring Board (BHEL), Cat - 6 UTP Ethernet Cable for Wifi Indoor use (MTNL), synthetic web equipment improved version
	<p>Searched String: CABLE ASSEMBLY 5 15MTRS</p> <p>Category 5 Cable, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), RF Cable Assembly, Cable Assembly B25A RHS, Battery Cell as per IS 9128, IS 8144, Radiator Assembly (BHEL), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Cable Assembly for AMB2-Monitoring Board (BHEL), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694</p> <p>Searched String: CABLE ASSEMBLY 2 100 MTRS</p> <p>RF Cable Assembly, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Cable Assembly B25A RHS, Multicore Cable as per IS 694, Cable Assembly for AMB2-Monitoring Board (BHEL), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Cable Cross Over (Version 2), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Inspection Door Assembly (BHEL), Cat 6 Cable for Indoor Use</p> <p>Searched String: COOLING FAN 230VAC</p> <p>Motor cooling fan, Air Curtain, Cooling Fan for Induction Motor, Industrial Cooling Fan (Man Coolers) as per IS 6272, Fan Blades for Cooling Tower fan Rev 1, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), Electric Axial Flow Fans Conforming To IS 3588, LED Surface Ceiling Light as per IS 10322, Split Air Conditioner Including Green AC, Wall Mount Type (V2), Fan Bearing</p> <p>Searched String: FUSE 2A</p> <p>Fuse holder -Blade fuse (BHEL), Laminar air flow cabinets or stations, Fuse Fittings, Multi function Calibrators, Glass Fuse, Waste Containers and Accessories - Domestic (V2), Switch Fuse Unit, Shirts Plain Weave Polyester and Cotton Full Sleeve, Cylindrical Fuses, Bucket Mop Wringer Trolley</p> <p>Searched String: FUSE 375MA</p> <p>Fuse holder -Blade fuse (BHEL), HRC Fuse as per IS 13703, Fuse Fittings, synthetic web equipment improved version, Glass Fuse, Switch Fuse Unit, Drop Out Fuses, Cylindrical Fuses, Industrial composite color 3D Printer, HRC Fuse Assembly (BHEL)</p> <p>Searched String: DISPLAY MODULE ASSEMBLY</p> <p>Matrix Display, Laboratory Incubators, Display File, Mobile Work Force Management Solution Software, Relay Module, Muffle Furnace, Interface module, LoRA Development Module Kit, Driver Display Unit, All in One PC</p>

Bid Details/As Per	Searched String: POWER SUPPLY MODULE ASSY
	<p>Power supply board, high performance power supplies, DC Regulated Power Supply, Switch Mode Power Supply (SMPS) as per IS 14886:, Portable Power Supply Unit, Bipolar Four Quadrant Power Supply, Interface module, Switching Power Supply for Wireless Application, Package No 4 - Atal Tinkering Lab of Niti Aayog Power Supply and Accessories and Safety Equipment, Protected Power supply and Distribution system(PPDS)</p> <p>Searched String: PULSE AND SERIAL MODULE ASSY</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: RESOLVER MODULE ASSY</p> <p>RELAY FRAME ASSY.,MCC FRAME ASSY., D.P.LATCH FRAME ASSY (203BS43) (BHEL), Wilfit Spares, Relay Module, Mobile Work Force Management Solution Software, Interface module, Bulk Packing of TSM Assy (BSF), Current Voltage Measuring Module, Solar Photovoltaic Modules / Panels - Crystalline silicon terrestrial, Single switch IGBT Module, LoRA Development Module Kit</p> <p>Searched String: CONTROLLER AND SDLC MODULE ASSY</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: 0313015POINTHXP FUSE 15A</p> <p>Fuse holder -Blade fuse (BHEL), Bucket Mop Wringer Trolley, Fuse Fittings, Glass Fuse, Switch Fuse Unit, Cylindrical Fuses, Toilet Brush (V2), HRC Fuse Assembly (BHEL), synthetic web equipment improved version, Fuse Base & Link (BHEL)</p> <p>Searched String: FUSE CARTRIDGE 3A 32MM 6POINT3MM 0326003HXP</p> <p>XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), MOLECULAR SIEVE TYPE - 3A FOR INERT GAS DRIER (3 MM DIA PELLETS) for ONGC, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Switch Fuse Unit, synthetic web equipment improved version, Fabric Pin Up Notice Boards, Fuse Wire as per IS 9926, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Blood Sample Collection Tubes, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694</p> <p>Searched String: FUSE CARTRIDGE 1A 5X15MM 0229001HXP</p> <p>Drop Out Fuses, Server, Bulldog Grip-IS:2361, File/Folder (V3), Disinfectant Fluids , Phenolic Type (V3) conforming to IS 1061, Sofa Set (Steel Tube), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Battery Cell as per IS 9128, IS 8144, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694</p>

Bid Details/बिड विवरण	Searched String: DISPLAY MODULE ASSY
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	<p>RELAY FRAME ASSY.,MCC FRAME ASSY., D.P.LATCH FRAME ASSY (203BS43) (BHEL), Laboratory Incubators, Matrix Display, Mobile Work Force Management Solution Software, Display File, Muffle Furnace, Relay Module, Interface module, All in One PC, Driver Display Unit</p>
	<p>Searched String: POWER SUPPLY MODULE ASSY</p> <p>Power supply board, high performance power supplies, DC Regulated Power Supply, Switch Mode Power Supply (SMPS) as per IS 14886:, Portable Power Supply Unit, Bipolar Four Quadrant Power Supply, Interface module, Switching Power Supply for Wireless Application, Package No 4 - Atal Tinkering Lab of Niti Aayog Power Supply and Accessories and Safety Equipment, Protected Power supply and Distribution system(PPDS)</p>
	<p>Searched String: ENGINE MODULE ASSY</p> <p>RELAY FRAME ASSY.,MCC FRAME ASSY., D.P.LATCH FRAME ASSY (203BS43) (BHEL), Modular Table / Meeting Table / Centre Table (V2), Relay Module, Mobile Work Force Management Solution Software, Interface module, Revolving Chair (V4), Engine Tool Kit, Marine Engine Oil, Hand Held Brush Cutter (V2), Bulk Packing of TSM Assy (BSF)</p>
	<p>Searched String: MASTER CONTROLLER MODULE ASSY</p> <p>Solar Lamps (Solar Based Home Systems - Solar Power Packs - AC Models), Hand Cautery Pencil, IGBT Based Heavy Duty Power Source Air Plasma Cutting System with compressor</p>
	<p>Searched String: MS CONNECTOR MS 3106 F 14S 7S</p> <p>Parallel Bar - Outdoor Gym Equipment, M.S Stopper for Traffic Control (Portable Barrier), Air Walker / Stroller - Outdoor Gym Equipment, trolleys or accessories, Tree Guard (V2), Electronic Weighing Systems as per IS 9281 (Part I, Part II, Part III, Part IV), Steel Bookcases confirming to IS 7761 (V2), Spark Arrestor, Two Body Mortuary</p>
	<p>Searched String: MS CONNECTOR MS 3106F 18 1SX</p> <p>trolleys or accessories, Pinion gears, Dough Kneader (V1), Functional Trainer, Industrial Cooling Fan (Man Coolers) as per IS 6272, Flying Insect Control Traps - Fly Catcher, Ultra Violet (UV) Cabinet for Sterilization, Potato Peeler</p>
	<p>Searched String: MS CONNNECTOR MS 3106F 14S 6S</p> <p>Parallel Bar - Outdoor Gym Equipment, Wild - Life Cages, M.S Stopper for Traffic Control (Portable Barrier), trolleys or accessories, Tree Guard (V2), Electronic Weighing Systems as per IS 9281 (Part I, Part II, Part III, Part IV), Steel Bookcases confirming to IS 7761 (V2), Spark Arrestor, Functional Trainer, Two Body Mortuary</p>
	<p>Searched String: EXTRACTOR TOOL C SPANNER</p> <p>Non Sparking Double Ended Ring Spanner (V2), Open Jaw Wrenches (Spanners) as per IS 2028, Non Sparking Double Open Ended Spanner (V2), Software Based Solution For Mobile Devices And CDR Analysis, Non Sparking Ring</p>

Bid Details/As per	Slugging Spanners (V2), Non Sparking Open end Slugging Spanners (V2), Non Sparking Combination Spanners (V2), Ring Slugging Wrenches (Spanners) - as per IS 4509, Open Ended Slugging Wrenches (Spanners) as per IS 4508
	<p>Searched String: RE TRANSMISSION UNIT</p> <p>Transmission oils, Transmission Oil TSZP-8, Re - Breathing Bag or Resuscitator Bag, Executive Table (V3), Transmission/Drive Train Oil (TDTO), blood pressure recording units, Hydrostatic Release Unit (HRU), Computer Table (V2), OPG Unit, Sanitary Napkins Incinertator Machine with Smoke Control Unit</p> <p>Searched String: JUNCTION BOX</p> <p>Junction Box -BHEL, Electrical Box Extension (V2), Telephone Junction Box, Junction Box for Lighting, Box File, Junction Boxes (Flameproof), Thermocouple Standards Platinum / Platinum Rhodium, Card Board Box for Bio - Medical Waste Collection, Tissue box, Medical Cold Storage Chilling Units - Cold Box</p> <p>Searched String: BA CARD</p> <p>Memory Card, Index card files, Graphics Card, FTA Card, Random Access Memory (RAM) Card (V2), Mamata Card, Theft Proof Rifle Racks, Tent Card, Card Board Box for Bio - Medical Waste Collection, Badge Holders - I Card</p> <p>Searched String: COOLING FAN 48V DC</p> <p>Motor cooling fan, Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Cooling Fan for Induction Motor, Fan Blades for Cooling Tower fan Rev 1, Fixed Capacitors (Fixed Capacitor for Single Phase AC Electric Fan) as per IS 1709:1984, Electric Axial Flow Fans Conforming To IS 3588, Industrial Cooling Fan (Man Coolers) as per IS 6272, Oscillating DC Fans used in Automotive Vehicles, Breath Alcohol Analyzers, PULLEY FOR EXHAUST FAN</p> <p>Searched String: TECHNICAL DOCUMENTS</p> <p>MALATHION TECHNICAL, File/Folder (V3), Tebuconazole, Technical - IS 15165, Deposit Safe (Non Tool Resistant), Chlorpyrifos, Technical - IS 8963, Gel Documentation System, Urea Conforming to IS 1781, Potassium Chloride, Technical - IS 4150, Modular Cold Rooms, Sodium Cyanide Technical - IS 11782</p> <p>Searched String: TRANSDUCER ASSY 210 KHZ</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: VGA REPEATER UNIT</p> <p>VGA Cable, Static Single Frequency Repeater Station (UP State), Cellophane paper, Digital Repeater Set (RADIO REPEATER), Executive Table (V3), Adapter, OPG Unit, blood pressure recording units, Cryotherapy Unit, Computer Table (V2)</p> <p>Searched String: JUNCTION BOX ASSY 33 KHZ</p> <p>Junction Box -BHEL, Junction Box for Lighting, Telephone</p>

Bid Details/As per	Junction Box, File/Folder (V3), Junction Boxes (Flameproof)
	<p>Searched String: JUNCTION BOX ASSY 210 KHZ</p> <p>Junction Box -BHEL, Junction Box for Lighting, Telephone Junction Box, Junction Boxes (Flameproof)</p> <p>Searched String: TRANSDUCER ASSY 33 KHZ</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: CABLE ASSEMBLY 2</p> <p>RF Cable Assembly, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Cable Assembly B25A RHS, Cable Assembly for AMB2-Monitoring Board (BHEL), Laminar air flow cabinets or stations, Cable Cross Over (Version 2), Waste Containers and Accessories - Domestic (V2), Inspection Door Assembly (BHEL), Bucket Mop Wringer Trolley, PVC Insulated (Heavy Duty) Electric Cables (V2) ISI Marked to IS 1554 (Part 2)</p> <p>Searched String: CABLE ASSEMBLY 3</p> <p>RF Cable Assembly, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Cable Assembly B25A RHS, Cartridge Check Valve, Cable Assembly for AMB2-Monitoring Board (BHEL), Entry and Mid Level Desktop Computer, Field Telephone Cable (Telecommunication Cable), VGA Cable, Sofas (V2), Cable termination</p> <p>Searched String: CABLE ASSEMBLY 5</p> <p>Category 5 Cable, Desktop Computers, RF Cable Assembly, Cable Assembly B25A RHS, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Radiator Assembly (BHEL), Sofas (V2), Cable Assembly for AMB2-Monitoring Board (BHEL), Entry and Mid Level Desktop Computer, 5-5 Dithiobis -2-2 Nitrobenzoic Acid</p> <p>Searched String: CABLE ASSEMBLY 7</p> <p>RF Cable Assembly, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Cable Assembly B25A RHS, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Cable Lug for PZU-7 without surface treatment (Defence), Desktop Computers, Cable Assembly for AMB2-Monitoring Board (BHEL), All in One PC, Radio Frequency Co - Axial Cable Type 75 - 7 - 2 (Coaxial Cable) as per IS 5802, Surgical Gloves as per IS 4148</p> <p>Searched String: CABLE ASSEMBLY 9</p> <p>RF Cable Assembly, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Cable Assembly B25A RHS, Connector Mounting Hardware - Multi Plug, Radiator Assembly (BHEL), Desktop Computers, Cable Assembly for AMB2-Monitoring Board (BHEL), 9 - Fluorenylmethyl Chloroformate, Workstation, Field Telephone Cable (Telecommunication Cable)</p> <p>Searched String: COMMUNICATION CARD ASSY</p> <p>RELAY FRAME ASSY.,MCC FRAME ASSY., D.P.LATCH FRAME</p>

Bid Details/As per	<p>ASSY (203BS43) (BHEL), Index card files, Counter Communication System, Education Tech (EdTech), Memory Card, Random Access Memory (RAM) Card (V2), Graphics Card, FTA Card, Card Board Box for Bio - Medical Waste Collection, Mamata Card</p> <p>Searched String: TRANSCIEVER MODULE ASSY CH1 33KHZ</p> <p>Digital Trainer Kit, Labelling Machine, XLPE Cables, Category C1 - FR, for Working Voltages from 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Tapered Bearings as per IS 12102, Cellophane paper, Submersible Pump Set Three Phase as per IS 8034, IS 9283, Current Voltage Measuring Module, Relay Module, Signal Generator, Split Air Conditioner Including Green AC, Wall Mount Type (V2)</p> <p>Searched String: TRANSCIEVER MODULE CH2 ASSY</p> <p>VHF Handheld Air Band Transceiver, Digital Handheld Transceiver Set (HANDHELD RADIO)</p> <p>Searched String: SP MODULE ASSY</p> <p>Acetamiprid 20% SP, Wilfit Spares, RELAY FRAME ASSY., MCC FRAME ASSY., D.P.LATCH FRAME ASSY (203BS43) (BHEL), Endpoint Detection and Response (EDR) Appliance / Software, Acephate SP as per IS:12916, Interface module, Relay Module, Bulk Packing of TSM Assy (BSF), Current Voltage Measuring Module, Solar Photovoltaic Modules / Panels - Crystalline silicon terrestrial</p> <p>Searched String: POWER SUPPLY MODULE ASSY</p> <p>Power supply board, high performance power supplies, DC Regulated Power Supply, Switch Mode Power Supply (SMPS) as per IS 14886:, Portable Power Supply Unit, Bipolar Four Quadrant Power Supply, Interface module, Switching Power Supply for Wireless Application, Package No 4 - Atal Tinkering Lab of Niti Aayog Power Supply and Accessories and Safety Equipment, Protected Power supply and Distribution system(PPDS)</p> <p>Searched String: CABLE ASSEMBLY 4 LENGTH IS 50 MTR</p> <p>Radio Frequency CO - Axial Cable Flexible, Type R 50 - 7 - A04 as per IS 11967 (Part 1 / Set 4), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Pipe for Gardening Purpose, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single and Multi Core Circular Sheathed Cable with Flexible Conductor as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Steel Tubes, Tubulars as per IS 1239</p> <p>Searched String: DIODE MBR 1660</p> <p>Rectifier diode, Television (TV) (V2), Diode Stud Type(RINL), Light emitting diode driver, Blocking Rectifier /Free Wheeling Diode Panel - BHEL , LED Flash Light, Soft Tissue Diode Dental Laser, solar lantern systems white light emitting diode, Wrought Aluminium Utensils (V2) as per IS</p>
--------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Bid Details/IS Part	1660, Bridge Rectifiers
	<p>Searched String: FUSE 3A</p> <p>Fuse holder -Blade fuse (BHEL), Entry and Mid Level Desktop Computer, Fuse Fittings, Disinfectant Fluids , Phenolic Type (V3) conforming to IS 1061, Glass Fuse, Sofas (V2), Switch Fuse Unit, MOLECULAR SIEVE TYPE - 3A FOR INERT GAS DRIER (3 MM DIA PELLETS) for ONGC, Cylindrical Fuses, Bucket Mop Wringer Trolley</p> <p>Searched String: FUSE 10A</p> <p>Fuse holder -Blade fuse (BHEL), Desktop Computers, Fuse Fittings, Multi function Calibrators, Glass Fuse, water baths, Switch Fuse Unit, Toilet Brush (V2), Cylindrical Fuses, Online UPS (V2)</p> <p>Searched String: RELAY MPR2C12D</p> <p>Overload Relay, Laminar air flow cabinets or stations, Relay Module, Relay Testing Educational Kit, CONTACTOR RELAY, Waste Containers and Accessories - Domestic (V2), Gas Operated Relay (Buchholz Relay)- BHEL, Bucket Mop Wringer Trolley, LED Flasher Relay, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1)</p> <p>Searched String: MS CONNECTOR</p> <p>Hose connector, Profibus Connector, Connector Mounting Hardware - Multi Plug, SMA connector, trolleys or accessories, RCA connector, Sofa Set (Steel Tube), Connector Glass, Parallel Bar - Outdoor Gym Equipment, Gas Chromatography - Triple Quadrupole Mass Spectrometry (GC - MS - MS)</p> <p>Searched String: CONNECTOR MS 3106F 14S 2S</p> <p>Foot pull, Regulators for Breathing Apparatus (Diving Instruments or Accessories), Circular Socket or Connector, Connector Mounting Hardware - Multi Plug, Cardiopulmonary Bypass Connectors, Spirometer, Sofa Set (Steel Tube), Parallel Bar - Outdoor Gym Equipment, water baths, Hot air oven</p> <p>Searched String: CONNECTOR MS 3106E 14S 5S</p> <p>Connector Mounting Hardware - Multi Plug, Circular Socket or Connector, Field Mountable (FM45) Connector for Telecommunication, Stainless Steel Dining Table With Fixed Chair, Spirometer, Parallel Bar - Outdoor Gym Equipment, water baths, Hot air oven, Rain Coat & Suit, Muffle Furnace</p> <p>Searched String: MS CONNECTOR MS 3106 F14S 6S</p> <p>Parallel Bar - Outdoor Gym Equipment, Wild - Life Cages, M.S Stopper for Traffic Control (Portable Barrier), trolleys or accessories, Tree Guard (V2), Steel Bookcases confirming to IS 7761 (V2), Spark Arrestor, Functional Trainer, Two Body Mortuary</p> <p>Searched String: CONECTOR MS 3106E 14S 7PW</p> <p>Parallel Bar - Outdoor Gym Equipment, Stainless Steel Dining Table With Fixed Chair, Commercial Idli Steamer, Laptop - Notebook, Commercial Mixer, Bomb Blanket (MHA), M.S Stopper for Traffic Control (Portable Barrier), Tree Guard</p>

Bid Details/As Per	(V2), M S Angle (V2) As Per Is 808, General Purpose Hand Gloves (V2)
	<p>Searched String: CONNECTOR MS 3106E 14S 7PX</p> <p>Parallel Bar - Outdoor Gym Equipment, Connector Mounting Hardware - Multi Plug, Stainless Steel Dining Table With Fixed Chair, Circular Socket or Connector, Laptop - Notebook, Commercial Idli Steamer, Commercial Mixer, M.S Stopper for Traffic Control (Portable Barrier), Tree Guard (V2), M S Angle (V2) As Per Is 808</p> <p>Searched String: MS CONNECTOR MS3106F 14S 7PY</p> <p>Circular Socket or Connector, trolleys or accessories, Connector Mounting Hardware - Multi Plug, Sofa Set (Steel Tube), Gas Chromatography - Triple Quadrupole Mass Spectrometry (GC - MS - MS), Parallel Bar - Outdoor Gym Equipment, Desktop Calculator - Electronics, Steel Bookcases confirming to IS 7761 (V2), Patient Stretcher Trolley, Automated tissue processor</p> <p>Searched String: 4PDT SWITCH</p> <p>Isolator switch, Limit Switch, Cartridge Check Valve, Reed Switch, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Rotary Switch, Electrical Box Extension (V3), Time Switch, Laminar air flow cabinets or stations, Industrial Switch</p> <p>Searched String: PYB10 Q24 D5 DC DC CONVERTER 24V TO 5V 10W</p> <p>Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Solid State Potentiometer, Card Board Box for Bio - Medical Waste Collection, Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V3) Confirming to IS 2932, Solar Power Plant (Roof Top) for ONGRID System, Three Phase, Personal Protective Equipment (V2) Safety footwear As per IS 15298 (Part 2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Static Protective Relays, Analog-Digital Circuits Development Platform, DC Regulated Power Supply</p> <p>Searched String: POWER SUPPLY VGS 100 24</p> <p>Power supply board, Polyethylene Pipes for Water Supply, DC Regulated Power Supply, Combination therapy with 2 channel electrotherapy, vaccum and dual frequency ultrasound, Portable Power Supply Unit, high performance power supplies, Bipolar Four Quadrant Power Supply, Solar Power Plant (Roof Top) for ONGRID System, Three Phase, Switching Power Supply for Wireless Application, Online UPS (V2)</p> <p>Searched String: LED REPEATER UNIT</p> <p>Static Single Frequency Repeater Station (UP State), Digital Repeater Set (RADIO REPEATER), LED Display System, Laboratory Incubators, Emergency Light Unit (V2), Executive Table (V3), LED Batten, LED Luminaire (for Flood Light) as per IS 10322, IS 16107, LED Curbstone, LED Luminaire (for Road and Street Lights) as per IS 10322, IS 16107, IS 16108, IS 16103, IS 10322</p> <p>Searched String: MASTER DISPLAY UNIT</p>

Bid Details/बिड विवरण	Driver Display Unit, LED Display System, Hot Display Counter, Professional Large Format Display, Laboratory Incubators, Shrub Master, LED Based Information Display System, Computer Monitor, Muffle Furnace, Matrix Display Searched String: ES V3POINT1 PROCESSOR UNIT DUAL CHANNEL Dual frequency ultrasound therapy unit, Automatic Milk Collection Unit with Milk analyzer, PA Mixer, Fume extraction unit for filtration of soldering fumes Searched String: MS CONNECTOR MS 3106 F 14S 6P Parallel Bar - Outdoor Gym Equipment, Wild - Life Cages, M.S Stopper for Traffic Control (Portable Barrier), trolleys or accessories, Tree Guard (V2), Steel Bookcases conforming to IS 7761 (V2), Spark Arrestor, Functional Trainer, Two Body Mortuary Searched String: PRINTER Ferrule Printer, Stencil Printer, Computer Printer (V2), Plotter Paper Roll (V2), line matrix printer, Endpoint Detection and Response (EDR) Appliance / Software, bar code printer, Computer Printers, Receipt Printer (V2), smart card printer
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• Echo Sounder
BOQ Title/बीओक्यू शीर्षक	23KKTC902 KELTRON EM LOG VER 3
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Certificate (Requested in ATC), OEM Authorization Certificate, OEM Annual Turnover, Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	EK9938V DMA361070002
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No

Bid Details/बिड विवरण	
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Arbitration Clause	No
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	336715

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	5.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	14

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

DCDA
PERUMANOOR, KOCHI
(Area Accounts Officer)

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--------------------------------------------	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
-------------------------------------------	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be

exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

3. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

4. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

EK9938V DMA361070002

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/कमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DMA361070003

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DMA361070004

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DMA361070005

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	5	180

EK9938V DMA361070008

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DMA361070006

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DSA361070165

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DSA361070164

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DSA361070163

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DSA361070162

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DSA361070161

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DSA361070160

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DSA361070159

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DSA361070158

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DSA361070157

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DSA361070156

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DSA361070155

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DSA361070154

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DSA361070153

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	6	180

EK9938V DSA361070152

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DSA361070151

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V XCFRE022038N

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V EFS20010000L

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	20	180

EK9938V EFF37502000L

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	10	180

EK9938V DSA361070076

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DSA361070105

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DSA361070110

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DSA361070108

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DSA361070109

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V EFF15010803H

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	5	180

EK9938V EFS30012500L

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	5	180

EK9938V EFS10002500L

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	30	180

EK9938V DSA361070055

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DSA361070054

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DSA361070053

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DSA361070052

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V ENF006E14S7S

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	5	180

EK9938V ENF031420333

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	2	180

EK9938V ENF031420331

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DPD360340155

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DMA361070015

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DMA361070014

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DSA360980114

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V XFN MEC0384V1

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DAT DO ES40215

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DMA 360810151

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DMA 361040004

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DMA 361040005

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DMA 361040006

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DMA360810150

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DSA361040108

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DSA361040109

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DSA361040111

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DSA361040113

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DSA361040115

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DSA361041055

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DSA361120005

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DSA361120006

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DSA361120007

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DSA361120011

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DSA361120100

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V EDPOMBR1660F

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	2	180

EK9938V EFF03010000H

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	10	180

EK9938V EFF10010000H

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	10	180

EK9938V EKPRMPR2CTPL

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	2	180

EK9938V ENF 06E14S7SX

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V ENF006E14S2S

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	2	180

EK9938V ENF006E14S5S

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	2	180

EK9938V ENF006E14S6S

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	2	180

EK9938V ENM06E14S7PW

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V ENM06E14S7PX

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	3	180

EK9938V ENM06E14S7PY

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V ESG50143200M

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	2	180

EK9938V ILJ0LM7812CT

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	2	180

EK9938V PSA36024VGS1

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DMA 361040003

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	2	180

EK9938V DMA361120002

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V DMA 361120003

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V ENM006E14S6P

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

EK9938V XXX 00 0H4 7000

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****ERNAKULAM CITY	1	180

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Inspection

Pre-dispatch inspection at Seller premises (Fee/Charges to be borne by the BUYER): Before dispatch, the goods will be inspected by Buyer / Consignee or their Authorized Representative or by Nominated External Inspection Agency (independently or jointly with Buyer or Consignee as decided by the Buyer) at Seller premises (or at designated place for inspection as declared / communicated by the seller) for their compliance to the contract specifications. Fee/Charges taken by the External inspection Agency and any external laboratories testing charges shall be borne by the Buyer. For in-house testing, the Sellers will provide necessary facilities free of cost. Seller shall notify the Buyer through e-mail about readiness of goods for pre-dispatch inspection and Buyer will notify the Seller about the Authorized Representative/ Nominated External Inspection Agency and the date for testing. The goods would be dispatched to consignee only after clearance in pre-dispatch inspection. Consignee's right of rejection as per GTC in respect of the goods finally received at his location shall in no way be limited or waived by reason of the goods having previously been inspected, tested and passed by Buyer/ Consignee or its Nominated External Inspection Agency prior to the goods' shipment. While bidding, the sellers should take into account 7 days for inspection from the date of email offering the goods for inspection. Any delay in inspection beyond 7 days shall be on the part of the buyer and shall be regularised without Liquidated Damages.

When there is requirement of submission the advance sample, the seller shall inform the buyer promptly through emails about the date of submission of sample to the buyer nominated Inspection agency.

2. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

3. Warranty

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at

consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

4. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Payment online through RTGS / internet banking also (besides PBG which is allowed as per GeM GTC). On-line payment shall be in Beneficiary name

AREA ACCOUNTS OFFICER

Account No.

10589078085

IFSC Code

SBIN0008660

Bank Name

STATE BANK OF INDIA

Branch address

PERUMANOOR, KOCHI

. Successful Bidder to indicate Contract number and name of Seller entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer in place of PBG within 15 days of award of contract.

5. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the

case may be.

15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---