

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	26-05-2025 20:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	26-05-2025 20:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	90 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Defence
Department Name/विभाग का नाम	Department Of Military Affairs
Organisation Name/संगठन का नाम	Indian Army
Office Name/कार्यालय का नाम	*****
क्रेता ईमेल/Buyer Email	trijal-1426@nic.in
Total Quantity/कुल मात्रा	1311
	<p>Superstructure of Gun Repair Shed of size 20.00 M x 10.00 M x 5.00 M height for Gun Repair Shed under Job No 2519 as per technical specification and drgs attached , Distribution box 8 Way, double door SPN 240 volts copper bus bar and neutral link earthing stud conforming to IS-13032 and IS-8623 double door type Make-Havells,Legrand,L and T , MCB SPN 240 Volts 32 Amps Make-Havells, L and T Standard , MCB SP 6 to 32 Amps Make-Havells, L and T, Standard , PVC tape 19mm wide 5 m long Make-Steelgrip,Anchor,Kinjal , Cable PVC insulated electric cable heavy duty 1100 volts grade multi standerd copper conductor of size 1.5 sqmm single core as per store list attached , Cable PVC insulated electric cable heavy duty 1100 volts grade multi standerd copper conductor of size 2.5 sqmm single core as per store list attached , PVC casing capping 1 inch long Medium Grade snow white Havells,Finolex,Polycab, Natural white or equivalent , PVC casing capping 3 oblique 4 inch long Medium Grade snow white Havells,Finolex,Polycab, Natural white or equivalent , Switch Piano 5 Amp 230 Volts Flush type one way snow white Havells,Finolex,Polycab, Natural white or equivalent , LED Tube light fittings 20W rechargeable 230V box type 4 feet with CRCA body Pre coated white and Prewired for LED tube complete Make-Havells,Bajaj,Philips, Crompton , Screw full thread 6 x 19 mm ISI Marked, 200 Nos Pkt. , Steel Screw full thread with rawl of size1 1 oblique 2 ISI Marked, 100 Nos per Pkt. , PVC switch board snow white size 7 inch x 4 inch for sockets and switches Havells,Finolex,Polycab, Natural white or equivalent , PVC switch board snow white size 8 inch x 10 inch for main switches oblique DB Havells,Finolex,Polycab, Natural white or equivalent , PVC L bend and T junction joint</p>

Bid Details/बिड विवरण	
Item Category/मद केटेगरी	<p>for PVC casing and capping confirming to IS 3419 Part 3 Havells, Finolex, Polycab, Natural white or equivalent , Switch socket combination snow white multipurpose 2 in 1, 15 Amp 230 Volts Make-Anchor,SSK, CONA , Switch socket combination snow white 5 Amp 230 Volts Make-Anchor, SSK, CONA , Service bracket 40mm dia GI Tubing medium grade 1.5 Mtr Long Make-Jindal,Tata,Kalinga , Service cable PVC insulated aluminium conductor, 1100 volt grade Heavy duty served with inner sheathing of PVC tap and overall PVC sheathed as per store list attached , Ceiling Rose three terminal snow white Make- Anchor, SSK,CONA , LED Bulk head fitting high pressure die cast aluminum front cover with glass cover with specially design gasket with LED lamp 10 watts rechargeable type Make-Havells,Bajaj, Philips,Crompton , PVC Flexible wire copper conductor multi stranded 0.0016 oblique 76 Make-havells, Finolex, Plaza , PVC Flexible Conduit pipe 15 mm dia Havells,Finolex,Polycab, Natural white or equivalent , PVC Round oblique Square Block Make-Polycab,Supreme, Finolex , Earthing plate 600 x 600 x 6 mm Galvanised steel suitable for GI strip fittings, drilled with 2 nos holes for 6 mm dia near one side. , CI Earth Pit Cover of size 300 x 300 x 6 mm with Angle iron frame of size 20x20mm, 3 mm thick with MS frame. , Funnel fitted with 20 mm diameter GI Pipe 1.5 m Long. Pipe Make-Jindal,Tata, Kalinga , GI wire 4 mm diameter for earthing. , Charcoal , Salt normal , Air terminal single pointed aluminium rod 12mm dia and 300mm long. , Testing point terminal block make of Gun metal and phosphorus bronze size 75x75x25mm drilled and screwed including 3 Nos 8mm dia 25mm long hexagonal head screw. , Aluminium strips 25x3mm. , Galvanised iron strip 32x6mm. , Funnel fitted with 20mm dia GI Pipe 1.5m long Make Jindal, Tata, Kalinga , Earthing Plate 600x600x6mm GI steel suitable for GI strip fittings, drilled with two nos holes for 6 mm dia near one side. , CI earth pit cover of size 300x300x6mm with angle iron of size 20x20x3mm thick with MS frame. , Insulating PVC block 75x75x30mm with insulating clamp nut and bolt Make-Presto,Polycab, Finolex , Cement 43 Grade OPC packed in HDPE bag each 50 kg wt Conform to IS 8112-1989 Make-Birla Gold,Ambuja, Ultratech,ACC ,JK, Dalmia , Coarse Sand free from vegetation Qty - 0.30 Cum , Coarse aggregate 20mm graded Qty - 0.30 Cum , Coarse aggregate 40mm graded Qty - 0.30 Cum</p>
	<p>Superstructure of Gun Repair Shed of size 20.00 M x 10.00 M x 5.00 M height for Gun Repair Shed under Job No 2519 as per technical specification and drgs attached, Distribution box 8 Way, double door SPN 240 volts copper bus bar and neutral link earthing stud conforming to IS-13032 and IS-8623 double door type Make-Havells,Legrand,L and T, MCB SPN 240 Volts 32 Amps Make-Havells, L and T Standard, MCB SP 6 to 32 Amps Make-Havells, L and T, Standard, PVC tape 19mm wide 5 m long Make-Steelgrip,Anchor,Kinjal, Cable PVC insulated electric cable heavy duty 1100 volts grade multi standerd copper conductor of size 1.5 sqmm single core as per store list attached, Cable PVC insulated electric cable heavy duty 1100 volts grade multi standerd copper conductor of size 2.5 sqmm single core as per store list attached, PVC casing capping 1 inch long Medium Grade snow white Havells,Finolex,Polycab, Natural white or equivalent, PVC casing capping 3 oblique 4 inch long Medium Grade snow white Havells,Finolex,Polycab, Natural white or equivalent, Switch Piano 5 Amp 230 Volts Flush type one way snow white Havells,Finolex,Polycab, Natural</p>

Bid Details/As Per	white or equivalent, LED Tube light fittings 20W rechargeable 230V box type 4 feet with CRCA body Pre coated white and Prewired for LED tube complete Make-Havells,Bajaj,Philips, Crompton, Screw full thread 6 x 19 mm ISI Marked, 200 Nos Pkt., Steel Screw full thread with rawl of size1 1 oblique 2 ISI Marked, 100 Nos per Pkt., PVC switch board snow white size 7 inch x 4 inch for sockets and switches Havells,Finolex,Polycab, Natural white or equivalent, PVC switch board snow white size 8 inch x 10 inch for main switches oblique DB Havells,Finolex,Polycab, Natural white or equivalent, PVC L bend and T junction joint for PVC casing and capping confirming to IS 3419 Part 3 Havells Finolex,Polycab, Natural white or equivalent, Switch socket combination snow white multipurpose 2 in 1, 15 Amp 230 Volts Make-Anchor,SSK, CONA, Switch socket combination snow white 5 Amp 230 Volts Make-Anchor, SSK, CONA, Service bracket 40mm dia GI Tubing medium grade 1.5 Mtr Long Make-Jindal,Tata,Kalinga, Service cable PVC insulated aluminium conductor, 1100 volt grade Heavy duty served with inner sheathing of PVC tap and overall PVC sheathed as per store list attached, Ceiling Rose three terminal snow white Make- Anchor, SSK,CONA, LED Bulk head fitting high pressure die cast aluminum front cover with glass cover with specially design gasket with LED lamp 10 watts rechargeable type Make-Havells,Bajaj, Philips,Crompton, PVC Flexible wire copper conductor multi stranded 0.0016 oblique 76 Make-havells, Finolex, Plaza, PVC Flexible Conduit pipe 15 mm dia Havells,Finolex,Polycab, Natural white or equivalent, PVC Round oblique Square Block Make-Polycab,Supreme, Finolex, Earthing plate 600 x 600 x 6 mm Galvanised steel suitable for GI strip fittings, drilled with 2 nos holes for 6 mm dia near one side., CI Earth Pit Cover of size 300 x 300 x 6 mm with Angle iron frame of size 20x20mm, 3 mm thick with MS frame., Funnel fitted with 20 mm diameter GI Pipe 1.5 m Long. Pipe Make-Jindal,Tata, Kalinga, GI wire 4 mm diameter for earthing., Charcoal, Salt normal, Air terminal single pointed aluminium rod 12mm dia and 300mm long., Testing point terminal block make of Gun metal and phosphorus bronze size 75x75x25mm drilled and screwed including 3 Nos 8mm dia 25mm long hexagonal head screw., Aluminium strips 25x3mm., Galvanised iron strip 32x6mm., Funnel fitted with 20mm dia GI Pipe 1.5m long Make Jindal, Tata, Kalinga, Earthing Plate 600x600x6mm GI steel suitable for GI strip fittings, drilled with two nos holes for 6 mm dia near one side., CI earth pit cover of size 300x300x6mm with angle iron of size 20x20x3mm thick with MS frame., Insulating PVC block 75x75x30mm with insulating clamp nut and bolt Make-Presto,Polycab, Finolex, Cement 43 Grade OPC packed in HDPE bag each 50 kg wt Conform to IS 8112-1989 Make-Birla Gold,Ambuja, Ultratech,ACC ,JK, Dalmia, Coarse Sand free from vegetation Qty - 0.30 Cum, Coarse aggregate 20mm graded Qty - 0.30 Cum, Coarse aggregate 40mm graded Qty - 0.30 Cum
<p>GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS</p>	
	<p>Searched String: Superstructure of Gun Repair Shed of size 20.00 M x 10.00 M x 5.00 M height for Gun Repair Shed under Job No 2519 as per technical specification and drgs attached</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Distribution box 8 Way, double door SPN</p>

Bid Details/As per	240 volts copper bus bar and neutral link earthing stud conforming to IS-13032 and IS-8623 double door type Make-Havells,Legrand,L and T
	<p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: MCB SPN 240 Volts 32 Amps Make-Havells, L and T Standard</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: MCB SP 6 to 32 Amps Make-Havells, L and T, Standard</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: PVC tape 19mm wide 5 m long Make-Steelgrip,Anchor,Kinjal</p> <p>Pressure Sensitive Adhesive Plasticized PVC Tapes with Nonthermosetting Adhesive as per IS 7809 (Part 3 / Section 1), Double sided tape, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694</p> <p>Searched String: Cable PVC insulated electric cable heavy duty 1100 volts grade multi standerd copper conductor of size 1.5 sqmm single core as per store list attached</p> <p>PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694</p> <p>Searched String: Cable PVC insulated electric cable heavy duty 1100 volts grade multi standerd copper conductor of size 2.5 sqmm single core as per store list attached</p> <p>PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Flat Cable, Copper Conductor with PVC Insulation and Sheath as per IS 694</p> <p>Searched String: PVC casing capping 1 inch long Medium Grade snow white Havells,Finolex,Polycab, Natural white or equivalent</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: PVC casing capping 3 oblique 4 inch long Medium Grade snow white Havells,Finolex,Polycab, Natural white or equivalent</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Switch Piano 5 Amp 230 Volts Flush type one way snow white Havells,Finolex,Polycab, Natural white or equivalent</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: LED Tube light fittings 20W rechargeable</p>

Bid Details/As per	230V box type 4 feet with CRCA body Pre coated white and Prewired for LED tube complete Make-Havells,Bajaj,Philips, Crompton
	<p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Screw full thread 6 x 19 mm ISI Marked, 200 Nos Pkt.</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Steel Screw full thread with rawl of size 1 1 oblique 2 ISI Marked, 100 Nos per Pkt.</p> <p>Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014</p> <p>Searched String: PVC switch board snow white size 7 inch x 4 inch for sockets and switches Havells,Finolex,Polycab, Natural white or equivalent</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: PVC switch board snow white size 8 inch x 10 inch for main switches oblique DB Havells,Finolex,Polycab, Natural white or equivalent</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: PVC L bend and T junction joint for PVC casing and capping confirming to IS 3419 Part 3 Havells Finolex,Polycab, Natural white or equivalent</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Switch socket combination snow white multipurpose 2 in 1, 15 Amp 230 Volts Make-Anchor,SSK, CONA</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Switch socket combination snow white 5 Amp 230 Volts Make-Anchor, SSK, CONA</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Service bracket 40mm dia GI Tubing medium grade 1.5 Mtr Long Make-Jindal,Tata,Kalinga</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Service cable PVC insulated aluminium conductor, 1100 volt grade Heavy duty served with inner sheathing of PVC tap and overall PVC sheathed as per store list attached</p> <p>PVC Flat Cable, Copper Conductor with PVC Insulation and Sheath as per IS 694</p>

Bid Details/As per	Searched String: Ceiling Rose three terminal snow white Make- Anchor, SSK, CONA
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Category not available on GeM for the text string uploaded by the buyer
	Searched String: LED Bulk head fitting high pressure die cast aluminum front cover with glass cover with specially design gasket with LED lamp 10 watts rechargeable type Make-Havells, Bajaj, Philips, Cropmtion
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: PVC Flexible wire copper conductor multi stranded 0.0016 oblique 76 Make-havells, Finolex, Plaza
	PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694
	Searched String: PVC Flexible Conduit pipe 15 mm dia Havells, Finolex, Polycab, Natural white or equivalent
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: PVC Round oblique Square Block Make- Polycab, Supreme, Finolex
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: Earthing plate 600 x 600 x 6 mm Galvanised steel suitable for GI strip fittings, drilled with 2 nos holes for 6 mm dia near one side.
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: CI Earth Pit Cover of size 300 x 300 x 6 mm with Angle iron frame of size 20x20mm, 3 mm thick with MS frame.
	Cellophane paper, Modular Toilet, Precast Concrete Manhole Cover and Frame (V2) Conforming to IS 12592, Corrugated Boxes, Prefab Shelters with PUF Panel of Size 7.620 M X 5.441 M (as per GeM Drawing)
	Searched String: Funnel fitted with 20 mm diameter GI Pipe 1.5 m Long. Pipe Make-Jindal, Tata, Kalinga
	Parallel Bar - Outdoor Gym Equipment
	Searched String: GI wire 4 mm diameter for earthing.
	G.I. Pipes for Earthing as per IS 1239 (Part 1), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266, Polyethylene Pipes for Water Supply, Mild Steel Wire for General Engineering Purpose as per IS 280, Parallel Bar - Outdoor Gym Equipment, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Staplers (V2), Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818

Bid Details/lot	Searched String: Charcoal
	<p>Charcoal, Activated Charcoal Tablets, Activated Charcoal Powder, Barbecues / Tandoor, Modified Charcoal Cefoperazone Deoxycholate Agar (MCCD), Dhobi Tool Kit</p> <p>Searched String: Salt normal</p> <p>Black Salt, Iodized Salt, Electronic Milk Analyser with adulteration testing equipment, Human Normal Immunoglobulin Injection, EDTA disodium salt, Iron Fortified Iodized Salt Or Double Fortified Salt as per IS: 16232, ORAL REHYDRATION SALT, Iodized Salt (Defence), Sodium Oxalate Salt, Salt Spray Chamber</p> <p>Searched String: Air terminal single pointed aluminium rod 12mm dia and 300mm long.</p> <p>PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Bronze Rods(OFB-DEFENCE), Ball Point Pens (V2) as per IS 3705, Self Watering Tree guard</p> <p>Searched String: Testing point terminal block make of Gun metal and phosphorus bronze size 75x75x25mm drilled and screwed including 3 Nos 8mm dia 25mm long hexagonal head screw.</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Aluminium strips 25x3mm.</p> <p>Hemoglobin Test Strips, Plane Mirror Strips, ALUMINIUM LUMPS, Hot Rolled Strips Flats, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Aluminium nitrate, foot step for hospitals, Aluminium Oxide, Blood Glucose Test Strips (V2), ALUMINIUM SLIDE TRAY</p> <p>Searched String: Galvanised iron strip 32x6mm.</p> <p>FRP strip cast iron Bench, Cast Iron Bench, Galvanized Iron Core Box (V2), Plastic Moulded Table - Preschool Kit, Stapler Pin / Staples (V2), Prong or Tine Cultivator (Hand Cultivator), General Purpose Pipe Wrench as per IS 4003, IS 1570, IS 14329, Hot Rolled Strips Flats, Pad Lock Various (As Per Defence Specification), Tapered Bearings as per IS 12102</p> <p>Searched String: Funnel fitted with 20mm dia GI Pipe 1.5m long Make Jindal, Tata, Kalinga</p> <p>Parallel Bar - Outdoor Gym Equipment</p> <p>Searched String: Earthing Plate 600x600x6mm GI steel suitable for GI strip fittings, drilled with two nos holes for 6 mm dia near one side.</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: CI earth pit cover of size 300x300x6mm with angle iron of size 20x20x3mm thick with MS frame.</p> <p>Cellophane paper, Cast Iron Bench, Modular Toilet, Swing (Preschool Kit), Industrial Safety Helmet with Lamp (Version 2) as per IS 2925, Prefab Hut / House of Size 6.10 M x 19.52 M (as per GeM Drawing), Precast Concrete Manhole Cover and Frame (V2) Conforming to IS 12592, Bathroom Water</p>

Bid Details/बिड विवरण	Shower (V2), Prefab Hut / House of Size 6.10 M X 7.32 M (as per GeM Drawing), Non Sparking Double Open Ended
	<p>Spanner (V2)</p> <p>Searched String: Insulating PVC block 75x75x30mm with insulating clamp nut and bolt Make-Presto, Polycab, Finolex</p> <p>PVC Flat Cable, Copper Conductor with PVC Insulation and Sheath as per IS 694, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694</p> <p>Searched String: Cement 43 Grade OPC packed in HDPE bag each 50 kg wt Conform to IS 8112-1989 Make-Birla Gold, Ambuja, Ultratech, ACC, JK, Dalmia</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Coarse Sand free from vegetation Qty - 0.30 Cum</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Coarse aggregate 20mm graded Qty - 0.30 Cum</p> <p>Coarse Aggregate (V2) Conforming to IS 383, Solar Powered Drinking Water Cooler, Granite Surface Plate as per IS 7327, Laboratory Glassware - Burettes (V2) as per IS 1997, Medium Density Fiber Boards (MDF Boards) for General Purpose</p> <p>Searched String: Coarse aggregate 40mm graded Qty - 0.30 Cum</p> <p>Coarse Aggregate (V2) Conforming to IS 383, Solar Powered Drinking Water Cooler, Granite Surface Plate as per IS 7327, Medium Density Fiber Boards (MDF Boards) for General Purpose</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • Cobbler Shed
BOQ Title/बीओक्यू शीर्षक	Gun Repair Shed
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	5 Lakh (s)
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	5 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	2 Year (s)
MSE Exemption for Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes

Bid Details/बिड विवरण	
Startup Exemption for Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Past Performance/विगत प्रदर्शन	40 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	Yes
RA Qualification Rule	H1-Highest Priced Bid Elimination
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Superstructure of Gun Repair Shed of size 20.00 M x 10.00 M x 5.00 M height for Gun Repair Shed under Job No 2519 as per technical specification and drgs attached
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Arbitration Clause	No
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	32095

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	3.00

Duration of ePBG required (Months)/ईपीबीजी की अपेक्षित अवधि (महीने).

14

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

Commanding Officer

108 Engr Regt, Department of Military Affairs, Indian Army, Ministry of Defence

(Avinash Deshmukh)

Reserved for Make In India products

Reserved for Make In India products

Yes

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता

Yes

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old,

the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

6. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

7. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 40% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

10. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Superstructure Of Gun Repair Shed Of Size 20.00 M X 10.00 M X 5.00 M Height For Gun Repair Shed Under Job No 2519 As Per Technical Specification And Drgs Attached

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document

[View File](#)

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	1	45

Distribution Box 8 Way, Double Door SPN 240 Volts Copper Bus Bar And Neutral Link Earthing Stud Conforming To IS-13032 And IS-8623 Double Door Type Make-Havells,Legrand,L And T

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	1	45

MCB SPN 240 Volts 32 Amps Make-Havells, L And T Standard

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	1	45

MCB SP 6 To 32 Amps Make-Havells, L And T, Standard

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	6	45

PVC Tape 19mm Wide 5 M Long Make-Steelgrip,Anchor,Kinjal

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	3	45

Cable PVC Insulated Electric Cable Heavy Duty 1100 Volts Grade Multi Standard Copper Conductor Of Size 1.5 Sqmm Single Core As Per Store List Attached

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	375	45

Cable PVC Insulated Electric Cable Heavy Duty 1100 Volts Grade Multi Standard Copper Conductor Of Size 2.5 Sqmm Single Core As Per Store List Attached

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	240	45

PVC Casing Capping 1 Inch Long Medium Grade Snow White Havells, Finolex, Polycab, Natural White Or Equivalent

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	75	45

PVC Casing Capping 3 Oblique 4 Inch Long Medium Grade Snow White Havells,Finolex,Polycab, Natural White Or Equivalent

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	100	45

Switch Piano 5 Amp 230 Volts Flush Type One Way Snow White Havells,Finolex,Polycab, Natural White Or Equivalent

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	25	45

LED Tube Light Fittings 20W Rechargeable 230V Box Type 4 Feet With CRCA Body Pre Coated White And Prewired For LED Tube Complete Make-Havells,Bajaj,Philips, Crompton

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	19	45

Screw Full Thread 6 X 19 Mm ISI Marked, 200 Nos Pkt.

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	3	45

Steel Screw Full Thread With Rawl Of Size1 1 Oblique 2 ISI Marked, 100 Nos Per Pkt.

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	1	45

PVC Switch Board Snow White Size 7 Inch X 4 Inch For Sockets And Switches Havells,Finolex,Polycab, Natural White Or Equivalent

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	13	45

PVC Switch Board Snow White Size 8 Inch X 10 Inch For Main Switches Oblique DB Havells,Finolex,Polycab, Natural White Or Equivalent

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	2	45

PVC L Bend And T Junction Joint For PVC Casing And Capping Confirming To IS 3419 Part 3 Havells Finolex,Polycab, Natural White Or Equivalent

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	25	45

Switch Socket Combination Snow White Multipurpose 2 In 1, 15 Amp 230 Volts Make-Anchor,SSK, CONA

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	2	45

Switch Socket Combination Snow White 5 Amp 230 Volts Make-Anchor, SSK, CONA

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	9	45

Service Bracket 40mm Dia GI Tubing Medium Grade 1.5 Mtr Long Make-Jindal,Tata,Kalinga

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	1	45

Service Cable PVC Insulated Aluminium Conductor, 1100 Volt Grade Heavy Duty Served With Inner Sheathing Of PVC Tap And Overall PVC Sheathed As Per Store List Attached

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	40	45

Ceiling Rose Three Terminal Snow White Make- Anchor, SSK,CONA

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	25	45

LED Bulk Head Fitting High Pressure Die Cast Aluminum Front Cover With Glass Cover With Specially Design Gasket With LED Lamp 10 Watts Rechargeable Type Make-

Havells,Bajaj, Philips,Crompton

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	6	45

PVC Flexible Wire Copper Conductor Multi Stranded 0.0016 Oblique 76 Make-havells, Finolex, Plaza

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	15	45

PVC Flexible Conduit Pipe 15 Mm Dia Havells,Finolex,Polycab, Natural White Or Equivalent

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	12	45

PVC Round Oblique Square Block Make-Polycab,Supreme, Finolex

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	22	45

Earthing Plate 600 X 600 X 6 Mm Galvanised Steel Suitable For GI Strip Fittings, Drilled With 2 Nos Holes For 6 Mm Dia Near One Side.

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	1	45

CI Earth Pit Cover Of Size 300 X 300 X 6 Mm With Angle Iron Frame Of Size 20x20mm, 3 Mm Thick With MS Frame.

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	1	45

Funnel Fitted With 20 Mm Diameter GI Pipe 1.5 M Long. Pipe Make-Jindal,Tata, Kalinga

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	1	45

GI Wire 4 Mm Diameter For Earthing.

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	20	45

Charcoal

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	75	45

Salt Normal

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	75	45

Air Terminal Single Pointed Aluminium Rod 12mm Dia And 300mm Long.

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	2	45

Testing Point Terminal Block Make Of Gun Metal And Phosphorus Bronze Size 75x75x25mm Drilled And Screwed Including 3 Nos 8mm Dia 25mm Long Hexagonal Head Screw.

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	2	45

Aluminium Strips 25x3mm.

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	40	45

Galvanised Iron Strip 32x6mm.

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	20	45

Funnel Fitted With 20mm Dia GI Pipe 1.5m Long Make Jindal, Tata, Kalinga

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	2	45

Earthing Plate 600x600x6mm GI Steel Suitable For GI Strip Fittings, Drilled With Two Nos Holes For 6 Mm Dia Near One Side.

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	2	45

CI Earth Pit Cover Of Size 300x300x6mm With Angle Iron Of Size 20x20x3mm Thick With MS Frame.

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	2	45

Insulating PVC Block 75x75x30mm With Insulating Clamp Nut And Bolt Make-

Presto,Polycab, Finolex

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	40	45

Cement 43 Grade OPC Packed In HDPE Bag Each 50 Kg Wt Conform To IS 8112-1989 Make-Birla Gold,Ambuja, Ultratech,ACC ,JK, Dalmia

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	3	45

Coarse Sand Free From Vegetation Qty - 0.30 Cum

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	1	45

Coarse Aggregate 20mm Graded Qty - 0.30 Cum

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	1	45

Coarse Aggregate 40mm Graded Qty - 0.30 Cum**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	1	45

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**1. Generic**

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- Copy of PAN Card.
- Copy of GSTIN.
- Copy of Cancelled Cheque.
- Copy of EFT Mandate duly certified by Bank.

2. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up

to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 50% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

3. Inspection

Nominated Inspection Agency: On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance:

Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

NA

Post Receipt Inspection at consignee site before acceptance of stores:
BY BOARD OF OFFICER

4. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Note:- Profile Sheet of roof and Walls as applicable for the Shelter/Bkr to be of Camouflage pattern as per direction of Eastern Command.

5. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file](#).

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.

10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

---Thank You/धन्यवाद---