

### Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	07-05-2025 13:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	07-05-2025 13:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	30 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Madhya Pradesh
Department Name/विभाग का नाम	Department Of Panchayati Raj
Organisation Name/संगठन का नाम	Balaghat District Panchayats
Office Name/कार्यालय का नाम	Kamthi
क्रेता ईमेल/Buyer Email	gpkamthi01-mp@panchayat.gov.in
Total Quantity/कुल मात्रा	15
Item Category/मद केटेगरी	FRP Urinal Cabin (Q3)
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	6 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No

Bid Details/बिड विवरण	
Past Performance/विगत प्रदर्शन	50 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Arbitration Clause	No
Mediation Clause	No

#### EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

#### ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

#### MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

#### MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product

having highest value should meet this criterion.

3. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

4. Purchase preference to Micro and Small Enterprises (MSEs) from the State of Bid Inviting Authority : Purchase preference will be given to MSEs as Micro and Small Enterprises from the State of Bid inviting Authority. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25 % of total quantity as defined/ decided in relevant policy.

5. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

### FRP Urinal Cabin ( 15 pieces )

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

#### Technical Specifications/तकनीकी विशिष्टियाँ

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	<b>Cofiguration</b>	Urinals without washbasin, Urinals with inside washbasin, Urinals with outside washbasin
	<b>Design &amp; Function of the urinal</b>	Corner urinal - designed to fit in the corner of wall., Flat back urinal - designed to fix in the wall with a screw i.e low in weight and small in shape., Half stall urinal - supported by flange., Full stall urinal - supported by floor., Squatting urinal for women mounted on floor
	<b>Mode of Supply</b>	Assembled Ready To Use, Knocked Down To Be Assembled At Consignee Site By The Seller, Knocked Down To Be Assembled At Consignee Site By Consignee Himself
	<b>Number of urinal Cabins</b>	1 no., 2 nos., 3 nos., 4 nos., 5 nos.
	<b>Number of Urinals</b>	1 no., 2 nos., 3 nos., 4 nos., 5 nos.

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Water facility</b>	By mean of overhead tank(Capacity 200Ltrs)
	<b>Sewage facility</b>	Sludge tank(Capacity 200 Ltrs) with 75mm outlet facility through butterfly valve and hosepipe(for 1-seater and 2-seater), Sludge tank(Capacity 400 Ltrs) with 75mm outlet facility through butterfly valve and hosepipe(for 2-seater and 3-seater), Sludge tank(Capacity 500 Ltrs) with 75mm outlet facility through butterfly valve and hosepipe(for 3-seater), No sludge tank / directly connected to septic tank
	<b>Ventilation</b>	One No., Two No., Full size ventilation above door plus half size ventilation on other side for cross ventilation, All 4 - sides, No ventilation, Exhaust fan facility
	<b>Lifting hook</b>	No lifting hook
	<b>Projection of Roof</b>	50mm projection on all the four sides, 100mm projection from front and 50mm projection on other sides, 50mm projection from front and 25mm projection on other sides, No projection
	<b>Installation and commissioning</b>	To be done by seller, To be done by Consignee himself
	<b>Plumbing and Sanitary fitting connection</b>	To be done by seller, To be done by Consignee himself
	<b>Electrical connection</b>	To be done by seller, To be done by Consignee himself
	<b>Waste extraction fittings</b>	To be done by seller, To be done by Consignee himself
	<b>Civil foundation</b>	No foundation required, Required - To be done by seller, Required - To be done by consignee himself
	<b>Materials used to produce urinals for Men's</b>	Ceramic, Steel, FRP
	<b>Materials used to produce urinals for Women's</b>	Ceramic, Steel, FRP, FRP integrated with floor
	<b>Number of cabins having urinals without washbasin</b>	1 no., 2 no., 3 no., 4 no., 5 no., N.A
	<b>Number of urinal cabins having one number inside washbasin</b>	1 no., 2 no., 3 no., 4 no., 5 no., N.A
	<b>Number of urinal cabins having two numbers inside washbasin</b>	1 no., 2 no., 3 no., 4 no., 5 no., N.A
	<b>Number of urinal cabins having one number outside washbasin</b>	1 no., 2 no., 3 no., 4 no., 5 no., N.A
	<b>Number of urinal cabins having two numbers outside washbasin</b>	1 no., 2 no., 3 no., 4 no., 5 no., N.A

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Water spreader facility</b>	Water spreader available ( For Gent's urinal ), One push cock water tap available ( For Ladie's urinal ), As per Buyer's requirement
	<b>Partition for Gent's urinal</b>	Yes, No
	<b>Type of mounting</b>	Floor mount - Supported and fixed in floor., Wall mount - Fixed in a wall
	<b>Unit type</b>	Portable, Fixed
FRAME MATERIAL	<b>Bottom frame material</b>	35mm X 35mm X 5mm(thick) MS angle for 1 no. urinal
	<b>Bottom frame support material</b>	25mm X 25mm X 3mm(thick) MS angle (for 1 no. urinal, 2 nos. urinal & 3 nos. urinal)
	<b>Side panel frame material</b>	No side frame structure
	<b>Top(roof) frame material</b>	35mm X 35mm X 5mm(thick) MS angle
	<b>Top(roof) support frame structure</b>	25mm X 25mm X 3mm(thick) MS angle, 25mm X 25mm X 3mm(thick) SS angle, 25 mm x 25 mm x 2 mm (thick) MS pipe as per IS 4923 / latest, 38 mm x 38 mm x 2 mm (thick) MS pipe as per IS 4923 / latest, No support structure
	<b>Partition frame material</b>	35mm X 35mm X 5mm(thick) MS angle, 35mm X 35mm X 5mm(thick) SS angle, 25 mm x 25 mm x 2 mm (thick) MS pipe as per IS 4923 / latest, 38 mm x 38 mm x 2 mm (thick) MS pipe as per IS 4923 / latest, No partition frame structure
	<b>Ventilation frame material</b>	25mm X 25mm X 3mm(thick) flat MS, 25mm X 25mm X 3mm(thick) flat SS, 25 mm x 25 mm x 2 mm (thick) MS Flat, No ventilation frame material
	<b>Door frame material</b>	50mm X 25mm of 14-16gauge rectangular MS hollow pipe, 50mm X 25mm of 14-16gauge rectangular SS hollow pipe, 35 mm x 35 mm x 5 mm (thick) MS ANGLE, No door frame material
	<b>Support material for Door panel fixing</b>	Aluminium U-channel of 18gauge, SS U-channel of 18gauge, No support material
	<b>Door hinges(two numbers)</b>	75mm size with 1.2-1.5mm thickness MS, 75mm size with 0.6-0.8mm thickness SS, 75mm size with 1.2-1.5mm thickness Chrome plated
	<b>Tank holder frame material</b>	25mm X 3mm(thick) MS flat, 25mm X 3mm(thick) SS flat, 1125mm X 820mm outer ring(tubular structure)-MS, No Support

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Unit understructure</b>	Supported by 4-legs of size 35mm X 35mm X 5mm MS angle with corner support of 25mm x 25mm X 3mm MS angle for 1 no. urinal, Supported by 4-legs of size 35mm X 35mm X 5mm SS angle with corner support of 25mm x 25mm X 3mm SS angle for 1 no. urinal, Supported by 4-legs of size 75mm X 37mm C-channel MS angle, Supported by 4-legs of size 75mm X 37mm C-channel SS angle, Pedestal base having 890mm X 1065mm X 300mm(height) FRP molded, Supported by 4-legs of size 25 mm x 25 mm x 2 mm (thick) MS pipe with corner support of 25 mm x 25 mm x 2 mm MS pipe as per IS 4923 / latest for 1 no. urinal, Supported by 4-legs of size 25 mm x 25 mm x 2 mm (thick) MS pipe with central support of 38 mm x 38 mm x 2 mm MS pipe as per IS 4923 / latest for 2 nos. urinal, Without understructure
	<b>Stairs frame material</b>	25mm x 25mm X 3mm MS angle, 25mm x 25mm X 3mm SS angle, No stairs
	<b>Stairs material</b>	25mm X 3mm MS flat, 25mm X 3mm SS flat, No stair material
	<b>Door Tee material</b>	40mm X 40mm x40mm X 5mm(thick) MS Tee, 40mm X 40mm x40mm X 5mm(thick) SS Tee, No door Tee material
PANEL MATERIAL	<b>Side panel material</b>	5mm thick ply core sandwich with 1mm thick FRP from both sides(5+1+1mm), Single layer 3mm thick FRP
	<b>Top(Roof) panel material</b>	5mm thick ply core sandwich with 1mm thick FRP from both sides(5+1+1mm), Single layer 3mm thick FRP, 4mm poly carbonate sheet fitted on top
	<b>Door panel material</b>	5mm thick ply core sandwich with 1mm thick FRP from both sides(5+1+1mm), Single layer 3mm thick FRP
	<b>Partition panel material</b>	5mm thick ply core sandwich with 1mm thick FRP from both sides(5+1+1mm), Single layer 3mm thick FRP, Baked enamel, Plastic laminate, Solid phenolic, Solid plastic, Stainless steel, No partition
	<b>Floor material</b>	5mm thick FRP material, 2-3mm thick SS material, Fitted with plastic light weight LLDPE roto molded, Anti skid tile finish floor inside toilet, The double wall constructed ready-made base shall be made out with Plastics material by roto-molded process - PUF to be filled in cavity between two walls for extra load bearing - single piece molded with required outlets - special handle to be provided on two side of toilet block for easily shifting the whole Block, 1.6 mm thick SS 304, 2 mm thick SS 304
DIMENSION	<b>Cabin size for Gent's urinal (LXWXH) ± 25mm</b>	840 mm X 890 mm X 1980 mm (for 1 no. urinal), 1700 mm X 1220 mm X 1980 mm (for 2 nos. urinal), 2055 mm X 1220 mm X 1980 mm (for 3 nos. urinal), 2745 mm X 1220 mm X 1980 mm (for 4 nos. urinal), 3430 mm X 1220 mm X 1980 mm (for 5 nos. urinal), No urinals for Gents

Specification	Specification Name/विशिष्ट का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Door size(WxH) ± 20mm</b>	585 mm x 1830 mm, 655 mm X 1790 mm (Steel sheet thickness - 0.6mm 275MPA)
	<b>Ventilation size (WXH) ± 10mm</b>	838 mm X 150 mm(above door) plus 838mm X 75mm(opposite side), 650 mm X 40 mm, No ventilation
	<b>Partition height for cabin ± 20mm</b>	1830 mm, No partition
	<b>Gent's urinal pot size ± 10mm</b>	455 mm, 610 mm, 700 mm, N.A
	<b>Stairs size ± 10mm</b>	610mm X 230mm having 1-step, 610mm X 230mm having 2-step, 610mm X 230mm having 3-step, No stairs
	<b>Leg height ±10mm</b>	455 mm, No legs
	<b>Partition size for Gent's urinal</b>	455 mm X 762 mm X 7 mm, N.A
	<b>Cabin size for Ladies urinal (LXWXH) ± 25mm</b>	840 mm X 890 mm X 1980 mm(for 1 no. urinal), 1700 mm X 890 mm X 1980 mm (for 2 nos. urinal), 2520 mm X 890 mm X 1980 mm (for 3 nos. urinal), 3360 mm X 890 mm X 1980 mm (for 4 nos. urinal), 4200 mm X 890 mm X 1980 mm (for 5 nos. urinal), No urinal for ladies
MISC	<b>Door locking bolts</b>	Size 100 mm of MS, Size 100 mm SS
	<b>Towerbolt locking</b>	Towerbolt of MS size 75mm, Towerbolt of SS size 75mm, Towerbolt of Aluminium size 75mm
	<b>Overhead tank material</b>	made of double layer HDPE sheet, made of three layer HDPE sheet, Made of PVC, No tank, Loft type single layer HDPE
	<b>Wash basin material</b>	Made of FRP (fiber reinforced plastic), Made of Ceramic, Made of SS 304, No wash basin
	<b>Dia of lifting hook</b>	20 mm, 25 mm, 30 mm, 40 mm, NO lifting hook
	<b>Electric provision</b>	By mean solar energy, BY mean of battery, By mean of connection from main line, No electric provision
	<b>Sewage provision</b>	Provided, Not provided
	<b>Level indicator provision</b>	To be provided in every sewer / sludge tank to know the level of sludge and plan to get it evacuated, N.A
	<b>Soap stand</b>	Plastic made, SS 304 made, Aluminium made, No soap stand
	<b>Tap</b>	HDPE push cock, PVC push cock, Chrome plated, PTMT tap, No tap
CERTIFICATION	<b>Test reports to be furnished to buyer's on demand</b>	YES, NO
	<b>OEM of offered product is ISO 9001:2015 certified</b>	YES, NO
WARRANTY	<b>Warranty period</b>	1 - year, 2 - year, 3 - year

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Hemraj	481445,gram panchayat kamthi	15	15

**Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें****1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

**2. Scope of Supply**

Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

**3. Service & Support**

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

**4. Service & Support**

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

**5. Certificates**

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

**6. Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the



Bid document, ATC and Corrigendum if any.

## 7. Past Project Experience

The Bidder / OEM {themselves or through reseller(s)}, should have executed project for supply and installation / commissioning of same or similar Category Products during preceding 3 financial years (i.e. current year and three previous financial years) as on opening of bid, as per following criteria:

- (i) Single order of at least 35% of estimated bid value; or
- (ii) Two orders of at least 20% each of estimated bid value; or
- (iii) Three orders of at least 15% each of estimated bid value.

Satisfactory Performance certificate issued by respective Buyer Organization for the above Orders should be uploaded with bid. In case of bunch bids, the Category related to primary product having highest bid value should meet this criterion

## 8. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

## Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.**

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

**---Thank You/धन्यवाद---**