



Bid Number/बोली क्रमांक (बिड संख्या):  
GEM/2025/B/6185566  
Dated/दिनांक : 30-04-2025

### Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	21-05-2025 13:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	21-05-2025 13:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	90 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Defence
Department Name/विभाग का नाम	Department Of Military Affairs
Organisation Name/संगठन का नाम	Indian Army
Office Name/कार्यालय का नाम	*****
क्रेता ईमेल/Buyer Email	trijal-1426@nic.in
Total Quantity/कुल मात्रा	464

**Bid Details/बिड विवरण****Item Category/मद केटेगरी**

Cement OPC 43 Grade packed in HDPE bag each 50 Kg wt conforming to IS 8112-1989 Make-Birla Gold,Ambuja,Ultratech,ACC,JK or Dalmiya under Job No 2502 MMG BKR as per store list , Stone Boulder 9 inch to 12 inch , Coarse aggregate 40-63 mm graded , Coarse sand free from vegetation , Coarse aggregate 20mm graded , Coarse aggregate 40 mm graded , Water Proofing compound confirming to IS 2645-2003 Make-Pidilite,Dr fixit, Fevicol , PBS Roll 20m Long , Width of 0.9 Mtr ISI Marked with Min weight of 34 Kgs oblique Roll , Cement based paint Snowcem Make-Berger,Asian,Nerolac , Synthetic Paint enamelled OG confirming to IS 5-2004 Make-Berger,Asian,Nerolac , Synthetic Paint enamelled Brown confirming to IS 5-2004 Make-Berger,Asian,Nerolac , Anti corrosive red oxide zinc chromate primer confirming to IS 5-2004 Make-Berger,Asian,Nerolac , Loop Holes 1000 x 300 mm Make-TATA,SAIL,JSW , Ventilator Steel 300 x450 mm will be fabricated using ISA 35x35x5mm for outer frame and ISA 30x30x3mm for shutter frame with blace sheet Make-TATA, SAIL,JSW as per store list att , MS binding wire TATA, SAIL,JSW , ISMB hot rolled MS 125, 4000mm long Make-TATA,SAIL,JSW , ISMB hot rolled MS 125, 1200mm long Make-TATA, SAIL,JSW , SRT 1840 x 613 x 180 , 2 mm thick MS Sheet Hot Rolled Steel with nuts and bolts incl One coat of Red Oxide Make-TATA,SAIL,JSW , Prefab mild steel door of size 900x1700, outer frame made out of ISA 40x40x6mm and door shutter frmae of ISA 35x35x5mm and all stiffner ISA 30x30x3mm. Steel shall conform to IS-800 Make-TATA,SAIL,JSW , HDPE sand bag OG colour of size 34 inch x 14 inch , Mild Steel Bars of size 6 to 8mm dia conforming to IS 432 Part I 1982 Make-TATA,SAIL,JSW , Preferb folding double sleeping sleeping bunks made of MS columns 65x65x6 mm and ms plate from made of ISA 40x40x6mm, hold fast Make-Tata,Sail,Jsaw as per store list attached , Wooden planks for shuttering IInd class wood of size 3.0 x 0.30 x 0.026m , Wooden Scantling various sizes , Nails various size , Earthing plate 600 x 600 x 6 mm Galvanised steel suitable for GI strip fittings, drilled with 2 Nos holes for 6 mm dia near one side , Air termination single pointed aluminium rod 12 mm dia and 300 mm long , GI pipe 40 mm dia light grade Make-Jindal,Tata,Kalinga , GI pipe 20 mm dia light grade Make-Jindal,Tata, Kalinga , Insulating PVC block 75x75x30 mm with insulating clamp nut and bolt Make-Presto,Polycab,Finolex , Testing point terminal block make of gun metal and phosphorus bronze size 75 x 75 x 25 mm drilled and screwed including 3 Nos 8 mm dia 25 mm long hexagonal head screw , Aluminium strips 25 x 3.0 mm , Nut and bolts 6 mm dia 30mm long with check nut and washer , Charcoal , Salt Normal , CI earth pit cover of size 300 x 300 x 6 mm with Angle iron of size 20x20mm, 3 mm thick with MS frame , Funnel fitted with 20 mm diameter GI Pipe 1.5 m Long Pipe Make-Jindal,Tata,Kalinga , Galvanized Iron strip 32 x 6 mm

Bid Details/बिड विवरण	
<p><b>GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS</b></p>	<p>Cement OPC 43 Grade packed in HDPE bag each 50 Kg wt conforming to IS 8112-1989 Make-Birla Gold,Ambuja,Ultratech,ACC,JK or Dalmiya under Job No 2502 MMG BKR as per store list, Stone Boulder 9 inch to 12 inch, Coarse aggregate 40-63 mm graded, Coarse sand free from vegetation, Coarse aggregate 20mm graded, Coarse aggregate 40 mm graded, Water Proofing compound confirming to IS 2645-2003 Make-Pidilite,Dr fixit, Fevicol, PBS Roll 20m Long , Width of 0.9 Mtr ISI Marked with Min weight of 34 Kgs oblique Roll, Cement based paint Snowcem Make-Berger,Asian,Nerolac, Synthetic Paint enamelled OG confirming to IS 5-2004 Make-Berger,Asian,Nerolac, Synthetic Paint enamelled Brown confirming to IS 5-2004 Make-Berger,Asian,Nerolac, Anti corrosive red oxide zinc chromate primer confirming to IS 5-2004 Make-Berger,Asian,Nerolac, Loop Holes 1000 x 300 mm Make-TATA,SAIL,JSW, Ventilator Steel 300 x450 mm will be fabricated using ISA 35x35x5mm for outer frame and ISA 30x30x3mm for shutter frame with blace sheet Make-TATA, SAIL,JSW as per store list att, MS binding wire TATA, SAIL,JSW, ISMB hot rolled MS 125, 4000mm long Make-TATA,SAIL,JSW, ISMB hot rolled MS 125, 1200mm long Make-TATA, SAIL,JSW, SRT 1840 x 613 x 180 , 2 mm thick MS Sheet Hot Rolled Steel with nuts and bolts incl One coat of Red Oxide Make-TATA,SAIL,JSW, Prefab mild steel door of size 900x1700, outer frame made out of ISA 40x40x6mm and door shutter frmae of ISA 35x35x5mm and all stiffner ISA 30x30x3mm. Steel shall conform to IS-800 Make-TATA,SAIL,JSW, HDPE sand bag OG colour of size 34 inch x 14 inch, Mild Steel Bars of size 6 to 8mm dia conforming to IS 432 Part I 1982 Make-TATA,SAIL,JSW, Preferb folding double sleeping sleeping bunks made of MS columns 65x65x6 mm and ms plate from made of ISA 40x40x6mm, hold fast Make-Tata,Sail,Js w as per store list attached, Wooden planks for shuttering IInd class wood of size 3.0 x 0.30 x 0.026m, Wooden Scantling various sizes, Nails various size, Earthing plate 600 x 600 x 6 mm Galvanised steel suitable for GI strip fittings, drilled with 2 Nos holes for 6 mm dia near one side, Air termination single pointed aluminium rod 12 mm dia and 300 mm long, GI pipe 40 mm dia light grade Make-Jindal,Tata,Kalinga, GI pipe 20 mm dia light grade Make-Jindal,Tata, Kalinga, Insulating PVC block 75x75x30 mm with insulating clamp nut and bolt Make-Presto,Polycab,Finolex, Testing point terminal block make of gun metal and phosphorus bronze size 75 x 75 x 25 mm drilled and screwed including 3 Nos 8 mm dia 25 mm long hexagonal head screw, Aluminium strips 25 x 3.0 mm, Nut and bolts 6 mm dia 30mm long with check nut and washer, Charcoal, Salt Normal, CI earth pit cover of size 300 x 300 x 6 mm with Angle iron of size 20x20mm, 3 mm thick with MS frame, Funnel fitted with 20 mm diameter GI Pipe 1.5 m Long Pipe Make-Jindal,Tata,Kalinga, Galvanized Iron strip 32 x 6 mm</p>
	<p><b>Searched String:</b> Cement OPC 43 Grade packed in HDPE bag each 50 Kg wt conforming to IS 8112-1989 Make-Birla Gold,Ambuja,Ultratech,ACC,JK or Dalmiya under Job No 2502 MMG BKR as per store list</p> <p>Category not available on GeM for the text string uploaded by the buyer</p>

Bid Details/As per	Searched String: Stone Boulder 9 inch to 12 inch
	<p>Angle Cutter (Electric), Cleaning Duster (V3), Water Pump Seals, laboratory hotplates, Grinding Wheel (V2), Desk and Bench Set for Classroom/Training Area, Prong or Tine Cultivator (Hand Cultivator), Laboratory Hot plate, General Purpose Hand Gloves (V2), Waist / Lumbar Traction Belt</p> <p><b>Searched String:</b> Coarse aggregate 40-63 mm graded</p> <p>Coarse Aggregate (V2) Conforming to IS 383, Fine Aggregate (V2) Conforming to IS 383, Solar Powered Drinking Water Cooler, General Purpose Ball Valves (V2)</p> <p><b>Searched String:</b> Coarse sand free from vegetation</p> <p>Fine Aggregate (V2) Conforming to IS 383, Stone Aggregate Products from Deeg - ODOP, River Bed Sand, Red Sand Stone Tiles and Slabs from Dholpur - ODOP, Sandstone Tile Products from Gwalior - ODOP, Channapatna Toys from Ramanagara - ODOP, Sandstone Carving Products from Jodhpur (Rural) - ODOP, Santiniketan Leather Goods from Birbhum - ODOP, Sandstone - Slab, Tiles and Articles from Karauli - ODOP</p> <p><b>Searched String:</b> Coarse aggregate 20mm graded</p> <p>Coarse Aggregate (V2) Conforming to IS 383, Fine Aggregate (V2) Conforming to IS 383, universal pipette tips, Internal Combustion Engine Crankcase Oils for Automotive Application (Diesel and gasoline) as per IS: 13656, Foot Rest, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Prelaminated MDF Board, Granite Surface Plate as per IS 7327, General Purpose Ball Valves (V2), Dental Mouth Mirror or Dentist's Mirror - RBSK</p> <p><b>Searched String:</b> Coarse aggregate 40 mm graded</p> <p>Coarse Aggregate (V2) Conforming to IS 383, Fine Aggregate (V2) Conforming to IS 383, Internal Combustion Engine Crankcase Oils for Automotive Application (Diesel and gasoline) as per IS: 13656, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Pad Lock Various (As Per Defence Specification), Foot Rest, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Commercial CPVC Pipe Fittings, Polyethylene Pipes for Water Supply</p> <p><b>Searched String:</b> Water Proofing compound confirming to IS 2645-2003 Make-Pidilite,Dr fixit, Fevicol</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> PBS Roll 20m Long , Width of 0.9 Mtr ISI Marked with Min weight of 34 Kgs oblique Roll</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Cement based paint Snowcem Make-Berger,Asian,Nerolac</p> <p>Permanent Paint Markers (V2), Washable Distemper-IS:428, Dental Temporary Luting Cement (V2), Integral</p>

Bid Details/As Per	Waterproofing Compounds for Cement Mortar and Concrete as per IS 2645, Zinc Priming Paint, Epoxy Based, Two Pack as per IS 14589, White Cement Based Polymeric Putty as per IS 17545, Portland Pozzolana Cement (Fly Ash Based) (V3) Conforming to IS 1489 (Part 1), Portland Pozzolana Cement (Calcined Clay Based) (V2) Conforming to IS 1489 (Part 2), THINNER FOR CELLULOSE NITRATE BASED PAINTS AND LACQUERS, Portland - Pozzolana Cement (Fly Ash Based) for Bulk Buying as per IS 1489 (Part 1)
	<p><b>Searched String:</b> Synthetic Paint enamelled OG confirming to IS 5-2004 Make-Berger,Asian,Nerolac</p> <p>Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V3) Confirming to IS 2932</p> <p><b>Searched String:</b> Synthetic Paint enamelled Brown confirming to IS 5-2004 Make-Berger,Asian,Nerolac</p> <p>Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V3) Confirming to IS 2932</p> <p><b>Searched String:</b> Anti corrosive red oxide zinc chromate primer confirming to IS 5-2004 Make-Berger,Asian,Nerolac</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Loop Holes 1000 x 300 mm Make-TATA,SAIL,JSW</p> <p>Mild Steel Sheet</p> <p><b>Searched String:</b> Ventilator Steel 300 x450 mm will be fabricated using ISA 35x35x5mm for outer frame and ISA 30x30x3mm for shutter frame with blace sheet Make-TATA, SAIL,JSW as per store list att</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> MS binding wire TATA, SAIL,JSW</p> <p>Stitching Wire for Book Binding, binding coils or wire loops</p> <p><b>Searched String:</b> ISMB hot rolled MS 125, 4000mm long Make-TATA,SAIL,JSW</p> <p>MS Sheet as per IS 1079, Hot Rolled Round Steel Bars as per IS 1732</p> <p><b>Searched String:</b> ISMB hot rolled MS 125, 1200mm long Make-TATA, SAIL,JSW</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> SRT 1840 x 613 x 180 , 2 mm thick MS Sheet Hot Rolled Steel with nuts and bolts incl One coat of Red Oxide Make-TATA,SAIL,JSW</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Prefab mild steel door of size 900x1700, outer frame made out of ISA 40x40x6mm and door shutter frmae of ISA 35x35x5mm and all stiffner ISA 30x30x3mm. Steel shall conform to IS-800 Make-TATA,SAIL,JSW</p>

Bid Details/लॉट विवरण	Category not available on GeM for the text string uploaded by the buyer
<p><b>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</b></p>	<p><b>Searched String:</b> HDPE sand bag OG colour of size 34 inch x 14 inch</p> <p>Cleaning Duster (V3), Garbage Bags, Polyethylene Bags for General Purposes</p> <p><b>Searched String:</b> Mild Steel Bars of size 6 to 8mm dia conforming to IS 432 Part I 1982 Make-TATA,SAIL,JSW</p> <p>Mild Steel Sheet, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786</p> <p><b>Searched String:</b> Preferb folding double sleeping sleeping bunks made of MS columns 65x65x6 mm and ms plate from made of ISA 40x40x6mm, hold fast Make-Tata,Sail,jsw as per store list attached</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Wooden planks for shuttering IInd class wood of size 3.0 x 0.30 x 0.026m</p> <p>Taekwondo Mats, Belt Clasp (Brass) for Gram Prahari (UP), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Corrugated Boxes, Polyethylene Bags for General Purposes, Pins, Paper, Straight as per IS 5653</p> <p><b>Searched String:</b> Wooden Scantling various sizes</p> <p>Single / Double Wooden Bed with/without Storage (V2), Scantling teak wood, Saharanpur Wood Craft - ODOP, Wood Craft Box, Work Benches</p> <p><b>Searched String:</b> Nails various size</p> <p>Coiled Nails, wire nails, KITCHEN STORAGE RACKS (various type), Nitrile Coated/Nitrile Hand Gloves (V2), Particle Size Analyser, Manikin for Various types of Injections Training, Cleaning Duster (V3), Pad Lock Various (As Per Defence Specification), Zeta and Particle Size Analyser, KNEE BRACE (Size-Medium) with Packing Box (ALIMCO)</p> <p><b>Searched String:</b> Earthing plate 600 x 600 x 6 mm Galvanised steel suitable for GI strip fittings, drilled with 2 Nos holes for 6 mm dia near one side</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Air termination single pointed aluminium rod 12 mm dia and 300 mm long</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> GI pipe 40 mm dia light grade Make-Jindal,Tata,Kalinga</p> <p>Commercial CPVC Pipe Fittings, Pipe Clamps (V2), Commercial PPR Pipes Fittings as per IS 15801, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Steel Tubes, Tubulars as per IS 1239, Large Outer</p>

Bid Details/As per	Diameter Casing Pipes (Petroleum Industry)
	<p><b>Searched String:</b> GI pipe 20 mm dia light grade Make-Jindal,Tata, Kalinga</p> <p>Commercial CPVC Pipe Fittings</p> <p><b>Searched String:</b> Insulating PVC block 75x75x30 mm with insulating clamp nut and bolt Make-Presto,Polycab,Finolex</p> <p>PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Prefab Shelters with PUF Panel of Size 7.620 M X 18.491 M (as per GeM Drawing), Prefab Shelters With PUF Panel of Size 7.620 M X 10.661 (As Per GeM Drawing), Prefab Shelters with PUF Panel of Size 7.620 M X 5.441 M (as per GeM Drawing)</p> <p><b>Searched String:</b> Testing point terminal block make of gun metal and phosphorus bronze size 75 x 75 x 25 mm drilled and screwed including 3 Nos 8 mm dia 25 mm long hexagonal head screw</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Aluminium strips 25 x 3.0 mm</p> <p>Mild Steel Sheet, Sofa Set (Steel Tube), Hemoglobin Test Strips, Aluminium Composite Panel Sheet, Parallel Bar - Outdoor Gym Equipment, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Cast Iron Bench, Sterile Hypodermic Needles for Single use (V2), Aerial Bunched Cables as per IS 14255, Laminators</p> <p><b>Searched String:</b> Nut and bolts 6 mm dia 30mm long with check nut and washer</p> <p>Studs-IS:1862, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Hardened and tempered washers for high strength structural bolts and nuts - IS 6649, Asbestos Cement Pressure Pipe and Joints (V2) as per IS 1592, Swing (Preschool Kit), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Non Sparking Ring Slugging Spanners (V2), Modular Toilet</p> <p><b>Searched String:</b> Charcoal</p> <p>Charcoal, Activated Charcoal Tablets, Activated Charcoal Powder, Barbecues / Tandoor, Modified Charcoal Cefoperazone Deoxycholate Agar (MCCD), Dhobi Tool Kit</p> <p><b>Searched String:</b> Salt Normal</p> <p>Human Normal Immunoglobulin Injection, Black Salt, Electronic Milk Analyser with adulteration testing equipment, Iodized Salt, EDTA disodium salt, Iron Fortified Iodized Salt Or Double Fortified Salt as per IS: 16232, ORAL REHYDRATION SALT, Iodized Salt (Defence), Sodium Oxalate Salt, Salt Spray Chamber</p> <p><b>Searched String:</b> CI earth pit cover of size 300 x 300 x 6 mm with Angle iron of size 20x20mm, 3 mm thick with MS frame</p> <p>Cellophane paper, Corrugated Boxes, Modular Toilet, Prefab</p>

<b>Bid Details/बिड विवरण</b>	Shelters with PUF Panel of Size 7.620 M X 5.441 M (as per GeM Drawing)
	<p><b>Searched String:</b> Funnel fitted with 20 mm diameter GI Pipe 1.5 m Long Pipe Make-Jindal,Tata,Kalinga</p> <p>Parallel Bar - Outdoor Gym Equipment</p> <p><b>Searched String:</b> Galvanized Iron strip 32 x 6 mm</p> <p>Sofa Set (Steel Tube), Control Cable, Transport Cage for forest Department Use, Cast Iron Bench, rubber bands, Pad Lock Various (As Per Defence Specification), Picket Steel as per DGS&amp;D Drawing, General Purpose Pipe Wrench as per IS 4003, IS 1570, IS 14329, Prefab Hut / House of Size 6.10 M X 7.32 M (as per GeM Drawing), Sterile Hypodermic Needles for Single use (V2)</p>
<b>अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification</b>	<ul style="list-style-type: none"> <li>• Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V3) Confirming to IS 2932</li> <li>• HDPE / PP Woven Sacks for Filling Sand as per IS 14252</li> </ul>
<b>BOQ Title/बीओक्यू शीर्षक</b>	MMG BkR
<b>Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)</b>	2 Lakh (s)
<b>OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)</b>	2 Lakh (s)
<b>Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष</b>	2 Year (s)
<b>MSE Exemption for Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है</b>	Yes
<b>Startup Exemption for Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है</b>	Yes
<b>Document required from seller/विक्रेता से मांगे गए दस्तावेज़</b>	<p>Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>
<b>Do you want to show documents uploaded by bidders to all bidders participated in bid?/</b>	No
<b>Past Performance/विगत प्रदर्शन</b>	40 %
<b>Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया</b>	Yes
<b>RA Qualification Rule</b>	H1-Highest Priced Bid Elimination
<b>Type of Bid/बिड का प्रकार</b>	Two Packet Bid



Bid Details/बिड विवरण	
Primary product category	Cement OPC 43 Grade packed in HDPE bag each 50 Kg wt conforming to IS 8112-1989 Make-Birla Gold,Ambuja,Ultratech,ACC,JK or Dalmiya under Job No 2502 MMG BKR as per store list
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Arbitration Clause	No
Mediation Clause	No

#### EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	17210

#### ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	3.00
Duration of ePBG required (Months)/ईपीबीजी की अपेक्षित अवधि (महीने).	14

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

#### Beneficiary/लाभार्थी :

Commanding Officer  
108 Engr Regt, Department of Military Affairs, Indian Army, Ministry of Defence  
(Avinash Deshmukh)

#### Reserved for Make In India products

Reserved for Make In India products	Yes
-------------------------------------	-----

## MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.
7. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are

advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 40% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

10. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- If number of technically qualified bidders are only 2 or 3.
- If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

**Cement OPC 43 Grade Packed In HDPE Bag Each 50 Kg Wt Conforming To IS 8112-1989 Make-Birla Gold,Ambuja,Ultratech,ACC,JK Or Dalmiya Under Job No 2502 MMG BKR As Per Store List**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****Tawang	119	45

**Stone Boulder 9 Inch To 12 Inch**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****Tawang	28	45

**Coarse Aggregate 40-63 Mm Graded**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****Tawang	3	45

## Coarse Sand Free From Vegetation

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	14	45

## Coarse Aggregate 20mm Graded

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	5	45

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

### Coarse Aggregate 40 Mm Graded

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	5	45

### Water Proofing Compound Confirming To IS 2645-2003 Make-Pidilite,Dr Fixit, Fevicol

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	5	45

### PBS Roll 20m Long , Width Of 0.9 Mtr ISI Marked With Min Weight Of 34 Kgs Oblique Roll

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	2	45

### Cement Based Paint Snowcem Make-Berger,Asian,Nerolac

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	10	45

**Synthetic Paint Enamelled OG Confirming To IS 5-2004 Make-Berger,Asian,Nerolac**  
(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	6	45

**Synthetic Paint Enamelled Brown Confirming To IS 5-2004 Make-Berger,Asian,Nerolac**  
(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.



**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	5	45

**Anti Corrosive Red Oxide Zinc Chromate Primer Confirming To IS 5-2004 Make-Berger,Asian,Nerolac****(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	6	45

**Loop Holes 1000 X 300 Mm Make-TATA,SAIL,JSW****(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	3	45

**Ventilator Steel 300 X450 Mm Will Be Fabricated Using ISA 35x35x5mm For Outer Frame And ISA 30x30x3mm For Shutter Frame With Blace Sheet Make-TATA, SAIL,JSW As Per Store List Att**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	4	45

**MS Binding Wire TATA, SAIL,JSW**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	1	45

**ISMB Hot Rolled MS 125, 4000mm Long Make-TATA,SAIL,JSW**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	3	45

**ISMB Hot Rolled MS 125, 1200mm Long Make-TATA, SAIL,JSW**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	3	45

**SRT 1840 X 613 X 180 , 2 Mm Thick MS Sheet Hot Rolled Steel With Nuts And Bolts Incl One Coat Of Red Oxide Make-TATA,SAIL,JSW**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	30	45

**Prefab Mild Steel Door Of Size 900x1700, Outer Frame Made Out Of ISA 40x40x6mm And Door Shutter Frmae Of ISA 35x35x5mm And All Stiffner ISA 30x30x3mm. Steel Shall Conform To IS-800 Make-TATA,SAIL,JSW**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****Tawang	1	45

### **HDPE Sand Bag OG Colour Of Size 34 Inch X 14 Inch**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****Tawang	60	45

### **Mild Steel Bars Of Size 6 To 8mm Dia Conforming To IS 432 Part I 1982 Make-TATA,SAIL,JSW**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****Tawang	52	45

**Preferb Folding Double Sleeping Sleeping Bunks Made Of MS Columns 65x65x6 Mm And Ms Plate From Made Of ISA 40x40x6mm, Hold Fast Make-Tata,Sail,Jsw As Per Store List Attached**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****Tawang	2	45

## Wooden Planks For Shuttering IInd Class Wood Of Size 3.0 X 0.30 X 0.026m

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	2	45

## Wooden Scantling Various Sizes

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	4	45

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	-----------------	------------------------------

## Nails Various Size

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	2	45

## Earthing Plate 600 X 600 X 6 Mm Galvanised Steel Suitable For GI Strip Fittings, Drilled With 2 Nos Holes For 6 Mm Dia Near One Side

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.



**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	1	45

**Air Termination Single Pointed Aluminium Rod 12 Mm Dia And 300 Mm Long****(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	1	45

**GI Pipe 40 Mm Dia Light Grade Make-Jindal,Tata,Kalinga****(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	3	45

**GI Pipe 20 Mm Dia Light Grade Make-Jindal,Tata, Kalinga****(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	2	45

**Insulating PVC Block 75x75x30 Mm With Insulating Clamp Nut And Bolt Make-Presto,Polycab,Finolex****(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	10	45

**Testing Point Terminal Block Make Of Gun Metal And Phosphorus Bronze Size 75 X 75 X 25 Mm Drilled And Screwed Including 3 Nos 8 Mm Dia 25 Mm Long Hexagonal Head Screw**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	1	45

**Aluminium Strips 25 X 3.0 Mm**

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	5	45

### **Nut And Bolts 6 Mm Dia 30mm Long With Check Nut And Washer**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	8	45

### **Charcoal**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	25	45

**Salt Normal**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	25	45

**CI Earth Pit Cover Of Size 300 X 300 X 6 Mm With Angle Iron Of Size 20x20mm, 3 Mm Thick With MS Frame**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
------------------------	---------------------------

**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	1	45

**Funnel Fitted With 20 Mm Diameter GI Pipe 1.5 M Long Pipe Make-Jindal,Tata,Kalinga**  
**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****Tawang	1	45

**Galvanized Iron Strip 32 X 6 Mm**

**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****Tawang	6	45

**Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**

**1. Generic**

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- Copy of PAN Card.
- Copy of GSTIN.
- Copy of Cancelled Cheque.
- Copy of EFT Mandate duly certified by Bank.

**2. Generic**

**OPTION CLAUSE:** The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 50% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

**3. Inspection**

**Nominated Inspection Agency:** On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance:  
Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

NA

Post Receipt Inspection at consignee site before acceptance of stores:  
BY BOARD OF OFFICER

4. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

5. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

**Note:- Profile Sheet of roof and Walls as applicable for the Shelter/Bkr to be of Camouflage pattern as per direction of Eastern Command.**

## **Disclaimer/अस्वीकरण**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws /**



**acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.**

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

**---Thank You/धन्यवाद---**