



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2025/B/6175175
Dated/दिनांक : 01-05-2025

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	16-05-2025 20:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	16-05-2025 20:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	30 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Assam
Department Name/विभाग का नाम	Education Department Assam
Organisation Name/संगठन का नाम	Directorate Of Secondary Education
Office Name/कार्यालय का नाम	Kokrajhar
क्रेता ईमेल/Buyer Email	buycon18.dse.as@gembuyer.in
Total Quantity/कुल मात्रा	1679

Bid Details/बिड विवरण

Item Category/मद केटेगरी

Digital Multimeter , DC Voltmeter 0-25volts , DC Voltmeter 0-10volts , DC Multimeter 0-25Ma , DC Ammeter 0-3amp , Sodium Bulb with transformer for spectrometer , Mercury lamp with transformer , VI Characteristics of Solar cell trainer board , RC Coupled amplifier experiment trainer board , Dual Power Supply , Constant flow colorimeter , Meter Bridge of good quality , To determine Planck constant using LEDs , Plane diffraction Grating , Bar pendulum , Kater Pendulum , Optical bench , Potentiometer , Determination of the young modulus of the material of a wire , Measurement of Susceptibility of paramagnetic Solution , Measurement of Magnetic Susceptibility , B-H Curve of Fe using solenoid and determine , To measure the resistivity of a semiconductor , Spectrometer , Searle thermal conductivity apparatus , De-Sauty Bridge trainer board , Determination of frequency of tuning fork , Copper connecting wires , Vernier Callipers , Prism , Fractional Resistance , Flywheel , Meter scale , Capillary tube , Key 1 way and 2way , Newton ring apparatus , Thermocouple trainer kit , Lee disc apparatus , Spirit level , Solar cell characteristic Apparatus , OPAMP , Tuning Fork , Carry foster bridge , Series and parallel LCR Circuit , Compass needle , experiment set up Thomson Method , Cathode Ray Oscilloscope , Geiger-Muller counter , Function Generator 10MHz , Screw gauge , Travelling Microscope , Rheostat , Sextant , Stop watch , Solenoid , P-N junction diode characteristic Apparatus , Resistance Box , Zener diode , He- Ne Laser , Diffraction grating with 1500 LPI , Digital Balance 2 Digit , Digital Balance 3 Digit , Digital PH Meter , Digital Colorimeter , Centrifuge Machine 6000 RPM , Water Distillation Plant , Refractometer , Laminar Air Flow , Magnetic Stirrer with Hot Plate , Muffle Furnace , Heating Mental with Regulator 500 ml , Melting Point Apparatus , UV Spectrophotometer , Hot Air Oven , Incubator , Refrigerator , Test Tube , Beaker 250ml , Beaker 500ml , Conical Flask 250ml , Chemical Thermometer , Round bottom flask 250 ml , Measuring Cylinder 50ml , Measuring Cylinder 100ml , Filter Paper , Burette 50ml , Pipette 25ml , Pipette 50ml , Bloating Paper , Flame Photometer , Electrical conductivity meter , Buchner Funnel , Polarimeter , Desiccators , Compound Microscope , Binocular Microscope , Autoclave 50 ltr , Deep Freezer 300 Ltr , Refrigerator 185 ltr , PH Meter , Digital Colony Counter , UV Spectrophotometer with Quartz Cuvette , BOD Incubator , Vortex Shaker for test tube , Orbital Shaker , Water Bath Digital , Inoculating loop , Bunsen Burner , Spirit lamp , Vernier Calipers , Ocular Micrometer , Stage Micrometer , Haemocytometer , Soil Thermometer , Anemometer , Lux meter , Dissolve Oxygen meter , Deep Freezer 300 Ltr Minus 20 Degree , Water Distillation Plant with automatic power cut , Trinocular Microscope , Centrifuge Rotor , Microtome Machine

Bid Details/बिड विवरण	
GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS	<p>Digital Multimeter, DC Voltmeter (0-25volts), DC Voltmeter (0-10volts), DC Multimeter (0-25Ma), DC Ammeter (0-3amp), Sodium Bulb with transformer for spectrometer, Mercury lamp with transformer, VI Characteristics of Solar cell trainer board, RC Coupled amplifier experiment trainer board, Dual Power Supply, Constant flow colorimeter, Meter Bridge of good quality, To determine Planck's constant using LEDs , Plane diffraction Grating, Bar pendulum, Kater Pendulum, Optical bench, Potentiometer, Determination of the young modulus of the material of a wire, Measurement of Susceptibility of paramagnetic Solution, Measurement of Magnetic Susceptibility, B-H Curve of Fe using solenoid and determine , To measure the resistivity of a semiconductor, Spectrometer, Searle thermal conductivity apparatus, De-Sauty Bridge trainer board, Determination of frequency of tuning fork, Copper connecting wires, Vernier Callipers, Prism , Fractional Resistance , Flywheel, Meter scale, Capillary tube, Key 1 way and 2way, Newton ring apparatus, Thermocouple trainer kit, Lee disc apparatus, Spirit level, Solar cell characteristic Apparatus, OPAMP, Tuning Fork, Carry foster bridge, Series and parallel LCR Circuit, Compass needle, experiment set up Thomson Method, Cathode Ray Oscilloscope, Geiger-Muller counter, Function Generator 10MHz, Screw gauge, Travelling Microscope, Rheostat , Sextant, Stop watch, Solenoid, P-N junction diode characteristic Apparatus, Resistance Box, Zener diode, He-Ne Laser, Diffraction grating with 1500 LPI, Digital Balance 2 Digit, Digital Balance 3 Digit, Digital PH Meter, Digital Colorimeter, Centrifuge Machine 6000 RPM, Water Distillation Plant, Refractometer, Laminar Air Flow, Magnetic Stirrer with Hot Plate , Muffle Furnace, Heating Mantle with Regulator 500 ml, Melting Point Apparatus, UV Spectrophotometer, Hot Air Oven, Incubator, Refrigerator, Test Tube, Beaker 250ml, Beaker 500ml, Conical Flask 250ml, Chemical Thermometer, Round bottom flask 250 ml, Measuring Cylinder 50ml, Measuring Cylinder 100ml, Filter Paper, Burette 50ml, Pipette 25ml, Pipette 50ml, Boiling Paper, Flame Photometer, Electrical conductivity meter, Buchner Funnel, Polarimeter, Desiccators, Melting Point Apparatus, Compound Microscope, Binocular Microscope, Autoclave 50 ltr, Hot Air Oven, Incubator, Deep Freezer 300 Ltr, Refrigerator 185 ltr, Centrifuge Machine 6000 RPM, Laminar Air Flow, Digital Colorimeter, PH Meter, Digital Colony Counter, UV Spectrophotometer with Quartz Cuvette, Water Distillation Plant, BOD Incubator, Vortex Shaker for test tube, Orbital Shaker , Digital Balance 2 Digit, Digital Balance 3 Digit, Magnetic Stirrer with Hot Plate , Water Bath Digital, Inoculating loop, Bunsen Burner, Spirit lamp, Vernier Calipers, Ocular Micrometer, Stage Micrometer, Haemocytometer, Soil Thermometer, Anemometer, Lux meter, Dissolve Oxygen meter, Digital Colorimeter, PH Meter, Deep Freezer 300 Ltr (Minus 20 Degree), Water Distillation Plant with automatic power cut, BOD Incubator, Compound Microscope, Binocular Microscope, Trinocular Microscope, Autoclave 50 ltr, Hot Air Oven, Incubator, Water Bath Digital, Refrigerator 185 ltr, Centrifuge Machine 6000 RPM, Centrifuge Rotor, Laminar Air Flow, Digital Colony Counter, UV Spectrophotometer with Quartz Cuvette, Vortex Shaker for test tube, Orbital Shaker , Microtome Machine, Digital Balance 2 Digit, Digital Balance 3 Digit, Magnetic Stirrer with Hot Plate</p>

Bid Details/As per	Searched String: Digital Multimeter
	<p>Digital Multimeter, Digital Tachometer, Digital Medical Thermometer, Digital Timer, blood pressure recording units, Digital Burette, true rms clamp meter, Digital Barometer, Desktop Calculator - Electronics, Digital Fundus Camera</p> <p>Searched String: DC Voltmeter (0-25volts)</p> <p>Measuring Instrument (BHEL), Electronic Weighing Scales, DC Electronic Load, Multimedia Projector (MMP), Sterile Hypodermic Needles for Single use (V2), Ring Binder - File Folder, Sieve Shaker, Laboratory Glassware - Burettes (V2) as per IS 1997, Black Tea as per IS 3633, Oxygen Flow Meter</p> <p>Searched String: DC Voltmeter (0-10volts)</p> <p>Measuring Instrument (BHEL), Online UPS (V2), DC Electronic Load, Desktop Computers, Line Interactive UPS with AVR (V2), Stereo Microscope (V1), Potato Peeler, Cat 6 Patch cord, Automatic Fire Ball for Fire - Extinguishing, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694</p> <p>Searched String: DC Multimeter (0-25Ma)</p> <p>Electronic Weighing Scales, DC Electronic Load, Multimedia Projector (MMP), Sterile Hypodermic Needles for Single use (V2), Ring Binder - File Folder, Sieve Shaker, Laboratory Glassware - Burettes (V2) as per IS 1997, Black Tea as per IS 3633, Oxygen Flow Meter, Respirable Dust Sampler as per IS 5182</p> <p>Searched String: DC Ammeter (0-3amp)</p> <p>Measuring Instrument (BHEL), Desktop Computers, DC Electronic Load, Online UPS (V2), Cat 6 Patch cord, Line Interactive UPS with AVR (V2), Electronic Weighing Scales, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, CAT 6 Cable for Outdoor</p> <p>Searched String: Sodium Bulb with transformer for spectrometer</p> <p>Hypodermic Syringes for General Purposes as per IS 3236, LED Bulb with Battery as per IS 16102, measured volume set, Fourier Transform Infra Red (FTIR) Spectrometer, Transformer Oil BDV Test Kit</p> <p>Searched String: Mercury lamp with transformer</p> <p>High Pressure Mercury Vapour Lamps - IS 9900, Transformer Oil BDV Test Kit, Digital Photo Slit Lamp with Applanation Tonometer, Pull Cord Switch with Terminal Box & Lamp, Digital Photo Slit Lamp with Applanation Tonometer (V2), Fire Hose Cabinet, Industrial Safety Helmet with Lamp (Version 2) as per IS 2925, Solar lamps (Solar Home Lighting System with Batten type Luminary), Hypodermic Syringes for General Purposes as per IS 3236, Fourier Transform Infra Red (FTIR) Spectrometer</p> <p>Searched String: VI Characteristics of Solar cell trainer board</p>

Bid Details/Part	Category not available on GeM for the text string uploaded by the buyer
	<p>Searched String: RC Coupled amplifier experiment trainer board</p> <p>D and C Set</p> <p>Searched String: Dual Power Supply</p> <p>Power supply board, Power Generator - DG Set (up to 900 KVA), DC Regulated Power Supply, Combination therapy with 2 channel electrotherapy, vaccum and dual frequency ultrasound, Portable Power Supply Unit, Sweeping Broom (V3), Bipolar Four Quadrant Power Supply, Cleaning Duster (V2), Switching Power Supply for Wireless Application, Wheel Chairs (V2)</p> <p>Searched String: Constant flow colorimeter</p> <p>Colorimeter/ Spectrophotometer (Textile), Laminar air flow cabinets or stations, Boltzman Constant Kit, Dielectric Constant Kit for Solids, Constant current discharge kit, Oxygen Flow Meter, Photometer / Colorimeter for Water Testing, Single Point Lubrication System, Surgical isolation Faceshield, Flow Cytometer</p> <p>Searched String: Meter Bridge of good quality</p> <p>Meter Bridge, Water Quality Meters / Analyzers, Rapid Moisture Meter for Rapid Determination of Water Content for Soil IS - 12175, Hemoglobinometer (Point - of - Care), Transparent Tape (V2), Air Entrainment Apparatus for Determination of Air Content of Fresh Concrete, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Digital Water Quality Testers/Analyzers (Jal Jeevan Mission), Mass Flowmeter for Verification of CNG Dispenser for Vehicles as per Legal Metrology Division (Department of Consumer Affairs), Diaries Printed - Plain - Register</p> <p>Searched String: To determine Planck's constant using LEDs</p> <p>Boltzman Constant Kit, Platform step ladder</p> <p>Searched String: Plane diffraction Grating</p> <p>Inclined Plane, magnifying glass, Plane Mirror Strips, D and C Set, Plane Mirror Strip Holder, Surgical Instruments - Artery Forceps, Angiography and DSA Lab Equipment, Bi-Plane (Cath Lab), Angiography and DSA Lab Equipment, Single Plane (Cath Lab), Inverted Mirror Trolley Mounted Under Vehicle Search Mirror Convex Security Mirrors (V2), Electronic Theodolite</p> <p>Searched String: Bar pendulum</p> <p>Pendulum Apparatus, Portable Fire Extinguishers (V2) as per IS 15683:2018, Pendulum bob, D and C Set, Triceps bar, Revolving Chair (V4), Extension Bar, Bar Counter, Cloth Dryer Stand, Solder Bar</p> <p>Searched String: Kater Pendulum</p> <p>Pendulum Apparatus, Pendulum bob, Frequency Counter</p> <p>Searched String: Optical bench</p>

Bid Details/As per	Optical bench for laboratory, Fiber Optic Patch Cord, Abdominal bench, ADSS Optical Fiber Cable (Defence), Garden Bench, Rotary Shaker, FRP Bench, Preacher curl bench, Recirculating chiller, Cast Iron Bench
	<p>Searched String: Potentiometer</p> <p>Potentiometer, Solid State Potentiometer</p> <p>Searched String: Determination of the young modulus of the material of a wire</p> <p>The Book Of Indian Leaders (Preschool Kit), Polyethylene Containers for The Transport of Materials (V2) as per IS 6312, Wheelbarrows (Two Wheels Type) as per IS 4184, Copper (In the Form of Refinery Shapes) ISI marked to IS 191, HYDRAULICALLY REGULATED DOOR CLOSERS, Polyethylene Pipes For The Supply Of Gaseous Fuels (V2) As Per Is 14885, Automatic Fire Ball for Fire - Extinguishing, Pre - School Education (PSE) Kit for The State of Bihar, Wheelbarrows (Single Wheel Type) (V2) as per IS 2431, OTR Tyres (V2)</p> <p>Searched String: Measurement of Susceptibility of paramagnetic Solution</p> <p>Solution for conducting CHIP level analysis of mobile phones, Disposable Surgical Rubber Gloves - Prepowdered as per IS 13422, Package No. 3 Atal Tinkering Lab of Niti Aayog Mechanical, Electrical and Measurement Tools, Transformer Oil BDV Test Kit, Digital Pull - off Adhesion Tester (V2), Online UPS (V2), Live Remote Temperature and Humidity Monitoring and Alert System, Ultrasonic pulse velocity tester, measured volume set, computer kiosk</p> <p>Searched String: Measurement of Magnetic Susceptibility</p> <p>Package No. 3 Atal Tinkering Lab of Niti Aayog Mechanical, Electrical and Measurement Tools, Dry Erase Writing Boards (V3), Digital Pull - off Adhesion Tester (V2), Transformer Oil BDV Test Kit, Live Remote Temperature and Humidity Monitoring and Alert System, measured volume set, Ultrasonic pulse velocity tester, Whiteboard Duster (V2), D and C Set</p> <p>Searched String: B-H Curve of Fe using solenoid and determine</p> <p>Real Time PCR Kits (V2), Disease Specific Real Time PCR Kits</p> <p>Searched String: To measure the resistivity of a semiconductor</p> <p>Copper (In the Form of Refinery Shapes) ISI marked to IS 191, Hawkers of Different Commodities Kit (Gujarat Govt) as per IS 624 (Wheel Set), IS 2414 (Tyre), IS 2415 (Tube), Fibre Bundle Strength Tester (Stelometer),(Textile), Package No. 3 Atal Tinkering Lab of Niti Aayog Mechanical, Electrical and Measurement Tools, Chemical Splash Proof Goggle, Solar Thermo-Reflective Exterior Coating For Cooling Of Roof Top-IS:17218, Patient Warming System, Mild Steel Sheet, Plain Copier Paper (V3) ISI Marked to IS 14490, Sewage Screens</p> <p>Searched String: Spectrometer</p> <p>Fluorescence Spectrometer, Fourier Transform Infra Red</p>

Bid Details/As per	(FTIR) Spectrometer, Optical Emission Spectrometer, Inductively Coupled Plasma Mass Spectrometer (ICPMS) with Accessories (GSI), Atomic Absorption Spectrophotometer (AAS), Gas Chromatography - Triple Quadrupole Mass Spectrometry (GC - MS - MS)
	<p>Searched String: Searle thermal conductivity apparatus</p> <p>Thermal Conductivity Apparatus for liquid, Apparatus For Conducting Orifice/Mouthpiece Experiment</p> <p>Searched String: De-Sauty Bridge trainer board</p> <p>FPGA Development and Evaluation Board, Wooden Book Case, Rucksack 90 Ltrs with HDPE Board (Defence), Medium Density Fiber Boards (MDF Boards) for General Purpose, High Density High Moisture Resistance (HDHMR) Boards, Wooden Furniture from Hoshiarpur - ODOP</p> <p>Searched String: Determination of frequency of tuning fork</p> <p>Air Entrainment Apparatus for Determination of Air Content of Fresh Concrete, Steel Tubes used for Water Wells (V2) as per IS 4270, Rapid Moisture Meter for Rapid Determination of Water Content for Soil IS - 12175, Tuning Fork (V2) as per IS 10995, Sexual Assault Evidence Collection Kit (SAECK) for Investigation Officer as Per BPR&D Specification</p> <p>Searched String: Copper connecting wires</p> <p>Kirschner wires, Connecting Rod Assembly, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Sterile Connecting Device, Muffle Furnace, Enamelled and Varnish Bonded Glass Fibre Covered Round Copper Wires as per IS:11184, PVC Copper Cable Single and Multi Core Circular Sheathed Cable with Flexible Conductor as per IS 694, Copper carbonate, Spherical Roller Bearing as per IS 6455, Copper Jumper</p> <p>Searched String: Vernier Callipers</p> <p>CALIPERS, Precision Height Gauge, Thermal Paper Roll</p> <p>Searched String: Prism</p> <p>Loose Prism Set -RBSK, Equilateral Optical Prisms, Prism - Surveying Accessories (V1), Prism Pole - Surveying Accessories, General Purpose Lead - Acid Batteries (Valve Regulated Types) Prismatic Design as per IS 16220 (Part 1), Ceiling OT Light (V2)</p> <p>Searched String: Fractional Resistance</p> <p>CO2 Fractional Laser Machine (V2), Resistance Tube, Resistance Box, Multipurpose or General Test Tubes as per IS 2618, Heat resistance Gaunlet, CO2 Fraction Laser, Contact Resistance meters, Digital Earth Resistance Meter, Precision Resistance Bridge, Resistance Monitoring Device</p> <p>Searched String: Flywheel</p> <p>Flywheel, D and C Set, Astronomical Timer for Street Light Control (Timer Controls) as per IS 9000</p> <p>Searched String: Meter scale</p> <p>pH Meter, Electronic Weighing Systems as per IS 9281 (Part</p>

Bid Details/As per	I, Part II, Part III, Part IV), ADHD Scale, Electronic Weighing Scales, plastic scale, Wooden Scale, Polarimeter, Tailor Scale, true rms clamp meter, Metric Scales (Plastic) for General Purposes as per IS 1480
	<p>Searched String: Capillary tube</p> <p>DNA Capillary Sequencer (V2), Blood Sample Collection Tubes, chest tube, Tracheostomy Tube, Fitness Tube, centrifuge tubes, Resistance Tube, Polyurethane Tube, Sofa Set (Steel Tube), Fusion Tube</p> <p>Searched String: Key 1 way and 2way</p> <p>Braille Keyboard and Display, Keyboard and Mouse Combo, Waste Containers and Accessories - Domestic (V2), Elastomer Insulated, Textile Braided Cables - IS 9968 (Part 1), modular electrical switches and accessories, TERA Package 1 - Robotics and Automation Modular Skilling Kits, Entry and Mid Level Desktop Computer, TERA Package 1 - Robotics and Electro - Mechanical Components (ASoSE), Distribution Transformer, 1 Phase, Up to and including 100 kVA ISI marked to IS 1180 (Part 1), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1)</p> <p>Searched String: Newton ring apparatus</p> <p>Newton's law of cooling apparatus (University pattern), Backing Ring, Wheeled Skid Steer Loader (V2) as per IS / ISO 7131 (Latest), Wiro Ring, Towel Rail / Ring for Bathroom, Tennikoit Ring, Basketball Ring, JAR TEST APPARATUS, Pendulum Apparatus, Shear Beam Load cell</p> <p>Searched String: Thermocouple trainer kit</p> <p>Digital Trainer Kit, personal safety kit reflective luminous garments, Bluetooth Trainer Educational Kit, Networking Trainer Educational Kit, Biochemistry Reagent Kits, Programmable Logic Controller Trainer Kit, Biochemistry Reagent Kit (Open System), Belt Trainer, Functional Trainer, Medical Training kit with Human mannequins for medical education or training</p> <p>Searched String: Lee disc apparatus</p> <p>Disc Friction, JAR TEST APPARATUS, Sander Disc, D and C Set, Oxidase disc, read only compact disc cd, Single Disc Scrubber, Disc Oil skimmer, Regulators for Breathing Apparatus (Diving Instruments or Accessories), Disc polisher machine</p> <p>Searched String: Spirit level</p> <p>Spirit level, Entry and Mid Level Desktop Computer, Digital Electronic Spirit Level (Digi level or Digital inclinometer), Spirit Burner-IS:323, Surgical Drapes, Ultrasonic Level Transmitter, Automatic Optical Level, Sound Level Meter / Noise Level Meter (Sound Measuring Apparatus or Decibel Meter), Digital Automatic Level, Body Level Hearing Aid</p> <p>Searched String: Solar cell characteristic Apparatus</p> <p>Digital Diffusion Cell Apparatus, Solar Cells</p> <p>Searched String: OPAMP</p> <p>Category not available on GeM for the text string uploaded</p>

Bid Details/बिड विवरण	by the buyer
	<p>Searched String: Tuning Fork</p> <p>Medical Tuning Fork Sets, Tuning Fork (V2) as per IS 10995, Domestic Fork as per IS 992, Tuning forks, Fork showel, Electrical connection Lugs or thimbles, Domestic Fork (V2) as per IS 16218, Sweeping Long SS Handle Steel Fork, Forklifts (V2) as per IS 6765:2003 and IS 10517, Disposable Cutlery</p> <p>Searched String: Carry foster bridge</p> <p>Bridge Rectifiers, Platform Trolley, Wireless Bridge, Chipping hammer heavy weight, Meter Bridge, Power sprayer, Cricket Carry Bag, Paper Carry Bag, Platform Trolley, Compostable Carry Bags</p> <p>Searched String: Series and parallel LCR Circuit</p> <p>Twist Drills, Parallel Shank, Jobber Series as per IS 5101, Twist Drill, Parallel Shank Stub Series for Right Hand Cutting - IS 5100, D and C Set, Vacuum Circuit Breaker - Outdoor Type - Rated Voltage up to and Including 72.5 KV as per IS 13118, RCCB - Residual Current Operated Circuit - Breakers as per IS 12640, Cast Iron / Ductile Iron Drainage Pipe Fittings for Over Ground Non - Pressure Pipeline Socket and Spigot Series as per IS 1729, LCR Meter</p> <p>Searched String: Compass needle</p> <p>Magnetic Compass, Sterile Hypodermic Syringe (V3), Geological compass, INTRODUCER NEEDLE, Intravenous Cannulas as per IS 10555 - 5, Epidural Needle, Disposable Syringes as per IS 10258, Needle Threader, Blood Lancets, Needle Valve</p> <p>Searched String: experiment set up Thomson Method</p> <p>Virtual Reality (VR) Classroom Set Up, Sonar System (UP Police), Power Generator - DG Set (up to 900 KVA), Kitchen Set (Preschool Kit), LTE Enabled VHF Multi-mode Handheld Radio (UP State), Power Generators (Upto 900 kVA), Upcycled Comforter Sets (V1), Upcycled Comforter Sets</p> <p>Searched String: Cathode Ray Oscilloscope</p> <p>Analog Oscilloscope, Digital Storage Oscilloscope, D and C Set, Copper Cathode (SAIL), X-Ray Detectable Gauze Swab/Laparotomy Sponge (V2), Dental X - Ray Machine (V2), 300mA X - Ray Machine (V2), X - Ray Detectable Absorbent Cotton Gauze, LED X - Ray Illuminator (V2), Portable X - Ray Machine</p> <p>Searched String: Geiger-Muller counter</p> <p>GM Counter, Counter Chair (Bar / Pub), Bar Counter, Frequency Counter, Touchless Soap Dispenser (Version 2), Counter Communication System, Colony counter electronic balance, Hot Display Counter, Multipurpose Counter Machine Stickers for Post Office, Automated Cell Counter</p> <p>Searched String: Function Generator 10MHz</p> <p>function generator, Desktop Computers, Multi function Calibrators, Hydrogen Generator, water baths, Nitrogen Generator, Power Generator - DG Set (up to 900 KVA),</p>

Bid Details/As per	Signal Generator, Online UPS (V2), Multi Function Meter (BHEL)
	<p>Searched String: Screw gauge</p> <p>Compression Screw, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Screw Compressor, Karabiners Screw Type MK - 2 (Defence), Screw Cap Vial, centrifuge tubes, Self Drilling Screw, Laboratory Vials (V2), Conveyor Screw (BHEL), Screw Drivers as per IS 844</p> <p>Searched String: Travelling Microscope</p> <p>Measuring (Travelling) Microscope as per IS 4329, Microscopes - Pathological and Research as per IS 4381, IS 5204, IS 4381, IS 5204, Metallurgical Microscope, Advance Polarization Microscope, Stereo Microscope (V1), Ophthalmic Operating Microscope (V2), Penta Head Microscope, Inverted Research Microscope as per IS 5204, Ophthalmic Operating Microscopes, Microscope immersion oil</p> <p>Searched String: Rheostat</p> <p>Rheostat Kit For Educational Purpose</p> <p>Searched String: Sextant</p> <p>D and C Set</p> <p>Searched String: Stop watch</p> <p>Stop Watch, Plastics Bib Taps Pillar Taps Angle Valves and Stop Valves as per IS 9763:2000 (Latest), Wrist Watch, Bus Stop Shelter, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Three way Stop Cocks or Manifolds, taps or valves of nonferrous metals, Battery-Powered Electronic Clock, Globe Valve as per IS 778, PTMT Tap Fitting</p> <p>Searched String: Solenoid</p> <p>Solenoid Valve (V2), Electric Solenoid Operated Actuators-IS:8935, Solenoid Valve with Spring Return In/Exhaust, Auto Drain Trap Valve- Solenoid operated (To drain Water) for Oxygen Concentrator</p> <p>Searched String: P-N junction diode characteristic Apparatus</p> <p>D and C Set</p> <p>Searched String: Resistance Box</p> <p>Resistance Box, Electrical Box Extension (V2), Resistance Tube, Heat resistance Gaunlet, Box File, Contact Resistance meters, Precision Resistance Bridge, Resistance Monitoring Device, Card Board Box for Bio - Medical Waste Collection, Bullet Resistance Jacket (V3)</p> <p>Searched String: Zener diode</p> <p>Rectifier diode, Television (TV) (V2), Diode Stud Type(RINL), D and C Set, Light emitting diode driver, Blocking Rectifier /Free Wheeling Diode Panel - BHEL , Soft Tissue Diode Dental Laser, LED Flash Light, Bridge Rectifiers, solar lantern systems white light emitting diode</p>

Bid Details/As per	Searched String: He- Ne Laser
	<p>Holmium Laser, Handheld Digital Infrared Thermometer, CO2 Fractional Laser Machine (V2), CO2 Fraction Laser, Multifunction Machine MFM (V2), Hand Held Laser Range Finder (Portable) As per MHA QR, Computer Printers, Ophthalmic ND Yag laser, Laser Distance Meter, Laser Therapy Unit</p> <p>Searched String: Diffraction grating with 1500 LPI</p> <p>GI Grating (in Number), Hand Held Brush Cutter (V2), D and C Set, Water Jugs, E - Tourist Vehicle Passenger (V3), Hammers as per IS 841:1983</p> <p>Searched String: Digital Balance 2 Digit</p> <p>Digital Timer, Digital Multimeter, Digital Burette, Digital LED vision chart, Digital Barometer, Digital Medical Thermometer, blood pressure recording units, Digital Tachometer, true rms clamp meter, Digital Radiography Systems</p> <p>Searched String: Digital Balance 3 Digit</p> <p>Digital Grounding Device 3 Phase, Digital Multimeter, Digital Timer, Digital LED vision chart, Digital Burette, Digital Medical Thermometer, Digital Barometer, blood pressure recording units, true rms clamp meter, Digital Tachometer</p> <p>Searched String: Digital PH Meter</p> <p>pH Meter, Digital Multimeter, pH Meter (FSSAI), Ph Meter Rod, Digital Medical Thermometer, digital conductivity meter, Digital Light Meter, blood pressure recording units, Digital Moisture Meter (Textile), true rms clamp meter</p> <p>Searched String: Digital Colorimeter</p> <p>Colorimeter/ Spectrophotometer (Textile), Digital Multimeter, Photometer / Colorimeter for Water Testing, Digital Storage Oscilloscope, Digital Timer, Digital Medical Thermometer, Digital Burette, digital signature certificate, Digital Barometer, blood pressure recording units</p> <p>Searched String: Centrifuge Machine 6000 RPM</p> <p>Pulverizer, Truck Chassis Mounted Suction Cum Jetting Machine (Medium), Motorized core cutting machine, Truck Mounted Suction Machine (Heavy), Universal Tool and Cutter Grinding Machine, Truck Mounted Suction Machine (Medium), Roti Making Machine</p> <p>Searched String: Water Distillation Plant</p> <p>bi distillation units double distillation water unit, water baths, Bi Double Distillation Water Unit (V2), RO Water Plant for Hemodialysis, Glass Distillation Assembly, Sieve Plate Distillation Column, RO Water Treatment System Above 50 LPH Filtration Capacity, SOLAR POWERED WATER FILTRATION PLANT SYSTEM AS PER MHA QRs, Environmental Chamber, Medicinal Plant Saplings</p> <p>Searched String: Refractometer</p> <p>Refractometer, Auto Refractometer (V2), Ophthalmic auto refractometer, DIGITAL BUTYRO REFRACTOMETER FOR DAIRY PRODUCTS, Auto Kerato Refractometer/ Auto Ref</p>

Bid Details/As per	Keratometer, Polarimeter
	<p>Searched String: Laminar Air Flow</p> <p>Laminar Air Flow (Horizontal) (FSSAI), Hot air oven, Laminar air flow cabinets or stations, Air Flow Relay - BHEL, Air Freshener Liquid, Variable Refrigerant Flow Air Conditioner, Air Freshener Solid and Gel, Flow Cytometer, Flow Meter(BHEL), Air Curtain</p> <p>Searched String: Magnetic Stirrer with Hot Plate</p> <p>magnetic stirrers, Laboratory Hot plate, Automatic Milk Collection Unit with Milk Analyzer with Stirrer (KMF Co-op), Commercial Dosa Hot Plate, Chapati Plate with Puffer (V2), Electronic Milk Analyser with adulteration testing equipment, DHS Plate with corresponding screws, Stationary Lead Acid Batteries (with Tubular Positive Plates) in Monobloc Containers as per IS 13369, 95 degree DCS Plate with corresponding screws, MCCB with Thermal Magnetic / Microprocessor Based Trip Unit</p> <p>Searched String: Muffle Furnace</p> <p>Muffle Furnace, Tubular Furnace, Benchtop Thermocouple Calibration Furnace (High Temperature Thermocouple Calibration Furnace)/Portable Calibration Furnace, Hot air oven, Coke - Blast Furnace (RINL), Single Furnace Gieseler Plastometer, Furnace and Heat Exchanger Tubes, HIGH TEMPERATURE FURNACE WITH GAS (PROGRAMMABLE DUAL ZONE / SLIDING TUBE FURNACE) FACILITY, Alumina Beam type Brick for Sinter Machine Furnace, Ground Granulated Blast Furnace Slag as per IS 16714</p> <p>Searched String: Heating Mental with Regulator 500 ml</p> <p>Water Jugs, Laundrometer (Wash Fastness Tester with Standard Accessories), Paint spray gun, Galva Coating Spray</p> <p>Searched String: Melting Point Apparatus</p> <p>Microcontroller Based Melting and Boiling Point Apparatus, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Cloud & Pour Point Apparatus, Mould Oil for Steel Melting Shop (SMS), JAR TEST APPARATUS, Pendulum Apparatus, Handheld Digital Infrared Thermometer, Extraction Apparatus, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V2) as per IS 16240, Notch Apparatus</p> <p>Searched String: UV Spectrophotometer</p> <p>SPECTROPHOTOMETER, UV - Visible Spectrophotometer (FSSAI), RO Water Treatment System Above 50 LPH Filtration Capacity, Colorimeter/ Spectrophotometer (Textile), Potable Water Purification System with Inbuilt Water Cooler, transilluminators uv, Drinking Water Coolers With Built In Water Purification System (Uv Or Ro), UV Light, Atomic Absorption Spectrophotometer (AAS), Potable Water Purification System UV or UV and UF</p> <p>Searched String: Hot Air Oven</p> <p>Hot air oven, Hot Air Oven (FSSAI), Laminar air flow cabinets or stations, Hot air gun, Air Freshener Liquid, Hot Air Blower (BHEL), Air Freshener Solid and Gel, Industrial Oven, Vacuum Oven, Industrial Infrared Oven</p>

Bid Details/बिड विवरण	Searched String: Incubator
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>Neonatal Incubator, BOD Incubator, Egg Incubator, Laboratory Incubators, Orbital Shaking Incubators, Incubator (FSSAI), Shaker Incubator, CO2 Incubator, Infant Warmer (V2), Transport Incubator</p>
	<p>Searched String: Refrigerator</p> <p>Laboratory Refrigerator, Refrigerated Centrifuge For General And Research Purpose, Ice Lined Refrigerator, Laboratory Refrigerator (V2), Non Refrigerated Centrifuge for General Purpose and research, Refrigerator Truck for Vaccine Transport, Frost Free Refrigerator Training Jig(DVET), Solar direct drive combined refrigerator/freezer(small), Convertible Inverter Type Refrigerator training Jig(DVET), Household Refrigerating Appliances as per IS 17550</p>
	<p>Searched String: Test Tube</p> <p>Test Tube Rack, Blood Sample Collection Tubes, Rotospin Test tube rotator, chest tube, Tracheostomy Tube, centrifuge tubes, Fitness Tube, JAR TEST APPARATUS, Resistance Tube, Polyurethane Tube</p>
	<p>Searched String: Beaker 250ml</p> <p>Teflon Beaker with Lid, Speed Breaker (V2), Stainless Steel Jugs (Defence), Azotobacter (Bio Fertilizers)-IS:9138, Laboratory Beakers (V2) as per IS 2619, Dak Pad (V2), Micro - Nutrient Mixture for Agricultural use, Sterile Hypodermic Syringe (V3), Acetobacter Diazotrophicus Bio - Fertilizer, RO Water Treatment System Above 50 LPH Filtration Capacity</p>
	<p>Searched String: Beaker 500ml</p> <p>Teflon Beaker with Lid, Platform Trolley, Stainless Steel Jugs (Defence), Azospirillum (Bio Fertilizers)-IS:14806, Laboratory Beakers (V2) as per IS 2619, Sterile Hypodermic Syringe (V3), Azotobacter (Bio Fertilizers)-IS:9138, Squeegee Washer Wiper Mopper (V2), Zinc Solubizing Biofertilizers (ZSB), Floor Cleaner (V2)</p>
	<p>Searched String: Conical Flask 250ml</p> <p>flask stand, Speed Breaker (V2), Laboratory Glassware Volumetric Flask, Insulated Flask for Domestic use as per IS 17790, Dak Pad (V2), Iodine Flask with Stopper, Sterile Hypodermic Syringe (V3), Laboratory Glassware - Boiling Flasks with Conical Ground Joints Conforming to IS 1381(Part 2), RO Water Treatment System Above 50 LPH Filtration Capacity, Domestic Vacuum Flasks (V2) conforming to IS 7708</p>
	<p>Searched String: Chemical Thermometer</p> <p>Candy Thermometer / Food Thermometer, Digital Medical Thermometer, Room Thermometer, Infrared Medical Thermometer For Measuring Body Temperature, Handheld Digital Infrared Thermometer, Dry & wet Thermometer, Multipurpose or General Test Tubes as per IS 2618, Wall Mount Thermometer, hospital biohazard bags or bio medical waste collection bags, Descaling Chemical</p>
	<p>Searched String: Round bottom flask 250 ml</p> <p>Laboratory Glassware - Boiling Flasks with Conical Ground</p>

Bid Details/As Per	<p>Joins Conforming to IS 1381(Part 2), Laboratory Glassware - Narrow-Naked Boiling Flasks Conforming to IS 1381(Part 1) (Under BIS Scheme 1), Shaker Incubator, Laboratory Glassware Volumetric Flask, Domestic Mugs - Bathroom, Reciprocal Shakers - Mechanical Shaker Machine with Timer, Domestic Vacuum Flasks as per IS 7708, Bottle for Chemical Laboratory, Toilet Soap, Liquid As Per IS 4199, Plastic Container (V2)</p> <p>Searched String: Measuring Cylinder 50ml</p> <p>Cylinder Stand, Nitrile Coated/Nitrile Hand Gloves (V2), Cylinder heads, Cellophane paper, Cylinder Liner, Online UPS (V2), Measuring Spoon, Sterile Hypodermic Syringe for Manual use (V2), Measuring Tape, Hot air oven</p> <p>Searched String: Measuring Cylinder 100ml</p> <p>Cylinder Stand, Hot air oven, Cylinder heads, Cellophane paper, Cylinder Liner, Online UPS (V2), Measuring Spoon, measured volume set, Measuring Tape, Sterile Hypodermic Syringe (V3)</p> <p>Searched String: Filter Paper</p> <p>Cellulose Nitrate Filter Paper (V2), Paper Shredding Machines (V2), Laboratory Filter Papers, ELEMENT SPIN ON OIL, Bag filter, Computer Paper as per IS 12766, IS 9055, IS 1060, IS 1064, Filter Cartridge, Disposable Paper Cup, Filter Sand, Cellophane paper</p> <p>Searched String: Burette 50ml</p> <p>Digital Burette, Nitrile Coated/Nitrile Hand Gloves (V2), Burette Clamp, Laboratory Glassware - Burettes (V2) as per IS 1997, burette stand, Online UPS (V2), Hot air oven, Sterile Hypodermic Syringe (V3), Floor Cleaner (V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1)</p> <p>Searched String: Pipette 25ml</p> <p>universal pipette tips, Motorized Pipette Controller, Laboratory Glassware - Burettes (V2) as per IS 1997, Volumetric Pipettes as per IS 1117, Erythrocyte Sedimentation Rate (ESR) Pipette, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Manual Single Channel Air Displacement Pipettors Or Micropipette (V2), Sterile Hypodermic Syringe (V3), Serological Pipettes and Graduated Pipettes as per IS 4364, Floor Cleaner (V2)</p> <p>Searched String: Pipette 50ml</p> <p>universal pipette tips, Nitrile Coated/Nitrile Hand Gloves (V2), Motorized Pipette Controller, Sterile Hypodermic Syringe for Manual use (V2), Volumetric Pipettes as per IS 1117, Erythrocyte Sedimentation Rate (ESR) Pipette, Glass Ionomer Cement for Dentistry, Manual Single Channel Air Displacement Pipettors Or Micropipette (V2), Online UPS (V2), Serological Pipettes and Graduated Pipettes as per IS 4364</p> <p>Searched String: Bloating Paper</p> <p>Paper Pouches, Paper Shredding Machines (V2), Paper weights, Paper Cup (Dona) cum Paper Disc Machine Kit</p>
--------------------	--

Bid Details/As per	(Gujarat Govt), Cellophane paper, Computer Paper as per IS 12766, IS 9055, IS 1060, IS 1064, Graph paper, Stamp Paper or Bond Paper as per IS 1848, pH Paper, Disposable Paper Cup
	<p>Searched String: Flame Photometer</p> <p>Flame Photometer, Flame Photometer (FSSAI), Welding Cable (V2) as per IS 9857, Photometer / Colorimeter for Water Testing, Net Mosquito Round Mesh Polyester Flame Retardant (JSS), Net Mosquito (Flame Retardant) (IAF), LED Luminaire for Flood Light, Flame Proof (V2), LED Luminaire for Flood Light, Flame Proof, Gas Chromatography - Triple Quadrupole Mass Spectrometry (GC - MS - MS), Flameproof Lighting and power panel</p> <p>Searched String: Electrical conductivity meter</p> <p>digital conductivity meter, Electrical Box Extension (V2), Conductivity and TDS Meter (FSSAI), Thermal Conductivity Apparatus for liquid, pH Meter, Conductivity Standard Solution, true rms clamp meter, Electrical Plug, Thermal Ribbon, Electrical Workbench</p> <p>Searched String: Buchner Funnel</p> <p>Funnel, funnel stand, Funnel Plastic-IS:7374, Seperating funnels</p> <p>Searched String: Polarimeter</p> <p>Polarimeter</p> <p>Searched String: Desiccators</p> <p>Laboratory Desiccator (V2), Desiccant Dehumidifier</p> <p>Searched String: Melting Point Apparatus</p> <p>Microcontroller Based Melting and Boiling Point Apparatus, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Cloud & Pour Point Apparatus, Mould Oil for Steel Melting Shop (SMS), JAR TEST APPARATUS, Pendulum Apparatus, Handheld Digital Infrared Thermometer, Extraction Apparatus, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V2) as per IS 16240, Notch Apparatus</p> <p>Searched String: Compound Microscope</p> <p>Retaining Compound, Microscopes - Pathological and Research as per IS 4381, IS 5204, IS 4381, IS 5204, Cardium Compound, Stereo Microscope (V1), Metallurgical Microscope, Single Use Rubber Examination Gloves-IS 15354, Optimal cutting temperature compound (OCT compound), Quarternary Ammonium Compound Based Surface Cleaner, Liquid, Advance Polarization Microscope, Ophthalmic Operating Microscope (V2)</p> <p>Searched String: Binocular Microscope</p> <p>binocular, Microscopes - Pathological and Research as per IS 4381, IS 5204, IS 4381, IS 5204, Binocular Indirect Ophthalmoscope - RBSK, Stereo Microscope (V1), Metallurgical Microscope, Advance Polarization Microscope, Binocular Indirect Ophthalmoscope (V2) - RBSK, Inverted Research Microscope as per IS 5204, Ophthalmic Operating</p>

Bid Details/As per	Microscope (V2), Ophthalmic Operating Microscopes
	<p>Searched String: Autoclave 50 ltr</p> <p>Dental Autoclave, Waste Containers and Accessories - Domestic (V2), Vertical Autoclave, Hydrothermal Autoclave Reactor, Horizontal Autoclave, Autoclave (ICMR Specs), Autoclave (Horizontal), Nitrile Coated/Nitrile Hand Gloves (V2), Vertical Autoclave (FSSAI), Mobile Containers for Solid Waste as per IS 12402</p> <p>Searched String: Hot Air Oven</p> <p>Hot air oven, Hot Air Oven (FSSAI), Laminar air flow cabinets or stations, Hot air gun, Air Freshener Liquid, Hot Air Blower (BHEL), Air Freshener Solid and Gel, Industrial Oven, Vacuum Oven, Industrial Infrared Oven</p> <p>Searched String: Incubator</p> <p>Neonatal Incubator, BOD Incubator, Egg Incubator, Laboratory Incubators, Orbital Shaking Incubators, Incubator (FSSAI), Shaker Incubator, CO2 Incubator, Infant Warmer (V2), Transport Incubator</p> <p>Searched String: Deep Freezer 300 Ltr</p> <p>Deep freezer, Ultra low temperature laboratory deep freezer, Industrial Deep Freezer, Laboratory Deep Freezer, Deep Freezer (Upright) (FSSAI), Laboratory Deep Freezer (V2), Deep Freezer For Universal Immunization Program, Deep Freezer Marked to IS 7872 (Under BIS Scheme 1) (V2)</p> <p>Searched String: Refrigerator 185 ltr</p> <p>Laboratory Refrigerator, Waste Containers and Accessories - Domestic (V2), Foldable Jerri Can (10 ltr), Climbing Rope Nylon, Glacier Region (Defence), Ice Lined Refrigerator, Refrigerated Centrifuge For General And Research Purpose, Laboratory Refrigerator (V2), Refrigerator Truck for Vaccine Transport, Frost Free Refrigerator Training Jig(DVET), Modular Work Stations (V2)</p> <p>Searched String: Centrifuge Machine 6000 RPM</p> <p>Pulverizer, Truck Chassis Mounted Suction Cum Jetting Machine (Medium), Motorized core cutting machine, Truck Mounted Suction Machine (Heavy), Universal Tool and Cutter Grinding Machine, Truck Mounted Suction Machine (Medium), Roti Making Machine</p> <p>Searched String: Laminar Air Flow</p> <p>Laminar Air Flow (Horizontal) (FSSAI), Hot air oven, Laminar air flow cabinets or stations, Air Flow Relay - BHEL, Air Freshener Liquid, Variable Refrigerant Flow Air Conditioner, Air Freshener Solid and Gel, Flow Cytometer, Flow Meter(BHEL), Air Curtain</p> <p>Searched String: Digital Colorimeter</p> <p>Colorimeter/ Spectrophotometer (Textile), Digital Multimeter, Photometer / Colorimeter for Water Testing, Digital Storage Oscilloscope, Digital Timer, Digital Medical Thermometer, Digital Burette, digital signature certificate, Digital Barometer, blood pressure recording units</p> <p>Searched String: PH Meter</p>

Bid Details/As per	pH Meter, pH Meter (FSSAI), Ph Meter Rod, true rms clamp meter, pH Paper, Thermal Ribbon, pH Electrode, digital conductivity meter, Multiparameter pH or mV or ISE or Temp Meter, Multicore Cable as per IS 694
	<p>Searched String: Digital Colony Counter</p> <p>Colony counter electronic balance, Counter Chair (Bar / Pub), GM Counter, Bar Counter, Digital Multimeter, Frequency Counter, Digital Medical Thermometer, Counter Communication System, blood pressure recording units, Hot Display Counter</p> <p>Searched String: UV Spectrophotometer with Quartz Cuvette</p> <p>SPECTROPHOTOMETER, UV - Visible Spectrophotometer (FSSAI), Water Purification System with UV (Ultra-Violet Process) or UV (Ultra-Violet Process)+UF (Ultra-Filtration Process), Potable Water Purification System with Inbuilt Water Cooler, Drinking Water Coolers With Built In Water Purification System (Uv Or Ro), Under Vehicle Scanning System (UVSS) with Image and Automated License Plate Recognition System as per (MHA) QRs, Chemical Splash Proof Goggle, Led post top lantern, Artificial Turf, Cuvettes</p> <p>Searched String: Water Distillation Plant</p> <p>bi distillation units double distillation water unit, water baths, Bi Double Distillation Water Unit (V2), RO Water Plant for Hemodialysis, Glass Distillation Assembly, Sieve Plate Distillation Column, RO Water Treatment System Above 50 LPH Filtration Capacity, SOLAR POWERED WATER FILTRATION PLANT SYSTEM AS PER MHA QRs, Environmental Chamber, Medicinal Plant Saplings</p> <p>Searched String: BOD Incubator</p> <p>BOD Incubator, BOD Standard Solution, Laboratory Incubators, Neonatal Incubator, Orbital Shaking Incubators, Egg Incubator, Shaker Incubator, Incubator (FSSAI), Infant Warmer (V2), CO2 Incubator</p> <p>Searched String: Vortex Shaker for test tube</p> <p>Sieve Shaker, Cocktail Shaker, Test Tube Rack, Multipurpose or General Test Tubes as per IS 2618, Rotospin Test tube rotator, Blood Sample Collection Tubes, Automotive Vehicles - Tubes for Pneumatic Tyres (V2) as per IS 13098, LED Tube Lights for Retrofitting at Installations (ONGC), Rapid Test Kit of Tuberculosis from Liquid culture, Automotive Vehicles - Pneumatic Tyres for Commercial Vehicles - Diagonal and Radial Ply as per IS 15636</p> <p>Searched String: Orbital Shaker</p> <p>Orbital Shaker (FSSAI), Orbital Shaking Incubators, Cocktail Shaker, Rotary Shaker, Gym Shaker, Shaker Incubator, Reciprocal Shakers - Mechanical Shaker Machine with Timer, Sieve Shaker, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), See Saw Shaker</p> <p>Searched String: Digital Balance 2 Digit</p> <p>Digital Timer, Digital Multimeter, Digital Burette, Digital LED vision chart, Digital Barometer, Digital Medical Thermometer, blood pressure recording units, Digital</p>

Bid Details/As per	Tachometer, true rms clamp meter, Digital Radiography Systems
	<p>Searched String: Digital Balance 3 Digit</p> <p>Digital Grounding Device 3 Phase, Digital Multimeter, Digital Timer, Digital LED vision chart, Digital Burette, Digital Medical Thermometer, Digital Barometer, blood pressure recording units, true rms clamp meter, Digital Tachometer</p> <p>Searched String: Magnetic Stirrer with Hot Plate</p> <p>magnetic stirrers, Laboratory Hot plate, Automatic Milk Collection Unit with Milk Analyzer with Stirrer (KMF Co-op), Commercial Dosa Hot Plate, Chapati Plate with Puffer (V2), Electronic Milk Analyser with adulteration testing equipment, DHS Plate with corresponding screws, Stationary Lead Acid Batteries (with Tubular Positive Plates) in Monobloc Containers as per IS 13369, 95 degree DCS Plate with corresponding screws, MCCB with Thermal Magnetic / Microprocessor Based Trip Unit</p> <p>Searched String: Water Bath Digital</p> <p>Serological Water Bath (FSSAI), water baths, Reversion Oil Bath, Digital water level recorder, Digital Multimeter, Organ Bath, Digital Medical Thermometer, Digital Water Quality Testers/Analyzers (Jal Jeevan Mission), Towels - Hotel Linen, Paraffin Wax Bath</p> <p>Searched String: Inoculating loop</p> <p>Inoculating Loop, conference folder, Hook and loop disc, Electric sterilizer for inoculation loop, Intraocular Lenses (IOL), HOLDER FOR PLATINUM WIRE LOOP, Toilet Brush (V2), Turp Electrodes Cutting Loop / Collins Knife / Bipolar and Monopolar, binding coils or wire loops, Process Calibrator</p> <p>Searched String: Bunsen Burner</p> <p>Spirit Burner-IS:323, Stock Pot Stove, Single Burner Gas Range (for Deep Fryer), Atomic Absorption Spectrophotometer (AAS), Gas burners, Domestic Gas Stoves for use with Piped Natural Gas (PNG) as per IS 17153, Chapati Plate with Puffer (V2)</p> <p>Searched String: Spirit lamp</p> <p>Spirit Burner-IS:323, Self Ballasted LED Lamps for General Lighting Service as per IS 16102, Spirit level, Solar Lamp (Solar Study Lamp), Self Ballasted LED Lamps for General Lighting Services (V2) Conforming to IS 16102, Slit Lamp, Indicator lights or Lamps, Pedestral lamp, Wall lamp, Hand Lamp</p> <p>Searched String: Vernier Calipers</p> <p>CALIPERS, Precision Height Gauge</p> <p>Searched String: Ocular Micrometer</p> <p>Depth Micrometer, EXTERNAL MICROMETERS, HoleTest Micrometer(BHEL), Intraocular Lenses (IOL), Internal Micrometer as per IS 2966, Syringe Filter, Stick Micrometer - As Per IS:2966-IS:2966, Vestibulo- Ocular Reflex (VOR) and Vestibulo- Ocular Reflex Suppression (VORS) Test for Vertigo Clinics, Dial test indicator, Spherometer - as per IS 8916</p>

Bid Details/As per	Searched String: Stage Micrometer
	<p>Depth Micrometer, EXTERNAL MICROMETERS, HoleTest Micrometer(BHEL), Internal Micrometer as per IS 2966, Syringe Filter, Stick Micrometer - As Per IS:2966-IS:2966, School Stage Platform, air purifiers, Spherometer - as per IS 8916, Self Propelled Road Sweeping Machine (Medium)</p> <p>Searched String: Haemocytometer</p> <p>Neubauer Chamber / hemocytometer</p> <p>Searched String: Soil Thermometer</p> <p>Candy Thermometer / Food Thermometer, Digital Medical Thermometer, Room Thermometer, Nutrient Supplement for Soil Fertility and Soil Health (Sericulture use only), Soil Scoop, Handheld Digital Infrared Thermometer, Soil Auger, pusa soil test and fertilizer recommendation kit, Soil Compactor, Soiled linen Trolley</p> <p>Searched String: Anemometer</p> <p>Anemometer, Anemometer, Cup Counter as per IS 5912</p> <p>Searched String: Lux meter</p> <p>Frequency meter - Analog (Panel Meter), pH Meter, Irradiance meter, Digital Light Meter, Turbidity meter, true rms clamp meter, Static meter, Thermal Ribbon, Visgage Meter, digital conductivity meter</p> <p>Searched String: Dissolve Oxygen meter</p> <p>Dissolved Oxygen Meter, pH Meter, Oxygen Flow Meter, Dissolve Acetylene Gas as per IS 308, Oxygen Purity Meter for Oxygen Concentrator, true rms clamp meter, Water Quality Meters / Analyzers, LEL (Lower Explosive Limit) and Oxygen Meter (V1), Thermal Ribbon, oxygen concentrator</p> <p>Searched String: Digital Colorimeter</p> <p>Colorimeter/ Spectrophotometer (Textile), Digital Multimeter, Photometer / Colorimeter for Water Testing, Digital Storage Oscilloscope, Digital Timer, Digital Medical Thermometer, Digital Burette, digital signature certificate, Digital Barometer, blood pressure recording units</p> <p>Searched String: PH Meter</p> <p>pH Meter, pH Meter (FSSAI), Ph Meter Rod, true rms clamp meter, pH Paper, Thermal Ribbon, pH Electrode, digital conductivity meter, Multiparameter pH or mV or ISE or Temp Meter, Multicore Cable as per IS 694</p> <p>Searched String: Deep Freezer 300 Ltr (Minus 20 Degree)</p> <p>AFFF Compound Freeze Protected To Minus 20 degree C (Defence), Laboratory Deep Freezer, Industrial Deep Freezer, Deep freezer, Laboratory Deep Freezer (V2)</p> <p>Searched String: Water Distillation Plant with automatic power cut</p> <p>SOLAR POWERED WATER FILTRATION PLANT SYSTEM AS PER MHA QRs, Solar Power Plant (Roof Top) for ONGRID System, Three Phase, IGBT Based Heavy Duty Power Source Air Plasma Cutting System with compressor, Motorcycles</p>

Bid Details/As per	<p>Powered and Mounted Water Mist Fire Extinguishing High Pressure System with pump PTO, Solar Power Plant (Roof Top) for ONGRID System, Single Phase, Hydrogen Generator, Hand Held Brush Cutter (V2)</p> <p>Searched String: BOD Incubator</p> <p>BOD Incubator, BOD Standard Solution, Laboratory Incubators, Neonatal Incubator, Orbital Shaking Incubators, Egg Incubator, Shaker Incubator, Incubator (FSSAI), Infant Warmer (V2), CO2 Incubator</p> <p>Searched String: Compound Microscope</p> <p>Retaining Compound, Microscopes - Pathological and Research as per IS 4381, IS 5204, IS 4381, IS 5204, Cardium Compound, Stereo Microscope (V1), Metallurgical Microscope, Single Use Rubber Examination Gloves-IS 15354, Optimal cutting temperature compound (OCT compound), Quarternary Ammonium Compound Based Surface Cleaner, Liquid, Advance Polarization Microscope, Ophthalmic Operating Microscope (V2)</p> <p>Searched String: Binocular Microscope</p> <p>binocular, Microscopes - Pathological and Research as per IS 4381, IS 5204, IS 4381, IS 5204, Binocular Indirect Ophthalmoscope - RBSK, Stereo Microscope (V1), Metallurgical Microscope, Advance Polarization Microscope, Binocular Indirect Ophthalmoscope (V2) - RBSK, Inverted Research Microscope as per IS 5204, Ophthalmic Operating Microscope (V2), Ophthalmic Operating Microscopes</p> <p>Searched String: Trinocular Microscope</p> <p>Metallurgical Microscope, Microscopes - Pathological and Research as per IS 4381, IS 5204, IS 4381, IS 5204, Advance Polarization Microscope, Stereo Microscope (V1), Ophthalmic Operating Microscope (V2), Microscope immersion oil, Inverted Research Microscope as per IS 5204, Penta Head Microscope, Ophthalmic Operating Microscopes, Microscopes Slide Coverslips as per IS 3099</p> <p>Searched String: Autoclave 50 ltr</p> <p>Dental Autoclave, Waste Containers and Accessories - Domestic (V2), Vertical Autoclave, Hydrothermal Autoclave Reactor, Horizontal Autoclave, Autoclave (ICMR Specs), Autoclave (Horizontal), Nitrile Coated/Nitrile Hand Gloves (V2), Vertical Autoclave (FSSAI), Mobile Containers for Solid Waste as per IS 12402</p> <p>Searched String: Hot Air Oven</p> <p>Hot air oven, Hot Air Oven (FSSAI), Laminar air flow cabinets or stations, Hot air gun, Air Freshener Liquid, Hot Air Blower (BHEL), Air Freshener Solid and Gel, Industrial Oven, Vacuum Oven, Industrial Infrared Oven</p> <p>Searched String: Incubator</p> <p>Neonatal Incubator, BOD Incubator, Egg Incubator, Laboratory Incubators, Orbital Shaking Incubators, Incubator (FSSAI), Shaker Incubator, CO2 Incubator, Infant Warmer (V2), Transport Incubator</p> <p>Searched String: Water Bath Digital</p>
--------------------	---

Bid Details/As per	Serological Water Bath (FSSAI), water baths, Reversion Oil Bath, Digital Water level recorder, Digital Multimeter, Organ Bath, Digital Medical Thermometer, Digital Water Quality Testers/Analyzers (Jal Jeevan Mission), Towels - Hotel Linen, Paraffin Wax Bath
	<p>Searched String: Refrigerator 185 ltr</p> <p>Laboratory Refrigerator, Waste Containers and Accessories - Domestic (V2), Foldable Jerri Can (10 ltr), Climbing Rope Nylon, Glacier Region (Defence), Ice Lined Refrigerator, Refrigerated Centrifuge For General And Research Purpose, Laboratory Refrigerator (V2), Refrigerator Truck for Vaccine Transport, Frost Free Refrigerator Training Jig(DVET), Modular Work Stations (V2)</p> <p>Searched String: Centrifuge Machine 6000 RPM</p> <p>Pulverizer, Truck Chassis Mounted Suction Cum Jetting Machine (Medium), Motorized core cutting machine, Truck Mounted Suction Machine (Heavy), Universal Tool and Cutter Grinding Machine, Truck Mounted Suction Machine (Medium), Roti Making Machine</p> <p>Searched String: Centrifuge Rotor</p> <p>centrifuge tubes, Refrigerated Centrifuge For General And Research Purpose, Medical Centrifuge, Refrigerated Micro - Centrifuge, Gel Card Centrifuge, Non Refrigerated Centrifuge for General Purpose and research, Refrigerated Centrifuge (FSSAI), Self Priming Centrifugal Pump as per IS 5120 , Miniature Rotor Spining Machine, Minifuge</p> <p>Searched String: Laminar Air Flow</p> <p>Laminar Air Flow (Horizontal) (FSSAI), Hot air oven, Laminar air flow cabinets or stations, Air Flow Relay - BHEL, Air Freshener Liquid, Variable Refrigerant Flow Air Conditioner, Air Freshener Solid and Gel, Flow Cytometer, Flow Meter(BHEL), Air Curtain</p> <p>Searched String: Digital Colony Counter</p> <p>Colony counter electronic balance, Counter Chair (Bar / Pub), GM Counter, Bar Counter, Digital Multimeter, Frequency Counter, Digital Medical Thermometer, Counter Communication System, blood pressure recording units, Hot Display Counter</p> <p>Searched String: UV Spectrophotometer with Quartz Cuvette</p> <p>SPECTROPHOTOMETER, UV - Visible Spectrophotometer (FSSAI), Water Purification System with UV (Ultra-Violet Process) or UV (Ultra-Violet Process)+UF (Ultra-Filtration Process), Potable Water Purification System with Inbuilt Water Cooler, Drinking Water Coolers With Built In Water Purification System (Uv Or Ro), Under Vehicle Scanning System (UVSS) with Image and Automated License Plate Recognition System as per (MHA) QRs, Chemical Splash Proof Goggle, Led post top lantern, Artificial Turf, Cuvettes</p> <p>Searched String: Vortex Shaker for test tube</p> <p>Sieve Shaker, Cocktail Shaker, Test Tube Rack, Multipurpose or General Test Tubes as per IS 2618, Rotospin Test tube rotator, Blood Sample Collection Tubes, Automotive</p>

Bid Details/बिड विवरण	<p>Vehicles - Tubes for Pneumatic Tyres (V2) as per IS 13098, LED Tube Lights for Retrofitting at Installations (ONGC),</p> <p>Rapid Test Kit of Tuberculosis from Liquid culture, Automotive Vehicles - Pneumatic Tyres for Commercial Vehicles - Diagonal and Radial Ply as per IS 15636</p> <p>Searched String: Orbital Shaker</p> <p>Orbital Shaker (FSSAI), Orbital Shaking Incubators, Cocktail Shaker, Rotary Shaker, Gym Shaker, Shaker Incubator, Reciprocal Shakers - Mechanical Shaker Machine with Timer, Sieve Shaker, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), See Saw Shaker</p> <p>Searched String: Microtome Machine</p> <p>Fibre Microtome (Textile), Paper Shredding Machines (V2), Rotary Microtome, Cryostat Microtome, Microtome blades, High Vacuum Suction Machine (V2), Tourniquet Machine, Sanitary Napkins Incinerator Machine with Smoke Control Unit, Hemodialysis Machine, Shoe Shine Machine</p> <p>Searched String: Digital Balance 2 Digit</p> <p>Digital Timer, Digital Multimeter, Digital Burette, Digital LED vision chart, Digital Barometer, Digital Medical Thermometer, blood pressure recording units, Digital Tachometer, true rms clamp meter, Digital Radiography Systems</p> <p>Searched String: Digital Balance 3 Digit</p> <p>Digital Grounding Device 3 Phase, Digital Multimeter, Digital Timer, Digital LED vision chart, Digital Burette, Digital Medical Thermometer, Digital Barometer, blood pressure recording units, true rms clamp meter, Digital Tachometer</p> <p>Searched String: Magnetic Stirrer with Hot Plate</p> <p>magnetic stirrers, Laboratory Hot plate, Automatic Milk Collection Unit with Milk Analyzer with Stirrer (KMF Co-op), Commercial Dosa Hot Plate, Chapati Plate with Puffer (V2), Electronic Milk Analyser with adulteration testing equipment, DHS Plate with corresponding screws, Stationary Lead Acid Batteries (with Tubular Positive Plates) in Monobloc Containers as per IS 13369, 95 degree DCS Plate with corresponding screws, MCCB with Thermal Magnetic / Microprocessor Based Trip Unit</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • Orbital Shaker (FSSAI) • Laboratory Filter Papers • Pendulum Apparatus
BOQ Title/बीओक्यू शीर्षक	As per BOQ
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	40 Lakh (s)
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	50 Lakh (s)

Bid Details/बिड विवरण	
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	1 Year (s)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Past Performance/विगत प्रदर्शन	20 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	BOD Incubator
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Arbitration Clause	No
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

5. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25 % percentage of total quantity. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023. [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and

for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

7. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 20% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Digital Multimeter

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	5	90

DC Voltmeter 0-25volts

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	5	90

DC Voltmeter 0-10volts

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	5	90

DC Multimeter 0-25Ma

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	5	90

DC Ammeter 0-3amp

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	5	90

Sodium Bulb With Transformer For Spectrometer

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

Mercury Lamp With Transformer

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

VI Characteristics Of Solar Cell Trainer Board

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

RC Coupled Amplifier Experiment Trainer Board

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

Dual Power Supply

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

Constant Flow Colorimeter

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	1	90

Meter Bridge Of Good Quality

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	5	90

To Determine Planck Constant Using LEDs

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370,Director of Education, Ward No-6, BPC Kokrajhar	2	90

Plane Diffraction Grating

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370,Director of Education, Ward No-6, BPC Kokrajhar	2	90

Bar Pendulum

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

Kater Pendulum

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

Optical Bench

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

Potentiometer

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370,Director of Education, Ward No-6, BPC Kokrajhar	4	90

Determination Of The Young Modulus Of The Material Of A Wire

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370,Director of Education, Ward No-6, BPC Kokrajhar	2	90

Measurement Of Susceptibility Of Paramagnetic Solution

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

Measurement Of Magnetic Susceptibility

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

B-H Curve Of Fe Using Solenoid And Determine

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

To Measure The Resistivity Of A Semiconductor

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

Spectrometer

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

Searle Thermal Conductivity Apparatus

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

De-Sauty Bridge Trainer Board

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

Determination Of Frequency Of Tuning Fork

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

Copper Connecting Wires

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	10	90

Vernier Callipers

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	20	90

Prism

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	10	90

Fractional Resistance

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	10	90

Flywheel

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	5	90

Meter Scale

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	5	90

Capillary Tube

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	10	90

Key 1 Way And 2way

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	10	90

Newton Ring Apparatus

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	3	90

Thermocouple Trainer Kit

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

Lee Disc Apparatus

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

Spirit Level

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	5	90

Solar Cell Characteristic Apparatus

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

OPAMP

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	20	90

Tuning Fork

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	5	90

Carry Foster Bridge

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	5	90

Series And Parallel LCR Circuit

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

Compass Needle

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	20	90

Experiment Set Up Thomson Method

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	1	90

Cathode Ray Oscilloscope

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

Geiger-Muller Counter

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

Function Generator 10MHz

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	3	90

Screw Gauge

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	5	90

Travelling Microscope

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	3	90

Rheostat

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	5	90

Sextant

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

Stop Watch

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	5	90

Solenoid

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	3	90

P-N Junction Diode Characteristic Apparatus

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

Resistance Box

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	5	90

Zener Diode

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	10	90

He- Ne Laser

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	1	90

Diffraction Grating With 1500 LPI

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	5	90

Digital Balance 2 Digit

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

Digital Balance 3 Digit

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

Digital PH Meter

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	3	90

Digital Colorimeter

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	4	90

Centrifuge Machine 6000 RPM

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	1	90

Water Distillation Plant

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

Refractometer

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

Laminar Air Flow

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	1	90

Magnetic Stirrer With Hot Plate

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	4	90

Muffle Furnace

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

Heating Mental With Regulator 500 MI

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	5	90

Melting Point Apparatus

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	5	90

UV Spectrophotometer

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	1	90

Hot Air Oven

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	4	90

Incubator

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	4	90

Refrigerator

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	1	90

Test Tube

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	500	90

Beaker 250ml

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370,Director of Education, Ward No-6, BPC Kokrajhar	60	90

Beaker 500ml

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370,Director of Education, Ward No-6, BPC Kokrajhar	60	90

Conical Flask 250ml

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	60	90

Chemical Thermometer

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	20	90

Round Bottom Flask 250 MI

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	40	90

Measuring Cylinder 50ml

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	20	90

Measuring Cylinder 100ml

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	20	90

Filter Paper

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	100	90

Burette 50ml

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	40	90

Pipette 25ml

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	40	90

Pipette 50ml

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	40	90

Bloating Paper

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	200	90

Flame Photometer

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	1	90

Electrical Conductivity Meter

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	1	90

Buchner Funnel

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	5	90

Polarimeter

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	1	90

Desiccators

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

Melting Point Apparatus

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	5	90

Compound Microscope

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	10	90

Binocular Microscope

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	6	90

Autoclave 50 Ltr

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370,Director of Education, Ward No-6, BPC Kokrajhar	2	90

Hot Air Oven

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370,Director of Education, Ward No-6, BPC Kokrajhar	2	90

Incubator

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

Deep Freezer 300 Ltr

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	1	90

Refrigerator 185 Ltr

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	1	90

Centrifuge Machine 6000 RPM

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	1	90

Laminar Air Flow

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	1	90

Digital Colorimeter

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

PH Meter

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

Digital Colony Counter

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

UV Spectrophotometer With Quartz Cuvette

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	1	90

Water Distillation Plant

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	1	90

BOD Incubator

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	1	90

Vortex Shaker For Test Tube

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

Orbital Shaker

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	1	90

Digital Balance 2 Digit

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

Digital Balance 3 Digit

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	1	90

Magnetic Stirrer With Hot Plate

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

Water Bath Digital

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	1	90

Inoculating Loop

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	10	90

Bunsen Burner

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	10	90

Spirit Lamp

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	10	90

Vernier Calipers

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	5	90

Ocular Micrometer

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	5	90

Stage Micrometer

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	5	90

Haemocytometer

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	5	90

Soil Thermometer

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

Anemometer

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

Lux Meter

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

Dissolve Oxygen Meter

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	1	90

Digital Colorimeter

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

PH Meter

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

Deep Freezer 300 Ltr Minus 20 Degree

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	1	90

Water Distillation Plant With Automatic Power Cut

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	1	90

BOD Incubator

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	1	90

Compound Microscope

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	10	90

Binocular Microscope

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	5	90

Trinocular Microscope

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

Autoclave 50 Ltr

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

Hot Air Oven

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

Incubator

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

Water Bath Digital

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	1	90

Refrigerator 185 Ltr

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	1	90

Centrifuge Machine 6000 RPM

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	1	90

Centrifuge Rotor

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	1	90

Laminar Air Flow

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	1	90

Digital Colony Counter

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

UV Spectrophotometer With Quartz Cuvette

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	1	90

Vortex Shaker For Test Tube

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

Orbital Shaker

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	1	90

Microtome Machine

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	1	90

Digital Balance 2 Digit

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

Digital Balance 3 Digit

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	1	90

Magnetic Stirrer With Hot Plate

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Pankaj Nandi	783370, Director of Education, Ward No-6, BPC Kokrajhar	2	90

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**1. Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in

the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---