



Bid Number/बोली क्रमांक (बिड संख्या):  
GEM/2025/B/6081587  
Dated/दिनांक : 19-04-2025

### Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	10-05-2025 14:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	10-05-2025 14:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Defence
Department Name/विभाग का नाम	Department Of Military Affairs
Organisation Name/संगठन का नाम	Indian Army
Office Name/कार्यालय का नाम	*****
क्रेता ईमेल/Buyer Email	ravindrakama.842h@gov.in
Total Quantity/कुल मात्रा	31566

Bid Details/बिड विवरण	
Item Category/मद केटेगरी	<p>Balloon Angioplasty Catheter 0point035 inch guidewire compatible Over The , Balloon Angioplasty Catheter Drug Coated 0point014 inch guidewire compatible , Fibrin sealant 2ml with synthetic Aprotinin , Disposable Percutaneous entry thin wall one piece needle 18 Gauge 7point0 cm , Guidewire PTFE Coated J Tip 0point035 inch diameter at least 260 cm , Leur lock plastic syringe of 10ml capacity , PTEE Graft Stretch 7mmX50cm , Puncture Needle for angiography 70 mm 18G , Ringed Reinforced Thin walled Expanded PTFE Vascular Grafts 6mm , Self Expanding Nitinol Stents for Peripheral angioplasty assorted sizes , Sheath Guiding Vascular Access braided construction with non reflux , Syringe luer lock Polycarbonate construction for use with sclerosants etc 10 ml , Syringe luer lock Polycarbonate construction for use with sclerosants etc. 20 ml , Sterile adhesive post op dressing large , Balloon Angioplasty Catheter 0point014 inch guidewire compatible Rapid Exchange , Balloon Angioplasty Catheter 0point035 inch guidewire compatible , Balloon Angioplasty Catheter 0point 035 inch guidewire compatible , Balloon Mounted Covered Stent 8 to 10mmdia 40 to 80 mm length , Balloon mounted covered stents 5to 12 mm of assorted lengths , Disposable Aortic Punch 4point0 mm , Distal Embolic Protection Device point Filter type , Endovascular snare for retrieval of foreign body from small vessels 0point018 , Endovascular snare for retrieval of foreign body from small vessels 0point035 , Fogarty Embolectomy Catheters Size 4F , Fogarty Embolectomy Catheters Size 5F , Hydrophilic Angiography catheter Multipurpose 4 Fr , Hydrophilic Angiography catheter Simmons 1to 4 Fr , Hydrophilic Angiography catheter Simmons 1to 5 Fr , Sheath Guiding Vascular Access braided construction with non , Stent Self Expanding Over The Wire Design Shaft Length , Straight braided multipurpose catheter 5 to 0 Fr 100 cms long No side , Stretch Reinforced Thin walled Expanded PTFE Vascular Grafts 6mm x 70cm , Stretch Reinforced Thin walled Expanded PTFE Vascular Grafts 8mm x 70cm , Vascular Tapes Blue , Vascular Tapes Red , Catheter Diagnostic Angiography Single endhole Head Hunter 4F or 5F 100cm , Sheath Vascular Access with non reflux access valve sidearm with three way , Balloon Angioplasty Catheter Drug Coated 0point 014 inch , Bone Wax , Disposable Percutaneous entry thin wall one piece needle , Sheath Guiding Vascular Access braided construction with , Syringe luer lock Polycarbonate construction for use with sclerosants etc 20 ml , Balloon Angioplasty Catheter 0point014 inch guidewire , Balloon Angioplasty Catheter 0point035 inch guidewire , Balloon Mounted Covered Stent 8 to 10mmdia 40to80 mm length , Balloon mounted covered stents 5to12 mm of assorted lengths , Distal Embolic Protection Device Filter type , Endovascular snare for retrieval of foreign body from , Endovascular snare for retrieval of foreign body from small , Hydrophilic Angiography catheter Simmons 1 to 5 Fr , Sheath Guiding Vascular Access braided construction , Straight braided multipurpose catheter 5point0 Fr 100 cms , Stretch Reinforced Thin walled Expanded PTFE Vascular , Sheath Vascular Access with non reflux access valve</p>
	<p>Balloon Angioplasty Catheter 0point035 inch guidewire compatible Over The, Balloon Angioplasty Catheter Drug Coated 0point014 inch guidewire compatible , Fibrin sealant 2ml with synthetic Aprotinin, Disposable Percutaneous</p>

Bid Details/As per	entry thin wall one piece needle 18 Gauge 7point0 cm , Guidewire PTFE Coated J Tip 0point035 inch diameter at least 260 cm, Leur lock plastic syringe of 10ml capacity, PTEE Graft Stretch 7mmX50cm, Puncture Needle for angiography 70 mm 18G, Ringed Reinforced Thin walled Expanded PTFE Vascular Grafts 6mm, Self Expanding Nitinol Stents for Peripheral angioplasty assorted sizes, Sheath Guiding Vascular Access braided construction with non reflux , Syringe luer lock Polycarbonate construction for use with sclerosants etc 10 ml, Syringe luer lock Polycarbonate construction for use with sclerosants etc. 20 ml, Sterile adhesive post op dressing large , Balloon Angioplasty Catheter 0point014 inch guidewire compatible Rapid Exchange, Balloon Angioplasty Catheter 0point035 inch guidewire compatible, Balloon Angioplasty Catheter 0point 035 inch guidewire compatible , Balloon Mounted Covered Stent 8 to 10mmdia 40 to 80 mm length, Balloon mounted covered stents 5to 12 mm of assorted lengths, Disposable Aortic Punch 4point0 mm, Distal Embolic Protection Device point Filter type, Endovascular snare for retrieval of foreign body from small vessels 0point018 , Endovascular snare for retrieval of foreign body from small vessels 0point035 , Fogarty Embolectomy Catheters Size 4F, Fogarty Embolectomy Catheters Size 5F, Hydrophilic Angiography catheter Multipurpose 4 Fr, Hydrophilic Angiography catheter Simmons 1to 4 Fr , Hydrophilic Angiography catheter Simmons 1to 5 Fr , Sheath Guiding Vascular Access braided construction with non , Sheath Guiding Vascular Access braided construction with non , Stent Self Expanding Over The Wire Design Shaft Length , Straight braided multipurpose catheter 5 to 0 Fr 100 cms long No side , Stretch Reinforced Thin walled Expanded PTFE Vascular Grafts 6mm x 70cm, Stretch Reinforced Thin walled Expanded PTFE Vascular Grafts 8mm x 70cm, Vascular Tapes Blue, Vascular Tapes Red, Catheter Diagnostic Angiography Single endhole Head Hunter 4F or 5F 100cm, Sheath Guiding Vascular Access braided construction with non reflux , Sheath Vascular Access with non reflux access valve sidearm with three way, Balloon Angioplasty Catheter 0point035 inch guidewire compatible , Balloon Angioplasty Catheter Drug Coated 0point 014 inch , Bone Wax, Fibrin sealant 2ml with synthetic Aprotinin, Disposable Percutaneous entry thin wall one piece needle , Guidewire PTFE Coated J Tip 0point035 inch diameter at least 260 cm, Leur lock plastic syringe of 10ml capacity, PTEE Graft Stretch 7mmX50cm, Puncture Needle for angiography 70 mm 18G, Ringed Reinforced Thin walled Expanded PTFE Vascular Grafts 6mm, Self Expanding Nitinol Stents for Peripheral angioplasty assorted sizes, Sheath Guiding Vascular Access braided construction with, Syringe luer lock Polycarbonate construction for use with sclerosants etc 10 ml, Syringe luer lock Polycarbonate construction for use with sclerosants etc 20 ml, Sterile adhesive post op dressing large , Balloon Angioplasty Catheter 0point014 inch guidewire , Balloon Angioplasty Catheter 0point035 inch guidewire , Balloon Angioplasty Catheter 0point035 inch guidewire , Balloon Mounted Covered Stent 8 to 10mmdia 40to80 mm length, Balloon mounted covered stents 5to12 mm of assorted lengths, Disposable Aortic Punch 4point0 mm, Distal Embolic Protection Device Filter type, Endovascular snare for retrieval of foreign body from , Endovascular snare for retrieval of foreign body from small, Fogarty Embolectomy Catheters Size 4F, Fogarty Embolectomy Catheters Size 5F, Hydrophilic Angiography
<p><b>GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS</b></p>	

Bid Details/As per	catheter Multipurpose 4 Fr, Hydrophilic Angiography catheter Simmons 1to 4 Fr , Hydrophilic Angiography catheter Simmons 1 to 5 Fr , Sheath Guiding Vascular Access braided construction , Sheath Guiding Vascular Access braided construction with , Stent Self Expanding Over The Wire Design Shaft Length , Straight braided multipurpose catheter 5point0 Fr 100 cms , Stretch Reinforced Thin walled Expanded PTFE Vascular , Stretch Reinforced Thin walled Expanded PTFE Vascular , Vascular Tapes Blue, Vascular Tapes Red, Catheter Diagnostic Angiography Single endhole Head Hunter 4F or 5F 100cm, Sheath Guiding Vascular Access braided construction ,
	<p>Sheath Vascular Access with non reflux access valve</p> <p><b>Searched String:</b> Balloon Angioplasty Catheter 0point035 inch guidewire compatible Over The</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Balloon Angioplasty Catheter Drug Coated 0point014 inch guidewire compatible</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Fibrin sealant 2ml with synthetic Aprotinin</p> <p>PTFE / Graphite yarn reinforced with Synthetic fibre Gland rope, Human Fibrin Sealant, synthetic web equipment improved version</p> <p><b>Searched String:</b> Disposable Percutaneous entry thin wall one piece needle 18 Gauge 7point0 cm</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Guidewire PTFE Coated J Tip 0point035 inch diameter at least 260 cm</p> <p>Guidewires (V2)</p> <p><b>Searched String:</b> Leur lock plastic syringe of 10ml capacity</p> <p>Bucket Mop Wringer Trolley, Sterile Hypodermic Syringe for Manual use (V2), Touchless Sanitizer Dispenser, Climbing Rope Nylon, Glacier Region (Defence), Shaker Incubator, Laboratory Glassware - Burettes (V2) as per IS 1997, Electronic Weighing Systems as per IS 9281 (Part I, Part II, Part III, Part IV), Pressure Sensitive Adhesive Plasticized PVC Tapes with Nonthermosetting Adhesive as per IS 7809 (Part 3 / Section 1), Lunch Box (V2), Liquid Soap Dispenser (V2)</p> <p><b>Searched String:</b> PTEE Graft Stretch 7mmX50cm</p> <p>Vascular Grafts - Synthetic</p> <p><b>Searched String:</b> Puncture Needle for angiography 70 mm 18G</p> <p>XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Introducer Needle (V2), Sterile Hypodermic Needles for Single use (V2), XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Blood collection Needles for Vacuum Blood Collection Tubes, PVC Insulated (Heavy Duty) Electric</p>

Bid Details / As per	Cables, Aluminium Conductor as per IS 1554 (Part 1), Drawing Trussels / Drawing Board Stand
	<p><b>Searched String:</b> Ringed Reinforced Thin walled Expanded PTFE Vascular Grafts 6mm</p> <p>Vascular Grafts - Synthetic</p> <p><b>Searched String:</b> Self Expanding Nitinol Stents for Peripheral angioplasty assorted sizes</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Sheath Guiding Vascular Access braided construction with non reflux</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Syringe luer lock Polycarbonate construction for use with sclerosants etc 10 ml</p> <p>Disposable Syringes as per IS 10258, Sterile Hypodermic Syringe for Manual use (V2)</p> <p><b>Searched String:</b> Syringe luer lock Polycarbonate construction for use with sclerosants etc. 20 ml</p> <p>Sterile Hypodermic Syringe for Manual use (V2), Disposable Syringes as per IS 10258</p> <p><b>Searched String:</b> Sterile adhesive post op dressing large</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Balloon Angioplasty Catheter 0point014 inch guidewire compatible Rapid Exchange</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Balloon Angioplasty Catheter 0point035 inch guidewire compatible</p> <p>Balloon Dilatation Catheter System, Guidewires (V2)</p> <p><b>Searched String:</b> Balloon Angioplasty Catheter 0point 035 inch guidewire compatible</p> <p>Guidewires (V2)</p> <p><b>Searched String:</b> Balloon Mounted Covered Stent 8 to 10mm dia 40 to 80 mm length</p> <p>Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Hexagonal Head Bolts conforming to IS 1363 (Part 1)</p> <p><b>Searched String:</b> Balloon mounted covered stents 5to 12 mm of assorted lengths</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Disposable Aortic Punch 4point0 mm</p> <p>XLPE Cable for Working Voltages up to and Including 1.1 KV</p>

Bid Details/As per	as per IS 7098 (Part 1), paper or eyelet punches, Disposable Surgical Rubber Gloves - Prepowdered as per IS 13422, PVC
	<p>Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, petri plates or dishes, Pins or Tacks as per IS 5653, hospital biohazard bags or bio medical waste collection bags, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Parallel Bar - Outdoor Gym Equipment, Ring Binder - File Folder</p> <p><b>Searched String:</b> Distal Embolic Protection Device point Filter type</p> <p>Respiratory Protective Devices- Filtering Half Masks, End Point Protection Software / Appliances (V3)</p> <p><b>Searched String:</b> Endovascular snare for retrieval of foreign body from small vessels 0point018</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Endovascular snare for retrieval of foreign body from small vessels 0point035</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Fogarty Embolectomy Catheters Size 4F</p> <p>File Folder Cover (V2), Embolectomy Catheter (V2), Multifunction Machine MFM (V2), Embolectomy Baloon Catheter, Plain Copier Paper (V2) as per IS 14490, File/Folder (V3), Computer Printers, Answer Book/Booklets For Examinations (V3), Pneumatic impact wrenches, Olympic Bar (Version 2)</p> <p><b>Searched String:</b> Fogarty Embolectomy Catheters Size 5F</p> <p>Surgical Gloves as per IS 4148, Embolectomy Catheter (V2), Disposable Surgical Rubber Gloves (V2), Embolectomy Baloon Catheter, File/Folder (V3), Single use Rubber Examination Gloves (V2), Surgical Rubber Gloves (V2), Disposable Surgical Rubber Gloves - Prepowdered as per IS 13422, endotracheal tubes or reinforced endotracheal tube plain, Disposable Surgical Rubber Gloves</p> <p><b>Searched String:</b> Hydrophilic Angiography catheter Multipurpose 4 Fr</p> <p>Central Venous Catheters (V2), Embolectomy Catheter (V2), Pigtail Drainage Catheter (V2), Infant Feeding Tube (V2)</p> <p><b>Searched String:</b> Hydrophilic Angiography catheter Simmons 1to 4 Fr</p> <p>XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Embolectomy Catheter (V2), Central Venous Catheters (V2), Pigtail Drainage Catheter (V2), Infant Feeding Tube (V2)</p> <p><b>Searched String:</b> Hydrophilic Angiography catheter Simmons 1to 5 Fr</p> <p>PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Embolectomy Catheter (V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098</p>

Bid Details/As per	(Part 1), Pigtail Drainage Catheter (V2), Hemodialysis Catheter Kit, Infant Feeding Tube (V2), Central Venous Catheters (V2), PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category C1 - FR as per IS 1554 (Part 1)
	<p><b>Searched String:</b> Sheath Guiding Vascular Access braided construction with non</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Sheath Guiding Vascular Access braided construction with non</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Stent Self Expanding Over The Wire Design Shaft Length</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Straight braided multipurpose catheter 5 to 0 Fr 100 cms long No side</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Stretch Reinforced Thin walled Expanded PTFE Vascular Grafts 6mm x 70cm</p> <p>Vascular Grafts - Synthetic</p> <p><b>Searched String:</b> Stretch Reinforced Thin walled Expanded PTFE Vascular Grafts 8mm x 70cm</p> <p>Vascular Grafts - Synthetic</p> <p><b>Searched String:</b> Vascular Tapes Blue</p> <p>Polymide Tapes, Bio - Medical Waste Collection Bags (Biohazard Bags), Bromophenol Blue, medical and surgical adherent tapes for general use or surgical tapes, Bromothymol Blue, Roller Ball Pen (V2), Prussian Blue, Portable Vein Viewing Device for Vascular Imaging, Hydroxynaphthol Blue, T - Shirt (V2)</p> <p><b>Searched String:</b> Vascular Tapes Red</p> <p>Polymide Tapes, personal safety kit reflective luminous garments, Elastic Surgical Adhesive Tapes, medical and surgical adherent tapes for general use or surgical tapes, Vascular Grafts - Synthetic, Bio - Medical Waste Collection Bags (Biohazard Bags), Peripheral Vascular Clamp, Portable Vein Viewing Device for Vascular Imaging, Methyl Red, Elastic Surgical Adhesive Tapes (V2)</p> <p><b>Searched String:</b> Catheter Diagnostic Angiography Single endhole Head Hunter 4F or 5F 100cm</p> <p>Hemodialysis Catheter Kit</p> <p><b>Searched String:</b> Sheath Guiding Vascular Access braided construction with non reflux</p> <p>Category not available on GeM for the text string uploaded by the buyer</p>

Bid Details/बिड विवरण	Searched String: Sheath Vascular Access with non reflux access valve sidearm with three way
<p><b>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</b></p>	<p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Balloon Angioplasty Catheter 0point035 inch guidewire compatible</p> <p>Balloon Dilatation Catheter System, Guidewires (V2)</p> <p><b>Searched String:</b> Balloon Angioplasty Catheter Drug Coated 0point 014 inch</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Bone Wax</p> <p>Modelling Wax, Thermal Ribbon, paraffin wax medical for wax bath, Sutures (V2), Paraffin Wax Bath, Tea set, Bone Screws, Bone Screw (V2), Bone Cements, Bone Punch</p> <p><b>Searched String:</b> Fibrin sealant 2ml with synthetic Aprotinin</p> <p>PTFE / Graphite yarn reinforced with Synthetic fibre Gland rope, Human Fibrin Sealant, synthetic web equipment improved version</p> <p><b>Searched String:</b> Disposable Percutaneous entry thin wall one piece needle</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Guidewire PTFE Coated J Tip 0point035 inch diameter at least 260 cm</p> <p>Guidewires (V2)</p> <p><b>Searched String:</b> Leur lock plastic syringe of 10ml capacity</p> <p>Bucket Mop Wringer Trolley, Sterile Hypodermic Syringe for Manual use (V2), Touchless Sanitizer Dispenser, Climbing Rope Nylon, Glacier Region (Defence), Shaker Incubator, Laboratory Glassware - Burettes (V2) as per IS 1997, Electronic Weighing Systems as per IS 9281 (Part I, Part II, Part III, Part IV), Pressure Sensitive Adhesive Plasticized PVC Tapes with Nonthermosetting Adhesive as per IS 7809 (Part 3 / Section 1), Lunch Box (V2), Liquid Soap Dispenser (V2)</p> <p><b>Searched String:</b> PTEE Graft Stretch 7mmX50cm</p> <p>Vascular Grafts - Synthetic</p> <p><b>Searched String:</b> Puncture Needle for angiography 70 mm 18G</p> <p>XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Introducer Needle (V2), Sterile Hypodermic Needles for Single use (V2), XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Blood collection Needles for Vacuum Blood Collection Tubes, PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), Drawing Trussels / Drawing Board Stand</p>



Bid Details/As per	<b>Searched String:</b> Ringed Reinforced Thin walled Expanded PTFE Vascular Grafts 6mm
	<p>Vascular Grafts - Synthetic</p> <p><b>Searched String:</b> Self Expanding Nitinol Stents for Peripheral angioplasty assorted sizes</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Sheath Guiding Vascular Access braided construction with</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Syringe luer lock Polycarbonate construction for use with sclerosants etc 10 ml</p> <p>Disposable Syringes as per IS 10258, Sterile Hypodermic Syringe for Manual use (V2)</p> <p><b>Searched String:</b> Syringe luer lock Polycarbonate construction for use with sclerosants etc 20 ml</p> <p>Sterile Hypodermic Syringe for Manual use (V2), Disposable Syringes as per IS 10258</p> <p><b>Searched String:</b> Sterile adhesive post op dressing large</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Balloon Angioplasty Catheter 0point014 inch guidewire</p> <p>Balloon Dilatation Catheter System, Guidewires (V2)</p> <p><b>Searched String:</b> Balloon Angioplasty Catheter 0point035 inch guidewire</p> <p>Balloon Dilatation Catheter System, Guidewires (V2)</p> <p><b>Searched String:</b> Balloon Angioplasty Catheter 0point035 inch guidewire</p> <p>Balloon Dilatation Catheter System, Guidewires (V2)</p> <p><b>Searched String:</b> Balloon Mounted Covered Stent 8 to 10mmdia 40to80 mm length</p> <p>tray mess compartmented ss army pattern</p> <p><b>Searched String:</b> Balloon mounted covered stents 5to12 mm of assorted lengths</p> <p>taps or valves of nonferrous metals, Registered Barcode Stickers (Single) of 'RD' Series, Precast Concrete Pipes (With And Without Reinforcement) (V2) As Per Is 458, Colour Pencil (V2), tray mess compartmented ss army pattern, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, galvanized steel sheets as per IS 277, Picket Steel as per DGS&amp;D Drawing, Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778, Prefab Shelters With PUF Panel of Size 7.620 M X 10.661 (As Per GeM Drawing)</p> <p><b>Searched String:</b> Disposable Aortic Punch 4point0 mm</p>

Bid Details/As per	XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), paper or eyelet punches, Disposable Surgical Rubber Gloves - Prepowdered as per IS 13422, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, petri plates or dishes, Pins or Tacks as per IS 5653, hospital biohazard bags or bio medical waste collection bags, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Parallel Bar - Outdoor Gym Equipment, Ring Binder - File Folder
	<p><b>Searched String:</b> Distal Embolic Protection Device Filter type</p> <p>Respiratory Protective Devices- Filtering Half Masks</p> <p><b>Searched String:</b> Endovascular snare for retrieval of foreign body from</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Endovascular snare for retrieval of foreign body from small</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Fogarty Embolectomy Catheters Size 4F</p> <p>File Folder Cover (V2), Embolectomy Catheter (V2), Multifunction Machine MFM (V2), Embolectomy Baloon Catheter, Plain Copier Paper (V2) as per IS 14490, File/Folder (V3), Computer Printers, Answer Book/Booklets For Examinations (V3), Pneumatic impact wrenches, Olympic Bar (Version 2)</p> <p><b>Searched String:</b> Fogarty Embolectomy Catheters Size 5F</p> <p>Surgical Gloves as per IS 4148, Embolectomy Catheter (V2), Disposable Surgical Rubber Gloves (V2), Embolectomy Baloon Catheter, File/Folder (V3), Single use Rubber Examination Gloves (V2), Surgical Rubber Gloves (V2), Disposable Surgical Rubber Gloves - Prepowdered as per IS 13422, endotracheal tubes or reinforced endotracheal tube plain, Disposable Surgical Rubber Gloves</p> <p><b>Searched String:</b> Hydrophilic Angiography catheter Multipurpose 4 Fr</p> <p>Central Venous Catheters (V2), Embolectomy Catheter (V2), Pigtail Drainage Catheter (V2), Infant Feeding Tube (V2)</p> <p><b>Searched String:</b> Hydrophilic Angiography catheter Simmons 1to 4 Fr</p> <p>XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Embolectomy Catheter (V2), Central Venous Catheters (V2), Pigtail Drainage Catheter (V2), Infant Feeding Tube (V2)</p> <p><b>Searched String:</b> Hydrophilic Angiography catheter Simmons 1 to 5 Fr</p> <p>XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Pigtail Drainage Catheter (V2)</p> <p><b>Searched String:</b> Sheath Guiding Vascular Access braided</p>

Bid Details/बिड विवरण	construction
	<p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Sheath Guiding Vascular Access braided construction with</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Stent Self Expanding Over The Wire Design Shaft Length</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Straight braided multipurpose catheter 5point0 Fr 100 cms</p> <p>Hemodialysis Catheter Kit, Guidewires (V2), Central Venous Catheters (V2)</p> <p><b>Searched String:</b> Stretch Reinforced Thin walled Expanded PTFE Vascular</p> <p>Vascular Grafts - Synthetic</p> <p><b>Searched String:</b> Stretch Reinforced Thin walled Expanded PTFE Vascular</p> <p>Vascular Grafts - Synthetic</p> <p><b>Searched String:</b> Vascular Tapes Blue</p> <p>Polymide Tapes, Bio - Medical Waste Collection Bags (Biohazard Bags), Bromophenol Blue, medical and surgical adherent tapes for general use or surgical tapes, Bromothymol Blue, Roller Ball Pen (V2), Prussian Blue, Portable Vein Viewing Device for Vascular Imaging, Hydroxynaphthol Blue, T - Shirt (V2)</p> <p><b>Searched String:</b> Vascular Tapes Red</p> <p>Polymide Tapes, personal safety kit reflective luminous garments, Elastic Surgical Adhesive Tapes, medical and surgical adherent tapes for general use or surgical tapes, Vascular Grafts - Synthetic, Bio - Medical Waste Collection Bags (Biohazard Bags), Peripheral Vascular Clamp, Portable Vein Viewing Device for Vascular Imaging, Methyl Red, Elastic Surgical Adhesive Tapes (V2)</p> <p><b>Searched String:</b> Catheter Diagnostic Angiography Single endhole Head Hunter 4F or 5F 100cm</p> <p>Hemodialysis Catheter Kit</p> <p><b>Searched String:</b> Sheath Guiding Vascular Access braided construction</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p><b>Searched String:</b> Sheath Vascular Access with non reflux access valve</p> <p>Swing Check Type Reflux (Non - Return) Valves for Water Works Purposes (Single Door Pattern) as per IS 5312</p>

अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	Embolectomy Catheter (V2)
BOQ Title/बीओक्यू शीर्षक	IFA 57
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	64 Lakh (s)
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	512 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	1 Year (s)
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	Yes
Past Performance/विगत प्रदर्शन	10 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Balloon Angioplasty Catheter 0point035 inch guidewire compatible Over The
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Estimated Bid Value/अनुमानित बिड मूल्य	12802730
Evaluation Method/मूल्यांकन पद्धति	Item wise evaluation/
Arbitration Clause	No
Mediation Clause	No

**EMD Detail/ईएमडी विवरण**

Advisory Bank/एडवाइजरी बैंक	State Bank of India
Schedule 1 EMD Amount/ईएमडी राशि (In INR)	5544
Schedule 2 EMD Amount/ईएमडी राशि (In INR)	31273
Schedule 3 EMD Amount/ईएमडी राशि (In INR)	967
Schedule 4 EMD Amount/ईएमडी राशि (In INR)	3708
Schedule 5 EMD Amount/ईएमडी राशि (In INR)	762
Schedule 6 EMD Amount/ईएमडी राशि (In INR)	29484
Schedule 7 EMD Amount/ईएमडी राशि (In INR)	2028
Schedule 8 EMD Amount/ईएमडी राशि (In INR)	666
Schedule 9 EMD Amount/ईएमडी राशि (In INR)	4080
Schedule 10 EMD Amount/ईएमडी राशि (In INR)	4800
Schedule 11 EMD Amount/ईएमडी राशि (In INR)	1411
Schedule 12 EMD Amount/ईएमडी राशि (In INR)	29700
Schedule 13 EMD Amount/ईएमडी राशि (In INR)	666
Schedule 14 EMD Amount/ईएमडी राशि (In INR)	2880
Schedule 15 EMD Amount/ईएमडी राशि (In INR)	4679
Schedule 16 EMD Amount/ईएमडी राशि (In INR)	4586
Schedule 17 EMD Amount/ईएमडी राशि (In INR)	6420
Schedule 18 EMD Amount/ईएमडी राशि (In INR)	9686
Schedule 19 EMD Amount/ईएमडी राशि (In INR)	10332
Schedule 20 EMD Amount/ईएमडी राशि (In INR)	93
Schedule 21 EMD Amount/ईएमडी राशि (In INR)	3648
Schedule 22 EMD Amount/ईएमडी राशि (In INR)	6093
Schedule 23 EMD Amount/ईएमडी राशि (In INR)	5376
Schedule 24 EMD Amount/ईएमडी राशि (In INR)	3803
Schedule 25 EMD Amount/ईएमडी राशि (In INR)	3803
Schedule 26 EMD Amount/ईएमडी राशि (In INR)	3265
Schedule 27 EMD Amount/ईएमडी राशि (In INR)	2903

Schedule 28 EMD Amount/ईएमडी राशि (In INR)	2903
Schedule 29 EMD Amount/ईएमडी राशि (In INR)	1499
Schedule 30 EMD Amount/ईएमडी राशि (In INR)	7660
Schedule 31 EMD Amount/ईएमडी राशि (In INR)	11245
Schedule 32 EMD Amount/ईएमडी राशि (In INR)	2504
Schedule 33 EMD Amount/ईएमडी राशि (In INR)	4079
Schedule 34 EMD Amount/ईएमडी राशि (In INR)	3024
Schedule 35 EMD Amount/ईएमडी राशि (In INR)	1927
Schedule 36 EMD Amount/ईएमडी राशि (In INR)	1927
Schedule 37 EMD Amount/ईएमडी राशि (In INR)	604
Schedule 38 EMD Amount/ईएमडी राशि (In INR)	2900
Schedule 39 EMD Amount/ईएमडी राशि (In INR)	2900
Schedule 40 EMD Amount/ईएमडी राशि (In INR)	3696
Schedule 41 EMD Amount/ईएमडी राशि (In INR)	22338
Schedule 42 EMD Amount/ईएमडी राशि (In INR)	192
Schedule 43 EMD Amount/ईएमडी राशि (In INR)	967
Schedule 44 EMD Amount/ईएमडी राशि (In INR)	2781
Schedule 45 EMD Amount/ईएमडी राशि (In INR)	508
Schedule 46 EMD Amount/ईएमडी राशि (In INR)	17690
Schedule 47 EMD Amount/ईएमडी राशि (In INR)	1014
Schedule 48 EMD Amount/ईएमडी राशि (In INR)	599
Schedule 49 EMD Amount/ईएमडी राशि (In INR)	2040
Schedule 50 EMD Amount/ईएमडी राशि (In INR)	4800
Schedule 51 EMD Amount/ईएमडी राशि (In INR)	904
Schedule 52 EMD Amount/ईएमडी राशि (In INR)	29700
Schedule 53 EMD Amount/ईएमडी राशि (In INR)	666
Schedule 54 EMD Amount/ईएमडी राशि (In INR)	2880
Schedule 55 EMD Amount/ईएमडी राशि (In INR)	2339
Schedule 56 EMD Amount/ईएमडी राशि (In INR)	2446

Schedule 57 EMD Amount/ईएमडी राशि (In INR)	3669
Schedule 58 EMD Amount/ईएमडी राशि (In INR)	9686
Schedule 59 EMD Amount/ईएमडी राशि (In INR)	10332
Schedule 60 EMD Amount/ईएमडी राशि (In INR)	46
Schedule 61 EMD Amount/ईएमडी राशि (In INR)	2432
Schedule 62 EMD Amount/ईएमडी राशि (In INR)	2437
Schedule 63 EMD Amount/ईएमडी राशि (In INR)	2150
Schedule 64 EMD Amount/ईएमडी राशि (In INR)	2535
Schedule 65 EMD Amount/ईएमडी राशि (In INR)	2028
Schedule 66 EMD Amount/ईएमडी राशि (In INR)	2177
Schedule 67 EMD Amount/ईएमडी राशि (In INR)	1209
Schedule 68 EMD Amount/ईएमडी राशि (In INR)	1209
Schedule 69 EMD Amount/ईएमडी राशि (In INR)	999
Schedule 70 EMD Amount/ईएमडी राशि (In INR)	5107
Schedule 71 EMD Amount/ईएमडी राशि (In INR)	4498
Schedule 72 EMD Amount/ईएमडी राशि (In INR)	1088
Schedule 73 EMD Amount/ईएमडी राशि (In INR)	2039
Schedule 74 EMD Amount/ईएमडी राशि (In INR)	1512
Schedule 75 EMD Amount/ईएमडी राशि (In INR)	1879
Schedule 76 EMD Amount/ईएमडी राशि (In INR)	1879
Schedule 77 EMD Amount/ईएमडी राशि (In INR)	302
Schedule 78 EMD Amount/ईएमडी राशि (In INR)	1933
Schedule 79 EMD Amount/ईएमडी राशि (In INR)	1450

#### ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	5.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	18

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). The EMD Amount will be applicable for each schedule/group selected during Bid creation.

(c). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

**Beneficiary/लाभार्थी :**

PCDA

PCDA, Lucknow, Department of Military Affairs, Indian Army, Ministry of Defence

(Pcda)

**MII Purchase Preference/एमआईआई खरीद वरीयता**

MIIPurchase Preference/एमआईआई खरीद वरीयता	Yes
---	-----

**MSE Purchase Preference/एमएसई खरीद वरीयता**

MSEPurchase Preference/एमएसई खरीद वरीयता	Yes
--	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period



shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

6. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

7. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

#### **Evaluation Method ( Item Wise Evaluation Method )**

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

<b>Evaluation Schedules</b>	<b>Estimated Value</b>	<b>Item/Category</b>	<b>Quantity</b>
Schedule 1	184800	Balloon Angioplasty Catheter 0point035 Inch Guidewire Compatible Over The	15

Schedule 2	1042440	Balloon Angioplasty Catheter Drug Coated 0point014 Inch Guidewire Compatible	21
Schedule 3	32256	Fibrin Sealant 2ml With Synthetic Aprotinin	3
Schedule 4	123600	Disposable Percutaneous Entry Thin Wall One Piece Needle 18 Gauge 7point0 Cm	400
Schedule 5	25401	Guidewire Ptfе Coated J Tip 0point035 Inch Diameter At Least 260 Cm	60
Schedule 6	982800	Leur Lock Plastic Syringe Of 10ml Capacity	5000
Schedule 7	67617	Ptee Graft Stretch 7mmx50cm	2
Schedule 8	22200	Puncture Needle For Angiography 70 Mm 18g	600
Schedule 9	136000	Ringed Reinforced Thin Walled Expanded Ptfе Vascular Grafts 6mm	2
Schedule 10	160020	Self Expanding Nitinol Stents For Peripheral Angioplasty Assorted Sizes	6
Schedule 11	47040	Sheath Guiding Vascular Access Braided Construction With Non Reflux	6
Schedule 12	990000	Syringe Luer Lock Polycarbonate Construction For Use With Sclerosants Etc 10 MI	5000
Schedule 13	22200	Syringe Luer Lock Polycarbonate Construction For Use With Sclerosants Etc. 20 MI	2000
Schedule 14	96000	Sterile Adhesive Post Op Dressing Large	3000
Schedule 15	155984	Balloon Angioplasty Catheter 0point014 Inch Guidewire Compatible Rapid Exchange	12
Schedule 16	152880	Balloon Angioplasty Catheter 0point035 Inch Guidewire Compatible	15
Schedule 17	214032	Balloon Angioplasty Catheter 0point 035 Inch Guidewire Compatible	21
Schedule 18	322875	Balloon Mounted Covered Stent 8 To 10mmdia 40 To 80 Mm Length	3
Schedule 19	344400	Balloon Mounted Covered Stents 5to 12 Mm Of Assorted Lengths	3
Schedule 20	3113	Disposable Aortic Punch 4point0 Mm	2
Schedule 21	121632	Distal Embolic Protection Device Point Filter Type	3
Schedule 22	203112	Endovascular Snare For Retrieval Of Foreign Body From Small Vessels 0point018	5
Schedule 23	179200	Endovascular Snare For Retrieval Of Foreign Body From Small Vessels 0point035	5
Schedule 24	126772	Fogarty Embolectomy Catheters Size 4f	15
Schedule 25	126772	Fogarty Embolectomy Catheters Size 5f	15
Schedule 26	108864	Hydrophilic Angiography Catheter Multipurpose 4 Fr	27
Schedule 27	96768	Hydrophilic Angiography Catheter Simmons 1to 4 Fr	24
Schedule 28	96768	Hydrophilic Angiography Catheter Simmons 1to 5 Fr	24
Schedule 29	49996	Sheath Guiding Vascular Access Braided Construction With Non	6

Schedule 30	255360	Sheath Guiding Vascular Access Braided Construction With Non	6
Schedule 31	374850	Stent Self Expanding Over The Wire Design Shaft Length	15
Schedule 32	84672	Straight Braided Multipurpose Catheter 5 To 0 Fr 100 Cms Long No Side	21
Schedule 33	135999	Stretch Reinforced Thin Walled Expanded Ptfе Vascular Grafts 6mm X 70cm	2
Schedule 34	100800	Stretch Reinforced Thin Walled Expanded Ptfе Vascular Grafts 8mm X 70cm	2
Schedule 35	64243	Vascular Tapes Blue	240
Schedule 36	64243	Vascular Tapes Red	240
Schedule 37	20160	Catheter Diagnostic Angiography Single Endhole Head Hunter 4f Or 5f 100cm	12
Schedule 38	96677	Sheath Guiding Vascular Access Braided Construction With Non Reflux	6
Schedule 39	96677	Sheath Vascular Access With Non Reflux Access Valve Sidearm With Three Way	6
Schedule 40	123200	Balloon Angioplasty Catheter 0point035 Inch Guidewire Compatible	10
Schedule 41	744600	Balloon Angioplasty Catheter Drug Coated 0point 014 Inch	15
Schedule 42	6400	Bone Wax	200
Schedule 43	32256	Fibrin Sealant 2ml With Synthetic Aprotinin	3
Schedule 44	92700	Disposable Percutaneous Entry Thin Wall One Piece Needle	300
Schedule 45	16934	Guidewire Ptfе Coated J Tip 0point035 Inch Diameter At Least 260 Cm	40
Schedule 46	589680	Leur Lock Plastic Syringe Of 10ml Capacity	3000
Schedule 47	33808	Ptee Graft Stretch 7mmx50cm	1
Schedule 48	19980	Puncture Needle For Angiography 70 Mm 18g	540
Schedule 49	68000	Ringed Reinforced Thin Walled Expanded Ptfе Vascular Grafts 6mm	1
Schedule 50	160020	Self Expanding Nitinol Stents For Peripheral Angioplasty Assorted Sizes	6
Schedule 51	31360	Sheath Guiding Vascular Access Braided Construction With	4
Schedule 52	990000	Syringe Luer Lock Polycarbonate Construction For Use With Sclerosants Etc 10 Ml	5000
Schedule 53	22200	Syringe Luer Lock Polycarbonate Construction For Use With Sclerosants Etc 20 Ml	2000
Schedule 54	96000	Sterile Adhesive Post Op Dressing Large	3000
Schedule 55	77992	Balloon Angioplasty Catheter 0point014 Inch Guidewire	6
Schedule 56	81536	Balloon Angioplasty Catheter 0point035 Inch Guidewire	8
Schedule 57	122304	Balloon Angioplasty Catheter 0point035 Inch Guidewire	12

Schedule 58	322875	Balloon Mounted Covered Stent 8 To 10mmdia 40to80 Mm Length	3
Schedule 59	344400	Balloon Mounted Covered Stents 5to12 Mm Of Assorted Lengths	3
Schedule 60	1556	Disposable Aortic Punch 4point0 Mm	1
Schedule 61	81088	Distal Embolic Protection Device Filter Type	2
Schedule 62	81244	Endovascular Snare For Retrieval Of Foreign Body From	2
Schedule 63	71680	Endovascular Snare For Retrieval Of Foreign Body From Small	2
Schedule 64	84515	Fogarty Embolectomy Catheters Size 4f	10
Schedule 65	67612	Fogarty Embolectomy Catheters Size 5f	8
Schedule 66	72576	Hydrophilic Angiography Catheter Multipurpose 4 Fr	18
Schedule 67	40320	Hydrophilic Angiography Catheter Simmons 1to 4 Fr	10
Schedule 68	40320	Hydrophilic Angiography Catheter Simmons 1 To 5 Fr	10
Schedule 69	33331	Sheath Guiding Vascular Access Braided Construction	4
Schedule 70	170240	Sheath Guiding Vascular Access Braided Construction With	4
Schedule 71	149940	Stent Self Expanding Over The Wire Design Shaft Length	6
Schedule 72	36288	Straight Braided Multipurpose Catheter 5point0 Fr 100 Cms	9
Schedule 73	67999	Stretch Reinforced Thin Walled Expanded Ptfе Vascular	1
Schedule 74	50400	Stretch Reinforced Thin Walled Expanded Ptfе Vascular	1
Schedule 75	62637	Vascular Tapes Blue	234
Schedule 76	62637	Vascular Tapes Red	234
Schedule 77	10090	Catheter Diagnostic Angiography Single Endhole Head Hunter 4f Or 5f 100cm	6
Schedule 78	64451	Sheath Guiding Vascular Access Braided Construction	4
Schedule 79	48338	Sheath Vascular Access With Non Reflux Access Valve	3

### **Balloon Angioplasty Catheter 0point035 Inch Guidewire Compatible Over The**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

#### **Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	15	45

**Balloon Angioplasty Catheter Drug Coated 0point014 Inch Guidewire Compatible**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	21	45

**Fibrin Sealant 2ml With Synthetic Aprotinin**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	3	45

**Disposable Percutaneous Entry Thin Wall One Piece Needle 18 Gauge 7point0 Cm**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	400	45

**Guidewire PTFE Coated J Tip 0point035 Inch Diameter At Least 260 Cm**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	60	45

### **Leur Lock Plastic Syringe Of 10ml Capacity**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	5000	45

### **PTEE Graft Stretch 7mmX50cm**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	2	45

### **Puncture Needle For Angiography 70 Mm 18G**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	600	45

### **Ringed Reinforced Thin Walled Expanded PTFE Vascular Grafts 6mm**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**



<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	2	45

### Self Expanding Nitinol Stents For Peripheral Angioplasty Assorted Sizes

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	6	45

### Sheath Guiding Vascular Access Braided Construction With Non Reflux

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****LUCKNOW	6	45

**Syringe Luer Lock Polycarbonate Construction For Use With Sclerosants Etc 10 MI**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****LUCKNOW	5000	45

**Syringe Luer Lock Polycarbonate Construction For Use With Sclerosants Etc. 20 MI**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****LUCKNOW	2000	45

**Sterile Adhesive Post Op Dressing Large**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	3000	45

### Balloon Angioplasty Catheter 0point014 Inch Guidewire Compatible Rapid Exchange

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	12	45

### Balloon Angioplasty Catheter 0point035 Inch Guidewire Compatible

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	15	45

**Balloon Angioplasty Catheter 0point 035 Inch Guidewire Compatible**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	21	45

**Balloon Mounted Covered Stent 8 To 10mmdia 40 To 80 Mm Length**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	3	45

**Balloon Mounted Covered Stents 5to 12 Mm Of Assorted Lengths**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	3	45

**Disposable Aortic Punch 4point0 Mm**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	2	45

**Distal Embolic Protection Device Point Filter Type**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	3	45

**Endovascular Snare For Retrieval Of Foreign Body From Small Vessels 0point018**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	5	45

### **Endovascular Snare For Retrieval Of Foreign Body From Small Vessels 0point035**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	5	45

### **Fogarty Embolectomy Catheters Size 4F**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**



<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	15	45

### **Fogarty Embolectomy Catheters Size 5F**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	15	45

### **Hydrophilic Angiography Catheter Multipurpose 4 Fr**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****LUCKNOW	27	45

**Hydrophilic Angiography Catheter Simmons 1to 4 Fr**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****LUCKNOW	24	45

**Hydrophilic Angiography Catheter Simmons 1to 5 Fr**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****LUCKNOW	24	45

**Sheath Guiding Vascular Access Braided Construction With Non**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	6	45

### Sheath Guiding Vascular Access Braided Construction With Non

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	6	45

### Stent Self Expanding Over The Wire Design Shaft Length

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	15	45

**Straight Braided Multipurpose Catheter 5 To 0 Fr 100 Cms Long No Side**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	21	45

**Stretch Reinforced Thin Walled Expanded PTFE Vascular Grafts 6mm X 70cm**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	2	45

**Stretch Reinforced Thin Walled Expanded PTFE Vascular Grafts 8mm X 70cm**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	2	45

**Vascular Tapes Blue**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	240	45

**Vascular Tapes Red**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	240	45

**Catheter Diagnostic Angiography Single Endhole Head Hunter 4F Or 5F 100cm**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	12	45

### **Sheath Guiding Vascular Access Braided Construction With Non Reflux**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	6	45

### **Sheath Vascular Access With Non Reflux Access Valve Sidearm With Three Way**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**



<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****LUCKNOW	6	45

### **Balloon Angioplasty Catheter 0point035 Inch Guidewire Compatible**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****LUCKNOW	10	45

### **Balloon Angioplasty Catheter Drug Coated 0point 014 Inch**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****LUCKNOW	15	45

**Bone Wax**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****LUCKNOW	200	45

**Fibrin Sealant 2ml With Synthetic Aprotinin**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****LUCKNOW	3	45

**Disposable Percutaneous Entry Thin Wall One Piece Needle**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	300	45

### Guidewire PTFE Coated J Tip 0point035 Inch Diameter At Least 260 Cm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	40	45

### Leur Lock Plastic Syringe Of 10ml Capacity

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	3000	45

**PTEE Graft Stretch 7mmX50cm**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	1	45

**Puncture Needle For Angiography 70 Mm 18G**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	540	45

**Ringed Reinforced Thin Walled Expanded PTFE Vascular Grafts 6mm**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	1	45

**Self Expanding Nitinol Stents For Peripheral Angioplasty Assorted Sizes**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	6	45

**Sheath Guiding Vascular Access Braided Construction With**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	4	45

**Syringe Luer Lock Polycarbonate Construction For Use With Sclerosants Etc 10 MI**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	5000	45

### **Syringe Luer Lock Polycarbonate Construction For Use With Sclerosants Etc 20 MI**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	2000	45

### **Sterile Adhesive Post Op Dressing Large**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**



<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	3000	45

### Balloon Angioplasty Catheter 0point014 Inch Guidewire

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	6	45

### Balloon Angioplasty Catheter 0point035 Inch Guidewire

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****LUCKNOW	8	45

**Balloon Angioplasty Catheter 0point035 Inch Guidewire**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****LUCKNOW	12	45

**Balloon Mounted Covered Stent 8 To 10mmdia 40to80 Mm Length**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****LUCKNOW	3	45

**Balloon Mounted Covered Stents 5to12 Mm Of Assorted Lengths**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	3	45

### Disposable Aortic Punch 4point0 Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	1	45

### Distal Embolic Protection Device Filter Type

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	2	45

**Endovascular Snare For Retrieval Of Foreign Body From**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	2	45

**Endovascular Snare For Retrieval Of Foreign Body From Small**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	2	45

**Fogarty Embolectomy Catheters Size 4F**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	10	45

**Fogarty Embolectomy Catheters Size 5F**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	8	45

**Hydrophilic Angiography Catheter Multipurpose 4 Fr**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	18	45

**Hydrophilic Angiography Catheter Simmons 1to 4 Fr**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	10	45

### Hydrophilic Angiography Catheter Simmons 1 To 5 Fr

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	10	45

### Sheath Guiding Vascular Access Braided Construction

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**



<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****LUCKNOW	4	45

### **Sheath Guiding Vascular Access Braided Construction With**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****LUCKNOW	4	45

### **Stent Self Expanding Over The Wire Design Shaft Length**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****LUCKNOW	6	45

**Straight Braided Multipurpose Catheter 5point0 Fr 100 Cms**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****LUCKNOW	9	45

**Stretch Reinforced Thin Walled Expanded PTFE Vascular**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	*****	*****LUCKNOW	1	45

**Stretch Reinforced Thin Walled Expanded PTFE Vascular**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	1	45

### Vascular Tapes Blue

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	234	45

### Vascular Tapes Red

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	234	45

**Catheter Diagnostic Angiography Single Endhole Head Hunter 4F Or 5F 100cm**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	6	45

**Sheath Guiding Vascular Access Braided Construction**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	4	45

**Sheath Vascular Access With Non Reflux Access Valve**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****LUCKNOW	3	45

**Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें****1. Generic**

**Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

**2. Generic**

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 3 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

### 3. **Generic**

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

### 4. **Generic**

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

### 5. **Generic**

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

### 6. **Generic**

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

### 7. **Generic**

**Manufacturer Authorization:**Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

### 8. **Generic**

**OPTION CLAUSE:** The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 50% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

### 9. **Generic**

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.

- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

#### 10. **Generic**

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

#### 11. **OEM**

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

#### 12. **Financial Criteria**

**NET WORTH:** Net Worth of the OEM should be positive as per the last audited financial statement.

#### 13. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

#### 14. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

1. *Only those bidders, who qualify in the technical evaluation stage, will proceed for financial evaluation. The bidders will upload all the certificates as required in the BBQR. None uploading of the requisite certificates by relevant authorities will render the bid, null and void.*
2. *Bidders will upload the BOQ compliance form as per format uploaded along with BBQR for the bid as per given format with authorized signatory with stamp. None uploading of these documents will make the bid liable for rejection.*
3. *The bidder/OEM should not be in contravention of GTC 26 or GFR 144(xi).*
4. *Point by point compliance to the uploaded BBQR/technical sheet shall be submitted by the bidders, failing which, their bid will not be considered for any further evaluation.*
5. *Decision of the technical evaluation committee (tec) will be final and binding on all the vendors. No offline representation will be entertained.*
6. *Supplier will undertake to replace unconsumed stock before three months of the expiry date of the items. Dealer will replace any stock found defective during shelf life.*
7. **EMD**
  - a) **Kindly Upload EMD A Validity of 180 Days+45 Days (with Bank Sign and Stamp)**
  - b) **Compulsory Upload EMD Copy on Gem Portal and Submit Hard Copy at CHCC DGLP Procurement Cell**
  - c) **If You Are Registered in Command Hospital Lucknow (CC) Upload Fresh EPBG Validity Expiry 2024-25 (A Validity of 180 Days+45 Days) For Exemption and (Submit Hard Copy within the Given Time)**



**e Period at CHCC DGLP PROCUREMENT CELL) Plz Upload The EMD/EPBG Submit/Receiving Copy**

**d) Do Not Upload Any Military Hospital/AFMSD/CH/BH Registration Letter for Exemption**

**e) MSME Valid Only Mfg. Pharmaceutical and Medical Product Code**

**f) EMD Is Required as You Are None Quoting Your Own Product. MSME Certificate Is Valid Are When You Are Manufactured of Item Being Quoted**

**8. In Case Of Any Discrepancy In Technical Specifications, Detailed Specifications As Mentioned In The BBQR Will Be Treated As Final.**

**9. All other terms and conditions as per dpm 2009 will also apply to the tender.**

**10. Physical Sample/Detailed Specification & Brochure to Be Uploaded Before Bid Opening Date for Evaluation as Pre-Dispatch Inspection before Technical Evaluation Committee. Please mention Sch No and Bid No in your submission letter.**

**Address for Delivery of Physical Samples**

**OIC Procurement Cell Medical Store**

**Command Hospital (Cc)**

**Lucknow-226002**

11. BBQR is attached in "buyer added bid specific atc" in the bid document>in case of any discrepancy in technical specifications, detailed specifications as mentioned in the BBQR will be treated as final.

.

**15. Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

**16. Turnover**

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

**17. Turnover**

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

## Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.**

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

---Thank You/धन्यवाद---

