



Bid Number/बोली क्रमांक (बिड संख्या)[:] GEM/2025/B/6146615 Dated/दिनांक : 17-04-2025

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण		
Bid End Date/Time/बिड बंद होने की तारीख/समय	08-05-2025 13:00:00	
Bid Opening Date/Time/बिंड खुलने की तारीख/समय	08-05-2025 13:30:00	
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	60 (Days)	
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Defence	
Department Name/विभाग का नाम	Department Of Military Affairs	
Organisation Name/संगठन का नाम	Indian Army	
Office Name/कार्यालय का नाम	******	
क्रेता ईमेल/Buyer Email	tabhishek.065f@gov.in	
Total Quantity/कुल मात्रा	62	
ltem Category/मद केटेगरी	PLUG , GASKET , LOCK , 36 BALL BEARING , BEARING , COVER , CONNECTOR 1 by 4 inch , CLAMP , CONNECTION , DISTRIBUTING VALVE	
GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS	PLUG, GASKET, LOCK, BALL BEARING, BEARING, COVER, CONNECTOR 1/4", CLAMP, CONNECTION, DISTRIBUTING VALVE	
	Searched String: PLUG Electrical Plug, Connector Mounting Hardware - Multi Plug, Plug Gauge, Fiber Optic Patch Cord, Rubber Plug, Lawn Mowers, Electrical Plugs (V2) ISI Marked to IS 1293, Ear Plugs as per IS 9167, Thread Plug Gauge, Mobile Containers For Solid Waste Conforming to IS 12402 Searched String: GASKET Gasket (BHEL), Spiral Wound Metallic Gasket, Shielding Gasket, Metal Jacketed Gasket, Grooved gasket, Gasket Sheet-IS:11149, Gasket and Packings - Compressed Asbestos Fibre Jointing as per IS 2712, Rubberized cork gasket, PTFE Non Metalic Gasket, Gasket sealing Compound Searched String: LOCK Lock Washer, Weight Lock, Squeegee Washer Wiper Mopper (V2), Pedestal Safety Lock, Padlock (General Use), Lock Stopper key, Fasteners - Single Coil Rectangular Section Spring Lock Washers as per IS 3063, Lock Nut (BHEL), Locking Compression Plates (V2), Wheel Tyre Lock Clamp	

Single Row Deep Groove Ball Bearings as per IS 6455, BEARING ISOLATOR, Spherical Roller Bearing as per IS 6455, BEARING ISOLATOR, Spherical Roller Bearing as per IS 6455, Bearing (BHEL), Cloth Dryer Stand, Bearing house, Cylindrical Roller Bearing as per IS 6455, Fan Bearing, Tapered Bearings as per IS 12102 Searched String: BEARING BEARING ISOLATOR, Ball Bearings as per IS 6455, Bearing (BHEL), Spherical Roller Bearing, Fan Bearing, Cloth Dryer Stand, Bush Bearing, Cloth Dryer Stand, Bush Bearing, Cylindrical Roller Bearing as per IS 6455, Bearing house, Tapered roller bearing, Fan Bearing, Cloth Dryer Stand, Bush Bearing, Cylindrical Roller Bearing as per IS 6455 GeMARPTS के खोजा जावा परिणाल / Searched Result generated in GeMARPTS Searched String: COVER Vehicle Cover, Sofas (V2), quilt cover, Cover Slip, File Folder Cover (V2), Camera Cover, medical staff shoe cover, Report Cover, Customised Envelopes, Battery Cover Searched String: CONNECTOR 1/4" Hose connector, Profibus Connector, Multipara Monitor - Low End, SMA connector, Profibus Connector, Multipara Monitor - Low End, SMA connector, Cardiopulmonary Bypass Connectors (V2), Connector Glass, BOD Incubator, N-(1-Naphthyl)ethylenediamine Searched String: CLAMP Burette Clamp, true rms clamp meter, SCAFFOLDING CLAMP, Labelling Machine, Pipe Clamps (V2), Towel Clamp as per IS 7893, Magnetic Earth Clamp, Substation Clamps / Connector, Soldering Clamp Holder, Bathroom or Toilet Mirror (V2) Searched String: CONNECTION Connection Pipe with Nuts (V2), RCB Connection Box for Telecommunication, Pigalis for Fiber Cable Connection, Electrical connection Lugs or thimbles, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), Laboratory Water Tap, HEAT 5HRINKABLE PVC SLEEVE FOR HIGH VOLTAGE BUSSABAS AND CONNECTIONS (BHEL), Syr	Searched String: BALL BEARING Bid Details/बिंड विवस्प		
BEARING ISOLATOR, Ball Bearings as per IS 6455, Bearing (BHEL), Spherical Roller Bearing, as per IS 6455, Bearing house, Tapered roller bearing, Fan Bearing, Cloth Dryer Stand, Bush Bearing, Cylindrical Roller Bearing as per IS 6455, Bearing house, Tapered roller bearing, Fan Bearing, Cloth Dryer Stand, Bush Bearing, Cylindrical Roller Bearing as per IS 6455 GeMARPTS		Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) as per IS 6455, Ball Bearings as per IS 6455, BEARING ISOLATOR, Spherical Roller Bearing as per IS 6455, Bearing (BHEL), Cloth Dryer Stand, Bearing house, Cylindrical Roller Bearing as per IS 6455, Fan Bearing, Tapered Bearings as	
(BHEL). Spherical Roller Bearing as per IS 6455, Bearing house, Tapered roller bearing, Fan Bearing, Cloth Dryer Stand, Bush Bearing, Cylindrical Roller Bearing as per IS 6455 GeMARPTS में खोज गया परिणम / Searched Result generated in GeMARPTS Vehicle Cover, Sofas (V2), quilt cover, Cover Slip, File Folder Cover (V2), Camera Cover, medical staff shoe cover, Report Cover, Customised Envelopes, Battery Cover Searched String: CONNECTOR 1/4" Hose connector, Profibus Connector, Cardiopulmonary Bypass Connectors, RCA connector, Multipara Monitor - Low End, SMA connector, Glass, BOD Incubator, N-(1-Naphthyl)ethylenediamine Searched String: CLAMP Burette Clamp, true rms clamp meter, SCAFFOLDING CLAMP, Labelling Machine, Pipe Clamps (V2), Towel Clamp as per IS 7893, Magnetic Earth Clamp, Substation Clamps / Connectors, Soldering Clamp Holder, Bathroom or Toilet Mirror (V2) Searched String: CONNECTION Connection Pipe with Nuts (V2), RCB Connection Box for Telecommunication, Pigtails for Fiber Cable Connection, Electrical connection Lugs or thimbles, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), Laboratory Water Tap, HEAT SHRINKABLE PVC SLEEVE FOR HIGH VOLTAGE BUSBARS AND CONNECTIONS(BHEL), Syringe Filter, Impact Of Jet Apparatus, Vortex Flow meter Searched String: DISTRIBUTING VALVE Needle Valve, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Sequence valve, Stuice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, General Purpose Ball Valves (V2), Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15559, Angle Regulated Lead Acid Batteries (V2) as per IS 15549, Angle Regulated Lead Acid Batteries (V2) as per IS 15549, Angle Regulated Lead Acid Batteries (V2) as per IS 15549, Angle Regulated Lead Acid Batteries (V2) as per IS 15549, Angle Regulated Lead Acid Batteries (V2) as per IS 15549, Angle Regulated Lead Acid Batteries (V2) as per IS 15549, Angle Regulated Lead Acid Batteries (V2) as Per IS 14846, General Purpose (S0 To 1200 Mm S		Searched String: BEARING	
Vehicle Cover, Sofas (V2), quilt cover, Cover Slip, File Folder Cover (V2), Camera Cover, medical staff shoe cover, Report Cover (V2), Camera Cover, medical staff shoe cover, Report Cover, Customised Envelopes, Battery Cover Searched String: CONNECTOR 1/4" Hose connector, Profibus Connector, Cardiopulmonary Bypass Connectors, RCA connector, Multipara Monitor - Low End, SMA connector, Cardiopulmonary Bypass Connectors (V2), Connector Glass, BoD Incubator, N-(1-Naphthyl)ethylenediamine Searched String: CLAMP Burette Clamp, true rms clamp meter, SCAFFOLDING CLAMP, Labelling Machine, Pipe Clamps (V2), Towel Clamp as per IS 7893, Magnetic Earth Clamp, Substation Clamps / Connectors, Soldering Clamp Holder, Bathroom or Toilet Mirror (V2) Searched String: CONNECTION Connection Pipe with Nuts (V2), RCB Connection Box for Telecommunication, Pigtalis for Fiber Cable Connection, Electrical connection Luga or thimbles, Sevo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), Laboratory Water Tap, HEAT SHRINKABLE PVC SLEEVE FOR HIGH VOLTAGE BUSBARS AND CONNECTIONS(BHEL), Syringe Filter, Impact Of Jet Apparatus, Vortex Flow meter Searched String: DISTRIBUTING VALVE Needle Valve, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Sequence valve, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2), Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Angle Seat Valve, Copper Alloy Gate Valve for Water Works Purposes (50 To 1200 Mm Size) (V2), Stationary Valve Regulated Lead Acid Batteries, V2) as per IS 15349, Angle Seat Valve, Copper Alloy Gate Valve for Water Works Purpose as per IS 778, Control Valve Pneumatic, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 778. All Terrain Tactical Hauler (Defence)		(BHEL), Spherical Roller Bearing as per IS 6455, Bearing house, Tapered roller bearing, Fan Bearing, Cloth Dryer Stand, Bush Bearing, Cylindrical Roller Bearing as per IS	
Searched String: CONNECTOR 1/4" Hose connector, Profibus Connector, Cardiopulmonary Bypass Connector, RCA connector, Multipara Monitor - Low End, SMA connector, Cardiopulmonary Bypass Connectors (V2), Connector Glass, BOD Incubator, N-(1- Naphthy)lethylenediamine Searched String: CLAMP Burette Clamp, true rms clamp meter, SCAFFOLDING CLAMP, Labelling Machine, Pipe Clamps (V2), Towel Clamp as per Is 7893, Magnetic Earth Clamp, Substation Clamps / Connectors, Soldering Clamp Holder, Bathroom or Toilet Mirror (V2) Searched String: CONNECTION Connection Pipe with Nuts (V2), RCB Connection Box for Telecommunication, Pigtails for Fiber Cable Connection, Electrical connection Lugs or thimbles, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), Laboratory Water Tap, HEAT SHRINKABLE PVC SLEEVE FOR HIGH VOLTAGE BUSBARS AND CONNECTIONS(BHEL), Syringe Filter, Impact Of Jet Apparatus, Vortex Flow meter Searched String: DISTRIBUTING VALVE Needle Valve, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Sequence valve, Sluice Valve For Water Works Purpose Ball Valves (V2), Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Angle Seat Valve, Copper Alloy Gate Valve for Vurser Purpose as per IS 778, Control Valve Pneumatic, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 778. Control Valve Pneumatic, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781 • All Terrain Tactical Hauler (Defence)	GeMARPTS में खोजा गया परिणाम / Searched	Searched String: COVER	
Hose connector, Profibus Connector, Cardiopulmonary Bypass Connectors, RCA connector, Multipara Monitor - Low End, SMA connector, Cardiopulmonary Bypass Connectors (V2), Connector Glass, BOD Incubator, N-(1-Naphthyl)ethylenediamine Searched String: CLAMP Burette Clamp, true rms clamp meter, SCAFFOLDING CLAMP, Labelling Machine, Pipe Clamps (V2), Towel Clamp as per IS 7893, Magnetic Earth Clamp, Substation Clamps / Connectors, Soldering Clamp Holder, Bathroom or Toilet Mirror (V2) Searched String: CONNECTION Connection Pipe with Nuts (V2), RCB Connection Box for Telecommunication, Pigtails for Fiber Cable Connection, Electrical connection Lugs or thimbles, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), Laboratory Water Tap, HEAT SHRINKABLE PVC SLEEVE FOR HIGH VOLTAGE BUSBARS AND CONNECTIONS(BHEL), Syringe Filter, Impact Of Jet Apparatus, Vortex Flow meter Searched String: DISTRIBUTING VALVE Needle Valve, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Sequence valve, Sluice Valve For Water Works Purpose 8all Valves (V2), Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Angle Seat Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Control Valve Pneumatic, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781 #All Terrain Tactical Hauler (Defence)	Result generated in GeMARPTS	Cover (V2), Camera Cover, medical staff shoe cover, Report	
Bypass Connectors, RCA connector, Multipara Monitor - Low End, SMA connector, Cardiopulmonary Bypass Connectors (V2), Connector Glass, BOD Incubator, N-(1-Naphthyl)ethylenediamine Searched String: CLAMP Burette Clamp, true rms clamp meter, SCAFFOLDING CLAMP, Labelling Machine, Pipe Clamps (V2), Towel Clamp as per IS 7893, Magnetic Earth Clamp, Substation Clamps / Connectors, Soldering Clamp Holder, Bathroom or Toilet Mirror (V2) Searched String: CONNECTION Connection Pipe with Nuts (V2), RCB Connection Box for Telecommunication, Pigtails for Fiber Cable Connection, Electrical connection Lugs or thimbles, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), Laboratory Water Tap, HEAT SHIKKABLE PVC SLEEVE FOR HIGH VOLTAGE BUSBARS AND CONNECTIONS(BHEL), Syringe Filter, Impact Of Jet Apparatus, Vortex Flow meter Searched String: DISTRIBUTING VALVE Needle Valve, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Sequence valve, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, General Purpose Ball Valves (V2), Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Angle Seat Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Control Valve Pneumatic, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781 * All Terrain Tactical Hauler (Defence)		Searched String: CONNECTOR 1/4"	
Burette Clamp, true rms clamp meter, SCAFFOLDING CLAMP, Labelling Machine, Pipe Clamps (V2), Towel Clamp as per IS 7893, Magnetic Earth Clamp, Substation Clamps / Connectors, Soldering Clamp Holder, Bathroom or Toilet Mirror (V2) Searched String: CONNECTION Connection Pipe with Nuts (V2), RCB Connection Box for Telecommunication, Pigtails for Fiber Cable Connection, Electrical connection Lugs or thimbles, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), Laboratory Water Tap, HEAT SHRINKABLE PVC SLEEVE FOR HIGH VOLTAGE BUSBARS AND CONNECTIONS(BHEL), Syringe Filter, Impact Of Jet Apparatus, Vortex Flow meter Searched String: DISTRIBUTING VALVE Needle Valve, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Sequence valve, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, General Purpose Ball Valves (V2), Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Angle Seat Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Control Valve Pneumatic, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781 strugtar & Riv चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification		Bypass Connectors, RCA connector, Multipara Monitor - Low End, SMA connector, Cardiopulmonary Bypass Connectors (V2), Connector Glass, BOD Incubator, N-(1-	
CLAMP, Labelling Machine, Pipe Clamps (V2), Towel Clamp as per IS 7893, Magnetic Earth Clamp, Substation Clamps / Connectors, Soldering Clamp Holder, Bathroom or Toilet Mirror (V2) Searched String: CONNECTION Connection Pipe with Nuts (V2), RCB Connection Box for Telecommunication, Pigtails for Fiber Cable Connection, Electrical connection Lugs or thimbles, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), Laboratory Water Tap, HEAT SHRINKABLE PVC SLEEVE FOR HIGH VOLTAGE BUSBARS AND CONNECTIONS(BHEL), Syringe Filter, Impact Of Jet Apparatus, Vortex Flow meter Searched String: DISTRIBUTING VALVE Needle Valve, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Sequence valve, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, General Purpose Ball Valves (V2), Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Angle Seat Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Control Valve Pneumatic, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781 #All Terrain Tactical Hauler (Defence)		Searched String: CLAMP	
Connection Pipe with Nuts (V2), RCB Connection Box for Telecommunication, Pigtails for Fiber Cable Connection, Electrical connection Lugs or thimbles, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), Laboratory Water Tap, HEAT SHRINKABLE PVC SLEEVE FOR HIGH VOLTAGE BUSBARS AND CONNECTIONS(BHEL), Syringe Filter, Impact Of Jet Apparatus, Vortex Flow meter Searched String: DISTRIBUTING VALVE Needle Valve, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Sequence valve, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, General Purpose Ball Valves (V2), Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Angle Seat Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Control Valve Pneumatic, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781 #िक्ष्मचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification • All Terrain Tactical Hauler (Defence)		CLAMP, Labelling Machine, Pipe Clamps (V2), Towel Clamp as per IS 7893, Magnetic Earth Clamp, Substation Clamps / Connectors, Soldering Clamp Holder, Bathroom or Toilet	
Telecommunication, Pigtails for Fiber Cable Connection, Electrical connection Lugs or thimbles, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), Laboratory Water Tap, HEAT SHRINKABLE PVC SLEEVE FOR HIGH VOLTAGE BUSBARS AND CONNECTIONS(BHEL), Syringe Filter, Impact Of Jet Apparatus, Vortex Flow meter Searched String: DISTRIBUTING VALVE Needle Valve, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Sequence valve, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, General Purpose Ball Valves (V2), Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Angle Seat Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Control Valve Pneumatic, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781 31 **Ettquar** Tactical Hauler** (Defence)		Searched String: CONNECTION	
Needle Valve, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Sequence valve, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, General Purpose Ball Valves (V2), Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Angle Seat Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Control Valve Pneumatic, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781 31 अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification • All Terrain Tactical Hauler (Defence)		Telecommunication, Pigtails for Fiber Cable Connection, Electrical connection Lugs or thimbles, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), Laboratory Water Tap, HEAT SHRINKABLE PVC SLEEVE FOR HIGH VOLTAGE BUSBARS AND CONNECTIONS(BHEL), Syringe Filter, Impact Of Jet Apparatus, Vortex Flow meter	
Batteries As Per IS 15549, Sequence valve, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, General Purpose Ball Valves (V2), Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Angle Seat Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Control Valve Pneumatic, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781 31 अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification • All Terrain Tactical Hauler (Defence)		Searched String: DISTRIBUTING VALVE	
Categories selected for notification		Batteries As Per IS 15549, Sequence valve, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, General Purpose Ball Valves (V2), Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Angle Seat Valve, Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Control Valve Pneumatic, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as	
BOQ Title/बीओक्यू शीर्षक MT SCANIA 0010	l "	All Terrain Tactical Hauler (Defence)	
	BOQ Title/बीओक्यू शीर्षक	MT SCANIA 0010	

Bid Details/बिड विवरण			
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	2 Year (s)		
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/	Yes		
Startup Exemption for Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes		
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria, Past Performance, Bidder Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer		
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	Yes		
Past Performance/विगत प्रदर्शन	10 %		
Bid to RA enabled/बिंड से रिवर्स नीलामी सक्रिय किया	No		
Type of Bid/बिंड का प्रकार	Two Packet Bid		
Primary product category	PLUG		
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days		
Inspection Required (By Empanelled Inspection Authority / Agencies preregistered with GeM)			
Evaluation Method/मूल्यांकन पद्धति	Item wise evaluation/		
Financial Document Required/वितीय दस्तावेज की आवश्यकता है।	Yes		
Arbitration Clause	No		
Mediation Clause	No		
EMD Detail/ईएमडी विवरण			
Required/आवश्यकता	No		
ePBG Detail/ईपीबीजी विवरण			
Required/आवश्यकता	No		
<u>L</u>			

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	No

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes

- 1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
- 2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
- 3. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
- 4. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
- 5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
- 6. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule.

The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Item/Category	Quantity
Schedule 1	Plug	10
Schedule 2	Gasket	35
Schedule 3	Lock	3
Schedule 4	36 Ball Bearing	2
Schedule 5	Bearing	2
Schedule 6	Cover	2
Schedule 7	Connector 1 By 4 Inch	2
Schedule 8	Clamp	3
Schedule 9	Connection	2
Schedule 10	Distributing Valve	1

PLUG

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	******	**********NORTH 24 PARAGANAS	10	45

GASKET

Specification Document	View File
BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	******	**********NORTH 24 PARAGANAS	35	45

LOCK

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	******	*********NORTH 24 PARAGANAS	3	45

36 BALL BEARING

Specification Document	View File
BOQ Detail Document	View File

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	******	**********NORTH 24 PARAGANAS	2	45

BEARING

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	**********NORTH 24 PARAGANAS	2	45

COVER

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	******	*********NORTH 24 PARAGANAS	2	45

CONNECTOR 1 By 4 Inch

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	******	*********NORTH 24 PARAGANAS	2	45

CLAMP

Specification Document	View File
BOQ Detail Document	View File

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	******	**********NORTH 24 PARAGANAS	3	45

CONNECTION

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<u>View File</u>
BOQ Detail Document	<u>View File</u>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*********NORTH 24 PARAGANAS	2	45

DISTRIBUTING VALVE

Specification Document	View File
BOQ Detail Document	View File

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	******	***********NORTH 24 PARAGANAS	1	45

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 50% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity \div Original quantity) \times Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

3. Buyer Added Bid Specific ATC

Buyer uploaded ATC document Click here to view the file.

4. Service & Support

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

5. Warranty

Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 3 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the

seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG). Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imberse the cost of such service / rectification to the Buyer.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

- 1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
- 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
- 4. Creating BoQ bid for single item.
- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
- 6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for <u>attached categories</u>, trials are allowed as per approved procurement policy of the buyer nodal Ministries)
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
- 11. Creating bid for items from irrelevant categories.
- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.
- 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद

पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---