

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	06-06-2025 14:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	06-06-2025 14:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	120 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Defence
Department Name/विभाग का नाम	Department Of Military Affairs
Organisation Name/संगठन का नाम	Indian Army
Office Name/कार्यालय का नाम	*****
क्रेता ईमेल/Buyer Email	quacks.vaccinias@nic.in
Total Quantity/कुल मात्रा	1915
Item Category/मद केटेगरी	Disposable Syringe 50ml , Bandage, Plaster of Paris 10 cm x 3 meters , Bandage, Plaster of Paris 15 cm x 3 meters , Dressing Medicated Gauze Paraffin, 10 cm x 10 cm, tin of 24 , Endotracheal tube size 5.00 mm , Endotracheal tube size 6.00 mm , Endotracheal tube size 2 cuffed , Endotracheal tube size 2.5 cuffed , Endotracheal tube size 3 cuffed , Endotracheal tube size 3.5 cuffed , Endotracheal tube size 4 cuffed , Endotracheal tube size 4.5 cuffed , Endotracheal tube size 5 cuffed , Endotracheal tube size 6 cuffed , ET Tube with cuffed size 5.5 , ECG Electrode , Disposable mucus extractors , Elastic Adhesive Bandage 10 cm x 4 by 6 m , Disposable Cord Clamp , Sterile Disposable Surgical Gown
GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS	Disposable Syringe 50ml, Bandage, Plaster of Paris 10 cm x 3 meters, Bandage, Plaster of Paris 15 cm x 3 meters, Dressing Medicated Gauze Paraffin, 10 cm x 10 cm, tin of 24, Endotracheal tube size 5.00 mm, Endotracheal tube size 6.00 mm, Endotracheal tube size 2 cuffed, Endotracheal tube size 2.5 cuffed, Endotracheal tube size 3 cuffed, Endotracheal tube size 3.5 cuffed, Endotracheal tube size 4 cuffed, Endotracheal tube size 4.5 cuffed, Endotracheal tube size 5 cuffed, Endotracheal tube size 6 cuffed, ET Tube with cuffed size 5.5, ECG Electrode, Disposable mucus extractors, Elastic Adhesive Bandage (10 cm x 4/6 m stretch length), Disposable Cord Clamp, Sterile Disposable Surgical Gown
	Searched String: Disposable Syringe 50ml Sterile Hypodermic Syringe (V3), Disposable Surgical Rubber

Bid Details/As per	Gloves (V2), Sterile Hypodermic Syringe for Manual use (V2), Disposable Syringes as per IS 10258, Nitrile Coated/Nitrile Hand Gloves (V2), Syringe Filter, Climbing Rope Nylon, Glacier Region (Defence), syringe pumps, Online UPS (V2), Insulin Syringe
	<p>Searched String: Bandage, Plaster of Paris 10 cm x 3 meters</p> <p>Plaster of Paris Bandage, Crepe Bandage (V2), Plaster of Paris Bandage (V2), Cotton Bandage Cloth (V2), crepe bandage, Pressure Sensitive Adhesive Plasticized PVC Tapes with Nonthermosetting Adhesive as per IS 7809 (Part 3 / Section 1), Elastic Bandage, Gamjee Rolls / Pads (V2), elastic zinc oxide adhesive bandage, Handloom Cotton Bed Sheets (V2) as per IS 745</p> <p>Searched String: Bandage, Plaster of Paris 15 cm x 3 meters</p> <p>Plaster of Paris Bandage, Crepe Bandage (V2), Plaster of Paris Bandage (V2), Cotton Bandage Cloth (V2), crepe bandage, Elastic Bandage, Gamjee Rolls / Pads (V2), Pressure Sensitive Adhesive Plasticized PVC Tapes with Nonthermosetting Adhesive as per IS 7809 (Part 3 / Section 1), elastic zinc oxide adhesive bandage, Handloom Cotton Bed Sheets (V2) as per IS 745</p> <p>Searched String: Dressing Medicated Gauze Paraffin, 10 cm x 10 cm, tin of 24</p> <p>Non Adherent Dressings (V2), gauze fabric paraffin gauze, Antimicrobial Dressing (V2), Plaster of Paris Bandage (V2), non adherent dressings sterile, Plain Gauze Swab, X-Ray Detectable Gauze Swab/Laparotomy Sponge (V2), X - Ray Detectable Absorbent Cotton Gauze, Handloom Cotton Bed Sheets (V2) as per IS 745, Foam Dressing</p> <p>Searched String: Endotracheal tube size 5.00 mm</p> <p>Endotracheal Tubes (V2), endotracheal tubes or reinforced endotracheal tube plain, Cast Iron Bench, Disposable Tracheostomy Tube (V2), Corrugated Boxes, endotracheal tubes, Non Sparking Ring Slugging Spanners (V2), endotracheal or tracheotomy sets et tube with tapered shaped cuff with subglottice suction, LCP 3.5mm Distal Medial Tibial Plate with corresponding screws, The Indian National Flag as per IS 1</p> <p>Searched String: Endotracheal tube size 6.00 mm</p> <p>endotracheal tubes or reinforced endotracheal tube plain, Endotracheal Tubes (V2), Cast Iron Bench, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Disposable Tracheostomy Tube (V2), endotracheal or tracheotomy sets et tube with tapered shaped cuff with subglottice suction, The Indian National Flag - Polyester, Pencil / Die Grinder (V2), The Indian National Flag as per IS 1, Non Sparking Ring Slugging Spanners (V2)</p> <p>Searched String: Endotracheal tube size 2 cuffed</p> <p>Endotracheal Tubes (V2), Television (TV) (V2), endotracheal tube cuffed for laser surgery, endotracheal tubes, Blood Sample Collection Tubes, Endotracheal Tube Cuff Manometer, Disposable Surgical Rubber Gloves -</p>

Bid Details/As per	Prepowdered as per IS 13422, endotracheal tubes or reinforced endotracheal tube plain, Sofa Set (Steel Tube), Magill's Pattern Endotracheal Tube Introducing Forceps
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>Searched String: Endotracheal tube size 2.5 cuffed</p>
	<p>Endotracheal Tubes (V2), endotracheal tube cuffed for laser surgery, endotracheal tubes or reinforced endotracheal tube plain, Disposable Surgical Rubber Gloves - Powdery as per IS 13422, shoes school pvc boys girls, Blood Sample Collection Tubes, endotracheal tubes, Minifuge, Disposable Tracheostomy Tube (V2), compressed asbestos fibre jointing sheet</p>
	<p>Searched String: Endotracheal tube size 3 cuffed</p> <p>Endotracheal Tubes (V2), endotracheal tube cuffed for laser surgery, endotracheal tubes, Blood Sample Collection Tubes, Endotracheal Tube Cuff Manometer, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), endotracheal tubes or reinforced endotracheal tube plain, Magill's Pattern Endotracheal Tube Introducing Forceps, Multifunction Machine MFM (V2), Disposable Double Lumen Endotracheal Tubes (V2)</p>
	<p>Searched String: Endotracheal tube size 3.5 cuffed</p> <p>Endotracheal Tubes (V2), endotracheal tube cuffed for laser surgery, endotracheal tubes or reinforced endotracheal tube plain, Blood Sample Collection Tubes, shoes school pvc boys girls, endotracheal tubes, Disposable Tracheostomy Tube (V2), Blood Collection Tube, Integrated Electrosurgical Unit and vessel sealer, LCP 3.5mm Distal Medial Tibial Plate with corresponding screws</p>
	<p>Searched String: Endotracheal tube size 4 cuffed</p> <p>Endotracheal Tubes (V2), File Folder Cover (V2), endotracheal tube cuffed for laser surgery, endotracheal tubes, Blood Sample Collection Tubes, Endotracheal Tube Cuff Manometer, File/Folder (V3), endotracheal tubes or reinforced endotracheal tube plain, Magill's Pattern Endotracheal Tube Introducing Forceps, Multifunction Machine MFM (V2)</p>
	<p>Searched String: Endotracheal tube size 4.5 cuffed</p> <p>Endotracheal Tubes (V2), endotracheal tube cuffed for laser surgery, endotracheal tubes or reinforced endotracheal tube plain, shoes school pvc boys girls, endotracheal tubes, Disposable Tracheostomy Tube (V2), Non Sparking Combination Spanners (V2), Non Sparking Ring Slugging Spanners (V2), Non Sparking Double Ended Ring Spanner (V2), Non Sparking Double Open Ended Spanner (V2)</p>
	<p>Searched String: Endotracheal tube size 5 cuffed</p> <p>Endotracheal Tubes (V2), Surgical Gloves as per IS 4148, endotracheal tube cuffed for laser surgery, endotracheal tubes, Disposable Surgical Rubber Gloves (V2), Endotracheal Tube Cuff Manometer, endotracheal tubes or reinforced endotracheal tube plain, File/Folder (V3), Magill's Pattern Endotracheal Tube Introducing Forceps, Single use Rubber Examination Gloves (V2)</p>
	<p>Searched String: Endotracheal tube size 6 cuffed</p>

Bid Details/As per	Endotracheal Tubes (V2), Surgical Gloves as per IS 4148, endotracheal tube cuffed for laser surgery, endotracheal tubes, Disposable Surgical Rubber Gloves (V2), Endotracheal Tube Cuff Manometer, endotracheal tubes or reinforced endotracheal tube plain, Single use Rubber Examination Gloves (V2), Magill's Pattern Endotracheal Tube Introducing Forceps, Disposable Double Lumen Endotracheal Tubes (V2)
	<p>Searched String: ET Tube with cuffed size 5.5</p> <p>Endotracheal Tubes (V2), Sofas (V2), endotracheal or tracheotomy sets et tube with tapered shaped cuff with subglottic suction, Thioacetamide, Entry and Mid Level Desktop Computer, Aerobic Drum Compost Plant of 5 TPD capacity with Sieving Trommel, Disposable Tracheostomy Tube (V2), 5 ml Sterile Hypodermic Syringe with Re-use Prevention (RUP) Feature for Universal Immunization Programme, All in One PC, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124</p> <p>Searched String: ECG Electrode</p> <p>ECG Electrodes (V2), Electrocardiography (ECG) Machine (V2), ECG Electrode Gel (V2), ecg chest suction bulb electrode, ECG RECORDING PAPER, ECG Electrodes, electrode solutions or creams or ecg jelly, Welding Rod for Manual Metal Arc Welding of Carbon and Carbon Manganese Steel as per IS 814, ECG Machine, electrocardiography ekg patch electrodes or disposable ecg electrodes</p> <p>Searched String: Disposable mucus extractors</p> <p>mucus extractors, Disposable Surgical Rubber Gloves (V2), Mucus Extractor, Soxhlet Extractors as per IS 10640, Disposable Surgical Rubber Gloves - Prepowdered as per IS 13422, Shorts Disposable, Disposable Bed Sheets for Health Care Facility, Disposable Cutlery, MEDICAL GOWNS - DISPOSABLE, Disposable Paper Cup</p> <p>Searched String: Elastic Adhesive Bandage (10 cm x 4/6 m stretch length)</p> <p>Crepe Bandage (V2), elastic zinc oxide adhesive bandage, Elastic Bandage, Zinc Oxide Elastic Self - Adhesive Bandage (V2), Plaster of Paris Bandage (V2), Cotton Bandage Cloth (V2)</p> <p>Searched String: Disposable Cord Clamp</p> <p>Umbilical Cord Clamp (V2), Fiber Optic Patch Cord, umbilical cord clamps, Detonating Cord, Disposable Surgical Rubber Gloves (V2), SCAFFOLDING CLAMP, Disposable Surgical Rubber Gloves - Prepowdered as per IS 13422, Burette Clamp, true rms clamp meter, Pipe Clamps (V2)</p> <p>Searched String: Sterile Disposable Surgical Gown</p> <p>Surgical Gowns, Disposable Surgical Rubber Gloves (V2), Surgical Drapes-Disposable, Disposable Surgical Rubber Gloves - Prepowdered as per IS 13422, Disposable Surgical Rubber Gloves, MEDICAL GOWNS - DISPOSABLE, Surgical Drapes - Disposable (V2), Surgical Drapes, surgical isolation or surgical masks, Sterile Hypodermic Syringe (V3)</p>

Bid Details/बिड विवरण	
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> Endotracheal Tubes (V2)
BOQ Title/बीओक्यू शीर्षक	MEDICAL SURGICAL ITEMS
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	2 Year (s)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	<p>Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,Compliance of BoQ specification and supporting document</p> <p>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer</p>
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Past Performance/विगत प्रदर्शन	30 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Endotracheal tube size 5.00 mm
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Estimated Bid Value/अनुमानित बिड मूल्य	122334.4
Evaluation Method/मूल्यांकन पद्धति	Item wise evaluation/
Arbitration Clause	No
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
4. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 30% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Estimated Value	Item/Category	Quantity
Schedule 1	2500	Disposable Syringe 50ml	100
Schedule 2	3720	Bandage, Plaster Of Paris 10 Cm X 3 Meters	60
Schedule 3	4080	Bandage, Plaster Of Paris 15 Cm X 3 Meters	60
Schedule 4	45000	Dressing Medicated Gauze Paraffin, 10 Cm X 10 Cm, Tin Of 24	75
Schedule 5	480	Endotracheal Tube Size 5.00 Mm	15
Schedule 6	900	Endotracheal Tube Size 6.00 Mm	15
Schedule 7	1950	Endotracheal Tube Size 2 Cuffed	30
Schedule 8	1950	Endotracheal Tube Size 2.5 Cuffed	30
Schedule 9	1950	Endotracheal Tube Size 3 Cuffed	30
Schedule 10	1950	Endotracheal Tube Size 3.5 Cuffed	30
Schedule 11	1935	Endotracheal Tube Size 4 Cuffed	30
Schedule 12	2069.70	Endotracheal Tube Size 4.5 Cuffed	30
Schedule 13	1950	Endotracheal Tube Size 5 Cuffed	30
Schedule 14	2099.7	Endotracheal Tube Size 6 Cuffed	30
Schedule 15	1950	Et Tube With Cuffed Size 5.5	30
Schedule 16	5400	Ecg Electrode	900
Schedule 17	1200	Disposable Mucus Extractors	60
Schedule 18	12000	Elastic Adhesive Bandage 10 Cm X 4 By 6 M	60
Schedule 19	3000	Disposable Cord Clamp	150
Schedule 20	26250	Sterile Disposable Surgical Gown	150

Disposable Syringe 50ml

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/प्रेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****THIRUVANANTHAPU RAM CITY	100	30

Bandage, Plaster Of Paris 10 Cm X 3 Meters

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****THIRUVANANTHAPU RAM CITY	60	30

Bandage, Plaster Of Paris 15 Cm X 3 Meters

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****THIRUVANANTHAPU RAM CITY	60	30

Dressing Medicated Gauze Paraffin, 10 Cm X 10 Cm, Tin Of 24

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****THIRUVANANTHAPU RAM CITY	75	30

Endotracheal Tube Size 5.00 Mm

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****THIRUVANANTHAPU RAM CITY	15	30

Endotracheal Tube Size 6.00 Mm

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****THIRUVANANTHAPU RAM CITY	15	30

Endotracheal Tube Size 2 Cuffed

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****THIRUVANANTHAPU RAM CITY	30	30

Endotracheal Tube Size 2.5 Cuffed

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****THIRUVANANTHAPU RAM CITY	30	30

Endotracheal Tube Size 3 Cuffed

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****THIRUVANANTHAPU RAM CITY	30	30

Endotracheal Tube Size 3.5 Cuffed

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****THIRUVANANTHAPU RAM CITY	30	30

Endotracheal Tube Size 4 Cuffed

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****THIRUVANANTHAPU RAM CITY	30	30

Endotracheal Tube Size 4.5 Cuffed

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****THIRUVANANTHAPU RAM CITY	30	30

Endotracheal Tube Size 5 Cuffed

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****THIRUVANANTHAPU RAM CITY	30	30

Endotracheal Tube Size 6 Cuffed

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****THIRUVANANTHAPU RAM CITY	30	30

ET Tube With Cuffed Size 5.5

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****THIRUVANANTHAPU RAM CITY	30	30

ECG Electrode

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****THIRUVANANTHAPU RAM CITY	900	30

Disposable Mucus Extractors

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****THIRUVANANTHAPU RAM CITY	60	30

Elastic Adhesive Bandage 10 Cm X 4 By 6 M

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****THIRUVANANTHAPU RAM CITY	60	30

Disposable Cord Clamp

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****THIRUVANANTHAPU RAM CITY	150	30

Sterile Disposable Surgical Gown

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****THIRUVANANTHAPU RAM CITY	150	30

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action

in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा

जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---