



Bid Number/बोली क्रमांक (बिड संख्या)[:] GEM/2025/B/6113260 Dated/दिनांक : 07-04-2025

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण		
Bid End Date/Time/बिड बंद होने की तारीख/समय	21-04-2025 15:00:00	
Bid Opening Date/Time/बिड खुलने की तारीख/समय	21-04-2025 15:30:00	
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	120 (Days)	
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Petroleum And Natural Gas	
Department Name/विभाग का नाम	Na	
Organisation Name/संगठन का नाम	Hindustan Petroleum Corporation Ltd	
Office Name/कार्यालय का नाम	Petroleum House	
क्रेता ईमेल/Buyer Email	vikash.srivastava@hpcl.in	
Total Quantity/कुल मात्रा	129	
Item Category/मद केटेगरी	Revolving Chair (V4) (Q2), Office Chair (V3) (Q2), Sofas (V2) (Q3), Modular Table / Meeting Table / Centre Table (V2) (Q2), Cafeteria Chair (Q2), Executive Table (V3) (Q2), Stainless Steel Shelf Rack (Q3), Steel Bookcases confirming to IS 7761 (V2) (Q2), Steel Filing Cabinets for General Office Purpose (V2) as per IS 3313 (Q2)	
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No	
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No	
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria, Certificate (Requested in ATC), Additional Doc 1 (Requested in ATC), Additional Doc 2 (Requested in ATC), Additional Doc 3 (Requested in ATC), Additional Doc 4 (Requested in ATC), Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer	
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No	
Bid to RA enabled/बिंड से रिवर्स नीलामी सक्रिय किया	No	
Type of Bid/बिंड का प्रकार	Two Packet Bid	

Bid Details/बिड विवरण	
Primary product category	Revolving Chair (V4)
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Arbitration Clause	No
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाईजरी बैंक	ICICI
EMD Amount/ईएमडी राशि	70000

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	ICICI
ePBG Percentage(%)/ईपीबीजी प्रतिशत (%)	5.00
Duration of ePBG required (Months)/ईपीबीजी की अपेक्षित अवधि (महीने).	21

- (a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।
- (b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी:

Chief Manager- Commercial Please refer tender docs for details. (Hindustan Petroleum Corporation Limited)

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
Mil Purchase Preference/एमआइआइ खराद वरायता	TES

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes

- 1. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.
- OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
- 2. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents
- 3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Pre Bid Detail(s)

l	Pre-Bid Date and Time	Pre-Bid Venue	
l			
l			
l			
l			
l			l
l			ı

Topic: Pre-bid VS VRPL FURNITURE Time: Apr 14, 2025 11:00 AM India Join Zoom Meeting https://hpcl-in.zoom.us/j/98298827907? pwd=H1xWrK6Cjw8cuzNyg1faNJKBywnua5.1 More Ways to join: Web Browser - https://hpcl-in.zoom.us/j/98298827907? pwd=H1xWrK6Cjw8cuzNyg1faNJKBywnua5.1 Meeting ID: 982 9882 7907 Passcode: 301735 One tap mobile +911164802722,,98298827907#,,,,*301735# India +912264802722,,98298827907#,,,,*301735# India Join by Telephone For higher quality, dial a number based on your current location. +91 116 480 2722 India 14-04-2025 11:00:00 +91 226 480 2722 India +91 22 71 279 525 India +91 406 480 2722 India +91 446 480 2722 India +91 806 480 2722 India +91 80 71 279 440 India Meeting ID: 982 9882 7907 Passcode: 301735 Find your local number: https://hpcl-in.zoom.us/u/aepbNXCxp8 Join by SIP 98298827907@zoomcrc.com Or Join by H.323 115.114.131.7 (India Mumbai) 115.114.115.7 (India Hyderabad) Meeting ID: 982 9882 7907 Passcode: 301735

Revolving Chair (V4) (2 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
GENERAL REQUIREMENT	Type of chair	High Back	
UNDERSTRUCTURE	Tilt mechanism	Active bio synchro mechanism, Front pivot synchro til mechanism Or higher	

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
	Locking mechanism	Tilt limiter, 3 Position locking, 4 Position locking, 5 Position locking, Multi position locking Or higher	
	Seat depth adjustment	Adjustable Or higher	
	Revolving mechanism	Designed with 360 degree-revolving type	
	Pedestal base	Aluminium die cast	
	Minimum thickness (in mm) of MS Plate Joining the backrest with seat of the chair	2.0 - 6.0 Or higher (millimeter)	
SEAT	Seat material	PU foam	
	Density of PU used in seat (kg per cubic meter)	>40<=50	
	Thickness of PU used in seat (mm)	>40<=50	
	Minimum seat height from floor surface (mm)	>400<=500	
	Width of seat (mm)	>400<=450	
	Depth of seat (mm)	>400<=450	
	Seat upholstery material	Leather	
BACKREST Backrest type		Flexi back Or higher	
	Backrest height	Adjustable Or higher	
	Backrest support type	Contoured back / Without lumber support	
	Backrest base frame material	Mild steel frame	
	Density of PU used in backrest (kg per cubic meter)	>40<=50	
	Thickness of PU used in backrest (mm)	>30<=40	
	Width of backrest (mm)	>450<=500	
	Backrest height from the seat level	>550	
	Backrest upholstery material	Leather	
ARMREST	Armrest type and arm movement	Adjustable (up and down)	
WARRANTY	Warranty period in number of years	5 Or higher (year)	

Additional Specification Parameters - Revolving Chair (V4) (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Please refer line 1 and 20 of tender Scope of Job-SOQ for details. Qty 1 each for both lines. HPCL PO will be issued accordingly.	Please refer line 1 and 20 of tender Scope of Job-SOQ for details. Qty 1 each for both lines. HPCL PO will be issued accordingly.

^{*} Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Yadla Teja	530014,Hindustan Petroleum Corp Ltd. VVSPL, VR-ATP AREA, NAVAL BASE POST, VISAKHAPATNAM - 530014 A.P	1	60
Kolanu Venkata Lakshmana Surya Krishnateja S30014,Visakh Raipur Pipeline Project, Visakh Dispatch Station, VR ATP AREA , NAVAL BASE POST, VISAKHAPATNAM - 530014		1	60	

Office Chair (V3) (3 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
GENERAL REQUIREMENT	Chair type	Non-revolving and non-tilting chair with armrest	
UNDERSTRUCTURE	Chair understructure type	Cantilever	
	Understructure material	Stainless steel (SS 202)	
	The shape of tubular section of understructure	Round	
	Section Size (Diameter/Sides) of understructure	25 mm	

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Understructure wall thickness (mm)	2
	Castor	No
SEAT	Seat material	Moulded PU
	Density of PU used in seat (kg per cubic meter)	>40<=50
	Thickness of PU used in seat (mm)	>40<=50
	Minimum seat height from floor surface (mm)	>400<=500
	Width of seat (mm)	>450
	Depth of seat (mm)	>450
	Seat upholstery material	Leather
BACKREST	Backrest base frame material	Hot pressed plywood
	Backrest material	PU foam
	Density of PU used in backrest (kg per cubic meter)	>40<=50
	Thickness of PU used in backrest (mm)	>40<=50
	Width of backrest (mm)	>450
	Backrest height from the seat level	>450<=550
	Backrest upholstery material	Leather
ARMREST	Armrest type	Continuous armrest
	Armrest movement	Fixed
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher (year)

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kolanu Venkata Lakshmana Surya Krishnateja	530014,Visakh Raipur Pipeline Project, Visakh Dispatch Station, VR ATP AREA , NAVAL BASE POST, VISAKHAPATNAM - 530014	3	60

Sofas (V2) (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अईता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का	Bid Requirement/बिड के लिए आवश्यक (Allowed
Specification	नाम	Values)/अनुमत मूल्य
GENERIC	Total Number of Seats in the Sofa Set	3
	Number of Single Seater Units (Nos)	No Single Seater Unit
	Number of Two Seater Units (Nos)	No Two Seater Unit
	Number of Three Seater Units (Nos)	1
	Number of Four Seater Units (Nos)	No Four Seater Unit
	Frame Covering	Fully Upholstered
	Sofa Set is Foldable to use as bed	No
	Backrest Cushion Material	Foam
	Density of Cushion of Backrest Material (Kg/Cubic M)	20
	Covering Material for Seat and Backrest	Leatherite
MATERIAL	Frame Structure Material and size (±1 mm)	18 mm thick Teak Plywood
	Seat Cushion Material	Foam
	Density of Cushion of Seat Material ±3 (Kg/Cubic M)	35
	Type of Spring in the Base / Seating	Web suspension

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
DIMENSION	Length of Single Seater Units in mm (±5 mm)	N.A
	Length of Two Seater Units in mm (±10 mm)	N.A
	Length of Three Seater Units in mm (±10 mm)	1750
	Length of Four Seater Units in mm (±10 mm)	N.A
	Depth of Sofa Units in mm (±10 mm)	800
	Sofa Height (Without Back Cushion) ±5 (mm)	550.0 (millimeter)
	Sofa Height (With Back Cushion) ±5 mm	970.0 (millimeter)
	Seat Cushion Length ±5 (mm)	1580
	Seat Cushion Width ±5 (mm)	530
	Seat Cushion Thickness ±3 (mm)	150
	Backrest Cushion Length ±5 (mm)	1630
	Backrest Cushion Width ±5 (mm)	425
WARRANTY	Warranty	1 - Year

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kolanu Venkata Lakshmana Surya Krishnateja	530014, Visakh Raipur Pipeline Project, Visakh Dispatch Station, VR ATP AREA, NAVAL BASE POST, VISAKHAPATNAM - 530014	1	60

Sofas (V2) (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Total Number of Seats in the Sofa Set	1
	Number of Single Seater Units (Nos)	1
	Number of Two Seater Units (Nos)	No Two Seater Unit
	Number of Three Seater Units (Nos)	No Three Seater Unit
	Number of Four Seater Units (Nos)	No Four Seater Unit
	Frame Covering	Fully Upholstered
	Sofa Set is Foldable to use as bed	No
	Backrest Cushion Material	Foam
	Density of Cushion of Backrest Material (Kg/Cubic M)	20
	Covering Material for Seat and Backrest	Leatherite
MATERIAL	Frame Structure Material and size (±1 mm)	18 mm thick Teak Plywood
	Seat Cushion Material	Foam
	Density of Cushion of Seat Material ±3 (Kg/Cubic M)	35
	Type of Spring in the Base / Seating	Web suspension
DIMENSION	Length of Single Seater Units in mm (±5 mm)	800
	Length of Two Seater Units in mm (±10 mm)	N.A
	Length of Three Seater Units in mm (±10 mm)	N.A
	Length of Four Seater Units in mm (±10 mm)	N.A
	Depth of Sofa Units in mm (±10 mm)	800

Specification	Specification Name/विशिष्टि का नाम Bid Requirement/बिंड के लिए आवश्यक (Values)/अनुमत मूल्य	
	Sofa Height (Without Back Cushion) ±5 (mm)	550.0 (millimeter)
Sofa Height (With Back Cushion) ±5 mm Seat Cushion Length ±5 (mm) Seat Cushion Width ±5 (mm) 530		970.0 (millimeter)
		545
		530
	Seat Cushion Thickness ±3 (mm)	150
	Backrest Cushion Length ±5 (mm)	530
	Backrest Cushion Width ±5 (mm)	425
WARRANTY	Warranty	1 - Year

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kolanu Venkata Lakshmana Surya Krishnateja	530014,Visakh Raipur Pipeline Project, Visakh Dispatch Station, VR ATP AREA , NAVAL BASE POST, VISAKHAPATNAM - 530014	1	60

Modular Table / Meeting Table / Centre Table (V2) (2 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
Understructure	Material Type of Table Understructure	Wooden/Engineer Wood Understructure	

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Support Type of Table Understructure	Gable
	Material of Table Understructure	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	NA
	Thickness of Metal Legs Cross Section	NA
	Thickness of Wooden Leg / Gable (Tolerance ±2 mm)	18 mm
	Availability of modesty panel	No
Table Top	Table Top Material Type	Glass Or higher
	Availability of Table top edge	Yes
	Thickness of Table Top Edge (Tolerance ±5 mm)	25 mm
	Table Top Edges	Straight
	Length of Table Top (Tolerance ±50 mm)	900 mm
	Depth of Table Top (Tolerance ±20 mm)	900 mm
	Height of Table Top Adjustable	No
Pedestal	Availability of Pedestal / Storage Unit	Yes
Colour and Warranty	Warranty period (in number of months)	12, 24, 36, 48 Or higher (month)

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
-------------------	--	-------------	-----------------	---------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kolanu Venkata Lakshmana Surya Krishnateja	530014,Visakh Raipur Pipeline Project, Visakh Dispatch Station, VR ATP AREA , NAVAL BASE POST, VISAKHAPATNAM - 530014	2	60

Revolving Chair (V4) (6 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Type of chair	High Back
UNDERSTRUCTURE	Tilt mechanism	Active bio synchro mechanism, Front pivot synchro tilt mechanism Or higher
	Locking mechanism	Tilt limiter, 3 Position locking, 4 Position locking, 5 Position locking, Multi position locking Or higher
	Seat depth adjustment	Adjustable Or higher
	Revolving mechanism	Designed with 360 degree-revolving type
	Pedestal base	Aluminium die cast
	Minimum thickness (in mm) of MS Plate Joining the backrest with seat of the chair	2.0 - 6.0 Or higher (millimeter)
SEAT Seat material		PU foam
	Density of PU used in seat (kg per cubic meter)	>40<=50
	Thickness of PU used in seat (mm)	>40<=50
	Minimum seat height from floor surface (mm)	>400<=500
	Width of seat (mm)	>400<=450
	Depth of seat (mm)	>400<=450
	Seat upholstery material	Leatherette
BACKREST Backrest type Flexi back Or higher Adjustable Or higher		Flexi back Or higher
		Adjustable Or higher

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
	Backrest support type	Contoured back / Without lumber support	
	Backrest base frame material	Mild steel frame	
Density of PU used in backrest (kg per cubic meter) Thickness of PU used in backrest (mm)		>40<=50	
		>40<=50	
	Width of backrest (mm)	>450<=500	
	Backrest height from the seat level	>550	
Backrest upholstery material		Leatherette	
ARMREST Armrest type and arm movement		Adjustable (up and down)	
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher (year)	

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kolanu Venkata Lakshmana Surya Krishnateja	530014, Visakh Raipur Pipeline Project, Visakh Dispatch Station, VR ATP AREA, NAVAL BASE POST, VISAKHAPATNAM - 530014	6	60

Office Chair (V3) (12 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Chair type	Non-revolving and non-tilting chair with armrest
UNDERSTRUCTURE	Chair understructure type	Cantilever
	Understructure material	Stainless steel (SS 202)
	The shape of tubular section of understructure	Round
	Section Size (Diameter/Sides) of understructure	25 mm
	Understructure wall thickness (mm)	2
	Castor	No
SEAT	Seat material	PU foam
	Density of PU used in seat (kg per cubic meter)	>40<=50
	Thickness of PU used in seat (mm)	>40<=50
	Minimum seat height from floor surface (mm)	>400<=500
	Width of seat (mm)	>450
	Depth of seat (mm)	>450
	Seat upholstery material	Leatherette
BACKREST	Backrest base frame material	Hot pressed plywood
	Backrest material	PU foam
	Density of PU used in backrest (kg per cubic meter)	>40<=50
	Thickness of PU used in backrest (mm)	>40<=50
	Width of backrest (mm)	>450
	Backrest height from the seat level	>450<=550
	Backrest upholstery material	Leatherette
ARMREST	Armrest type	Continuous armrest
	Armrest movement	Fixed
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher (year)

S.No. सं.	Consignee /क्र. Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kolanu Venkata Lakshmana Surya Krishnateja	530014, Visakh Raipur Pipeline Project, Visakh Dispatch Station, VR ATP AREA, NAVAL BASE POST, VISAKHAPATNAM - 530014	12	60

Sofas (V2) (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
GENERIC	Total Number of Seats in the Sofa Set	3	
	Number of Single Seater Units (Nos)	No Single Seater Unit	
	Number of Two Seater Units (Nos)	No Two Seater Unit	
	Number of Three Seater Units (Nos)	1	
Number of Four Seater No F		No Four Seater Unit	
	Frame Covering	Fully Upholstered	
	Sofa Set is Foldable to use as bed	No	
	Backrest Cushion Material	Foam	
	Density of Cushion of Backrest Material (Kg/Cubic M)	32	
	Covering Material for Seat and Backrest	Leatherite	
MATERIAL Frame Structure Material 18 mm thick Teak Plywood and size (±1 mm)		18 mm thick Teak Plywood	

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Seat Cushion Material	Foam
	Density of Cushion of Seat Material ±3 (Kg/Cubic M)	35
	Type of Spring in the Base / Seating	Web suspension
DIMENSION	Length of Single Seater Units in mm (±5 mm)	N.A
	Length of Two Seater Units in mm (±10 mm)	N.A
	Length of Three Seater Units in mm (±10 mm)	1750
	Length of Four Seater Units in mm (±10 mm)	N.A
	Depth of Sofa Units in mm (±10 mm)	800
	Sofa Height (Without Back Cushion) ±5 (mm)	430.0 (millimeter)
	Sofa Height (With Back Cushion) ±5 mm	790.0 (millimeter)
	Seat Cushion Length ±5 (mm)	640
	Seat Cushion Width ±5 (mm)	495
	Seat Cushion Thickness ±3 (mm)	210
	Backrest Cushion Length ±5 (mm)	1050
	Backrest Cushion Width ±5 (mm)	508
WARRANTY	Warranty	1 - Year

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
-------------------	--	-------------	-----------------	---------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kolanu Venkata Lakshmana Surya Krishnateja	530014,Visakh Raipur Pipeline Project, Visakh Dispatch Station, VR ATP AREA , NAVAL BASE POST, VISAKHAPATNAM - 530014	1	60

Sofas (V2) (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Name/विशिष्टि का नाम		Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Total Number of Seats in the Sofa Set	1
	Number of Single Seater Units (Nos)	1
	Number of Two Seater Units (Nos)	No Two Seater Unit
	Number of Three Seater Units (Nos)	No Three Seater Unit
	Number of Four Seater Units (Nos)	No Four Seater Unit
	Frame Covering	Fully Upholstered
	Sofa Set is Foldable to use as bed	No
	Backrest Cushion Material	Foam
	Density of Cushion of Backrest Material (Kg/Cubic M)	32
	Covering Material for Seat and Backrest	Leatherite
MATERIAL	Frame Structure Material and size (±1 mm)	18 mm thick Teak Plywood
	Seat Cushion Material	Foam
	Density of Cushion of Seat Material ±3 (Kg/Cubic M)	35
	Type of Spring in the Base / Seating	Web suspension

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
DIMENSION	Length of Single Seater Units in mm (±5 mm)	800
	Length of Two Seater Units in mm (±10 mm)	N.A
	Length of Three Seater Units in mm (±10 mm)	N.A
	Length of Four Seater Units in mm (±10 mm)	N.A
	Depth of Sofa Units in mm (±10 mm)	800
	Sofa Height (Without Back Cushion) ±5 (mm)	430.0 (millimeter)
	Sofa Height (With Back Cushion) ±5 mm	790.0 (millimeter)
	Seat Cushion Length ±5 (mm)	545
	Seat Cushion Width ±5 (mm)	495
	Seat Cushion Thickness ±3 (mm)	210
	Backrest Cushion Length ±5 (mm)	800
	Backrest Cushion Width ±5 (mm)	508
WARRANTY	Warranty	1 - Year

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kolanu Venkata Lakshmana Surya Krishnateja	530014,Visakh Raipur Pipeline Project, Visakh Dispatch Station, VR ATP AREA , NAVAL BASE POST, VISAKHAPATNAM - 530014	1	60

Revolving Chair (V4) (16 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
GENERAL REQUIREMENT	Type of chair	Mid Back	
UNDERSTRUCTURE	Tilt mechanism	Knee tilt Synchronic mechanism, Synchronic tilt mechanism, Tilt working with torsion bar mechanism, Active bio synchro mechanism, Front pivot synchro tilt mechanism Or higher	
	Locking mechanism	4 Position locking, 5 Position locking, Multi position locking Or higher	
	Seat depth adjustment	Adjustable, Fixed type Or higher	
	Revolving mechanism	Designed with 360 degree-revolving type	
	Pedestal base	Glass filled nylon	
Minimum thickness (in mm) of MS Plate Joining the backrest with seat of the chair		2.0 - 6.0 Or higher (millimeter)	
SEAT	Seat material	PU foam	
	Density of PU used in seat (kg per cubic meter)	>40<=50	
	Thickness of PU used in seat (mm)	>40<=50	
	Minimum seat height from floor surface (mm)	>400<=500	
	Width of seat (mm)	>450<=500	
	Depth of seat (mm)	>450<=500	
	Seat upholstery material	Polyester fabric	
BACKREST	Backrest type	Flexi back Or higher	
	Backrest height	Fixed, Adjustable Or higher	
	Backrest support type	Adjustable lumber support	
	Backrest base frame material	Injection moulded plastic	
	Density of PU used in backrest (kg per cubic meter)	NA	
	Thickness of PU used in backrest (mm)	NA	
	Width of backrest (mm)	>400<=450	

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Backrest height from the seat level	>550
	Backrest upholstery material	Mesh fabrics
ARMREST	Armrest type and arm movement	Adjustable (up and down)
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher (year)

Additional Specification Parameters - Revolving Chair (V4) (16 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Please refer line 10 and 22 of tender Scope of Job-SOQ for details. Qty 8 each for both lines. HPCL PO will be issued accordingly.	Please refer line 10 and 22 of tender Scope of Job-SOQ for details. Qty 8 each for both lines. HPCL PO will be issued accordingly.

^{*} Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Yadla Teja	530014,Hindustan Petroleum Corp Ltd. VVSPL, VR-ATP AREA, NAVAL BASE POST, VISAKHAPATNAM - 530014 A.P	8	60
2	Kolanu Venkata Lakshmana Surya Krishnateja	530014,Visakh Raipur Pipeline Project, Visakh Dispatch Station, VR ATP AREA , NAVAL BASE POST, VISAKHAPATNAM - 530014	8	60

Office Chair (V3) (16 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
GENERAL REQUIREMENT	Chair type	Non-revolving and non-tilting chair with armrest	
UNDERSTRUCTURE	Chair understructure type	Cantilever	
	Understructure material	ERW tube conforming to IS : 1161 latest	
	The shape of tubular section of understructure	Round	
	Section Size (Diameter/Sides) of understructure	25 mm	
	Understructure wall thickness (mm)	2	
	Castor	No	
SEAT	Seat material	PU foam	
	Density of PU used in seat (kg per cubic meter)	>40<=50	
	Thickness of PU used in seat (mm)	>30<=40	
	Minimum seat height from floor surface (mm)	>400<=500	
	Width of seat (mm)	>450	
	Depth of seat (mm)	>450	
	Seat upholstery material	Polyester fabric	
BACKREST Backrest base frame material		Mild steel frame	
	Backrest material	Mesh	
	Density of PU used in backrest (kg per cubic meter)	NA	
	Thickness of PU used in backrest (mm)	NA	
	Width of backrest (mm)	>450	
	Backrest height from the seat level	>550	
	Backrest upholstery material	Mesh fabrics	
ARMREST	Armrest type	Overhanging armrest	
	Armrest movement	Fixed	
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher (year)	

11 .	Consignee o./क्र. सं. परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kolanu Venkata Lakshmana Surya Krishnateja	530014,Visakh Raipur Pipeline Project, Visakh Dispatch Station, VR ATP AREA , NAVAL BASE POST, VISAKHAPATNAM - 530014	16	60

Modular Table / Meeting Table / Centre Table (V2) (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य		
Understructure Material Type of Table Understructure		Metal Understructure		
	Support Type of Table Understructure	Leg		
	Material of Table Understructure	Mild Steel, Aluminium Or higher		
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm		
	Thickness of Metal Legs Cross Section	1.0 mm, 2.0 mm		
	Thickness of Wooden Leg / Gable (Tolerance ±2 mm)	NA		
Availability of modesty panel		No		
Table Top	Table Top Material Type	MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply Or higher		
Availability of Table to edge		Yes		
Thickness of Table Top Edge (Tolerance ±5 mm)		25 mm		
Table Top Edges Cham		Chamfered		

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
	Length of Table Top (Tolerance ±50 mm)	1800 mm	
Depth of Table Top (Tolerance ±20 mm)		1200 mm	
	Height of Table Top Adjustable	No	
Pedestal	Availability of Pedestal / Storage Unit	No	
Colour and Warranty	Warranty period (in number of months)	12, 24, 36, 48 Or higher (month)	

S	5.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1		Kolanu Venkata Lakshmana Surya Krishnateja	530014,Visakh Raipur Pipeline Project, Visakh Dispatch Station, VR ATP AREA , NAVAL BASE POST, VISAKHAPATNAM - 530014	1	60

Modular Table / Meeting Table / Centre Table (V2) (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

terial Type of Table	
derstructure	Metal Understructure
pport Type of Table derstructure	Leg
terial of Table lerstructure	Mild Steel, Aluminium Or higher
) H	port Type of Table erstructure erial of Table

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm
Thickness of Metal Legs Cross Section Thickness of Wooden Leg / Gable (Tolerance ±2 mm)		1.0 mm, 2.0 mm
		NA
	Availability of modesty panel	No
Table Top Material Type Availability of Table top edge Thickness of Table Top Edge (Tolerance ±5 mm) Table Top Edges		MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply Or higher
		Yes
		25 mm
		Chamfered
	Length of Table Top (Tolerance ±50 mm)	1200 mm
	Depth of Table Top (Tolerance ±20 mm)	1200 mm
	Height of Table Top Adjustable	No
Pedestal	Availability of Pedestal / Storage Unit	No
Colour and Warranty	Warranty period (in number of months)	12, 24, 36, 48 Or higher (month)

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kolanu Venkata Lakshmana Surya Krishnateja	530014,Visakh Raipur Pipeline Project, Visakh Dispatch Station, VR ATP AREA , NAVAL BASE POST, VISAKHAPATNAM - 530014	1	60

Cafeteria Chair (16 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अईता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Shape of the Cafeteria Chair Seat	Square
	Chair Armrest	Without Armrest
Material	Material of Chair Seat	Moulded Plastic
	Seat with Cushion	No
	Thickness of Cushion for Seat	0.0 - 150.0 Or higher (millimeter)
	Density of Seat Cushion Kg/m^3	0.0 - 50.0 Or higher
	Upholstery Material of Seat	Not Applicable
	Material of Chair Back	Moulded Plastic
	Back with Cushion	No
	Thickness of Cushion for Back	0.0 - 150.0 Or higher (millimeter)
	Density of Back Cushion Kg/m^3	0.0 - 50.0 Or higher
	Upholstery Material of Back	Not Applicable
	Material of the Chair Under structure	MS Powder Coated
Dimensions	Height of Chair Seat from ground with a tolerance of ± 10 mm	450.0 - 600.0 Or higher (millimeter)
	Overall Height of Chair from ground with a tolerance of ± 10 mm	845.0 - 1100.0 Or higher (millimeter)
Warranty	Warranty Period	1, 2, 3 Or higher (year)

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kolanu Venkata Lakshmana Surya Krishnateja	530014, Visakh Raipur Pipeline Project, Visakh Dispatch Station, VR ATP AREA, NAVAL BASE POST, VISAKHAPATNAM - 530014	16	60

Modular Table / Meeting Table / Centre Table (V2) (8 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Understructure	Material Type of Table Understructure	Metal Understructure
	Support Type of Table Understructure	Leg
	Material of Table Understructure	Mild Steel, Aluminium Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm
	Thickness of Metal Legs Cross Section	1.2 mm
	Thickness of Wooden Leg / Gable (Tolerance ±2 mm)	NA
	Availability of modesty panel	No
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply Or higher
	Availability of Table top edge	Yes
	Thickness of Table Top Edge (Tolerance ±5 mm)	25 mm
	Table Top Edges	Straight
	Length of Table Top (Tolerance ±50 mm)	1200 mm
	Depth of Table Top (Tolerance ±20 mm)	600 mm
	Height of Table Top Adjustable	No

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Pedestal	Availability of Pedestal / Storage Unit	Yes
Colour and Warranty	Warranty period (in number of months)	12, 24, 36, 48 Or higher (month)

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kolanu Venkata Lakshmana Surya Krishnateja	530014,Visakh Raipur Pipeline Project, Visakh Dispatch Station, VR ATP AREA , NAVAL BASE POST, VISAKHAPATNAM - 530014	8	60

Revolving Chair (V4) (8 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
GENERAL REQUIREMENT	Type of chair	Mid Back	
UNDERSTRUCTURE	Tilt mechanism	Center tilt mechanism, Knee tilt mechanism, Knee tilt Synchronic mechanism, Synchronic tilt mechanism, Tilt working with torsion bar mechanism, Active bio synchro mechanism, Front pivot synchro tilt mechanism Or higher	
	Locking mechanism	Upright locking, Tilt limiter, 3 Position locking, 4 Position locking, 5 Position locking, Multi position locking Or higher	
	Seat depth adjustment	Adjustable, Fixed type Or higher	
	Revolving mechanism	Designed with 360 degree-revolving type	
	Pedestal base	Glass filled nylon	

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Minimum thickness (in mm) of MS Plate Joining the backrest with seat of the chair	2.0 - 6.0 Or higher (millimeter)
SEAT	Seat material	PU foam
	Density of PU used in seat (kg per cubic meter)	>40<=50
	Thickness of PU used in seat (mm)	>40<=50
	Minimum seat height from floor surface (mm)	>400<=500
	Width of seat (mm)	>450<=500
	Depth of seat (mm)	>400<=450
	Seat upholstery material	Polyester fabric
BACKREST	Backrest type	Flexi back, Fixed type Or higher
	Backrest height	Fixed, Adjustable Or higher
	Backrest support type	Contoured back / Without lumber support
	Backrest base frame material	Hot pressed plywood
	Density of PU used in backrest (kg per cubic meter)	>40<=50
	Thickness of PU used in backrest (mm)	>40<=50
	Width of backrest (mm)	>450<=500
	Backrest height from the seat level	>450<=550
	Backrest upholstery material	Polyester fabric
ARMREST	Armrest type and arm movement	Fixed
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher (year)

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kolanu Venkata Lakshmana Surya Krishnateja	530014,Visakh Raipur Pipeline Project, Visakh Dispatch Station, VR ATP AREA , NAVAL BASE POST, VISAKHAPATNAM - 530014	8	60

Modular Table / Meeting Table / Centre Table (V2) (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अईता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Understructure	Material Type of Table Understructure	Wooden/Engineer Wood Understructure
	Support Type of Table Understructure	Gable
	Material of Table Understructure	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	NA
	Thickness of Metal Legs Cross Section	NA
	Thickness of Wooden Leg / Gable (Tolerance ±2 mm)	18 mm
	Availability of modesty panel	Yes
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply Or higher
	Availability of Table top edge	Yes
	Thickness of Table Top Edge (Tolerance ±5 mm)	25 mm
	Table Top Edges	Straight
	Length of Table Top (Tolerance ±50 mm)	1500 mm
	Depth of Table Top (Tolerance ±20 mm)	750 mm
	Height of Table Top Adjustable	No

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Pedestal	Availability of Pedestal / Storage Unit	Yes
Colour and Warranty	Warranty period (in number of months)	12, 24, 36, 48 Or higher (month)

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kolanu Venkata Lakshmana Surya Krishnateja	530014,Visakh Raipur Pipeline Project, Visakh Dispatch Station, VR ATP AREA , NAVAL BASE POST, VISAKHAPATNAM - 530014	1	60

Office Chair (V3) (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Chair type	Non-revolving and non-tilting chair with armrest
UNDERSTRUCTURE	Chair understructure type	Cantilever
	Understructure material	ERW tube conforming to IS : 1161 latest
	The shape of tubular section of understructure	Round
	Section Size (Diameter/Sides) of understructure	25 mm
	Understructure wall thickness (mm)	2
	Castor	No

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
SEAT	Seat material	PU foam
	Density of PU used in seat (kg per cubic meter)	>40<=50
	Thickness of PU used in seat (mm)	>30<=40
	Minimum seat height from floor surface (mm)	>400<=500
	Width of seat (mm)	>400<=450
	Depth of seat (mm)	>400<=450
	Seat upholstery material	Polyester fabric
BACKREST	Backrest base frame material	Hot pressed plywood
	Backrest material	PU foam
	Density of PU used in backrest (kg per cubic meter)	>40<=50
	Thickness of PU used in backrest (mm)	>30<=40
	Width of backrest (mm)	>400<=450
	Backrest height from the seat level	>450<=550
	Backrest upholstery material	Polyester fabric
ARMREST	Armrest type	Moulded armrest continuously fitted with seat and back
	Armrest movement	Fixed
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher (year)

Consignee S.No./क्र. सं. परेषिती/रिपोर्टिंग अधिकारी	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
---	-----------------	---------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kolanu Venkata Lakshmana Surya Krishnateja	530014,Visakh Raipur Pipeline Project, Visakh Dispatch Station, VR ATP AREA , NAVAL BASE POST, VISAKHAPATNAM - 530014	1	60

Office Chair (V3) (4 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Chair type	Non-revolving and non-tilting chair without armrest
UNDERSTRUCTURE	Chair understructure type	Legs
	Understructure material	ERW tube conforming to IS: 1161 latest
	The shape of tubular section of understructure	Round
	Section Size (Diameter/Sides) of understructure	25 mm
	Understructure wall thickness (mm)	2
Castor		No
SEAT Seat material		PU foam
	Density of PU used in seat (kg per cubic meter)	>40<=50
	Thickness of PU used in seat (mm)	>40<=50
	Minimum seat height from floor surface (mm)	>400<=500
	Width of seat (mm)	>400<=450
	Depth of seat (mm)	>400<=450
	Seat upholstery material	Polyester fabric
BACKREST	Backrest base frame material	Hot pressed plywood
Backrest material		PU foam

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Density of PU used in backrest (kg per cubic meter)	>40<=50
	Thickness of PU used in backrest (mm)	>40<=50
	Width of backrest (mm)	<=400
	Backrest height from the seat level	>=350<=450
	Backrest upholstery material	Polyester fabric
ARMREST	Armrest type	Without Armrest
	Armrest movement	Without armrests
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher (year)

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kolanu Venkata Lakshmana Surya Krishnateja	530014, Visakh Raipur Pipeline Project, Visakh Dispatch Station, VR ATP AREA, NAVAL BASE POST, VISAKHAPATNAM - 530014	4	60

Revolving Chair (V4) (4 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Type of chair	High Back

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
UNDERSTRUCTURE	Tilt mechanism	Knee tilt Synchronic mechanism, Synchronic tilt mechanism, Active bio synchro mechanism, Front pivot synchro tilt mechanism Or higher
	Locking mechanism	Tilt limiter, 3 Position locking, 4 Position locking, 5 Position locking, Multi position locking Or higher
	Seat depth adjustment	Adjustable Or higher
	Revolving mechanism	Designed with 360 degree-revolving type
	Pedestal base	Mild steel chrome plated, Aluminium die cast
	Minimum thickness (in mm) of MS Plate Joining the backrest with seat of the chair	2.0 - 6.0 Or higher (millimeter)
SEAT	Seat material	PU foam
	Density of PU used in seat (kg per cubic meter)	>40<=50
	Thickness of PU used in seat (mm)	>40<=50
	Minimum seat height from floor surface (mm)	>400<=500, >500
	Width of seat (mm)	>400<=450, >500
	Depth of seat (mm)	>400<=450, >450<=500
	Seat upholstery material	Leatherette, Leather
BACKREST	Backrest type	Flexi back Or higher
	Backrest height	Fixed, Adjustable Or higher
	Backrest support type	Contoured back / Without lumber support
	Backrest base frame material	Mild steel frame, Hot pressed plywood
	Density of PU used in backrest (kg per cubic meter)	>40<=50
	Thickness of PU used in backrest (mm)	>30<=40, >40<=50
	Width of backrest (mm)	>450<=500
	Backrest height from the seat level	>450<=550, >550
	Backrest upholstery material	Leatherette, Leather
	Upholstered material backrest colour	Black
ARMREST	Armrest type and arm movement	Adjustable (up and down), Fixed

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher (year)

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kolanu Venkata Lakshmana Surya Krishnateja	530014,Visakh Raipur Pipeline Project, Visakh Dispatch Station, VR ATP AREA , NAVAL BASE POST, VISAKHAPATNAM - 530014	4	60

Executive Table (V3) (8 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Table Understructure	Material Type of Table Understructure	Wooden/Engineer Wood Understructure
	Material of Table Understructure	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
	Availability of modesty panel	Yes
Generic	Type of Executive Table	Executive Table with Pedestal / Side Storage Unit
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply Or higher
	Table Top Thickness (Tolerance ±5 mm)	25 mm
	Length of Table Top (Tolerance ±50 mm)	1650 mm
	Depth of Table Top (Tolerance ±20 mm)	600 mm

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Height of Table Top Adjustable	No
ERU	Positioning of ERU wrt to Table Top	Left Hand Side, Right Hand Side
	Material Type of ERU	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
	Width of ERU (Extended Return Unit) (Tolerance ±20 mm)	900 mm
	Depth of ERU (Extended Return Unit) (Tolerance ±20 mm)	450 mm
	Material of Door in ERU	Particle Board
Keyboard Tray	Availability of Keyboard Tray	No
Colour and Warranty	Warranty period (in number of months)	12, 24, 36, 48 Or higher (month)

Additional Specification Parameters - Executive Table (V3) (8 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)	
Trident Middle Main Desk with ERU- LHS	Trident Middle Main Desk with ERU- LHS 4 nos. Please refer tender Scope of Job line no. 23 of SOQ for details.	
Trident Middle Main Desk with ERU - RHS	Trident Middle Main Desk with ERU - RHS 4 Nos. Please refer tender Scope of Job line no. 24 of SOQ for details.	

^{*} Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती /रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Yadla Teja	530014,Hindustan Petroleum Corp Ltd. VVSPL, VR-ATP AREA, NAVAL BASE POST, VISAKHAPATNAM - 530014 A.P	4	60

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
2	Kolanu Venkata Lakshmana Surya Krishnateja	530014,Visakh Raipur Pipeline Project, Visakh Dispatch Station, VR ATP AREA , NAVAL BASE POST, VISAKHAPATNAM - 530014	4	60

Stainless Steel Shelf Rack (6 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
GENERIC	Configuration	With 5-Shelf (including top shelf)	
	Shape of support structure	Angle post	
	Ground clearance (mm)	50 mm	
	Mode of supply	Assembled Ready To Use	
MATERIAL &	Shelf material	Stainless Steel Grade 304 galvanized	
MATERIAL THICKNESS	Shelf material thickness	1.5 mm	
	Support structure material	Stainless Steel Grade 304 galvanized	
Support structure material thickness		1.5 mm	
DIMENSION	Width of shelf rack ± 10 mm	1145 mm	
	Depth of shelf rack ± 10 mm	460 mm	
	Height of shelf rack ± 10 mm	1675 mm	
	Height of support structure ± 10 mm	1720 mm	
	Size of support structure	35 mm x 40 mm	
WARRANTY	Warranty period	3 - Year	
CERTIFICATION	Test report to be furnished to buyer on demand	No	

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kolanu Venkata Lakshmana Surya Krishnateja	530014,Visakh Raipur Pipeline Project, Visakh Dispatch Station, VR ATP AREA , NAVAL BASE POST, VISAKHAPATNAM - 530014	6	60

Steel Bookcases Confirming To IS 7761 (V2) (2 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
STANDARDS AND CERTIFICATIONS	Governing Standard	Conformity to IS 7761
MATERIAL AND FINISH REQUIREMENTS	Mild Steel Sheets	Grade 0 of IS 513

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kolanu Venkata Lakshmana Surya Krishnateja	530014,Visakh Raipur Pipeline Project, Visakh Dispatch Station, VR ATP AREA , NAVAL BASE POST, VISAKHAPATNAM - 530014	2	60

Steel Filing Cabinets For General Office Purpose (V2) As Per IS 3313 (8 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
GENERAL	Type of steel filing cabinets	Four - drawer type	
REQUIREMENT	Type of drawer suspension	Ball-slide	
MATERIAL	Steel sheet material	Cold-reduced carbon steel sheet conforming to CR0 grade of IS 513:2016 (with the latest amendment)	
	Cradle strips material	Mild steel cadmium plated	
LOCKS	Lock type	CAM lock	
DIMENSION	Overall height from finished floor level to top of the cabinet including pedestal	1320 mm (for four drawer types)	
COLOUR AND FINISH Product colour		Grey	
	Finish with	Epoxy polyester powder coated to the thickness of 50(+/-10)microns	
TESTING AND	BIS marked	No	
CERTIFICATION	Availability of test reports from AHSP /NABL /ILAC accredited or Central Government Lab to prove the conformity of products to the specification	No	
	Test reports to be furnished to buyer on demand, if claimed to be available	NA	

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Kolanu Venkata Lakshmana Surya Krishnateja	530014,Visakh Raipur Pipeline Project, Visakh Dispatch Station, VR ATP AREA , NAVAL BASE POST, VISAKHAPATNAM - 530014	8	60

Buyer added Bid Specific Additional Scope of Work

S.No.क्र.सं	Document Title	Description	Applicable/रिवर्स प्रभार के अनुसार जीएसटी i.r.o. Items
1	Scope of Job and Tender specifications View	Scope of Job and Tender specifications	Sofas (V2)(1),Sofas (V2)(1),Sofas (V2)(1),Sofas (V2)(1),Stainless Steel Shelf Rack(6),Steel Filing Cabinets For General Office Purpose (V2) As Per IS 3313(8)

The uploaded document only contains Buyer specific Additional Scope of Work and / or Drawings for the bid items added with due approval of Buyer's competent authority. Buyer has certified that these additional scope and drawings are generalized and would not lead to any restrictive bidding.

Special terms and conditions-Version:1 effective from 18-06-2024 for category Revolving Chair (V4)

1.

Special Terms and Conditions

- 1. The colours for the Seat and Back, are specified based on the procurement done by various buyers on GeM.
- 2. Sellers are advised to refrain from uploading any catalogue selecting image colour other than the option chosen for the catalogue, as available in the category. Any mismanagement of this will be treated seriously as per GeM policies.
- 3. In case buyer requires to buy any other colour not covered in the category, same may be specified under additional parameters while creating the bid. The colours mentioned in the additional parameters by the buyer in the bid shall prevail over the colours indicated in the catalogue.
- 4. Sellers are advised to check the complete bid document while offering their prices.

Special terms and conditions-Version:1 effective from 25-06-2024 for category Office Chair (V3)

1.

Special Terms and Conditions

- 1. The colours for the Seat and Back, are specified based on the procurement done by various buyers on GeM.
- 2. Sellers are advised to refrain from uploading any catalogue selecting image colour other than the option chosen for the catalogue, as available in the category. Any mismanagement of this will be treated seriously as per GeM policies.
- 3. In case buyer requires to buy any other colour not covered in the category, same may be specified under additional parameters while creating the bid. The colours mentioned in the additional parameters by the buyer in the bid shall prevail over the colours indicated in the catalogue.
- 4. Sellers are advised to check the complete bid document while offering their prices.

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity \div Original quantity) \times Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original

delivery period while exercising the option clause. Bidders must comply with these terms.

2. Generic

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

3. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

4. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Please refer the detailed item description mentioned in the tender SOJ and accordingly submit your bid.

Bidders to note that HPCL's WARRANTY/PERFORMANCE GUARANTEE clause shall supersede the relevant clause mentioned in GeM bid under each item specification column.

5. Buyer Added Bid Specific ATC

Buyer uploaded ATC document Click here to view the file.

6. Generic

Buyer Organization specific Integrity Pact shall have to be complied by all bidders. Bidders shall have to upload scanned copy of signed integrity pact as per Buyer organizations policy along with bid. Click here to view the file

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

- 1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
- 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
- 4. Creating BoQ bid for single item.
- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
- 6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for <u>attached categories</u>, trials are allowed as per approved procurement policy of the buyer nodal Ministries)
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export

experience.

- 11. Creating bid for items from irrelevant categories.
- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.
- 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---