

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	08-05-2025 15:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	08-05-2025 15:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	90 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Defence
Department Name/विभाग का नाम	Department Of Military Affairs
Organisation Name/संगठन का नाम	Indian Army
Office Name/कार्यालय का नाम	*****
क्रेता ईमेल/Buyer Email	pao1.mod.ambikapur@gembuyer.in
Total Quantity/कुल मात्रा	5924
Item Category/मद केटेगरी	UPVC 2 inch Socket , UPVC 2 inch Elbow , UPVC 2 inch Union , UPVC 2 inch FTA , UPVC 2 inch Tee , UPVC 2 inchx 1inch Bush , UPVC 1 inch Valve , UPVC 2 inch Valve , UPVC 1 inch Scket , UPVC 1.25 inch Socket , UPVC 1 inch x 0.5 inch Bush , M seal 100 gmx10 , Araldite 90Gm , CPVC Solvent 100 MI , UPVC Solvent 100 MI , Ball Cock 1.25 inch size , UPVC 2 inch x 1.25 inch Reducer Socket , UPVC 1.25 inch FTA , UPVC 1.25 inch Elbow , UPVC 1.25 inch Valve , UPVC 2 inch End cap , Topline tape , 2inch Clamp , KANTI 3 inch STEEL KHILA , 1 inch UPVC Elbow , 1 inch CPVC UNION , Spental seiko , Spental ceramic , UPVC 1 inch Tee , UPVC 1 inch Pipe 3 Mtr , UPVC 2 inch Pipe 3 Mtr , Garden Pipe 1 inch , UPVC 3 inch Band PVC 75 MM , 3 inch Tee PVC , Health faucet , Jet Spray , Seat cover parryware , UPVC 2 inch Shoe , 4 inch Railing Jali , 4 inch Hole Drain Cover Jali , Connecting Pipe , Sink Waste Pipe Best Quality , Sink Waste Cupling , White Cement 1 Kg , PVC Pipe 4 inch 3 Mtr , 4 inch Bend , 4 inch Tee , 4 inch socket , 4 inch X 3 inch R Shocket , 4 inch shoo , 2 inch X1.5 inch R Shocket , 2 inch x 0.5 inch R Shocket , 0.5 inch Valve , 0.5 inch UPVC Pipe 3 Mtr , Shop Case Steel , 0.5 Elbow , 0.5 Tee , 0.5 Shocket , 0.5 FTA Brass , 0.5 M.A.A Brass , 4 inch Cowl , 0.5 Clip , 1 inch Clip , Sisten Handale , Nahani Trap , 1.4 inch Rigit Pipe , 1.4 inch Rigit Elbow , 1.4 inch Rigit Tee , 1.4 inch Socket , 1.4 inch FTA

Bid Details/बिड विवरण	
GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS	<p>UPVC 2 inch Socket, UPVC 2 inch Elbow, UPVC 2 inch Union, UPVC 2 inch FTA, UPVC 2 inch Tee, UPVC 2 inchx 1inch Bush, UPVC 1 inch Valve, UPVC 2 inch Valve, UPVC 1 inch Scket, UPVC 1.25 inch Socket, UPVC 1 inch x 0.5 inch Bush, M-seal (100 gmx10), Araldite (90Gm), CPVC Solvent (100 MI), UPVC Solvent (100 MI), Ball Cock 1.25 inch size, UPVC 2 inch x 1.25 inch Reducer Socket, UPVC 1.25 inch FTA, UPVC 1.25 inch Elbow, UPVC 1.25 inch Valve, UPVC 2 inch End cap, Topline tape, 2inch Clamp, KANTI 3 inch STEEL KHILA, 1 inch UPVC Elbow, 1 inch CPVC UNION, Spandal seiko, Spandal ceramic, UPVC 1 inch Tee, UPVC 1 inch Pipe (3 Mtr), UPVC 2 inch Pipe (3 Mtr), Garden Pipe (1 inch), UPVC 3 inch Band PVC 75 MM, 3 inch Tee PVC, Health faucet, Jet Spray, Seat cover parryware, UPVC 2 inch Shoe, 4 inch Railing Jali, 4 inch Hole Drain Cover/Jali , Connecting Pipe, Sink Waste Pipe (Best Quality), Sink Waste Cupling, White Cement (1 Kg), PVC Pipe 4 inch (3 Mtr), 4 inch Bend, 4 inch Tee, 4 inch socket, 4 inch X 3 inch R Shocket, 4 inch shoo, 2 inch X1.5 inch R Shocket, 2 inch x 0.5 inch R Shocket, 0.5 inch Valve, 0.5 inch UPVC Pipe (3 Mtr), Shop Case (Steel), 0.5 Elbow, 0.5 Tee, 0.5 Shocket, 0.5 FTA Brass, 0.5 M.A.A Brass, 4 inch Cowl, 0.5 Clip, 1 inch Clip, Sisten Handale, Nahani Trap, 1.4 inch Rigit Pipe, 1.4 inch Rigit Elbow, 1.4 inch Rigit Tee, 1.4 inch Socket, 1.4 inch FTA</p>
	<p>Searched String: UPVC 2 inch Socket</p> <p>Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Television (TV) (V2), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Malleable Cast Iron Pipe Fittings (V2) as per IS 1879, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, UPVC (Unplasticized Polyvinyl Chloride) Window, Self Watering Tree guard, General Purpose Ball Valves (V2), Electrical Box Extension (V3), CPVC Industrial Pipe Fittings, Schedule 80</p> <p>Searched String: UPVC 2 inch Elbow</p> <p>Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Television (TV) (V2), Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, General Purpose Ball Valves (V2), CPVC Industrial Pipe Fittings, Schedule 80, Elbow Pipe Fitting, Forged or Rolled Alloy And Stainless Steel Pipe Fitting, General Purpose Hand Gloves (V2), Cordless Brushless Impact Wrench (ONGC), Hand Operated Hydraulic Pipe Bender</p> <p>Searched String: UPVC 2 inch Union</p> <p>Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Television (TV) (V2), Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, CPVC Industrial Pipe Fittings, Schedule 80, General Purpose Ball Valves (V2), Forged or Rolled Alloy And Stainless Steel Pipe Fitting, UPVC (Unplasticized Polyvinyl Chloride) Window, Self Watering Tree guard, General Purpose Hand Gloves (V2), Cordless Brushless Impact Wrench (ONGC)</p> <p>Searched String: UPVC 2 inch FTA</p>

Bid Details/As per	Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Television (TV) (V2), UPVC (Unplasticized Polyvinyl Chloride) Window, General Purpose Ball Valves (V2), Self Watering Tree guard, CPVC Industrial Pipe Fittings, Schedule 80, General Purpose Hand Gloves (V2), Hand Operated Hydraulic Pipe Bender, Cordless Brushless Impact Wrench (ONGC), Interactive Panels with CPU
	<p>Searched String: UPVC 2 inch Tee</p> <p>Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Television (TV) (V2), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), CPVC Industrial Pipe Fittings, Schedule 80, Sprinkler Pipes (Part 2) Fitting, Quick Coupled Polyethylene Pipes Fittings as per IS 14151, General Purpose Ball Valves (V2), General Purpose Hand Gloves (V2), Cordless Brushless Impact Wrench (ONGC), Hand Operated Hydraulic Pipe Bender, Interactive Panels with CPU</p> <p>Searched String: UPVC 2 inchx 1inch Bush</p> <p>Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), UPVC (Unplasticized Polyvinyl Chloride) Window, Disposable Surgical Rubber Gloves - Prepowdered as per IS 13422, Stainless Steel Hose, Self Watering Tree guard, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Line Interactive UPS with AVR (V2), HIV Rapid Test Kits, Chemical Splash Proof Goggle</p> <p>Searched String: UPVC 1 inch Valve</p> <p>Small Sized Valve Regulated Lead Acid Batteries as per IS Jisc 8702 - 1, General Purpose Ball Valves (V2), General Purpose Lead - Acid Batteries (Valve Regulated Types) Prismatic Design as per IS 16220 (Part 1), Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Safety Cap for Self Closing Valves of LPG Cylinders (V2), Interactive Panels with CPU, Self Watering Tree guard, Television (TV) (V2), Portable Toilet, CPVC Industrial Pipe Fittings, Schedule 80</p> <p>Searched String: UPVC 2 inch Valve</p> <p>Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Television (TV) (V2), UPVC (Unplasticized Polyvinyl Chloride) Window, General Purpose Ball Valves (V2), Portable Toilet, Self Watering Tree guard, Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, CPVC Industrial Pipe Fittings, Schedule 80, CPVC Ball Valve, Needle Valve</p> <p>Searched String: UPVC 1 inch Soket</p> <p>General Purpose Ball Valves (V2), Self Watering Tree guard, Interactive Panels with CPU, Television (TV) (V2), Hand Operated Hydraulic Pipe Bender, CPVC Industrial Pipe Fittings, Schedule 80, Taflon Tape as per IS 14635, Elbow Pipe Fitting, Cordless Brushless Impact Wrench (ONGC), Cardiopulmonary Bypass Connectors (V2)</p> <p>Searched String: UPVC 1.25 inch Socket</p> <p>N-(1-Naphthyl)ethylenediamine, Fabricated PVC - U Fittings</p>

Bid Details/As per	for Portable Water Supplies as per IS 10124, Steel Tubes, Tubulars and Other Wrought Steel Fittings (V2) as per IS 1239 Part 1, Sofa Set (Steel Tube), Malleable Cast Iron Pipe Fittings (V2) as per IS 1879, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Self Watering Tree guard, General Purpose Ball Valves (V2), Taflon Tape as per IS 14635, Elastic Surgical Adhesive Tapes (V2)
	<p>Searched String: UPVC 1 inch x 0.5 inch Bush</p> <p>Minifuge, Hand Operated Hydraulic Pipe Bender, CPVC Industrial Pipe Fittings, Schedule 80, Cartridge Filter for Lean Amine Filtration (MRPL), Cardiopulmonary Bypass Connectors (V2), Scantling teak wood, Needle Valve, Forged or Rolled Alloy And Stainless Steel Pipe Fitting, Polyethylene Bags for General Purposes, Triple Purpose Nozzle as per IS 2871</p> <p>Searched String: M-seal (100 gmx10)</p> <p>M - Seal as per IS 9197, Online UPS (V2), Telecommunication Cable - Fully filled (Petroleum Jelly or Absorbent Thixotropic Gel), Waste Containers and Accessories - Domestic (V2), Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Hydraulic Cylinder Seal Kit, water baths, General Purpose Hand Gloves (V2), Bucket Mop Wringer Trolley, Platform step ladder</p> <p>Searched String: Araldite (90Gm)</p> <p>Charge Fire Extinguisher CO2 Gas Cartridge 90gm (Defence), Pole Mounted Stainless Steel Dustbin (V2), Hardner HV 9534 + Araldite Resin 5 KG (Hardner K 9), Plastic Moulded Table - Preschool Kit, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Waste Containers and Accessories - Domestic (V2), Bucket Mop Wringer Trolley, Electronic Weighing Systems as per IS 9281 (Part I, Part II, Part III, Part IV), Sutures (V2), Surgical Gloves as per IS 4148</p> <p>Searched String: CPVC Solvent (100 MI)</p> <p>Solvent Cement, Urine Collection Bag (V2), Measured Volume Set (V2), Potassium Mobilizing Bio-Fertilizer (KMB), Alcohol Based Hand Rub / Hand Sanitizer, Oxygenator Membrane with Hard Shell Reservoir, Laboratory Vials (V2), measured volume set, Shaker Incubator, Glass Tableware</p> <p>Searched String: UPVC Solvent (100 MI)</p> <p>Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Cast Iron Detachable Joints for use with Asbestos Cement Pressure Pipes as per IS 8794, IS 12987, Urine Collection Bag (V2), Potassium Mobilizing Bio-Fertilizer (KMB), Measured Volume Set (V2), Solvent Cement, Alcohol Based Hand Rub / Hand Sanitizer, Laboratory Vials (V2), measured volume set, Shaker Incubator</p> <p>Searched String: Ball Cock 1.25 inch size</p> <p>General Purpose Ball Valves (V2), Automatic Fire Ball for Fire - Extinguishing, Television (TV) (V2), CPVC Industrial Pipe Fittings, Schedule 80, CPVC Ball Valve, Hand Operated Hydraulic Pipe Bender, Scantling teak wood, CPVC Industrial Pipe, Needle Valve, Forged or Rolled Alloy And Stainless Steel Pipe Fitting</p>

Bid Details/As per	Searched String: UPVC 2 inch x 1.25 inch Reducer Socket
	<p>Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, CPVC Industrial Pipe Fittings, Schedule 80, General Purpose Ball Valves (V2), Cordless Brushless Impact Wrench (ONGC), Cardiopulmonary Bypass Connectors (V2), Hand Operated Hydraulic Pipe Bender, Taflon Tape as per IS 14635, Elbow Pipe Fitting, Ratchet Handle as per IS 7975, Scantling teak wood</p> <p>Searched String: UPVC 1.25 inch FTA</p> <p>N-(1-Naphthyl)ethylenediamine, FTA Card, Sofa Set (Steel Tube), General Purpose Ball Valves (V2), Elastic Surgical Adhesive Tapes (V2), Interactive Panels with CPU, Television (TV) (V2), Permeable Nonwoven Surgical Adhesive Tape, Tapered Bearings as per IS 12102, Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V3) Confirming to IS 2932</p> <p>Searched String: UPVC 1.25 inch Elbow</p> <p>N-(1-Naphthyl)ethylenediamine, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Sofa Set (Steel Tube), Forged or Rolled Alloy And Stainless Steel Pipe Fitting, General Purpose Ball Valves (V2), CPVC Industrial Pipe Fittings, Schedule 80, Elastic Surgical Adhesive Tapes (V2), Interactive Panels with CPU, Television (TV) (V2), Permeable Nonwoven Surgical Adhesive Tape</p> <p>Searched String: UPVC 1.25 inch Valve</p> <p>N-(1-Naphthyl)ethylenediamine, Small Sized Valve Regulated Lead Acid Batteries as per IS Jisc 8702 - 1, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, General Purpose Lead - Acid Batteries (Valve Regulated Types) Prismatic Design as per IS 16220 (Part 1), Sofa Set (Steel Tube), Safety Cap for Self Closing Valves of LPG Cylinders (V2), Self Watering Tree guard, General Purpose Ball Valves (V2), Taflon Tape as per IS 14635, Elastic Surgical Adhesive Tapes (V2)</p> <p>Searched String: UPVC 2 inch End cap</p> <p>PVC End Cap, High End Desktop Computer, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, CPVC Industrial Pipe Fittings, Schedule 80, TERA Package 2 - Robotics and Automation High end Engineering (ASoSE), Television (TV) (V2), Sprinkler Pipes (Part 2) Fitting, Quick Coupled Polyethylene Pipes Fittings as per IS 14151, UPVC (Unplasticized Polyvinyl Chloride) Window, Extinguisher Fire Defence CO2 2 Kg Capacity Portable, Multipara Monitor - Low End</p> <p>Searched String: Topline tape</p> <p>Tape Library, Elastic Surgical Adhesive Tapes (V2), Tape Drive, Iodized Salt, Measuring Tape, Pressure Sensitive Adhesive Plasticized PVC Tapes with Nonthermosetting Adhesive as per IS 7809 (Part 3 / Section 1), Aluminum Tape, Iron Fortified Iodized Salt Or Double Fortified Salt as per IS: 16232, Foam Tape, Empire Tape</p> <p>Searched String: 2inch Clamp</p> <p>Burette Clamp, Laminar air flow cabinets or stations, SCAFFOLDING CLAMP, Vinyl Tape, Pipe Clamps (V2), Waste</p>

Bid Details/As per	Containers and Accessories - Domestic (V2), Magnetic Earth Clamp, Sea Water Reverse Osmosis (SWRO) Membrane, Soldering Clamp Holder, Cleaning Duster (V2)
	<p>Searched String: KANTI 3 inch STEEL KHILA</p> <p>Round Steel Short Link Chains (Electric Butt Welded), Grade L 3 (Part 1) (V2) as per IS 2429, Parliament Hinges-IS:362, Hand Operated Hydraulic Pipe Bender, Laboratory Refrigerator (V2), Interactive Panels with CPU, All in One PC, laboratory hotplates, Laboratory Hot plate, Laboratory Drying Oven, Mayo Scissors</p> <p>Searched String: 1 inch UPVC Elbow</p> <p>General Purpose Ball Valves (V2), Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Interactive Panels with CPU, Forged or Rolled Alloy And Stainless Steel Pipe Fitting, Television (TV) (V2), CPVC Industrial Pipe Fittings, Schedule 80, Elbow Pipe Fitting, Taflon Tape as per IS 14635, Cordless Brushless Impact Wrench (ONGC), Cardiopulmonary Bypass Connectors (V2)</p> <p>Searched String: 1 inch CPVC UNION</p> <p>Commercial CPVC Pipe Fittings, CPVC Industrial Pipe Fittings, Schedule 80, General Purpose Ball Valves (V2), Interactive Panels with CPU, Television (TV) (V2), Taflon Tape as per IS 14635, Elbow Pipe Fitting, CPVC Ball Valve, Cordless Brushless Impact Wrench (ONGC), Cardiopulmonary Bypass Connectors (V2)</p> <p>Searched String: Spendal seiko</p> <p>Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Wall Clocks as per IS 12510</p> <p>Searched String: Spendal ceramic</p> <p>Brushable Ceramic, Clinical incubators or infant warmers, Ceramic Heating Element, Ceramic Products from Bulandshahr - ODOP, Ceramic Fiber Tape, Ceramic Fiber Rope, Pressed Ceramic Tiles (V2), Ceramic fibre Paper, Interactive Boards, Inert Ceramic Balls</p> <p>Searched String: UPVC 1 inch Tee</p> <p>Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, General Purpose Ball Valves (V2), CPVC Industrial Pipe Fittings, Schedule 80, Interactive Panels with CPU, Television (TV) (V2), Taflon Tape as per IS 14635, Elbow Pipe Fitting, Cordless Brushless Impact Wrench (ONGC), Cardiopulmonary Bypass Connectors (V2), Hand Operated Hydraulic Pipe Bender</p> <p>Searched String: UPVC 1 inch Pipe (3 Mtr)</p> <p>CPVC Industrial Pipe Fittings, Schedule 80, Hand Operated Hydraulic Pipe Bender, Elbow Pipe Fitting, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, CPVC Industrial Pipe, Forged or Rolled Alloy And Stainless Steel Pipe Fitting, Extendable Road Barricade (V2), Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778, Cardiopulmonary Bypass Connectors (V2), Ratchet Pipe Threader for Taper Pipe Threads as per IS 16176</p>

Bid Details/बिड विवरण	Searched String: UPVC 2 inch Pipe (3 Mtr)
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, CPVC Industrial Pipe Fittings, Schedule 80, Hand Operated Hydraulic Pipe Bender, Elbow Pipe Fitting, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Precast Concrete Pipes (With And Without Reinforcement) (V2) As Per Is 458, CPVC Industrial Pipe, Forged or Rolled Alloy And Stainless Steel Pipe Fitting, Commercial UPVC Fittings, Scantling teak wood</p>
	<p>Searched String: Garden Pipe (1 inch)</p> <p>Pipe for Gardening Purpose, G.I. Pipes for Earthing as per IS 1239 (Part 1), Hand Operated Hydraulic Pipe Bender, Riser Pipes for Submersible Pumps or Carbon Steel Pipe as per IS 1239 (Part 1), Gardening Nylon Pipes, CPVC Industrial Pipe Fittings, Schedule 80, General Purpose Ball Valves (V2), Interactive Panels with CPU, Television (TV) (V2), Elbow Pipe Fitting</p>
	<p>Searched String: UPVC 3 inch Band PVC 75 MM</p> <p>Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Interactive Panels with CPU, rubber bands, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, PVC gitti, Pressure Sensitive Adhesive Plasticized PVC Tapes with Nonthermosetting Adhesive as per IS 7809 (Part 3 / Section 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Aluminium Cable (Heavy Duty), Working Voltages up to and Including 1100 Volts as per IS 1554 (Part 1), Portable Toilet</p>
	<p>Searched String: 3 inch Tee PVC</p> <p>Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Interactive Panels with CPU, Pressure Sensitive Adhesive Plasticized PVC Tapes with Nonthermosetting Adhesive as per IS 7809 (Part 3 / Section 1), CPVC Industrial Pipe Fittings, Schedule 80, All in One PC, PVC Flat Cable, Copper Conductor with PVC Insulation and Sheath as per IS 694, PVC molded stool, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single and Multi Core Circular Sheathed Cord with Flexible Conductor as per IS 694</p>
	<p>Searched String: Health faucet</p> <p>Health Faucet, Disposable Bed Sheets for Health Care Facility, Health Kiosk, Health and Wellness, taps or valves of nonferrous metals, Breast Health Screening Device, Customised Mobile Health Units, FPO - Millet Based Health Mix, Flying Insect Control Traps - Fly Catcher, Breast Health Screening Devices (V2)</p> <p>Searched String: Jet Spray</p> <p>Full-jet Cone Spray Nozzle, Insecticides for mosquitoes cockroaches and other insects (Liquid vaporizer and spray), Silicon Spray, Cellophane paper, Spray Bottles, mosquito</p>

Bid Details/As per	repellent cream spray and lotion, Impact Of Jet Apparatus, Fluorescent Dye Spray, Truck Chassis Mounted Jetting machine, Airless spray gun
	<p>Searched String: Seat cover parryware</p> <p>Disposable Toilet Seat Cover, Sofas (V2), Toilet Seat Covers (V2), Disposable Sheet Cover for Car Seat, File Folder Cover (V2), Toilet Seat Band, Toilet Seat - Indian Style Squatting Pan, Seat Cushioned Foam, Angle Seat Valve, European Pattern Toilet Seat Vitreous China</p> <p>Searched String: UPVC 2 inch Shoe</p> <p>Performance Footwear Sports (V2) ISI marked to IS 15844 (Part 2), Television (TV) (V2), Snow Shoes Truger, MK - 2, UPVC (Unplasticized Polyvinyl Chloride) Window, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, General Purpose Ball Valves (V2), Improved PT Shoes (V2) (Indian Navy), Self Watering Tree guard, shoes school pvc boys girls, Horse shoe magnets for experimental use in schools</p> <p>Searched String: 4 inch Railing Jali</p> <p>Taflon Tape as per IS 14635, Hand Operated Hydraulic Pipe Bender, General Purpose Ball Valves (V2), Plant Based Hemostat, CPVC Industrial Pipe Fittings, Schedule 80, laboratory hotplates, Cardiopulmonary Bypass Connectors (V2), Scantling teak wood, Elbow Pipe Fitting, Plotter Printers (V2)</p> <p>Searched String: 4 inch Hole Drain Cover/Jali</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Connecting Pipe</p> <p>Connection Pipe with Nuts (V2), Connecting Rod Assembly, Sterile Connecting Device, Waste Pipe, Pipe saddles, Commercial CPVC Pipe Fittings, Pipe Clips, D - Shaped Connectors, Pipe Cutter, Polyethylene Pipes for Water Supply</p> <p>Searched String: Sink Waste Pipe (Best Quality)</p> <p>Waste Pipe, Waste Fittings for Washbasin and Sinks as per IS 2963, Extra Refrigerant Pipe for Air Conditioners (Accessories), Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 13592, Sweeping Broom (V3), Cast Copper Alloy Traps, Broom (V2), cobweb brush, Welder Gloves or Gauntlets as per IS 2573, FRP Bench</p> <p>Searched String: Sink Waste Cupling</p> <p>Extruded Heat Sink, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Liquid Cooled Heat Sink(BHEL), Waste Fittings for Washbasin and Sinks as per IS 2963, Waste Pipe, Waste Containers and Accessories - Domestic (V2), Bio - Medical Waste Collection Bags (Biohazard Bags), Medical Waste Incinerator, Outdoor Twin Waste Bin, Green Waste Reprocessor (Automatic / Semi Automatic)</p> <p>Searched String: White Cement (1 Kg)</p>

Bid Details/As per	White Cement Based Polymeric Putty as per IS 17545, Chilly as per IS 2322, Printing White Paper (V2) as per IS 1848
	<p>(Part 1), Portland Pozzolana Cement (Fly Ash Based) (V3) Conforming to IS 1489 (Part 1), Automatic Fire Ball for Fire - Extinguishing, Portland Pozzolana Cement using fly Ash as per IS 1489 (Part 1), Portland Slag Cement for Bulk Buying as per IS 455, Writing and Printing Papers Conforming to IS 1848 (Part 1), Wool / Polypropylene Blended Blankets as per IS 12848, Portland - Pozzolana Cement (Fly Ash Based) for Bulk Buying as per IS 1489 (Part 1)</p> <p>Searched String: PVC Pipe 4 inch (3 Mtr)</p> <p>Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Taflon Tape as per IS 14635, Hand Operated Hydraulic Pipe Bender, shoes school pvc boys girls, CPVC Industrial Pipe Fittings, Schedule 80, Pipe for Gardening Purpose, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Electrical Box Extension (V3), Elbow Pipe Fitting, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694</p> <p>Searched String: 4 inch Bend</p> <p>Measuring Tape, 4-Aminoantipyrine, Hand Operated Hydraulic Pipe Bender, Stromatolyser - 4 DL, Cleaning Duster (V2), Angle Cutter (Electric), Plant Based Hemostat, Methyl 4 Hydroxybenoate (Methylparaben), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Tank Mule MK-4 (Defence)</p> <p>Searched String: 4 inch Tee</p> <p>Pumping tee, Tee Pipe Fittings, CPVC Industrial Pipe Fittings, Schedule 80, Measuring Tape, Cleaning Duster (V2), 4-Aminoantipyrine, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Stromatolyser - 4 DL, All in One PC, Angle Cutter (Electric)</p> <p>Searched String: 4 inch socket</p> <p>Impact socket, Deep Socket, Electrical Box Extension (V3), IC SOCKET, Cleaning Duster (V2), Insulated socket, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Reducer Socket, All in One PC, Flameproof Switch Socket</p> <p>Searched String: 4 inch X 3 inch R Shocket</p> <p>Cleaning Duster (V2), Plant Based Hemostat, Cleaning Duster (V3), Absorbable Adhesion Barrier, Bio - Medical Waste Collection Bags (Biohazard Bags), CPVC Industrial Pipe Fittings, Schedule 80, Interactive Panels with CPU, All in One PC, laboratory hotplates, Laptop - Notebook</p> <p>Searched String: 4 inch shoo</p> <p>Measuring Tape, 4-Aminoantipyrine, Hand Operated Hydraulic Pipe Bender, Stromatolyser - 4 DL, Cleaning Duster (V2), Angle Cutter (Electric), Plant Based Hemostat, Methyl 4 Hydroxybenoate (Methylparaben), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Tank Mule MK-4 (Defence)</p> <p>Searched String: 2 inch X1.5 inch R Shocket</p>

Bid Details/As per	Cleaning Duster (V2), Hand Operated Hydraulic Pipe Bender, Cleaning Duster (V3), Bio - Medical Waste Collection Bags (Biohazard Bags), All in One PC, Television (TV) (V2), Battery Cell as per IS 9128, IS 8144, Server, Laptop - Notebook, laboratory hotplates
	<p>Searched String: 2 inch x 0.5 inch R Shocket</p> <p>Multimedia Projector (MMP), Bio - Medical Waste Collection Bags (Biohazard Bags), Minifuge, CPVC Industrial Pipe Fittings, Schedule 80, Scantling teak wood, Needle Valve, Cardiopulmonary Bypass Connectors (V2), Polyethylene Bags for General Purposes, Triple Purpose Nozzle as per IS 2871, Plant Based Hemostat</p> <p>Searched String: 0.5 inch Valve</p> <p>Desktop Computers, Sequence valve, All in One PC, Online UPS (V2), Foreign body (metal) detector for veterinary use, Laptop - Notebook, Surgical Gloves as per IS 4148, Cat 6 Patch cord, General Purpose Ball Valves (V2), Disposable Surgical Rubber Gloves - Prepowdered as per IS 13422</p> <p>Searched String: 0.5 inch UPVC Pipe (3 Mtr)</p> <p>Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Cat 6 Patch cord, Hand Operated Hydraulic Pipe Bender, All in One PC, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Electrical Box Extension (V3), CPVC Industrial Pipe Fittings, Schedule 80, Precast Concrete Pipes (With And Without Reinforcement) (V2) As Per Is 458, PP Plastic Woven Non - Laminated Bags (for Seed Packaging) (V2), Forged or Rolled Alloy And Stainless Steel Pipe Fitting</p> <p>Searched String: Shop Case (Steel)</p> <p>Heated Display Case - Hot Case (V2), Mould Oil for Steel Melting Shop (SMS), Case (Defence), Show Case, Tricycle or Rickshaw for Carrying Goods, Case Board, Sorting Case, High mast pole for national flags, Case Carrying - (Defence), Pole Mounted Stainless Steel Dustbin (V2)</p> <p>Searched String: 0.5 Elbow</p> <p>Heat Elbow Wrap, Desktop Computers, Elbow Pipe Fitting, CPM for Upper Limb (Shoulder, Elbow & Wrist), Elbow and forearm CPM, Sofas (V2), Tactical Knee and Elbow Pad, Elbow and Forearm CPM (V2), Online UPS (V2), 5-5 Dithiobis -2-2 Nitrobenzoic Acid</p> <p>Searched String: 0.5 Tee</p> <p>Pumping tee, Desktop Computers, Tee Pipe Fittings, 5-5 Dithiobis -2-2 Nitrobenzoic Acid, Sofas (V2), 5-Sulfosalicylic acid, Foreign body (metal) detector for veterinary use, Alphacypermethrin 5% (wdp), Online UPS (V2), 5 - Fluorouracil Injection</p> <p>Searched String: 0.5 Shocket</p> <p>5-5 Dithiobis -2-2 Nitrobenzoic Acid, Desktop Computers, 5-Sulfosalicylic acid, Alphacypermethrin 5% (wdp), Sofas (V2), 5 - Fluorouracil Injection, Foreign body (metal) detector for veterinary use, Category 5 Cable, Online UPS (V2), Grease Graphite - 0 as per IS 408</p>

Bid Details/As per	Searched String: 0.5 FTA Brass
	<p>Desktop Computers, Online UPS (V2), FTA Card, Surgical Gloves as per IS 4148, Liquid Limit Device (Motorised)(Nclil), Cat 6 Patch cord, Gas Cutting Nozzles, Disposable Surgical Rubber Gloves - Prepowdered as per IS 13422, Oxygen Flow Meter, Electric Kettles and Jugs for Household as per IS 367</p> <p>Searched String: 0.5 M.A.A Brass</p> <p>Hexagonal Head Bolts, Screws and Nuts of Product Grades A and B as per IS 1364, Temperature Indicator for Transformers - Analog type, Ladders as per IS 3696, Mobile Containers For Solid Waste (Industrial) - IS 12402, File/Folder (V3), Muffle Furnace, Saw Blades or Hacksaw Blades as per IS 2594, Switch Mode Power Supply (SMPS) as per IS 14886:, Online UPS (V2), Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V3) Confirming to IS 2932</p> <p>Searched String: 4 inch Cowl</p> <p>Measuring Tape, 4-Aminoantipyrine, Automotive Chassis for State Road Transport Vehicles (V2), Stromatolyser - 4 DL, Cleaning Duster (V2), Angle Cutter (Electric), Automotive Chassis Fitted with Engine (V2), Methyl 4 Hydroxybenoate (Methylparaben), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Tank Mule MK-4 (Defence)</p> <p>Searched String: 0.5 Clip</p> <p>Clip (BHEL), Desktop Computers, Cable Nail Clip, Open / Endoscopic Clip Applicator (V2), Elastic Rail Clip, Sofas (V2), Open / Endo Clip Applicator, Circlips - IS 3075, Online UPS (V2), Ligation Clips</p> <p>Searched String: 1 inch Clip</p> <p>Clip (BHEL), Multipara Monitor - Low End, Cable Nail Clip, Squeegee Washer Wiper Mopper (V2), Elastic Rail Clip, Cleaning Duster (V2), Open / Endo Clip Applicator, BOD Incubator, Circlips - IS 3075, All in One PC</p> <p>Searched String: Sisten Handale</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Nahani Trap</p> <p>Mosquito Trap, Flying Insect Control Traps - Fly Catcher, Thermodynamic Steam Trap, Mouse Trap (V2), Floor Drain Traps, Trap for flying insect, Laboratory Water Tap, Camera Trap / Trail Camera (V2), Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Trap Cage for forest Department Use</p> <p>Searched String: 1.4 inch Rigit Pipe</p> <p>N-(1-Naphthyl)ethylenediamine, Power Contactors as per IS 13947 - 4 - 1, Hand Operated Hydraulic Pipe Bender, Synthetic Life Jacket MK 1 (Defence), Server, Sulphanilic Acid, CPVC Industrial Pipe Fittings, Schedule 80, Fluorescent Lamps (Fluorescent Tubular Lamps) as per IS 2418 (Part 1, 2, 3 and 4), G.I. Pipes for Earthing as per IS 1239 (Part 1),</p>

Bid Details/बिड विवरण	Parallel Bar - Outdoor Gym Equipment
	<p>Searched String: 1.4 inch Rigit Elbow</p> <p>N-(1-Naphthyl)ethylenediamine, Server, Power Contactors as per IS 13947 - 4 - 1, CPVC Industrial Pipe Fittings, Schedule 80, Synthetic Life Jacket MK 1 (Defence), Sulphanilic Acid, Forged or Rolled Alloy And Stainless Steel Pipe Fitting, Fluorescent Lamps (Fluorescent Tubular Lamps) as per IS 2418 (Part 1, 2, 3 and 4), Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V2) as per IS 2932, Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6</p> <p>Searched String: 1.4 inch Rigit Tee</p> <p>N-(1-Naphthyl)ethylenediamine, Server, Power Contactors as per IS 13947 - 4 - 1, CPVC Industrial Pipe Fittings, Schedule 80, Synthetic Life Jacket MK 1 (Defence), Sulphanilic Acid, Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V2) as per IS 2932, Fluorescent Lamps (Fluorescent Tubular Lamps) as per IS 2418 (Part 1, 2, 3 and 4), General Purpose Ball Valves (V2), Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6</p> <p>Searched String: 1.4 inch Socket</p> <p>N-(1-Naphthyl)ethylenediamine, Server, Power Contactors as per IS 13947 - 4 - 1, Electrical Box Extension (V3), Synthetic Life Jacket MK 1 (Defence), Sulphanilic Acid, Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V2) as per IS 2932, Fluorescent Lamps (Fluorescent Tubular Lamps) as per IS 2418 (Part 1, 2, 3 and 4), General Purpose Ball Valves (V2), Steel Tubes, Tubulars and Other Wrought Steel Fittings (V2) as per IS 1239 Part 1</p> <p>Searched String: 1.4 inch FTA</p> <p>N-(1-Naphthyl)ethylenediamine, Server, Power Contactors as per IS 13947 - 4 - 1, Synthetic Life Jacket MK 1 (Defence), Sulphanilic Acid, Hand Operated Hydraulic Pipe Bender, Fluorescent Lamps (Fluorescent Tubular Lamps) as per IS 2418 (Part 1, 2, 3 and 4), Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V2) as per IS 2932, Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, CPVC Industrial Pipe Fittings, Schedule 80</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • General Purpose Ball Valves (V2) • Commercial UPVC Pipes • Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings)
BOQ Title/बीओक्यू शीर्षक	Plumbing Items
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	3 Lakh (s)
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	5 Lakh (s)

Bid Details/बिड विवरण	
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	Yes
Past Performance/विगत प्रदर्शन	10 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	UPVC 2 inch Socket
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Estimated Bid Value/अनुमानित बिड मूल्य	834500
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Financial Document Required/वित्तीय दस्तावेज की आवश्यकता है।	Yes
Arbitration Clause	No
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
3. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
4. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
5. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.
[OM No.1_4_2021_PPD_dated_18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
6. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and

its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

7. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

8. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Excel Upload Required/एक्सेल में अपलोड किए जाने की आवश्यकता :

Financial Breakdown - [1744868345.xlsx](#)

Pre Bid Detail(s)

Pre-Bid Date and Time	Pre-Bid Venue
28-04-2025 11:00:00	AO Office Sainik School Ambikapur

UPVC 2 Inch Socket

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/कमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	200	15

UPVC 2 Inch Elbow

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	100	15

UPVC 2 Inch Union

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	50	15

UPVC 2 Inch FTA

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	100	15

UPVC 2 Inch Tee

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	100	15

UPVC 2 Inchx 1inch Bush

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	50	15

UPVC 1 Inch Valve

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	50	15

UPVC 2 Inch Valve

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	100	15

UPVC 1 Inch Soket

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	200	15

UPVC 1.25 Inch Socket

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	50	15

UPVC 1 Inch X 0.5 Inch Bush

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	100	15

M Seal 100 Gmx10

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	2	15

Araldite 90Gm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	2	15

CPVC Solvent 100 MI

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	6	15

UPVC Solvent 100 MI

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	6	15

Ball Cock 1.25 Inch Size

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	200	15

UPVC 2 Inch X 1.25 Inch Reducer Socket

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	200	15

UPVC 1.25 Inch FTA

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	200	15

UPVC 1.25 Inch Elbow

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	200	15

UPVC 1.25 Inch Valve

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	100	15

UPVC 2 Inch End Cap

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	20	15

Topline Tape

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	200	15

2inch Clamp

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	200	15

KANTI 3 Inch STEEL KHILA

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	5	15

1 Inch UPVC Elbow

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	200	15

1 Inch CPVC UNION

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	20	15

Spendal Seiko

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	200	15

Spendal Ceramic

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	300	15

UPVC 1 Inch Tee

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	100	15

UPVC 1 Inch Pipe 3 Mtr

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	50	15

UPVC 2 Inch Pipe 3 Mtr

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	30	15

Garden Pipe 1 Inch

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	3	15

UPVC 3 Inch Band PVC 75 MM

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	50	15

3 Inch Tee PVC

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	20	15

Health Faucet

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	200	15

Jet Spray

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	100	15

Seat Cover Parryware

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	100	15

UPVC 2 Inch Shoe

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	30	15

4 Inch Railing Jali

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	50	15

4 Inch Hole Drain Cover Jali

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	50	15

Connecting Pipe

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	200	15

Sink Waste Pipe Best Quality

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	200	15

Sink Waste Cupling

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	30	15

White Cement 1 Kg

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	30	15

PVC Pipe 4 Inch 3 Mtr

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	20	15

4 Inch Bend

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	50	15

4 Inch Tee

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	20	15

4 Inch Socket

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	20	15

4 Inch X 3 Inch R Shocket

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	20	15

4 Inch Shoo

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	20	15

2 Inch X1.5 Inch R Shocket

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	50	15

2 Inch X 0.5 Inch R Shocket

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	50	15

0.5 Inch Valve

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	50	15

0.5 Inch UPVC Pipe 3 Mtr

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	20	15

Shop Case Steel

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	50	15

0.5 Elbow

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	200	15

0.5 Tee

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	30	15

0.5 Shocket

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	30	15

0.5 FTA Brass

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	50	15

0.5 M.A.A Brass

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	50	15

4 Inch Cowl

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	50	15

0.5 Clip

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	100	15

1 Inch Clip

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	100	15

Sisten Handale

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	50	15

Nahani Trap

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	20	15

1.4 Inch Rigit Pipe

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	200	15

1.4 Inch Rigit Elbow

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	100	15

1.4 Inch Rigit Tee

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	40	15

1.4 Inch Socket

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	100	15

1.4 Inch FTA

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	*****	*****AMBIKAPUR (SARGUJA)	30	15

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Scope of Supply

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

3. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

1. Prebid meeting is mandatory for Technical Qualification. Non attendance will automatically lead to rejection. No representation thereafter will be entertained. All bidders participated in Prebid to upload their certificate in documents.
2. All items to be supplied within 15 days of order. Any item customised will be specifically told to supply as and when required.
3. All MSME bidders to apply MSE status. If not applied, buyer will not be able to give purchase preference as applicable at later stage. no representation in this regard will be entertained thereafter

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.

3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

---Thank You/धन्यवाद---