Rajalakshmi Engineering College

Name: Yashwanth Kumar V

Email: 240701609@rajalakshmi.edu.in

Roll no: 240701609 Phone: 8015927564

Branch: REC

Department: I CSE FF

Batch: 2028

Degree: B.E - CSE



NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 2_COD_Question 3

Attempt : 1 Total Mark : 10 Marks Obtained : 10

Section 1: Coding

1. Problem Statement

Bob is tasked with developing a company's employee record management system. The system needs to maintain a list of employee records using a doubly linked list. Each employee is represented by a unique integer ID.

Help Bob to complete a program that adds employee records at the front, traverses the list, and prints the same for each addition of employees to the list.

Input Format

The first line of input consists of an integer N, representing the number of employees.

The second line consists of N space-separated integers, representing the employee IDs.

Output Format

For each employee ID, the program prints "Node Inserted" followed by the current state of the doubly linked list in the next line, with the data values of each node separated by spaces.

Refer to the sample output for formatting specifications.

Sample Test Case

```
Input: 4
    101 102 103 104
    Output: Node Inserted
240/101
   Node Inserted
    102 101
    Node Inserted
    103 102 101
    Node Inserted
    104 103 102 101
    Answer
    #include <iostream>
    using namespace std;
    struct node {
      int info;
      struct node* prev, * next;
    };
    struct node* start = NULL:
    // You are using GCC
    void traverse() {
      struct node*pos=start;
      printf("Node Inserted\n");
      while(pos!=NULL){
        printf("%d ",pos->info);
       pos=pos->next;
     printf("\n");
```

```
240101609
 void insertAtFront(int data) {
      //type your code here
      struct node* newnode=(struct node*)malloc(sizeof(struct node));
      newnode->info=data;
      newnode->prev=NULL;
      if(start==NULL){
        newnode->next=NULL;
        start=newnode;
      }
      else{
        start->prev=newnode;
        newnode->next=start;
        start=newnode;
     int main() {
       int n, data;
       cin >> n;
       for (int i = 0; i < n; ++i) {
         cin >> data;
         insertAtFront(data);
         traverse();
return 0;
                                                   240701609
                                                                      Marks: 10/10
     Status: Correct
```

240707609

240101609

240707609

2,40101609