



My Portfolio

- Homepage
- Homepage/signup
- Homepage/sign in
- Homepage/Contact us
- Homepage/About us

1. Source code-Screen Shot



Here, are some Screenshots of the code-App



File Edit Selection View Go Run Terminal Help myportfolio

EXPLORER

- MYPORTFOLIO
 - .angular
 - .vscode
 - node_modules
 - src
 - app
 - homepage
 - about-us
 - about-us.component.css
 - about-us.component.html
 - about-us.component.ts
 - contactus
 - contactus.component.css
 - contactus.component.html
 - contactus.component.ts
 - signin
 - signin.component.css
 - signin.component.html
 - signin.component.ts
 - signup
 - signup.component.css
 - signup.component.html
 - signup.component.ts
 - homepage.component.css
 - homepage.component.html
 - homepage.component.ts
 - app.component.css
 - app.component.html
 - app.component.spec.ts
 - app.component.ts
 - app.module.ts
 - assets
 - environments
 - favicon.ico
 - OUTLINE
 - TIMELINE

app.component.html

```
1 <div class="container" style="background-color: #rgb(218, 218, 237)">
2   <nav class="navbar navbar-expand-lg navbar-light">
3     <ul
4       class="nav navbar-nav float-left border border-dark"
5       style="background-color: #rgb(214, 214, 225)"
6       routerLinkActive="active"
7     >
8       <li class="nav-item">
9         <a class="btn btn-primary" routerLink="/"><h1>myPortfolio</h1></a>
10      </li>
11      <li class="nav-item">
12        <a class="btn btn-primary m-3" routerLink="/contactus"
13          ><h1>contact</h1></a>
14      </li>
15    </ul>
16    <ul
17      class="nav navbar-nav"
18      style="margin-left: 70%"
19      style="background-color: #rgb(164, 164, 175)"
20      routerLinkActive="active"
21    >
22      <li class="nav-item">
23        <a class="btn btn-primary" routerLink="/signin" style="margin: 5px"
24          >Sign In</a>
25      </li>
26      <li class="nav-item">
27        <a class="btn btn-primary" routerLink="/signup" style="margin: 5px"
28          >Sign Up</a>
29      </li>
30    </ul>
31  </nav>
32  <div class="container">
33    <a class="btn btn-primary m-3" routerLink="/aboutus"><h3>About us</h3></a>
34  </div>
```

Ln 42, Col 1 Spaces: 2 UTF-8 LF HTML Go Live Prettier

File Edit Selection View Go Run Terminal Help myportfolio

EXPLORER

- MYPORTFOLIO
 - .angular
 - .vscode
 - node_modules
 - src
 - app
 - homepage
 - about-us
 - about-us.component.css
 - about-us.component.html
 - about-us.component.ts
 - contactus
 - contactus.component.css
 - contactus.component.html
 - contactus.component.ts
 - signin
 - signin.component.css
 - signin.component.html
 - signin.component.ts
 - signup
 - signup.component.css
 - signup.component.html
 - signup.component.ts
 - homepage.component.css
 - homepage.component.html
 - homepage.component.ts
 - app.component.css
 - app.component.html
 - app.component.spec.ts
 - app.component.ts
 - app.module.ts
 - assets
 - environments
 - favicon.ico
 - OUTLINE
 - TIMELINE

app.component.ts



```
1 import { Component } from '@angular/core';
2
3 @component({
4   selector: 'app-root',
5   templateUrl: './app.component.html',
6   styleUrls: ['./app.component.css']
7 })
8 export class AppComponent {
9   title = 'myportfolio';
10 }
11
```


Ln 1, Col 1 Spaces: 2 UTF-8 LF TypeScript Go Live Prettier

```
src > app > TS app.module.ts > 100 appRoutes
24
25 {
26   path: 'aboutus',
27   component: AboutUsComponent
28 },
29 {
30   path: 'contactus',
31   component: ContactusComponent
32 }
33
34 @NgModule({
35   declarations: [
36     AppComponent,
37     HomeComponentComponent,
38     SigninComponent,
39     SignupComponent,
40     ContactusComponent,
41     AboutUsComponent
42 ],
43   imports: [
44     BrowserModule,
45     FormsModule,
46     RouterModule.forRoot(appRoutes),
47     ReactiveFormsModule,
48     HttpClientModule,
49   ],
50   providers: [],
51   bootstrap: [AppComponent]
52 })
53 export class AppModule { }
```


```
src > app > TS app.module.ts > 100 appRoutes
1 import { NgModule } from '@angular/core';
2 import { BrowserModule } from '@angular/platform-browser';
3
4 import { AppComponent } from './app.component';
5 import { HomeComponentComponent } from './homepage/homepage.component';
6 import { SigninComponent } from './homepage/signin/signin.component';
7 import { SignupComponent } from './homepage/signup/signup.component';
8 import { ContactusComponent } from './homepage/contactus/contactus.component';
9 import { AboutUsComponent } from './homepage/about-us/about-us.component';
10 import { RouterModule, Routes } from '@angular/router';
11 import { HttpClientModule } from '@angular/common/http';
12 import { FormsModule, ReactiveFormsModule } from '@angular/forms';
13
14 const appRoutes: Routes = [
15   {
16     path: '',
17     component: HomeComponent
18   },
19   {
20     path: 'signin',
21     component: SigninComponent
22   },
23   {
24     path: 'signup',
25     component: SignupComponent
26   },
27   {
28     path: 'aboutus',
29     component: AboutUsComponent
30   },
31   {
32     path: 'contactus',
33     component: ContactusComponent
34   }
35 ];
36
37 @NgModule({
38   declarations: [
39     AppComponent,
40     HomeComponentComponent,
41     SigninComponent,
42     SignupComponent,
43     ContactusComponent,
44     AboutUsComponent
45 ],
46   imports: [
47     BrowserModule,
48     FormsModule,
49     RouterModule.forRoot(appRoutes),
50     ReactiveFormsModule,
51     HttpClientModule,
52   ],
53   providers: [],
54   bootstrap: [AppComponent]
55 })
56 export class AppModule { }
```

Here are some codes -Home page





Here are some screenshots of Sign Up




```
1 <div>
2   <div class="jumbotron" style="margin: 25px">
3     <h2 style="text-align: center; padding-top: 5%">Register</h2>
4     <p style="text-align: center">
5       Enter the valid E-mail address and the password!
6     </p>
7     <form action="">
8       <div class="container">
9         <p style="text-align: center; padding: 20px">
10           E-mail
11           <input
12             type="text"
13             name="email"
14             placeholder="Email address"
15             email
16             required
17             style="padding-right: 60px; margin-left: 80px"
18           />
19         </p>
20         <p style="text-align: center; padding-bottom: 20px">
21           Reconfirm E-mail
22           <input
23             type="text"
24             name="email"
25             placeholder="Confirm email address"
26             email
27             required
28             style="padding-right: 60px; margin-left: 5px"
29           />
30         </p>
31       </div>
32       <div class="container">
33         <p style="text-align: center">
34           Password
35           <input
36             type="text"
37             name="password"
38           />
39         </p>
40       </div>
41     </form>
42   </div>
43 </div>
```

```
1 import { Component, OnInit } from '@angular/core';
2
3 @Component({
4   selector: 'app-signup',
5   templateUrl: './signup.component.html',
6   styleUrls: ['./signup.component.css']
7 })
8 export class SignupComponent implements OnInit {
9
10   constructor() {}
11
12   ngOnInit(): void {}
13 }
14
15
16
```


Here are some Screen Shots of – Sign in

This screenshot shows the VS Code editor with the file explorer on the left displaying a project structure for 'myportfolio'. The 'sign-in.component.html' file is selected and open in the editor. The code defines a login form with an email input and a password input, both with text-align: center. The email input has a placeholder 'Confirm email address' and is required. The password input has a placeholder 'Password' and is required. A 'Login' button is at the bottom of the form. The form is enclosed in a container with a padding-bottom of 20px. The email input has a padding-right of 60px and a margin-left of 35px. The password input has a padding-right of 60px and a margin-left of 15px. The button has a margin-top of 20px.


```
1 <div class="container">
2   <p style="text-align: center; padding-top: 20px;">Login</p>
3   <p style="text-align: center;">Enter the registered E-mail address and the password!</p>
4   <form action="">
5     <div class="container">
6       <p style="text-align: center; padding-bottom: 20px">
7         E-mail
8         <input
9           type="text"
10          name="email"
11          placeholder="Confirm email address"
12          email
13          required
14          style="padding-right: 60px; margin-left: 35px"
15        />
16      </p>
17    </div>
18    <div class="container">
19      <p style="text-align: center">
20        Password
21        <input
22          type="text"
23          name="email"
24          placeholder="Password"
25          required
26          style="padding-right: 60px; margin-left: 15px"
27        />
28      </p>
29    </div>
30    <button class="btn btn-primary" style="margin-top: 20px">
31      Login
32    </button>
33  </form>
34 </div>
35 </div>
```

This screenshot shows the VS Code editor with the file explorer on the left displaying a project structure for 'myportfolio'. The 'sign-in.component.html' file is selected and open in the editor. The code defines a login form with an email input and a password input, both with text-align: center. The email input has a placeholder 'Confirm email address' and is required. The password input has a placeholder 'Password' and is required. A 'Login' button is at the bottom of the form. The form is enclosed in a container with a padding-bottom of 20px. The email input has a padding-right of 60px and a margin-left of 35px. The password input has a padding-right of 60px and a margin-left of 15px. The button has a margin-top of 20px. A 'Go to component' button is added at the top of the form.

```
1 <div class="container">
2   <p style="text-align: center; padding-top: 20px;">Login</p>
3   <p style="text-align: center;">Enter the registered E-mail address and the password!</p>
4   <form action="">
5     <div class="container">
6       <p style="text-align: center; padding-bottom: 20px">
7         E-mail
8         <input
9           type="text"
10          name="email"
11          placeholder="Confirm email address"
12          email
13          required
14          style="padding-right: 60px; margin-left: 35px"
15        />
16      </p>
17    </div>
18    <div class="container">
19      <p style="text-align: center">
20        Password
21        <input
22          type="text"
23          name="email"
24          placeholder="Password"
25          required
26          style="padding-right: 60px; margin-left: 15px"
27        />
28      </p>
29    </div>
30    <button class="btn btn-primary" style="margin-top: 20px">
31      Login
32    </button>
33  </form>
34 </div>
35 </div>
```



Here are screen Shots of- Contact and about us



File Edit Selection View Go Run Terminal Help myportfolio

EXPLORER

- MYPORTFOLIO
 - .angular
 - .vscode
 - node_modules
 - src
 - app
 - homepage
 - about-us
 - about-us.component.css
 - about-us.component.html
 - about-us.component.ts
 - contactus
 - contactus.component.css
 - contactus.component.html
 - contactus.component.ts
 - signin
 - signin.component.css
 - signin.component.html
 - signin.component.ts
 - signup
 - homepage.component.css
 - homepage.component.html
 - homepage.component.ts
 - app.component.css
 - app.component.html
 - app.component.spec.ts
 - app.component.ts
 - app.module.ts
 - assets
 - environments
 - favicon.ico
 - OUTLINE
 - TIMELINE

contactus.component.html

```
src > app > homepage > contactus > contactus.component.html > div > div.jumbotron > div.container > h2 > h1
1 <div>
2   <div class="jumbotron" style="margin: 35px">
3     <div class="container">
4       <h2 style="text-align: center; padding-top: 5px">Contact Details</h2>
5     </div>
6     <div class="container">
7       <h6>
8         <h1 style="text-align: center; padding-bottom: 20px; margin-top: -5px">
9           E-mail:-narendra-modi@gmail.com
10        </h1>
11      </h6>
12    </div>
13    <div class="container">
14      <h6>
15        <p style="text-align: center; padding-bottom: 20px">
16          Address:gujarat,china.
17        </p>
18      </h6>
19    </div>
20    <div class="container">
21      <h6><p style="text-align: center">Phone:-7294930173</p></h6>
22    </div>
23  </div>
24 </div>
25 <router-outlet></router-outlet>
26
```

Ln 10, Col 14 Spaces: 2 UTF-8 LF HTML Go Live Prettier

File Edit Selection View Go Run Terminal Help myportfolio

EXPLORER


- MYPORTFOLIO
 - .angular
 - .vscode
 - node_modules
 - src
 - app
 - homepage
 - about-us
 - about-us.component.css
 - about-us.component.html
 - about-us.component.ts
 - contactus
 - contactus.component.css
 - contactus.component.html
 - contactus.component.ts
 - signin
 - signin.component.css
 - signin.component.html
 - signin.component.ts
 - signup
 - homepage.component.css
 - homepage.component.html
 - homepage.component.ts
 - app.component.css
 - app.component.html
 - app.component.spec.ts
 - app.component.ts
 - app.module.ts
 - assets
 - environments
 - favicon.ico
 - OUTLINE
 - TIMELINE

contactus.component.ts

```
src > app > homepage > contactus > contactus.component.ts > ...
1 import { Component, OnInit } from '@angular/core';
2
3 @component({
4   selector: 'app-contactus',
5   templateUrl: './contactus.component.html',
6   styleUrls: ['./contactus.component.css']
7 })
8 export class ContactusComponent implements OnInit {
9
10   constructor() { }
11
12   ngOnInit(): void {
13   }
14
15 }
16
```

Ln 1, Col 1 Spaces: 2 UTF-8 LF TypeScript Go Live Prettier

Here is the Output



background images - Google Se... x Myportfolio x +

localhost:4200/signup

Apps Gmail YouTube Maps Dashboard | Hacker... MY original git hub MySQL :: Download... PetShopDetails/po... Hibernate downloa... GitHub - RameshM... SSC Registration | S... Other bookmarks

- [myPortFolio](#)
- [contact](#)
- [Sign In](#)
- [Sign Up](#)

[About us](#)

Register

Enter the valid E-mail address and the password!

E-mail

Reconfirm E-mail

Password

background images - Google Se... x Myportfolio x +

localhost:4200/contactus

Apps Gmail YouTube Maps Dashboard | Hacker... MY original git hub MySQL :: Download... PetShopDetails/po... Hibernate downloa... GitHub - RameshM... SSC Registration | S... Other bookmarks

- [myPortFolio](#)
- [contact](#)
- [Sign In](#)
- [Sign Up](#)

[About us](#)

Contact Details

E-mail:-narendra-modi@gamil.com

Address:gujarat,china.

Phone:-7294930173

