

Product.jsp File under webapp --->

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body>
<form action="Response.jsp">
<h1 align = "center">Welcome to Gadget Store</h1>
```

```
Enter Your Name:<input type = "text" name = "myname"><br/><br/>
    <h2 align="left">Enter the Product Details In the Form</h2>
    Product Name: <input type="text" name="pname" />
    <br/>
    <br/>
    Company: <input type="text" name="cname" />
    <br/>
    <br/>
    MRP Price Range:
    <select name="MRP">
        <option>Above 10k</option>
        <option>Below 10k</option>
        <option>10k-15k</option>
        <option>Above 30k</option>
        <option>Above 1 lakh</option>
    </select>
    <br/>
    <br/>
    Features You Wanted :
    <input type="checkbox" name="feature" value="Battery">Battery
</input>
    <input type="checkbox" name="feature"
value="Charging">Charging</input>
    <input type="checkbox" name="feature" value="Camera">Camera</input>
    <input type="checkbox" name="feature"
value="Processor">Processor</input>
    <br/>
    <br/>
    <input type="submit" value="submit Details" />
</form>
<jsp:include page="Footer.jsp" />
</body>
```

</html>

Footer.jsp file ----->

```
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body>
<h3 align = "left">

Local Time : <%= new java.util.Date() %>
</h3>
</body>
</html>
```


Response.jsp File is ----->

```
<%@page import="org.eclipse.jdt.internal.compiler.ast.ForeachStatement"%>
<%@page import="org.apache.jasper.tagplugins.jstl.core.ForEach"%>
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body>
```

```
<h1 align = "center">
Hello ${param.myname}
</h1>

<br/>
<br/>
<h3>Below are your Product Details Mr/Mrs : <%= request.getParameter("myname")
%>
</h3>
Product Name: ${param.pname}
<br/>
<br/>
Company Name : <%= request.getParameter("cname") %>
<br/>
<br/>
The MRP range you selected is : ${param.MRP}
<br/>
<br/>
The Features You entered are :
<%
String[] arr = request.getParameterValues("feature");
for(String a : arr){
    out.println("<li>" + a + "</li>");
}

%>

<br/>
<br/>

<a href="Product.jsp">Home Page</a>

<jsp:include page="Footer.jsp" />

</body>
</html>
```