Gym Injury Risk & Fatigue Detection System

Equipment-Level Real-Time Monitoring Hardware

Protecting athletes through intelligent embedded systems that detect fatigue before failure occurs—no cameras, no wearables required.

PROBLEM OVERVIEW

The Hidden Risk in Every Rep

Gym injuries rarely happen without warning. Mechanical instability and fatigue-induced form breakdown appear before visible failure—but human supervision can't catch these subtle changes consistently.

Current approaches fall short:

- Human trainers provide limited, reactive supervision
- Camera systems raise privacy concerns in shared spaces
- Wearables are impractical for multi-user gym environments

The gap: No real-time hardware system exists that monitors equipment-level data to detect approaching failure risk.

Made with GAMMA

OBJECTIVE

Building a Smarter Safety System

Early Detection

Identify fatigue-induced instability during workouts before injury occurs

Privacy-First Design

Eliminate camera-based monitoring and wearable dependency

Embedded Solution

Deploy low-cost, reliable hardware that integrates directly into equipment

Our approach leverages force sensors and real-time analysis to detect biomechanical changes that signal approaching failure—transforming gym equipment into intelligent safety monitors.

Made with GAMMA

System Architecture Overview

01

Force Measurement

Load cell captures applied force with precision strain gauge technology

02

Signal Amplification

HX711 amplifier conditions and digitizes analog sensor signals

03

Real-Time Processing

Microcontroller analyzes force patterns and detects anomalies

04

User Feedback

Visual and auditory alerts communicate risk levels instantly

Made with GAMMA

HARDWARE

Core Components

Load Cell Sensor

High-precision strain gauge measures applied force across the full range of exercise motion

HX711 Amplifier

24-bit ADC amplifies and converts analog load cell signals for digital processing

Microcontroller

Arduino or ESP32 executes real-time analysis algorithms and manages system logic



Alert Interface

RGB LEDs and buzzer provide immediate visual and auditory feedback to users

Made with GAMMA

System Block Diagram

The system architecture creates a closed-loop monitoring solution: sensors capture biomechanical data, the microcontroller interprets force patterns in real-time, and feedback mechanisms alert users to detected risk states.

Made with GAMMA

DETECTION LOGIC

Four-Stage Failure Risk Detection

1

Baseline Capture

System records first 3–5 repetitions to establish baseline force profile, timing patterns, and curve characteristics

2

Continuous Analysis

Every subsequent rep is compared against baseline metrics to detect deviations in real-time

3

Fatigue Detection

Algorithm identifies force drop, increased rep duration, and small oscillations → Yellow Alert

4

Failure Risk

Sudden force dip and high instability trigger immediate warning → Red Alert + Buzzer

Made with GAMMA

Real-World Detection Example

1. **Reps 1–5: Normal State**

   Smooth force curve, stable timing, consistent pattern → Green LED

2. **Reps 6–8: Fatigue Onset**

   Slight force oscillations, longer rep duration, early instability signs → Yellow LED

3. **Reps 9–10: Failure Risk**

   Sudden force drop, loss of control, high variance → Red LED + Buzzer Alert

Key insight: The system provides warning *before* actual mechanical failure occurs, giving users time to stop safely and prevent injury.

Made with GAMMA

Advantages & Limitations

System Advantages

- **Real-Time Monitoring**

  Continuous analysis during every repetition

- **Privacy-Safe**

  No cameras or visual recording required

- **Wearable-Free**

  Works seamlessly in shared gym environments

- **Low Cost Deployment**

  Affordable components enable wide adoption

- **Preventive Approach**

  Detects risk before injury occurs

Current Limitations

Scope Boundary

Does not diagnose specific muscle injuries or medical conditions

Risk Detection

Identifies failure risk patterns, not exact failure repetition number

System Role

Assists safety monitoring but does not replace professional training guidance

Made with GAMMA

SUMMARY

Preventing Injuries Through Intelligent Detection

> Injuries do not occur suddenly. Mechanical instability appears first—our embedded system detects this critical early phase.

Target Applications

- College and university fitness centers
- Beginner training zones
- Rehabilitation facilities
- Safety-focused commercial gyms

Core Impact

Result: Reduced injury risk through equipment-level monitoring that provides reliable, real-time safety alerts without intrusive surveillance or wearable requirements.

Made with GAMMA